Visualisation

March 29, 2021

1 Data-Visualisation

Visualising Data for Modulation Classification

1.1 Imports

```
[1]: import numpy as np
import matplotlib.pyplot as plt
import os
import scipy.io

from IPython.display import display, Math, Latex, HTML
display(HTML("<style>.container { width:100% !important; }</style>"))
```

<IPython.core.display.HTML object>

1.2 Visualisation


```
[2]: def PlotData(Path, Channel, ModulationType, SNR, L=None):
    S = str(SNR) + "dB-SNR"
    if Channel == "AWGN":
        File = scipy.io.loadmat(Path + Channel + "/" + ModulationType + "/" + Su + '.mat')
    elif Channel == "Rayleigh":
        File = scipy.io.loadmat(Path + Channel + "/" + str(L) + "/" + u + str(L) + "/" + str(L) + str(L) + str(L) + "/" + str(L) +
```


```
plt.figure(figsize=(10,10))
  if Channel == "AWGN":
    FileName = "Channel-" + Channel + ", " + "ModulationScheme-" +
    ModulationType + ", " + "SNR-" + str(SNR) + "dB"
    elif Channel == "Rayleigh":
        FileName = "Channel-" + Channel + ", " + "ModulationScheme-" +
        ModulationType + ", " + "L-" + str(L) + ", " + "SNR-" + str(SNR) + "dB"
    plt.title(FileName)
    plt.xlabel("In-Phase Component")
    plt.ylabel("Quadrature-Phase Component")
    plt.scatter(TrueX[Ind],TrueY[Ind],color='green')
    plt.scatter(X[Ind],Y[Ind],color='red')
    plt.grid()
    plt.savefig("Images/" + FileName + ".jpg")
    plt.show()
```


1.2.1 AWGN Channel


Specifications: - Green: True Constellations - Red: Constellations after adding Noise


```
[3]: PlotData("../Data/","AWGN","QPSK",5)
PlotData("../Data/","AWGN","QPSK",30)
PlotData("../Data/","AWGN","16-QAM",5)
PlotData("../Data/","AWGN","16-QAM",30)
PlotData("../Data/","AWGN","64-QAM",5)
PlotData("../Data/","AWGN","64-QAM",30)
```

















1.2.2 Rayleigh Channel


Specifications: - **Green:** True Constellations - **Red:** Constellations after Fading and adding Noise


```
[4]: PlotData("../Data/", "Rayleigh", "QPSK", 5, L = 2)
PlotData("../Data/", "Rayleigh", "QPSK", 30, L = 2)
PlotData("../Data/", "Rayleigh", "16-QAM", 5, L = 2)
PlotData("../Data/", "Rayleigh", "16-QAM", 30, L = 2)
PlotData("../Data/", "Rayleigh", "64-QAM", 5, L = 2)
PlotData("../Data/", "Rayleigh", "64-QAM", 30, L = 2)
```














```
[5]: PlotData("../Data/", "Rayleigh", "QPSK", 5, L = 3)
PlotData("../Data/", "Rayleigh", "QPSK", 30, L = 3)
PlotData("../Data/", "Rayleigh", "16-QAM", 5, L = 3)
PlotData("../Data/", "Rayleigh", "16-QAM", 30, L = 3)
PlotData("../Data/", "Rayleigh", "64-QAM", 5, L = 3)
PlotData("../Data/", "Rayleigh", "64-QAM", 30, L = 3)
```

