itertools.product() ⭐

Your itertools.product() submission got 10.00 points.   Share   Post   ✕

Try the next challenge | **Try a Random Challenge**

Problem   Submissions   Leaderboard   Editorial 🔒

itertools.product()

This tool computes the cartesian product of input iterables.

It is equivalent to nested for-loops.

For example, `product(A, B)` returns the same as `((x,y) for x in A for y in B)`.

Sample Code

```
>>> from itertools import product
>>>
>>> print list(product([1,2,3],repeat = 2))
[(1, 1), (1, 2), (1, 3), (2, 1), (2, 2), (2, 3), (3, 1), (3, 2), (3, 3)]
>>>
>>> print list(product([1,2,3],[3,4]))
[(1, 3), (1, 4), (2, 3), (2, 4), (3, 3), (3, 4)]
>>>
>>> A = [[1,2,3],[3,4,5]]
>>> print list(product(*A))
[(1, 3), (1, 4), (1, 5), (2, 3), (2, 4), (2, 5), (3, 3), (3, 4), (3, 5)]
>>>
>>> B = [[1,2,3],[3,4,5],[7,8]]
>>> print list(product(*B))
[(1, 3, 7), (1, 3, 8), (1, 4, 7), (1, 4, 8), (1, 5, 7), (1, 5, 8), (2, 3, 7), (2, 3, 8), (2, 4, 7), (2, 4, 8), (2, 5, 7), (2, 5, 8), (3, 3, 7), (3, 3, 8), (3, 4, 7), (3, 4, 8), (3, 5, 7), (3, 5, 8)]
```

Task

You are given a two lists A and B. Your task is to compute their cartesian product AXB.

Example

```
A = [1, 2]
B = [3, 4]

AxB = [(1, 3), (1, 4), (2, 3), (2, 4)]
```

Note: A and B are sorted lists, and the cartesian product's tuples should be output in sorted order.

Input Format

The first line contains the space separated elements of list A.

The second line contains the space separated elements of list B.

Both lists have no duplicate integer elements.

Constraints

$0 < A < 30$

$0 < B < 30$

Output Format

Output the space separated tuples of the cartesian product.

Sample Input

```
1 2
3 4
```

Sample Output

```
(1, 3) (1, 4) (2, 3) (2, 4)
```

Change Theme   Language   Python 3

```python
1    # Enter your code here. Read input from STDIN. Print output to STDOUT
2    from itertools import product
3    A = list(map(int, input().split()))
4    B = list(map(int, input().split()))
5    print(*product(A, B))
6
```

EMACS   Line: 5 Col: 20

↥ Upload Code as File   ☐ Test against custom input   Run Code   Submit Code

You have earned 10.00 points!

48/115 challenges solved.

42%

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

✓ **Test case 0**

✓ Test case 1 🔒

✓ Test case 2 🔒

✓ Test case 3 🔒

✓ Test case 4 🔒

✓ Test case 5 🔒

Compiler Message

Success

Input (stdin)   Download

```
1   1 2
2   3 4
```

Expected Output   Download

```
1   (1, 3) (1, 4) (2, 3) (2, 4)
```

Blog | Scoring | Environment | FAQ | About Us | Helpdesk | Careers | Terms Of Service | Privacy Policy