



sWAP cASE ★

75 more points to get your next star!

Rank: 812630 | Points: 145/220



Your sWAP cASE submission got 10.00 points.

Share

Post



You are now 75 points away from the 4th star for your python badge.

[Try the next challenge](#) | [Try a Random Challenge](#)

Problem

Submissions

Leaderboard

Editorial

You are given a string and your task is to swap cases. In other words, convert all lowercase letters to uppercase letters and vice versa.

For Example:

www.HackerRank.com → wWw.hACKERrANK.COM
Pythonist 2 → pYTHONIST 2

Function Description

Complete the swap_case function in the editor below.

swap_case has the following parameters:

- string s: the string to modify

Returns

- string: the modified string

Input Format

A single line containing a string *s*.

Constraints $0 < \text{len}(s) \leq 1000$ **Sample Input 0**

HackerRank.com presents "Pythonist 2".

Sample Output 0

hACKERrANK.COM PRESENTS "pYTHONIST 2".

[Change Theme](#)

Language

Python 3



```
1 def swap_case(s):
2     s = list(s)
3     for i in range(len(s)):
4         if s[i].isupper():
```



```
5         s[i] = s[i].lower()
6     else:
7         s[i] = s[i].upper()
8
9
10    return "".join(s)
11
12    if __name__ == '__main__':
13        s = input()
14        result = swap_case(s)
15        print(result)
```

Line: 11 Col: 1

 Upload Code as File

☐ Test against custom input


Run Code

Submit Code

You have earned 10.00 points!

You are now 75 points away from the 4th star for your python badge.

32%145/220



Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Compiler Message

Success

Test case 1

Test case 2

Input (stdin)

1

HackerRank.com presents "Pythonist 2".

Download

✔ Test case 3 🔒

Expected Output

[Download](#)

1 | **hACKERrANK.COM PRESENTS "pYTHONIST 2".**

✔ Test case 4 🔒

✔ Test case 5 🔒