





X

Your Maximize It! submission got 50.00 points.

Share

Post

Problem S

Submissions

Leaderboard

Editorial 🖰

Try the next challenge

You are given a function $f(X) = X^2$. You are also given K lists. The i^{th} list consists of N_i elements.

You have to pick one element from each list so that the value from the equation below is maximized:

$$S = (f(X_1) + f(X_2) + \ldots + f(X_k))\%M$$

 $\pmb{X_i}$ denotes the element picked from the $\pmb{i^{th}}$ list . Find the maximized value $\pmb{S_{max}}$ obtained.

% denotes the modulo operator.

Note that you need to take exactly one element from each list, not necessarily the largest element. You add the squares of the chosen elements and perform the modulo operation. The maximum value that you can obtain, will be the answer to the problem.

Input Format

The first line contains ${f 2}$ space separated integers ${f K}$ and ${f M}$.

The next K lines each contains an integer N_i, denoting the number of elements in the ith list, followed by N_i space separated integers denoting the elements in the list.

Constraints

 $1 \le K \le 7$

 $1 \le M \le 1000$

 $1 \leq N_i \leq 7$

 $1 \leq \textit{Magnitude of elements in list } \leq 10^9$

Output Format

Output a single integer denoting the value $oldsymbol{S_{max}}$.

Sample Input

3 1000

2 5 4

3 7 8 9

5 5 7 8 9 10

Sample Output


206

Explanation

Picking 5 from the 1^{st} list, 9 from the 2^{nd} list and 10 from the 3^{rd} list gives the maximum S value equal to $(5^2 + 9^2 + 10^2)\%1000 = 206$.

```
Change Theme Language Python 3
```

```
# Enter your code here. Read input from STDIN. Print output to STDOUT
 2
    from itertools import product
 3
    k, m = map(int, input().split())
 4
 5
 6
    lsts = []
 7
    s_max = 0
    for _ in range(k):
 8
         lsts.append(list(map(int, input().split()))[1:])
 9
10
11
     prods = list(product(*lsts))
    for i in prods:
12
13
        tmp = 0
14
         for j in range(k):
15
            tmp += i[j]**2
16
         tmp_mod = tmp % m
        if tmp_mod > s_max:
17
            s_max = tmp_mod
18
19
    print(s_max)
20
21
```



Success
→ Hidden Test Case Unlock this testcase for 5 hackos.
Unlock

Blog | Scoring | Environment | FAQ | About Us | Helpdesk | Careers | Terms Of Service | Privacy Policy