
(A) Evolutionary Multi-View Classification with Label Noise
Evolutionary learning
New individual
④ Crossover Mutation
New individual
78.32
75.11
78.32
75.11
P_t
⑤ Fitness evaluation
② Initialize population
③ Fitness evaluation
⑦ Crossover Mutation
Individual
78.32
75.11
73.54
72.24
⑥ Selection
New population P_{t+1}
View space
Fusion space
Search space
Clean sample
Noisy sample
Original dataset D
① Data Purified
Purified dataset $D^{\star}$
(B) Data Purification Framework
Stage 1: Gradient space noise detection
Step 1: Training
Anchor model (θ)
Step 2: Input sample
Step 3: Extract gradients
Gradient space
Isolation Forest
Inlier
Trusted sample set $\tilde{D}$
Outlier
Noisy sample set $\mathcal{N}$
Stage 2: Feature space prototype calibration
Step 1: Training
Anchor model ($\tilde{\theta}$)
Step 2: Input sample
Step 3: Extract feature
Feature space
Group by category
Class 1
Class C
Feature set
Mean computation
μ_1
μ_C
Feature prototypes
Input
Anchor model ($\tilde{\theta}$)
Extract feature
Feature space
Similarity comparison
μ_1
μ_C
Label correction