Circular Economy Ontology Network (CEON) - Resource ODP

Metadata

IRI

http://w3id.org/CEON/ontology/resourceODP/

Title

Circular Economy Ontology Network (CEON) - Resource ODP

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2023-03-16

License

https://creativecommons.org/licenses/by/4.0/

Version Iri

http://w3id.org/CEON/ontology/resourceODP/0.2/

Version Info

0.2

Preferred Namespace Prefix

resourceODP

Preferred Namespace Uri

http://w3id.org/CEON/ontology/resourceODP/

Description

A core ODP of the CEON ontology network defining aspects of the resource concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Resource-1,3, CVN-Composition-1,2, CVN-ResrouceType-4, C7-3, E2-2, E4-6, E5-1, E6-3, T3-1.

Classes

Batch of objects[c]

IRI	http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects
Description	A batch of objects is a collection of physical objects that are of the same type, e.g. a set of items (product objects) adhering to the same product model.
Sub Class Of	Resource[c] has physical object[op] some Physical object[c] *and* has physical object[op] only Physical object[c]
In Domain Of	batch size[dp]
In Range Of	has batch[op]
Restriction	batch size[dp] *exactly* 1 Batch of objects[c]

Composition ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/Composition`

Description

A composition is used to represent how a whole or mixture is made up. E.g., for chemical elements composing a chemical structure, the compostion should hold information of the ratio of the composing chemical elments.

Constituent ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/Constituent`

Description

A constituent is a component of object.

In Range Of

has constituent ^{op}

Digital object ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/DigitalObject`

Sub Class Of

Resource ^C

Information ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/Information`

Description

Information is an abstract concept that represents any kind of interpretations. For instance, information can be data generated by software systems or data used by people for communications.

Sub Class Of

Resource ^C

In Domain Of

containsInformation ^{op}
isAbout ^{op}

In Range Of

containsInformation ^{op}
is realization of ^{op}

Matter ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/Matter`

Description

A matter is a physical substance.

In Range Of

has matter ^{op}

Physical object ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/PhysicalObject`

Description

A physical object is a collection of matter.

Sub Class Of

Resource ^C
has constituent ^{op} some Constituent ^C *and* has constituent ^{op} only Constituent ^C
has matter ^{op} only Matter ^C *and* has matter ^{op} some Matter ^C

In Domain Of

has constituent ^{op}
has matter ^{op}

In Range Of   has physical object ^{op}

Resource ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/Resource`

Description

A resource able to be handled in the context of a circular value network, e.g. data generated by software systems in the CVN, materials or prooducts as physical objects handled in the CVN.

In Domain Of   hasResourceLocation ^{op}

Super Class Of

Batch of objects ^C
Digital object ^C
Information ^C
Physical object ^C
Set of objects ^C

Set of objects ^C

IRI   `http://w3id.org/CEON/ontology/resourceODP/SetOfObjects`

Description

A set of objects is a set of physical objects (items) that can be of different types, i.e. different kinds of items.

Sub Class Of

Resource ^C
has batch ^{op} only Batch of objects ^C *and* has batch ^{op} some Batch of objects ^C
has physical object ^{op} some Physical object ^C *and* has physical object ^{op} only
Physical object ^C

Geometry^c

IRI	`http://www.opengis.net/ont/geosparql#Geometry`
Description	A coherent set of direct positions in space. The positions are held within a Spatial Reference System (SRS).
In Domain Of	as GML^{dp} as GeoJSON^{dp} as WKT^{dp}
In Range Of	hasResourceLocation^{op}

Object Properties

contains information^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/containsInformation`
Sub Property Of	hasPart^{op}
Domain	Information^c
Range	Information^c

has batch^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/hasBatch`
Description	hasBatch intends to represent that a set or batch of objects can be captured by a number of batches where each batch contains a number of physical objects.
Domain	Set of objects^c *or* Batch of objects^c
Range	Batch of objects^c

has constituent^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/hasConstituent`
Description	hasConstitutent intends to represent that a physical object can have a collection of composing components.
Sub Property Of	hasPart^{op}
Domain	Physical object^c
Range	Constituent^c

has matter ^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/hasMatter`
Description	hasMatter intends to represent that a physical object can have a collection of matter.
Domain	Physical object ^c
Range	Matter ^c

has part ^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/hasPart`
Super Property Of	• containsInformation ^{op} • has constituent ^{op}

has physical object ^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/hasPhysicalObject`
Description	hasPhysicalObject intends to represent that a batch of objects or a set of objects can have composing components of physical objects.
Domain	Batch of objects ^c *or* Set of objects ^c
Range	Physical object ^c

has resource location ^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/hasResourceLocation`
Domain	Resource ^c
Range	Geometry ^c

is about ^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/isAbout`
Domain	Information ^c

is realization of ^{op}

IRI	`http://w3id.org/CEON/ontology/resourceODP/isRealizationOf`
Range	Information ^c

Datatype Properties

batch size ^{dp}

IRI	`http://w3id.org/CEON/ontology/resourceODP/batchSize`
Description	batchSize intends to repsent how many physical objects are belong to a batch of objects.
Domain	Batch of objects ^c
Range	xsd:nonNegativeInteger

as GML ^{dp}

IRI	`http://www.opengis.net/ont/geosparql#asGML`
Is Defined By	http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-wkt-literal
Description	The GML serialization of a Geometry.
Domain	Geometry ^c
Range	geo:gmlLiteral

as GeoJSON ^{dp}

IRI	`http://www.opengis.net/ont/geosparql#asGeoJSON`
Is Defined By	http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-wkt-literal
Description	The GeoJSON serialization of a Geometry.
Domain	Geometry ^c
Range	geo:geoJSONLiteral

as WKT ^{dp}

IRI	`http://www.opengis.net/ont/geosparql#asWKT`
Is Defined By	http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-wkt-literal
Description	The WKT serialization of a Geometry.
Domain	Geometry ^c
Range	geo:wktLiteral

Annotation Properties

description ^{ap}

IRI   http://purl.org/dc/elements/1.1/description

contributor ^{ap}

IRI   http://purl.org/dc/terms/contributor

created ^{ap}

IRI   http://purl.org/dc/terms/created

creator ^{ap}

IRI   http://purl.org/dc/terms/creator

description ^{ap}

IRI   http://purl.org/dc/terms/description

license ^{ap}

IRI   http://purl.org/dc/terms/license

title ^{ap}

IRI   http://purl.org/dc/terms/title

preferred namespace prefix ^{ap}

IRI   http://purl.org/vocab/vann/preferredNamespacePrefix

preferred namespace uri ^{ap}

IRI   http://purl.org/vocab/vann/preferredNamespaceUri

covers requirements ^{ap}

IRI   http://www.ontologydesignpatterns.org/schemas/cpannotation
     schema.owl#coversRequirements

definition ^{ap}
IRI   `http://www.w3.org/2004/02/skos/core#definition`

pref label ^{ap}
IRI   `http://www.w3.org/2004/02/skos/core#prefLabel`

Namespaces

:

`http://w3id.org/CEON/ontology/resourceODP/`

dc

`http://purl.org/dc/elements/1.1/`

dcterms

`http://purl.org/dc/terms/`

geo

`http://www.opengis.net/ont/geosparql#`

odp

`http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#`

owl

`http://www.w3.org/2002/07/owl#`

prov

`http://www.w3.org/ns/prov#`

rdf

`http://www.w3.org/1999/02/22-rdf-syntax-ns#`

rdfs

`http://www.w3.org/2000/01/rdf-schema#`

skos

`http://www.w3.org/2004/02/skos/core#`

vann

`http://purl.org/vocab/vann/`

xsd

`http://www.w3.org/2001/XMLSchema#`

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties