

Circular Economy Ontology Network (CEON) - Actor ODP

Metadata

IRI	http://w3id.org/CEON/ontology/location/
Title	Circular Economy Ontology Network (CEON) - Actor ODP
Creator	Eva Blomqvist
Contributor	Huanyu Li Mikael Lindecrantz Robin Keskisärkkä
Date Created	2023-03-17
License	https://creativecommons.org/licenses/by/4.0/
Version Iri	http://w3id.org/CEON/ontology/location/0.1/
Version Info	0.1
Preferred Namespace Prefix	location
Preferred Namespace Uri	http://w3id.org/CEON/ontology/location/
Description	A core ODP of the CEON ontology network, defining aspects of the actor concept.
Covers Requirements	Covers the following requirements from Onto-DESID E D3.1: CE3-3

Classes

Location ^C	
IRI	http://w3id.org/CEON/ontology/location/Location
Sub Class Of	Geometry ^C
In Range Of	hasLocation ^{OP}

Geometry^c

IRI	http://www.opengis.net/ont/geosparql#Geometry
Description	A coherent set of direct positions in space. The positions are held within a Spatial Reference System (SRS).
In Domain Of	as GML ^{dp} as GeoJSON ^{dp} as WKT ^{dp}
Super Class Of	Location ^c

Object Properties

has location^{op}

IRI	http://w3id.org/CE0N/ontology/location/hasLocation
Range	Location ^c

Datatype Properties

has city^{dp}

IRI	http://w3id.org/CE0N/ontology/location/hasCity
Range	xsd:string

has country code^{dp}

IRI	http://w3id.org/CE0N/ontology/location/hasCountryCode
Range	xsd:string

has postal code^{dp}

IRI	http://w3id.org/CE0N/ontology/location/hasPostalCode
Range	xsd:string

has street^{dp}

IRI	http://w3id.org/CE0N/ontology/location/hasStreet
Range	xsd:string

as GML^{dp}

IRI	http://www.opengis.net/ont/geosparql#asGML
Is Defined By	http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-wkt-literal
Description	The GML serialization of a Geometry.
Domain	Geometry ^c
Range	geo:gmlLiteral

as GeoJSON^{dp}

IRI	http://www.opengis.net/ont/geosparql#asGeoJSON
Is Defined By	http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-wkt-literal
Description	The GeoJSON serialization of a Geometry.
Domain	Geometry ^c
Range	geo:geoJSONLiteral

as WKT^{dp}

IRI	http://www.opengis.net/ont/geosparql#asWKT
Is Defined By	http://www.opengis.net/spec/geosparql/1.0/req/geometry-extension/geometry-as-wkt-literal
Description	The WKT serialization of a Geometry.
Domain	Geometry ^c
Range	geo:wktLiteral

Annotation Properties

contributor^{ap}

IRI	http://purl.org/dc/terms/contributor
------------	---

created^{ap}

IRI	http://purl.org/dc/terms/created
------------	---

creator^{ap}

IRI	http://purl.org/dc/terms/creator
------------	---

description ^{ap}	
IRI	http://purl.org/dc/terms/description
license ^{ap}	
IRI	http://purl.org/dc/terms/license
title ^{ap}	
IRI	http://purl.org/dc/terms/title
preferred namespace prefix ^{ap}	
IRI	http://purl.org/vocab/vann/preferredNamespacePrefix
preferred namespace uri ^{ap}	
IRI	http://purl.org/vocab/vann/preferredNamespaceUri
covers requirements ^{ap}	
IRI	http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#coversRequirements
definition ^{ap}	
IRI	http://www.w3.org/2004/02/skos/core#definition
pref label ^{ap}	
IRI	http://www.w3.org/2004/02/skos/core#prefLabel

Namespaces

```

:
    http://w3id.org/CEON/ontology/location/
dcterms
    http://purl.org/dc/terms/
geo
    http://www.opengis.net/ont/geosparql#
odp
    http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#
owl
    http://www.w3.org/2002/07/owl#
prov
    http://www.w3.org/ns/prov#
rdf
    http://www.w3.org/1999/02/22-rdf-syntax-ns#

```

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

skos

<http://www.w3.org/2004/02/skos/core#>

vann

<http://purl.org/vocab/vann/>

xsd

<http://www.w3.org/2001/XMLSchema#>

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties