

Circular Economy Ontology Network (CEON) - Process ODP

Metadata

IRI

<http://w3id.org/CEON/ontology/processODP/>

Title

Circular Economy Ontology Network (CEON) - Process ODP

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2023-03-23

License

<https://creativecommons.org/licenses/by/4.0/>

Version Iri

<http://w3id.org/CEON/ontology/processODP/0.1/>

Version Info

0.1

Preferred Namespace Prefix

processODP

Preferred Namespace Uri

<http://w3id.org/CEON/ontology/processODP/>

Description

A core ODP of the CEON ontology network, defining aspects of the process concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Process-3,4,5, C3-1, C4-2, C4-5, C4-7, C4-9, C13-2, E2-6

Classes

Process Participation^c

IRI

<http://w3id.org/CEON/ontology/actor/ProcessParticipation>

Restriction

[actorODP:participationIn](#)^{op} some [actor:ProcessParticipation](#)^c

Process^c

IRI <http://w3id.org/CEON/ontology/processODP/Process>

Description An activity in the context of a circular value network, handling resources.

In Domain Of [hasPart](#)^{op}
[has process execution](#)^{op}
[has process type](#)^{op}
[nextProcess](#)^{op}

In Range Of [hasPart](#)^{op}
[nextProcess](#)^{op}

Super Class Of [Transformation](#)^c

Process execution^c

IRI <http://w3id.org/CEON/ontology/processODP/ProcessExecution>

Description An execution of a specific process.

In Range Of [has process execution](#)^{op}

Process type^c

IRI <http://w3id.org/CEON/ontology/processODP/ProcessType>

Description The type of a process.

In Range Of [has process type](#)^{op}

Situation^c

IRI <http://w3id.org/CEON/ontology/processODP/Situation>

In Domain Of [isSettingFor](#)^{op}

In Range Of [intialSituation](#)^{op}
[resultingSituation](#)^{op}

Transformation^c

IRI <http://w3id.org/CEON/ontology/processODP/Transformation>

Sub Class Of [Process^c](#)

In Domain Of
[hasInput^{op}](#)
[hasOutput^{op}](#)
[initialSituation^{op}](#)
[occursInLocation^{op}](#)
[resultingSituation^{op}](#)

Object Properties

participation in^{op}

IRI <http://w3id.org/CEON/ontology/actorODP/participationIn>

has input^{op}

IRI <http://w3id.org/CEON/ontology/processODP/hasInput>

Domain [Transformation^c](#)

has output^{op}

IRI <http://w3id.org/CEON/ontology/processODP/hasOutput>

Domain [Transformation^c](#)

has part^{op}

IRI <http://w3id.org/CEON/ontology/processODP/hasPart>

Domain [Process^c](#)

Range [Process^c](#)

has process execution^{op}

IRI <http://w3id.org/CEON/ontology/processODP/hasProcessExecution>

Description A process can have specific executions.

Domain [Process](#)^c

Range [Process execution](#)^c

has process type^{op}

IRI <http://w3id.org/CEON/ontology/processODP/hasProcessType>

Description The type of the process.

Domain [Process](#)^c

Range [Process type](#)^c

intial situation^{op}

IRI <http://w3id.org/CEON/ontology/processODP/intialSituation>

Domain [Transformation](#)^c

Range [Situation](#)^c

is setting for^{op}

IRI <http://w3id.org/CEON/ontology/processODP/isSettingFor>

Domain [Situation](#)^c

next process^{op}

IRI <http://w3id.org/CEON/ontology/processODP/nextProcess>

Domain [Process](#)^c

Range [Process](#)^c

occurs in location^{op}

IRI <http://w3id.org/CEON/ontology/processODP/occursInLocation>

Domain [Transformation^c](#)

resulting situation^{op}

IRI <http://w3id.org/CEON/ontology/processODP/resultingSituation>

Domain [Transformation^c](#)

Range [Situation^c](#)

Annotation Properties

contributor^{ap}

IRI <http://purl.org/dc/terms/contributor>

created^{ap}

IRI <http://purl.org/dc/terms/created>

creator^{ap}

IRI <http://purl.org/dc/terms/creator>

description^{ap}

IRI <http://purl.org/dc/terms/description>

license^{ap}

IRI <http://purl.org/dc/terms/license>

title ^{ap}	
IRI	http://purl.org/dc/terms/title
preferred namespace prefix ^{ap}	
IRI	http://purl.org/vocab/vann/preferredNamespacePrefix
preferred namespace uri ^{ap}	
IRI	http://purl.org/vocab/vann/preferredNamespaceUri
covers requirements ^{ap}	
IRI	http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#coversRequirements

Namespaces

:

<http://w3id.org/CEON/ontology/processODP/>

actor

<http://w3id.org/CEON/ontology/actor/>

actorODP

<http://w3id.org/CEON/ontology/actorODP/>

dcterms

<http://purl.org/dc/terms/>

odp

<http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#>

owl

<http://www.w3.org/2002/07/owl#>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

vann

<http://purl.org/vocab/vann/>

Legend

c

op

ap

Classes

Object Properties

Annotation Properties