# Circular Economy Ontology Network (CEON) - Textile Module

#### Metadata

IRI

http://w3id.org/CEON/demo/textile/

Title

Circular Economy Ontology Network (CEON) - Textile Module

Creator

Eva Blomqvist

Contributor

Huanyu Li

Mikael Lindecrantz

Robin Keskisärkkä

License

https://creativecommons.org/licenses/by/4.0/

**Version Iri** 

http://w3id.org/CEON/demo/textile/0.1/

**Version Info** 

0.1

**Preferred Namespace Uri** 

http://w3id.org/CEON/demo/textile/

**Description** 

The Textile module of CEON (Circular Economy Ontology Network).

#### Classes

Regulation <sup>C</sup>	
IRI	http://w3id.org/CEON/ontology/textile/Regulation
Origin <sup>c</sup>	
IRI	http://w3id.org/CEON/ontology/textile/Origin
In Range Of	<u>hasOrigin<sup>op</sup></u>
Named Individuals	original <sup>ni</sup> recycled <sup>ni</sup> reused <sup>ni</sup>

#### Amount Interval Value c

IRI http://w3id.org/CEON/ontology/textile/AmountIntervalValue

**Super Class Of** 

<u>LeakageAmountInterval</u><sup>C</sup>

PostConsumerRecycledContentInterval<sup>C</sup>
PreConsumerRecycledContentInterval<sup>C</sup>
RecyclingAtSameLevelAmountInterval<sup>C</sup>

#### Amount Threshold<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/AmountThreshold

In Range Of disclosure Value op

**Named Individuals** 

0.01perc<sup>ni</sup> 0.1perc<sup>ni</sup> 1perc<sup>ni</sup>

#### Availability <sup>C</sup>

**Named Individuals** 

<u>public</u>ni

<u>secrecyAgreement</u><sup>ni</sup>

#### Batch Of Textile Objects C

S

Sub Class Of <a href="http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects">http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects</a>

Restriction <u>hasColor<sup>op</sup> some BatchOfTextileObjects<sup>c</sup></u>

# Chemical Finishing <sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/ChemicalFinishing

**Sub Class Of** <u>TextileFinishing</u><sup>C</sup>

**Named Individuals** 

anti-pilling ni

antiStaticFinishing ni antibacterialFinishing<sup>ni</sup>

coating ni

<u>coatingAcrylic</u><sup>ni</sup>

<u>coatingPU<sup>ni</sup></u> <u>coatingPVC</u><sup>ni</sup>

<u>creaseResistance</u><sup>ni</sup> enzymeFinishing<sup>ni</sup>

flameRetardant ni

mattingAgent<sup>ni</sup>

millWashing ni

millingAgent ni

naturalOiling ni

<u>opticalBrighteners</u><sup>ni</sup>

permanentPress<sup>ni</sup>

<u>prepareForDyeing</u><sup>ni</sup>

resins ni <u>silicones</u><sup>ni</sup>

<u>soilRelease</u>ni

stainResistance<sup>ni</sup>

Color<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/Color

In Range Of hasColor op

Dye <sup>c</sup>

IRI http://w3id.org/CEON/ontology/textile/Dye

**Sub Class Of** <u>TextileProperty</u><sup>C</sup>

**Named Individuals** 

<u>acidDye</u>ni

<u>analineDye</u>ni

<u>azoDye</u>ni

<u>basicDye</u>ni

chromeDye ni

<u>directDye</u>ni

<u>disperseDye</u>ni

mordantDye ni

<u>narturalDye</u>ni

<u>pigmentBiosynthetic</u><sup>ni</sup>

<u>pigmentNatural</u><sup>ni</sup>

<u>pigmentSynthetic</u><sup>ni</sup>

<u>reactiveDye</u><sup>ni</sup>

<u>vatDye</u>ni

# Dyeing Process<sup>C</sup>

Sub Class Of TextileManufacturingProcess<sup>C</sup>

In Range Of Dye Method op

# Leakage Amount Interval <sup>c</sup>

Sub Class Of AmountIntervalValue<sup>C</sup>

**Named Individuals** 

\_10to25Percni

\_1to10Perc<sup>ni</sup>

\_25to50Percni

50-75Perc<sup>ni</sup> 75to95Perc<sup>ni</sup>

<u>above95Perc<sup>ni</sup></u>

lessThan1Percni

#### Mechanical Finishing <sup>C</sup>

Sub Class Of TextileFinishing<sup>C</sup>

**Named Individuals** 

<u>calendering</u><sup>ni</sup>

embossing ni

<u>permanentCreasing</u><sup>ni</sup> <u>pre-shrinking</u><sup>ni</sup>

<u>pre-shrinking</u>

<u>sueding</u><sup>ni</sup>

#### Post Consumer Recycled Content Interval<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/PostConsumerRecycled

ContentInterval

Sub Class Of AmountIntervalValue<sup>C</sup>

**Named Individuals** 

<u>Operc<sup>ni</sup></u>

\_0to10Percni

\_10to25Perc<sup>ni</sup>

\_25to50Perc<sup>ni</sup>

50-75Perc<sup>ni</sup>

\_75to95Perc<sup>ni</sup>

above95Perc<sup>ni</sup>

# Pre Consumer Recycled Content Interval<sup>C</sup>

ontentInterval

Sub Class Of AmountIntervalValue<sup>C</sup>

**Named Individuals** 

Opercni
Oto10Percni
10to25Percni
25to50Percni
50-75Percni
75to95Percni
above95Percni

#### Print<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/Print

Sub Class Of <a href="http://w3id.org/CEON/ontology/resourceODP/Constituent">http://w3id.org/CEON/ontology/resourceODP/Constituent</a>

#### Print Stuff<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/PrintStuff

Sub Class Of <a href="http://w3id.org/CEON/ontology/resourceODP/Matter">http://w3id.org/CEON/ontology/resourceODP/Matter</a>

**Named Individuals** 

acidDye<sup>ni</sup>
analineDye<sup>ni</sup>
azoDye<sup>ni</sup>
basicDye<sup>ni</sup>
chromeDye<sup>ni</sup>
directDye<sup>ni</sup>
disperseDye<sup>ni</sup>
mordantDye<sup>ni</sup>
narturalDye<sup>ni</sup>
pigmentBiosynthetic<sup>ni</sup>
pigmentNatural<sup>ni</sup>

pigmentBiosynthetic pigmentNatural<sup>ni</sup> pigmentSynthetic<sup>ni</sup> reactiveDye<sup>ni</sup> sulfurDye<sup>ni</sup> vatDye<sup>ni</sup>

#### Printing Process<sup>C</sup>

Sub Class Of TextileManufacturingProcess<sup>C</sup>

In Range Of Print Method op

**Named Individuals** 

batikPrinted<sup>ni</sup>
digitalPrinted<sup>ni</sup>
handPainted<sup>ni</sup>
inkjetPrinted<sup>ni</sup>
rollerPrinted<sup>ni</sup>
screenPrinted<sup>ni</sup>
transferPrinted<sup>ni</sup>

# Recycling At Same Level Amount Interval<sup>C</sup>

AmountInterval

Sub Class Of AmountIntervalValue<sup>C</sup>

**Named Individuals** 

Operc<sup>ni</sup>
Oto10Perc<sup>ni</sup>
10to25Perc<sup>ni</sup>
25to50Perc<sup>ni</sup>
50-75Perc<sup>ni</sup>

75to95Perc<sup>ni</sup> 95to99Perc<sup>ni</sup> above99Perc<sup>ni</sup>

#### Textile Chemical Substance Threshold Statement C

IRI http://w3id.org/CEON/ontology/textile/TextileChemicalSubst

anceThresholdStatement

Sub Class Of TextileDataSheetStatement<sup>C</sup>

In Domain Of disclosure Value op

# Textile Data Sheet<sup>c</sup>

Sub Class Of <a href="http://w3id.org/CEON/ontology/datasheet/DataSheet">http://w3id.org/CEON/ontology/datasheet/DataSheet</a>

Restriction hasProperty<sup>op</sup> some TextileDataSheet<sup>c</sup>

http://w3id.org/CEON/ontology/resourceODP/isAbout\_some\_TextileDataSheet<sup>C</sup>

Textile Data Sheet Issuing Statement<sup>c</sup>

IRI http://w3id.org/CEON/ontology/textile/TextileDataSheetIssu

ingStatement

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Data Sheet Statement C

ement

Sub Class Of <a href="http://w3id.org/CEON/ontology/provenance/Statement">http://w3id.org/CEON/ontology/provenance/Statement</a>

**Super Class Of** 

<u>TextileChemicalSubstanceThresholdStatement</u><sup>C</sup>

TextileDataSheetIssuingStatement<sup>C</sup>
TextileDataSheetUpdateStatement<sup>C</sup>
TextileManufacturerStatement<sup>C</sup>
TextileManufacturingSiteStatement<sup>C</sup>
TextileProductCertification<sup>C</sup>
TextileProductComponentRelation<sup>C</sup>

<u>TextileProductCompositionDisclosureStatement</u><sup>C</sup>

<u>TextileProductCompositionOfConcern</u><sup>C</sup> <u>TextileProductCompositionWeightFraction</u><sup>C</sup>

<u>TextileProductDataSheet</u><sup>C</sup>

TextileProductDesignForDisassembly<sup>C</sup>
TextileProductDesignForRecycling<sup>C</sup>
TextileProductDesignForRefurbishment<sup>C</sup>
TextileProductDesignForRemanufacturing<sup>C</sup>
TextileProductDesignForReuseMethod<sup>C</sup>
TextileProductDesignedForBetterUse<sup>C</sup>
TextileProductManufacturingMethod<sup>C</sup>
TextileProductMatterCompositionRelation<sup>C</sup>
TextileProductRecycledContent<sup>C</sup>

<u>TextileProductRenewableContet</u><sup>c</sup>

Textile Data Sheet Update Statement <sup>c</sup>

teStatement

Sub Class Of <u>TextileDataSheetStatement</u><sup>C</sup>

Textile Finishing <sup>C</sup>

Sub Class Of TextileProperty<sup>C</sup>

In Range Of hasFinishing op

Super Class Of

<u>ChemicalFinishing</u><sup>c</sup> MechanicalFinishing<sup>c</sup> Textile Manufacturer Statement <sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/TextileManufacturerS

tatement

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Manufacturing Process<sup>C</sup>

Process

In Range Of <a href="https://hasTextileManufacturingProcess">hasTextileManufacturingProcess</a> op

**Super Class Of** 

<u>DyeingProcess<sup>C</sup></u>
<u>PrintingProcess<sup>C</sup></u>

**Named Individuals** 

directDyed<sup>ni</sup>
dopeDyed<sup>ni</sup>
pieceDyed<sup>ni</sup>
topDyed<sup>ni</sup>
undyed<sup>ni</sup>
yarnDyed<sup>ni</sup>

Textile Manufacturing Site Statement <sup>c</sup>

SiteStatement

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product<sup>C</sup>

Sub Class Of <a href="http://w3id.org/CEON/ontology/product/Product">http://w3id.org/CEON/ontology/product/Product</a>

In Domain Of <a href="hasTextileProductType">hasTextileProductType</a> op

Restriction

<u>hasColor</u><sup>op</sup> some <u>TextileProduct</u><sup>c</sup>

hasTextileProductType<sup>op</sup> some TextileProduct<sup>c</sup>

Textile Product Certification <sup>C</sup>

ication

Sub Class Of TextileDataSheetStatement<sup>C</sup>

#### Textile Product Component Relation <sup>c</sup>

IRI http://w3id.org/CEON/ontology/textile/TextileProductCompon

entRelation

Sub Class Of

http://qudt.org/schema/qudt/Quantity

<u>TextileDataSheetStatement</u><sup>C</sup>

http://w3id.org/CEON/ontology/actorODP/ResourceParticipation

http://qudt.org/schema/qudt/numericalValue\_some n1533f28e7b984a10826db14f9ebce484b15<sup>c</sup> and

http://qudt.org/schema/qudt/hasUnit some http://qudt.org/schema/qudt/Unit and http://w3id.org/CEON/ontology/actorODP/participatingObject\_some

http://w3id.org/CEON/ontology/resourceODP/Constituent<sup>C</sup> and http://w3id.org/CEON/ontology/actorODP/participatingSubject some

<u>TextileProduct</u><sup>C</sup>

#### Textile Product Composition Disclosure Statement<sup>C</sup>

itionDisclosureStatement

Sub Class Of TextileDataSheetStatement<sup>C</sup>

In Range Of <a href="mailto:chemicalSubstanceDisclosureThreshold">chemicalSubstanceDisclosureThreshold</a> op

#### Textile Product Composition Of Concern<sup>c</sup>

itionOfConcern

Sub Class Of TextileDataSheetStatement<sup>C</sup>

#### Textile Product Composition Weight Fraction C

itionWeightFraction

Sub Class Of TextileDataSheetStatement<sup>C</sup>

#### Textile Product Data Sheet<sup>c</sup>

http://w3id.org/CEON/ontology/textile/TextileProductDataSh

eet

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product Design For Disassembly c

ForDisassembly

Sub Class Of TextileDataSheetStatement<sup>C</sup>

**Super Class Of** 

<u>TextileProductDesignToBeCleanlyRemoved</u><sup>c</sup> <u>TextileProductDesignToBeDismantled</u><sup>c</sup>

Textile Product Design For Recycling C

IRI http://w3id.org/CEON/ontology/textile/TextileProductDesign

ForRecycling

Sub Class Of TextileDataSheetStatement<sup>C</sup>

In Range Of desinged for recycling at the same level of quality op

Restriction recyclingAtSameQualityRange<sup>op</sup> some TextileProductDesignForRecycling<sup>c</sup>

Textile Product Design For Refurbishment<sup>c</sup>

ForRefurbishment

Sub Class Of <u>TextileDataSheetStatement</u><sup>C</sup>

Textile Product Design For Remanufacturing <sup>c</sup>

ForRemanufacturing

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product Design For Reuse Method<sup>c</sup>

 ${\tt For Reuse Method}$ 

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product Design To Be Cleanly Removed C

IRI http://w3id.org/CEON/ontology/textile/TextileProductDesign

ToBeCleanlyRemoved

Sub Class Of TextileProductDesignForDisassembly<sup>C</sup>

Textile Product Design To Be Dismantled C

IRI http://w3id.org/CEON/ontology/textile/TextileProductDesign

ToBeDismantled

Sub Class Of <u>TextileProductDesignForDisassembly</u><sup>C</sup>

Textile Product Designed For Better Use<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/TextileProductDesign

edForBetterUse

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product Manufacturing Method<sup>c</sup>

cturingMethod

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product Matter Composition Relation C

CompositionRelation

Sub Class Of <a href="http://qudt.org/schema/qudt/Quantity">http://qudt.org/schema/qudt/Quantity</a>

<u>TextileDataSheetStatement</u><sup>C</sup>

http://w3id.org/CEON/ontology/actorODP/ResourceParticipation http://w3id.org/CEON/ontology/actorODP/participatingObject\_some

http://w3id.org/CEON/ontology/resourceODP/Matter<sup>c</sup> and

http://w3id.org/CEON/ontology/actorODP/participatingSubject\_some

n1533f28e7b984a10826db14f9ebce484b26<sup>c</sup>

Textile Product Object<sup>C</sup>

Sub Class Of <a href="http://w3id.org/CEON/ontology/product/ProductObject">http://w3id.org/CEON/ontology/product/ProductObject</a>

Restriction hasColor<sup>op</sup> some TextileProductObject<sup>C</sup>

Textile Product Recycled Content<sup>C</sup>

IRI http://w3id.org/CEON/ontology/textile/TextileProductRecycl

edContent

Sub Class Of <a href="http://qudt.org/schema/qudt/Quantity">http://qudt.org/schema/qudt/Quantity</a>

<u>TextileDataSheetStatement</u><sup>C</sup>

http://w3id.org/CEON/ontology/actorODP/ResourceParticipation http://w3id.org/CEON/ontology/provenance/statementAbout\_some

n1533f28e7b984a10826db14f9ebce484b35<sup>c</sup> and

http://qudt.org/schema/qudt/hasUnit\_some http://qudt.org/schema/qudt/Unit\_c

and <a href="http://qudt.org/schema/qudt/numericalValue">http://qudt.org/schema/qudt/numericalValue</a> some

n1533f28e7b984a10826db14f9ebce484b39<sup>c</sup>

Textile Product Renewable Contet<sup>c</sup>

bleContet

Sub Class Of TextileDataSheetStatement<sup>C</sup>

Textile Product Type C

In Range Of <a href="hasTextileProductType">hasTextileProductType</a> op

Textile Property<sup>C</sup>

Super Class Of

<u>Dye</u><sup>c</sup>

TextileFinishing<sup>C</sup>
WaterProperty<sup>C</sup>

Textile Recycling Process<sup>c</sup>

IRI http://w3id.org/CEON/ontology/textile/TextileRecyclingProc

ess

In Range Of <u>textileProductDesignForRecycling</u> op

**Named Individuals** 

biodigestion<sup>ni</sup>

biosphereCascading<sup>ni</sup> homeComposting<sup>ni</sup> incineration<sup>ni</sup>

industrialComposting ni

Validation <sup>c</sup>

IRI http://w3id.org/CEON/ontology/textile/Validation

Named Individuals

certified ni

<u>validatedByThirdParty</u><sup>ni</sup>

Water Property<sup>C</sup>

Sub Class Of TextileProperty<sup>C</sup>

In Range Of Water Property op

**Named Individuals** 

Water repellent<sup>ni</sup>
Water resistant<sup>ni</sup>
Waterproof<sup>ni</sup>

Brand Of Resource <sup>C</sup>

Sub Class Of <a href="http://w3id.org/CEON/ontology/actorODP/ResourceRelation">http://w3id.org/CEON/ontology/actorODP/ResourceRelation</a>

Equivalentclass <a href="http://w3id.org/CEON/ontology/actorODP/ResourceRelation">http://w3id.org/CEON/ontology/actorODP/ResourceRelation</a> and

http://w3id.org/CEON/ontology/actorODP/participantRole\_value\_brand<sup>C</sup>

Reach Compliance <sup>C</sup>

Sub Class Of <a href="http://w3id.org/CEON/ontology/product/Compliance">http://w3id.org/CEON/ontology/product/Compliance</a>

Equivalentclass <a href="http://w3id.org/CEON/ontology/product/complianceWith-value">http://w3id.org/CEON/ontology/product/complianceWith-value</a> REACH<sup>C</sup>

#### **Object Properties**

anticipated leakage during use op

IRI http://w3id.org/CEON/ontology/textile/anticipatedLeakageDu

ringUse

Description

Percentage of the product content anticipated to become leakage during the

use phase due to for example wear & tear, oxidation, erosion, etc.

Sub Property Of hasProperty op

chemical substance disclosure threshold op

closureThreshold

Range <u>TextileProductCompositionDisclosureStatement</u><sup>C</sup>

desinged for recycling at the same level of quality op

IRI http://w3id.org/CEON/ontology/textile/designedForRecycling

AtSameQuality

**Description**Percentage of the product that is designed for recycling at the same level of

quality. The remainder of the materials is foreseen by the manufacturer to be

recycled at a lower quality than the original content.

Sub Property Of hasProperty op

Range <u>TextileProductDesignForRecycling</u><sup>C</sup>

disclosure value op

Sub Property Of <a href="http://w3id.org/CEON/ontology/quantity#objectValue">http://w3id.org/CEON/ontology/quantity#objectValue</a>

<u>Domain</u> <u>TextileChemicalSubstanceThresholdStatement<sup>C</sup></u>

Range <u>AmountThreshold</u><sup>C</sup>

has color op

IRI http://w3id.org/CEON/ontology/textile/hasColor

Domain <a href="http://w3id.org/CEON/ontology/product/Product">http://w3id.org/CEON/ontology/product/Product</a> or

http://w3id.org/CEON/ontology/product/ProductObject<sup>c</sup> or http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects<sup>c</sup>

Range <u>Color</u><sup>C</sup>

Dye Method op

Sub Property Of hasTextileManufacturingProcess op

Range <u>DyeingProcess</u><sup>C</sup>

Dye Stuff<sup>op</sup>

Sub Property Of hasProperty op

has finishing op

Sub Property Of hasProperty op

Range <u>TextileFinishing</u><sup>C</sup>

Finishing Step op

Sub Property Of hasTextileManufacturingProcess op

has post consumer recycled content amount op

IRI http://w3id.org/CEON/ontology/textile/hasPostConsumerRecyc

ledContentAmount

Sub Property Of <a href="http://w3id.org/CEON/ontology/product/hasComposition">http://w3id.org/CEON/ontology/product/hasComposition</a>

has pre consumer recycled content amount op

edContentAmount

Sub Property Of <a href="http://w3id.org/CEON/ontology/product/hasComposition">http://w3id.org/CEON/ontology/product/hasComposition</a>

Print Finishing op

Sub Property Of hasProperty op

Print Method op

IRI http://w3id.org/CEON/ontology/textile/hasPrintMethod

Sub Property Of hasTextileManufacturingProcess<sup>op</sup>

Range <u>PrintingProcess<sup>C</sup></u>

Print Stuff<sup>op</sup>

Sub Property Of hasProperty op

#### has property op

IRI http://w3id.org/CEON/ontology/textile/hasProperty

**Super Property Of** 

anticipatedLeakageDuringUse<sup>op</sup>

desinged for recycling at the same level of quality op

• Dye Stuff<sup>op</sup>

• hasFinishing op

• Print Finishing op

Print Stuff<sup>op</sup>

• Water Property op

Domain <a href="http://w3id.org/CEON/ontology/datasheet/DataSheet">http://w3id.org/CEON/ontology/datasheet/DataSheet</a>

Range <a href="http://w3id.org/CEON/ontology/provenance/Statement">http://w3id.org/CEON/ontology/provenance/Statement</a>

# has textile manufacturing process op

ingProcess

**Super Property Of** 

<u>Dye Method</u><sup>op</sup>

Finishing Step op

Print Method op

Range <u>TextileManufacturingProcess</u><sup>C</sup>

#### has textile product type op

е

<u>Domain</u> <u>TextileProduct</u><sup>C</sup>

Range <u>TextileProductType</u><sup>C</sup>

# Water Property op

IRI http://w3id.org/CEON/ontology/textile/hasWaterProperty

Sub Property Of hasProperty op

Range WaterProperty<sup>C</sup>

#### product composition disclosure availability op

sclosureAvailability

#### product composition disclosure validation op

sclosureValidation

recycling at same quality range op

IRI http://w3id.org/CEON/ontology/textile/recyclingAtSameQuali

tyRange

Sub Property Of <a href="http://w3id.org/CEON/ontology/quantity#objectValue">http://w3id.org/CEON/ontology/quantity#objectValue</a>

textile product design op

http://w3id.org/CEON/ontology/textile/textileProductDesign

Super Property Of <u>textileProductDesignForRecycling</u> op

textile product design for recycling op

ForRecycling

**Description** Product designed for a certain recycling method.

Sub Property Of textileProductDesign op

Range <u>TextileRecyclingProcess</u><sup>C</sup>

weight fraction of disclosed substances op

losedSubstances

has origin <sup>op</sup>

IRI http://w3id.org/CEON/ontology/textile/hasOrigin

Range Origin<sup>C</sup>

#### **Datatype Properties**

has type <sup>dp</sup>

**Description** Description of the kind of product.

Range xsd:string

contains metal dp

**Description** The product contains metal.

Range xsd:boolean

includes trims dp

**Description** The product includes trims.

Range <u>xsd:boolean</u>

production site dp

**Description** The location where the product was produced.

Range <u>xsd:string</u>

C Emark<sup>dp</sup>

**Description** The product has theCE mark.

Sub Property Of certification dp

Range xsd:boolean

available information dp

http://w3id.org/CEON/ontology/textile/availableInformation

**Super Property Of** 

biodegradabilityTestAvailable dp

materialSafetyDataSheetAvailable<sup>dp</sup>

materialSafetyDataSheetForDyeingAvailable<sup>dp</sup>

materialSafetyDataSheetForFinishingAvailable dp

• <u>technicalDataSheetAvailable</u> dp

biodegradability test available dp

IRI http://w3id.org/CEON/ontology/textile/biodegradabilityTest

Available

**Description**Biodegradability test is available.

Sub Property Of availableInformation dp

Range xsd:boolean

certification dp

Super Property Of CEmark dp

chemical compliance dp

http://w3id.org/CEON/ontology/textile/chemicalCompliance

collection parameter dp

Super Property Of collectionSystem dp

collection system dp

**Description**The manufacturer/ industry association has a dedicated collection system in

place to gather and deliver products for recycling.

Sub Property Of collectionParameter dp

Range <u>xsd:boolean</u>

design for properties dp

IRI http://w3id.org/CEON/ontology/textile/designForProperties

**Super Property Of** 

<u>designedForRecycling</u><sup>dp</sup>

• designedForRefurbishmentdp

• <u>designedForRemanufacturing</u> dp

• <u>designedForReuse</u><sup>dp</sup>

design for recycling amounts dp

IRI http://w3id.org/CEON/ontology/textile/designForRecyclingAm

ounts

Super Property Of emissionByDesign dp

designed for recycling dp

**Description**The product is designed for recycling?e

Sub Property Of designForProperties dp

designed for refurbishment dp

IRI http://w3id.org/CEON/ontology/textile/designedForRefurbish

ment

**Description**The product is desinged for refurbishment?

Sub Property Of designForProperties dp

designed for remanufacturing dp

http://w3id.org/CEON/ontology/textile/designedForRemanufac

turing

**Description**The product is designed for remanufacturing?

Sub Property Of designForProperties dp

designed for reuse dp

Sub Property Of designForProperties dp

Super Property Of designedForReuseWMinimalMod dp

designed for reuse w minimal mod dp

IRI http://w3id.org/CEON/ontology/textile/designedForReuseWMin

imalMod

**Description**The product is designed for re-use as-is or with minimal modification.

Sub Property Of designedForReuse dp

emission by design dp

IRI http://w3id.org/CEON/ontology/textile/emissionByDesign

**Description**The portion of

The portion of the product known to be emitted into the environment during use

is designed for that purpose.

Sub Property Of designForRecyclingAmounts dp

finishing steps dp

material safety data sheet available dp

eetAvailable

Description

Material Safety Data Sheet for the product is available.

Sub Property Of available Information dp

Range <u>xsd:boolean</u>

material safety data sheet for dyeing available dp

http://w3id.org/CEON/ontology/textile/materialSafetyDataSh

eetForDyeingAvailable

Description

Material Safety Data Sheets for Dyeing are available.

Sub Property Of availableInformation dp

Range xsd:boolean

material safety data sheet for finishing available dp

eetForFinishingAvailable

**Description**Material Safety Data Sheets for Finishing are available.

Sub Property Of availableInformation dp

Range xsd:boolean

technical data sheet available dp

IRI http://w3id.org/CEON/ontology/textile/technicalDataSheetAv

ailable

**Description** The Technical Data Sheet is available.

Sub Property Of availableInformation dp

Range <u>xsd:boolean</u>

# **Annotation Properties**

C Fmapping ap

Pcd Smapping ap

# Namespaces

http://w3id.org/CEON/ontology/textile/

dcterms

http://purl.org/dc/terms/

owl

http://www.w3.org/2002/07/owl#

prov

http://www.w3.org/ns/prov#

rdf

http://www.w3.org/1999/02/22-rdf-syntax-ns#

rdfs

http://www.w3.org/2000/01/rdf-schema#

vann

http://purl.org/vocab/vann/

xsd

http://www.w3.org/2001/XMLSchema#

#### Legend

c Classes

op Object
Properties

dp Datatype
Properties

ap Annotation
Properties