Circular Economy Ontology Network (CEON) - Process ODP

Metadata

IRI

`http://w3id.org/CEON/ontology/processODP/`

Title

Circular Economy Ontology Network (CEON) - Process ODP

Publisher

Onto-DESIDE

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2025-05-20

Date Issued

2025-06-30

License

https://creativecommons.org/licenses/by/4.0/

Version Iri

http://w3id.org/CEON/ontology/processODP/0.5/

Version Info

0.5

Prior Version

0.4

Preferred Namespace Prefix

ceon-processODP

Preferred Namespace Uri

http://w3id.org/CEON/ontology/processODP/

Description

A core ODP of the CEON ontology network, defining aspects of the process concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Process-3,4,5, C3-1, C4-2, C4-5, C4-7, C4-9, C13-2, E2-6

Covers the following requirements from Onto-DESIDE D3.2: CE1-1, CE3-5, CE7-4, CE7-5, CE8-2, CE10-7, CE12-1, C3-1, C4-2, C4-5, C4-7, C4-9, C13-2, E2-6

Classes

Location [c]

IRI	`http://w3id.org/CEON/ontology/location/Location`
In Range Of	occursAtLocation [op]

Event ^C

IRI http://w3id.org/CEON/ontology/processODP/Event

Sub Class Of hasOutput^{op} some Thing^C *and* hasInput^{op} some Thing^C

Restriction hasPart^{op} only Event^C

Process ^C

IRI http://w3id.org/CEON/ontology/processODP/Process

Description Something that takes place over a (longer) period of time and changes some state of affairs.

Sub Class Of hasOutput^{op} some Thing^C *and* hasInput^{op} some Thing^C

In Domain Of hasInput^{op}
hasOutput^{op}

Restriction hasPart^{op} only Process^C

Situation ^C

IRI http://w3id.org/CEON/ontology/processODP/Situation

In Domain Of isSettingFor^{op}

Restriction isSettingFor^{op} some Situation^C

Time Interval ^C

IRI http://w3id.org/CEON/ontology/processODP/TimeInterval

In Domain Of endTime^{dp}
startTime^{dp}

In Range Of duringTime^{op}

Object Properties

during time ^{op}

IRI http://w3id.org/CEON/ontology/processODP/duringTime

Range TimeInterval^C

has input ^{op}

IRI	http://w3id.org/CEON/ontology/processODP/hasInput
Domain	Process ^c

has output ^{op}

IRI	http://w3id.org/CEON/ontology/processODP/hasOutput
Domain	Process ^c

has part ^{op}

IRI	http://w3id.org/CEON/ontology/processODP/hasPart

is setting for ^{op}

IRI	http://w3id.org/CEON/ontology/processODP/isSettingFor
Super Property Of	occursAtLocation ^{op}
Domain	Situation ^c

occurs at location ^{op}

IRI	http://w3id.org/CEON/ontology/processODP/occursAtLocation
Sub Property Of	isSettingFor ^{op}
Range	http://w3id.org/CEON/ontology/location/Location ^c

Datatype Properties

end time ^{dp}

IRI	http://w3id.org/CEON/ontology/processODP/endTime
Domain	TimeInterval ^c
Range	xsd:dateTime

start time ^{dp}

IRI	http://w3id.org/CEON/ontology/processODP/startTime
Domain	TimeInterval ^c
Range	xsd:dateTime

Namespaces

:

  http://w3id.org/CEON/ontology/processODP/

dcterms

  http://purl.org/dc/terms/

odp

  http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#

owl

  http://www.w3.org/2002/07/owl#

prov

  http://www.w3.org/ns/prov#

rdf

  http://www.w3.org/1999/02/22-rdf-syntax-ns#

rdfs

  http://www.w3.org/2000/01/rdf-schema#

vann

  http://purl.org/vocab/vann/

xsd

  http://www.w3.org/2001/XMLSchema#

Legend

c	Classes
op	Object Properties
dp	Datatype Properties