# Circular Economy Ontology Network (CEON) - Actor ODP

### Metadata

IRI

http://w3id.org/CEON/ontology/actorODP/

Title

Circular Economy Ontology Network (CEON) - Actor ODP

Creator

Eva Blomqvist

Contributor

Huanyu Li

Mikael Lindecrantz

Robin Keskisärkkä

**Date Created** 

2023-03-17

License

https://creativecommons.org/licenses/by/4.0/

**Version Iri** 

http://w3id.org/CEON/ontology/actorODP/0.2/

**Version Info** 

0.2

**Preferred Namespace Prefix** 

actorODP

**Preferred Namespace Uri** 

https://w3id.org/CEON/ontoloy/actorODP/

Description

A core ODP of the CEON ontology network, defining aspects of the actor concept.

**Covers Requirements** 

Covers the following requirements from Onto-DESIDE D3.1: CVN-Process-3, CVN-Actor-1,4,6,7, CVN-Competency-3, CVN-Information-4, C11-1, C11-3, E1-6,6,6,9, E4-10

#### Classes

Actor <sup>C</sup>

IRI http://w3id.org/CEON/ontology/actorODP/Actor

**Description**An agent able to act in the context of a circular value network, e.g. an

organisation, person.

In Domain Of has actor type op

In Range Of capability of op

has participating actor op

Actor Type<sup>c</sup>

IRI http://w3id.org/CEON/ontology/actorODP/ActorType

Description

The type of an actor, e.g. the type of company, or a specific subtype based on the

organisations capabilities.

In Range Of has actor type op

Capability <sup>C</sup>

IRI http://w3id.org/CEON/ontology/actorODP/Capability

Description

Something that the actor is capable of doing, e.g. perfomring a certain role in a

process, based on some properties, such as access to infrastructure, resources

and know-how.

In Domain Of capability of op

capability property<sup>op</sup>

In Range Of <u>based on capability op</u>

#### Collaboration participation <sup>c</sup>

IRI http://w3id.org/CEON/ontology/actorODP/CollaborationParticipation

**Description**The relation involving the role of a certain actor with respect to a value network or

a process in such a network, e.g. an organisation (actor) acting as the recycler (role) in a glass recycling value netowrk (network) at a specific point or period in time. Or an organisation (actor) acting as the dismantler (role) in a dismantling step of a building deconstruction process (process step) at a specific point or

period in time.

Sub Class Of Participation<sup>C</sup>

In Domain Of based on capability op

is a participation in op

### Participation <sup>C</sup>

IRI http://w3id.org/CEON/ontology/actorODP/Participation

**Description**Represents the participation of objects in some situation.

Sub Class Of participation start time <sup>dp</sup> exactly 1 1<sup>c</sup> or participation time point <sup>dp</sup> exactly 1 1<sup>c</sup>

In Domain Of has participant role op

has participating actor op participation end time dp participation start time dp participation time point dp

Super Class Of Collaboration participation C

Resource participation<sup>c</sup>
Resource Relation<sup>c</sup>

#### Resource participation <sup>c</sup>

IRI http://w3id.org/CEON/ontology/actorODP/ResourceParticipation

**Description**The generic relation representing the participation of a resource in some relation.

For example, it can be specialized to represent a reified version of an object or

data property.

Sub Class Of Participation<sup>C</sup>

In Domain Of participating object op

participating subject op

Resource Relation<sup>C</sup>

IRI http://w3id.org/CEON/ontology/actorODP/ResourceRelation

Description

The relation involving the role of a certain actor with respect to a certain resource,

e.g. an organisation or individual (actor) owning (role) a specific product (resource)

at a specific point or period in time.

Sub Class Of Participation<sup>C</sup>

In Domain Of has participating resource op

Role<sup>C</sup>

IRI http://w3id.org/CEON/ontology/actorODP/Role

**Description**A role that an actor can take in a specific context. Applies both to roles in the

context of resources, such as owner, manufacturer, reseller etc. of that resource, as well as roles in relation to a circular value network, such as recycler, dismantler,

transporter etc., in relation to a material flow.

In Range Of has participant role op

Collaboration <sup>C</sup>

IRI http://w3id.org/CEON/ontology/cvn/Collaboration

**Description** A collaboration between a set of actors.

Process <sup>C</sup>

IRI http://w3id.org/CEON/ontology/processODP/Process

Resource <sup>C</sup>

IRI http://w3id.org/CEON/ontology/resourceODP/Resource

In Range Of has participating resource op

### **Object Properties**

has actor type op

IRI http://w3id.org/CEON/ontology/actorODP/actorType

**Description**The type of the actor.

Domain Actor<sup>c</sup>

Range Actor Type C

based on capability op

IRI http://w3id.org/CEON/ontology/actorODP/basedOnCapability

**Description**An actor participates in a collaboration based on that it has some capability that is

useful for the collaboration.

**Domain** Collaboration participation<sup>C</sup>

Range <u>Capability</u><sup>c</sup>

capability of op

IRI http://w3id.org/CEON/ontology/actorODP/capabilityOf

**Description**Relates to the actor holding the capability.

Domain Capability C

Range Actor<sup>C</sup>

capability property op

IRI http://w3id.org/CEON/ontology/actorODP/capabilityProperty

Description

Relates some properties to the capability, such as the parameters of it, or the

needed resources.

**Domain** Capability<sup>c</sup>

has location op

IRI http://w3id.org/CEON/ontology/actorODP/hasLocation

**Description**Defines the location of an actor or resource.

**Domain** Actor or resource ODP: Resource C

has participant role op

IRI http://w3id.org/CEON/ontology/actorODP/participantRole

**Description**Holds the value of the participant in this participation relation.

**Domain** Participation<sup>C</sup>

Range Role<sup>c</sup>

has participating actor op

IRI http://w3id.org/CEON/ontology/actorODP/participatingActor

**Description**Holds the value of the actor involved in this participation relation.

**Domain** Participation<sup>C</sup>

Range Actor<sup>C</sup>

participating object op

IRI http://w3id.org/CEON/ontology/actorODP/participatingObject

Description

Participating object in a resource participation. This is part of a resource

participation that can be a directional relation, and the participating object is the

end point of the relation.

**Domain** Resource participation C

has participating resource op

IRI http://w3id.org/CEON/ontology/actorODP/participatingResource

Description

The resource that this participation relates to, i.e. for which the actor holds

the specified role.

**Domain** Resource Relation<sup>C</sup>

Range resourceODP:Resource<sup>C</sup>

participating subject op

IRI http://w3id.org/CEON/ontology/actorODP/participatingSubject

**Description**Participating subject in a resource participation. This is part of a resource

participation that can be a directional relation, and the participating subject is the

starting point of the relation.

Domain Resource participation<sup>C</sup>

is a participation in op

IRI http://w3id.org/CEON/ontology/actorODP/participationIn

**Description**The collaboration or process that this participation relates to.

Domain Collaboration participation<sup>C</sup>

Range Collaboration or processODP:Process

### **Datatype Properties**

participation end time dp

IRI http://w3id.org/CEON/ontology/actorODP/participationEndTime

**Description**The end of a time interval.

**Domain** Participation<sup>C</sup>

Range <u>xsd:gMonthYear<sup>c</sup> or xsd:gYear<sup>c</sup> or xsd:date<sup>c</sup> or xsd:dateTime<sup>c</sup></u>

participation start time dp

IRI http://w3id.org/CEON/ontology/actorODP/participationStartTime

**Description**The start of a time interval.

**Domain** Participation<sup>c</sup>

Range <u>xsd:gYear<sup>c</sup> or xsd:dateTime<sup>c</sup> or xsd:gMonthYear<sup>c</sup> or xsd:date<sup>c</sup></u>

participation time point dp

IRI http://w3id.org/CEON/ontology/actorODP/participationTimePoint

Description

The point in time when something took place or was valid.

**Domain** Participation<sup>C</sup>

Range <u>xsd:dateTime<sup>c</sup> or xsd:gMonthYear<sup>c</sup> or xsd:gYear<sup>c</sup> or xsd:date<sup>c</sup></u>

## **Annotation Properties**

contributor ap

IRI http://purl.org/dc/terms/contributor

created ap

IRI http://purl.org/dc/terms/created

creator ap

IRI http://purl.org/dc/terms/creator

description ap

IRI http://purl.org/dc/terms/description

license <sup>ap</sup>	
IRI	http://purl.org/dc/terms/license
title <sup>ap</sup>	
IRI	http://purl.org/dc/terms/title
preferred namespace prefix <sup>ap</sup>	
IRI	http://purl.org/vocab/vann/preferredNamespacePrefix
preferred namespace uri <sup>ap</sup>	
IRI	http://purl.org/vocab/vann/preferredNamespaceUri
covers requirements ap	
IRI	http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#covers Requirements

### Namespaces

rdf

rdfs

```
:
    http://w3id.org/CEON/ontology/actorODP/

cvn
    http://w3id.org/CEON/ontology/cvn/

dcterms
    http://purl.org/dc/terms/

odp
    http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#

owl
    http://www.w3.org/2002/07/owl#

processODP
    http://w3id.org/CEON/ontology/processODP/

prov
    http://www.w3.org/ns/prov#
```

http://www.w3.org/2000/01/rdf-schema#

http://www.w3.org/1999/02/22-rdf-syntax-ns#

#### resourceODP

http://w3id.org/CEON/ontology/resourceODP/

vann

http://purl.org/vocab/vann/

xsd

http://www.w3.org/2001/XMLSchema#

# Legend

c Classes

op Object Properties

dp Datatype Properties

ap Annotation Properties