Circular Economy Ontology Network (CEON) - Actor Module

Metadata

IRI

> `http://w3id.org/CEON/ontology/actor/`

Title

> Circular Economy Ontology Network (CEON) - Actor Module

Creator

> Huanyu Li

Contributor

> Eva Blomqvist

> Mikael Lindecrantz

> Robin Keskisärkkä

Date Created

> 2024-11-13

License

> https://creativecommons.org/licenses/by/4.0/

Version Iri

> http://w3id.org/CEON/ontology/actor/0.4/

Version Info

> 0.4

Preferred Namespace Prefix

> actor

Preferred Namespace Uri

> http://w3id.org/CEON/ontology/actor/

Description

> The Actor module of CEON (Circular Economy Ontology Network).

Covers Requirements

> In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDE D3.1: C0-1, C0-2, C3-4, T3-4

> In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDE D3.2: C0-1, C0-2, C3-4, T3-4

Classes

Actor Cvn Role [c]

IRI	`http://w3id.org/CEON/ontology/actor/ActorCVNRole`
Sub Class Of	ActorCollaborationRole [c]
Named Individuals	collector [ni] dismantler [ni] manufacturer [ni] recycler [ni] reseller [ni] seller [ni] supplier [ni] user [ni]

Actor Collaboration Role [C]

IRI	http://w3id.org/CEON/ontology/actor/ActorCollaborationRole
Sub Class Of	actorODP:Role [C]
Super Class Of	ActorCVNRole [C] ActorProcessRole [C]

Actor Process Role [C]

IRI	http://w3id.org/CEON/ontology/actor/ActorProcessRole
Sub Class Of	ActorCollaborationRole [C]

Actor Resource Role [C]

IRI	http://w3id.org/CEON/ontology/actor/ActorResourceRole
Sub Class Of	actorODP:Role [C]
Named Individuals	buyer [ni] consumer [ni] issuer [ni] owner [ni] producer [ni] provider [ni] reseller [ni] seller [ni] supplier [ni] updater [ni] user [ni] viewer [ni]

Buying Resource [C]

IRI	http://w3id.org/CEON/ontology/actor/BuyingResource
Sub Class Of	actorODP:ResourceRelation [C]
Equivalentclass	actorODP:ResourceRelation [C] *and* actorODP:participantRole [op] value buyer [C]

Cvn Participation [C]

IRI	http://w3id.org/CEON/ontology/actor/CVNParticipation
Sub Class Of	actorODP:CollaborationParticipation [C] actorODP:CollaborationParticipation [C] *and* actorODP:participationIn [op] some http://w3id.org/CEON/ontology/cvn/CVN [C] *and* actorODP:participantRole [op] some ActorCVNRole [C] *and* actorODP:participatingActor [op] some actorODP:Actor [C]

Consuming Resource ^C

IRI	`http://w3id.org/CEON/ontology/actor/ConsumingResource`
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:ResourceRelation ^C *and* actorODP:participantRole ^{op} value consumer ^C

Issuing Resource ^C

IRI	`http://w3id.org/CEON/ontology/actor/IssuingResource`
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:participantRole ^{op} value issuer ^C *and* actorODP:ResourceRelation ^C

Manufacturing Resource ^C

IRI	`http://w3id.org/CEON/ontology/actor/ManufacturingResource`
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:participantRole ^{op} value manufacturer ^C *and* actorODP:ResourceRelation ^C

Organisation ^C

IRI	`http://w3id.org/CEON/ontology/actor/Organisation`
Is Defined By	ISO 59004:2024 - 3.4.1 organization
Description	Person or group of people that has its own functions with responsibilities, authorities, and relationships to achieve its objectives. The concept of organization includes, but is not limited to sole-trader, company, corporation, firm, enterprise, authority, partnership, charity or institution, or part or combination thereof, whether incorporated or not, public or private (e.g. foundation, union, association, agency, municipality, region, country, intergovernmental agencies). A group of organizations can also be considered as an organization that has, alone or collectively, their own objectives.
Sub Class Of	actorODP:Actor ^C hasOrganisationLocation ^{op} some OrganisationLocation ^C *and* hasOrganisationLocation ^{op} only OrganisationLocation ^C
In Domain Of	hasOrganisationLocation ^{op} hasOrganisationName ^{dp}
Restriction	hasOrganisationName ^{dp} some Organisation ^C

Organisation Location ^C

IRI	http://w3id.org/CEON/ontology/actor/OrganisationLocation
Sub Class Of	http://w3id.org/CEON/ontology/location/Location ^C
In Range Of	hasOrganisationLocation ^{op}

Owning Resource ^C

IRI	http://w3id.org/CEON/ontology/actor/OwningResource
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:ResourceRelation ^C *and* actorODP:participantRole ^{op} value owner ^C

Person ^C

IRI	http://w3id.org/CEON/ontology/actor/Person
Sub Class Of	actorODP:Actor ^C

Process Participation ^C

IRI	http://w3id.org/CEON/ontology/actor/ProcessParticipation
Sub Class Of	actorODP:CollaborationParticipation ^C actorODP:participationIn ^{op} some http://w3id.org/CEON/ontology/processODP/Process ^C *and* actorODP:participantRole ^{op} some ActorProcessRole ^C *and* actorODP:participatingActor ^{op} some actorODP:Actor ^C *and* actorODP:CollaborationParticipation ^C

Producing Resource ^C

IRI	http://w3id.org/CEON/ontology/actor/ProducingResource
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:participantRole ^{op} value producer ^C *and* actorODP:ResourceRelation ^C

Providing Resource ^C

IRI	http://w3id.org/CEON/ontology/actor/ProvidingResource
Sub Class Of	actorODP:ResourceRelation ^C
Equivalentclass	actorODP:participantRole ^{op} value provider ^C *and* actorODP:ResourceRelation ^C

Repairing Resource ^C

IRI `http://w3id.org/CEON/ontology/actor/RepairingResource`

Sub Class Of actorODP:ResourceRelation^C

Reselling Resource ^C

IRI `http://w3id.org/CEON/ontology/actor/ResellingResource`

Sub Class Of actorODP:ResourceRelation^C

Equivalentclass actorODP:participantRole^{op} value reseller^C *and* actorODP:ResourceRelation^C

Selling Resource ^C

IRI `http://w3id.org/CEON/ontology/actor/SellingResource`

Sub Class Of actorODP:ResourceRelation^C

Equivalentclass actorODP:participantRole^{op} value seller^C *and* actorODP:ResourceRelation^C

Stakeholder ^C

IRI `http://w3id.org/CEON/ontology/actor/Stakeholder`

Is Defined By ISO 59004:2024 - 3.4.2 interested party, stakeholder

Description Person or organization that can affect, be affected by, or perceive itself to be affected by a decision or activity. To "perceive itself to be affected" means the perception has been made known to the organization.

Sub Class Of Organisation^C *or* Person^C

Supplying Resource ^C

IRI `http://w3id.org/CEON/ontology/actor/SupplyingResource`

Sub Class Of actorODP:ResourceRelation^C

Equivalentclass actorODP:ResourceRelation^C *and* actorODP:participantRole^{op} value supplier^C

Updating Resource ^C

IRI `http://w3id.org/CEON/ontology/actor/UpdatingResource`

Sub Class Of actorODP:ResourceRelation^C

Equivalentclass actorODP:ResourceRelation^C *and* actorODP:participantRole^{op} value updater^C

Using Resource^C

IRI	`http://w3id.org/CEON/ontology/actor/UsingResource`
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:ResourceRelation^C *and* actorODP:participantRole^{op} value user^C

Viewing Resource^C

IRI	`http://w3id.org/CEON/ontology/actor/ViewingResource`
Sub Class Of	actorODP:ResourceRelation^C
Equivalentclass	actorODP:participantRole^{op} value viewer^C *and* actorODP:ResourceRelation^C

Actor^C

IRI	`http://w3id.org/CEON/ontology/actorODP/Actor`
Super Class Of	Organisation^C Person^C

Capability^C

IRI	`http://w3id.org/CEON/ontology/actorODP/Capability`
In Domain Of	capabilityExtent^{op} neededResourceRelation^{op}

Collaboration Participation^C

IRI	`http://w3id.org/CEON/ontology/actorODP/CollaborationParticipation`
Super Class Of	CVNParticipation^C ProcessParticipation^C

Participation^C

IRI	`http://w3id.org/CEON/ontology/actorODP/Participation`

Resource Relation ^C

IRI http://w3id.org/CEON/ontology/actorODP/ResourceRelation

Sub Class Of actorODP:participatingResource ^{op} some
http://w3id.org/CEON/ontology/resourceODP/Resource ^C *and*
actorODP:Participation ^C *and* actorODP:participantRole ^{op} some
ActorResourceRole ^C *and* actorODP:participatingActor ^{op} some actorODP:Actor ^C

Super Class Of

BuyingResource ^C
ConsumingResource ^C
IssuingResource ^C
ManufacturingResource ^C
OwningResource ^C
ProducingResource ^C
ProvidingResource ^C
RepairingResource ^C
ResellingResource ^C
SellingResource ^C
SupplyingResource ^C
UpdatingResource ^C
UsingResource ^C
ViewingResource ^C

Role ^C

IRI http://w3id.org/CEON/ontology/actorODP/Role

Super Class Of

ActorCollaborationRole ^C
ActorResourceRole ^C

Cvn ^C

IRI http://w3id.org/CEON/ontology/cvn/CVN

Sub Class Of http://w3id.org/CEON/ontology/cvn/Collaboration ^C

Collaboration ^C

IRI http://w3id.org/CEON/ontology/cvn/Collaboration

Super Class Of http://w3id.org/CEON/ontology/cvn/CVN ^C

Location ^C

IRI http://w3id.org/CEON/ontology/location/Location

Super Class Of OrganisationLocation ^C

Process ^C

IRI http://w3id.org/CEON/ontology/processODP/Process

Resource ^c

IRI	http://w3id.org/CEON/ontology/resourceODP/Resource

Object Properties

capability extent ^{op}

IRI	http://w3id.org/CEON/ontology/actor/capabilityExtent
Sub Property Of	actorODP:capabilityProperty^{op}
Domain	actorODP:Capability^c

has organisation location ^{op}

IRI	http://w3id.org/CEON/ontology/actor/hasOrganisationLocation
Sub Property Of	http://w3id.org/CEON/ontology/location/hasLocation^{op}
Domain	Organisation^c
Range	OrganisationLocation^c

needed resource relation ^{op}

IRI	http://w3id.org/CEON/ontology/actor/neededResourceRelation
Sub Property Of	actorODP:capabilityProperty^{op}
Domain	actorODP:Capability^c

capability property ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/capabilityProperty
Super Property Of	• capabilityExtent^{op} • neededResourceRelation^{op}

participant role ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/participantRole

participating actor ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/participatingActor

participating resource ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/participatingResource

participation in ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/participationIn

has location ^{op}

IRI	http://w3id.org/CEON/ontology/location/hasLocation
Super Property Of	hasOrganisationLocation ^{op}

Datatype Properties

has organisation name ^{dp}

IRI	http://w3id.org/CEON/ontology/actor/hasOrganisationName
Domain	Organisation ^c
Range	xsd:string

Annotation Properties

contributor ^{ap}

IRI	http://purl.org/dc/terms/contributor

created ^{ap}

IRI	http://purl.org/dc/terms/created

creator ^{ap}

IRI	http://purl.org/dc/terms/creator

description ^{ap}

IRI	http://purl.org/dc/terms/description

license ^{ap}

IRI	http://purl.org/dc/terms/license

title ^{ap}
IRI   `http://purl.org/dc/terms/title`

preferred namespace prefix ^{ap}
IRI   `http://purl.org/vocab/vann/preferredNamespacePrefix`

preferred namespace uri ^{ap}
IRI   `http://purl.org/vocab/vann/preferredNamespaceUri`

covers requirements ^{ap}
IRI   `http://www.ontologydesignpatterns.org/schemas/cpannotation schema.owl#coversRequirements`

Namespaces

:

`http://w3id.org/CEON/ontology/actor/`

actorODP

`http://w3id.org/CEON/ontology/actorODP/`

dcterms

`http://purl.org/dc/terms/`

odp

`http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#`

owl

`http://www.w3.org/2002/07/owl#`

prov

`http://www.w3.org/ns/prov#`

rdf

`http://www.w3.org/1999/02/22-rdf-syntax-ns#`

rdfs

`http://www.w3.org/2000/01/rdf-schema#`

vann

`http://purl.org/vocab/vann/`

xsd

`http://www.w3.org/2001/XMLSchema#`

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties