Circular Economy Ontology Network (CEON) - Construction Module

Metadata

IRI

> `http://w3id.org/CEON/demo/construction/`

Title

> Circular Economy Ontology Network (CEON) - Construction Module

Creator

> Robin Keskisärkkä

Contributor

> Eva Blomqvist

> Huanyu Li

> Mikael Lindecrantz

Date Created

> 2023-09-14

License

> https://creativecommons.org/licenses/by/4.0/

Version Iri

> http://w3id.org/CEON/demo/construction/0.1/

Version Info

> 0.1

Preferred Namespace Prefix

> construction

Preferred Namespace Uri

> http://w3id.org/CEON/demo/construction/

Description

> The Product module of CEON (Circular Economy Ontology Network).

Classes

Condition ^C

IRI	`http://w3id.org/CEON/demo/construction/Condition`
In Range Of	hasCondition ^{op}
Super Class Of	FloorTileCondition ^C

Contaminant ^C

IRI	`http://w3id.org/CEON/demo/construction/Contaminant`
In Range Of	hasContaminant ^{op}

Dimensional Deviation ^C

IRI	`http://w3id.org/CEON/demo/construction/DimensionalDeviation`
In Range Of	hasDimensionalDeviation ^{op}

Fire Resistance Rating [C]

IRI	`http://w3id.org/CEON/demo/construction/FireResistanceRating`
In Range Of	hasFireResistanceRating [op]
Named Individuals	F30 [ni] F60 [ni]

Fire Resistance Relation [C]

IRI	`http://w3id.org/CEON/demo/construction/FireResistanceRelation`
Sub Class Of	actorODP:ResourceParticipation

Floor Tile [C]

IRI	`http://w3id.org/CEON/demo/construction/FloorTile`
Sub Class Of	product:Product

Floor Tile Condition ^C

IRI
http://w3id.org/CEON/demo/construction/FloorTileCondition

Sub Class Of
Condition ^C

Named Individuals
bad_condition ⁿⁱ
good_condition ⁿⁱ
medium_condition ⁿⁱ

Floor Tile Condition Relation ^C

IRI
http://w3id.org/CEON/demo/construction/FloorTileConditionRelation

Sub Class Of
actorODP:ResourceParticipation

Galvanized Steel Material ^C

IRI
http://w3id.org/CEON/demo/construction/GalvanizedSteelMaterial

Sub Class Of
material:Material

Policy On Treatment ^C

IRI

http://w3id.org/CEON/demo/construction/PolicyOnTreatment

In Range Of

policyOnTreatment^{op}

Named Individuals

refurbishⁿⁱ
reprocessⁿⁱ
reuseⁿⁱ

Product Quality ^C

IRI

http://w3id.org/CEON/demo/construction/ProductQuality

In Range Of

hasProductQuality^{op}

Named Individuals

product_quality_highⁿⁱ
product_quality_lowⁿⁱ
product_quality_mediumⁿⁱ

Treatment Policy ^C

IRI

http://w3id.org/CEON/demo/construction/TreatmentPolicy

Named Individuals

refurbishⁿⁱ
reprocessⁿⁱ
reuseⁿⁱ

Object Properties

has condition ^{op}

IRI	http://w3id.org/CEON/demo/construction/hasCondition
Sub Property Of	topObjectProperty ^{op}
Domain	product:Product ^c *or* product:ProductObject ^c
Range	Condition ^c

has contaminant ^{op}

IRI	http://w3id.org/CEON/demo/construction/hasContaminant
Domain	product:Product
Range	Contaminant ^c

has dimension ^{op}

IRI	http://w3id.org/CEON/demo/construction/hasDimension
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Super Property Of	• hasHeight ^{op} • hasThickness ^{op} • hasWidth ^{op}
Domain	product:Product ^c *or* product:ProductObject ^c

has dimensional deviation ^{op}

IRI	http://w3id.org/CEON/demo/construction/hasDimensionalDeviation
Sub Property Of	topObjectProperty ^{op}
Domain	product:Product
Range	DimensionalDeviation ^c

has distance to recycling plant ^{op}

IRI	http://w3id.org/CEON/demo/construction/hasDistanceToRecyclingPlant
Sub Property Of	http://qudt.org/schema/qudt/quantityValue

has fire resistance rating ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasFireResistanceRating`
Sub Property Of	topObjectProperty ^{op}
Domain	product:ProductObject ^c *or* product:Product ^c
Range	FireResistanceRating ^c

has height ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasHeight`
Sub Property Of	hasDimension ^{op}

has market value for new product ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasMarketValueForNewProduct`
Sub Property Of	quantity:hasMarketValue
Domain	product:Product

has market value for reused product ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasMarketValueForReusedProduct`
Sub Property Of	quantity:hasMarketValue
Domain	product:Product

has product quality ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasProductQuality`
Sub Property Of	topObjectProperty ^{op}
Domain	product:Product ^c or product:ProductObject ^c
Range	ProductQuality ^c

has recycling potential ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasRecyclingPotential`
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Domain	product:Product ^c or product:ProductObject ^c

has recycling separability ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasRecyclingSeparability`
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Domain	product:Product ^c *or* product:ProductObject ^c

has resistance to earth ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasResistanceToEarth`
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Domain	product:Product

has reuse deconstructability ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasReuseDeconstructability`
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Domain	product:Product

has system weight ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasSystemWeight`
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Domain	product:ProductObject ^c *or* product:Product ^c

has thickness ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasThickness`
Sub Property Of	hasDimension ^{op}

has use span ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasUseSpan`
Sub Property Of	http://qudt.org/schema/qudt/quantityValue
Super Property Of	• hasUseSpanRemaining ^{op} • hasUseSpanTotal ^{op}
Domain	product:ProductObject ^c *or* product:Product ^c

has use span remaining ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasUseSpanRemaining`
Sub Property Of	hasUseSpan ^{op}

has use span total ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasUseSpanTotal`
Sub Property Of	hasUseSpan ^{op}

has width ^{op}

IRI	`http://w3id.org/CEON/demo/construction/hasWidth`
Sub Property Of	hasDimension ^{op}

policy on treatment ^{op}

IRI	`http://w3id.org/CEON/demo/construction/policyOnTreatment`
Sub Property Of	topObjectProperty ^{op}
Domain	product:Product
Range	PolicyOnTreatment ^c

installation location [op]

IRI	http://w3id.org/CEON/demo/construction/installationLocation
Sub Property Of	topObjectProperty [op]

Datatype Properties

has accessories [dp]

IRI	http://w3id.org/CEON/demo/construction/hasAccessories
Domain	product:ProductObject [c] *or* product:Product [c]
Range	xsd:string

has dismantling method [dp]

IRI	http://w3id.org/CEON/demo/construction/hasDismantlingMethod
Sub Property Of	topDataProperty [dp]
Domain	product:Product [c] *or* product:ProductObject [c]
Range	xsd:string

has installation date ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasInstallationDate`
Sub Property Of	topDataProperty ^{dp}
Domain	product:ProductObject
Range	xsd:date

has packaging recommendations after dismantling ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasPackagingRecommendationsAfterDismantling`
Sub Property Of	topDataProperty ^{dp}
Domain	product:ProductObject ^c or product:Product ^c
Range	xsd:string

has product description ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasProductDescription`
Sub Property Of	topDataProperty ^{dp}
Domain	product:Product ^c *or* product:ProductObject ^c
Range	xsd:string

has product id ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasProductID`
Sub Property Of	topDataProperty ^{dp}
Domain	product:Product ^c *or* product:ProductObject ^c
Range	xsd:int

has production date ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasProductionDate`
Sub Property Of	topDataProperty ^{dp}
Domain	product:ProductObject
Range	xsd:date

has production site ^{dp}

IRI
`http://w3id.org/CEON/demo/construction/hasProductionSite`

Sub Property Of
topDataProperty ^{dp}

Domain
product:ProductObject ^c
or product:Product ^c

Range
xsd:string

has refurbishment method ^{dp}

IRI
`http://w3id.org/CEON/demo/construction/hasRefurbishmentMethod`

Sub Property Of
topDataProperty ^{dp}

Domain
product:ProductObject ^c
or product:Product ^c

Range
xsd:string

has take back program from original manufacturer ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasTakeBackProgramFromOriginalManufacturer`
Sub Property Of	topDataProperty ^{dp}
Domain	product:Product
Range	xsd:boolean

has take back program other manufacturer ^{dp}

IRI	`http://w3id.org/CEON/demo/construction/hasTakeBackProgramOtherManufacturer`
Sub Property Of	topDataProperty ^{dp}
Domain	product:Product
Range	xsd:boolean

has technical requirements for take back for recycling [dp]

IRI	`http://w3id.org/CEON/demo/construction/hasTechnicalRequirementsForTakeBackForRecycling`
Sub Property Of	topDataProperty [dp]
Domain	product:Product [c] *or* product:ProductObject [c]
Range	xsd:string

has technical requirements for take back for reuse [dp]

IRI	`http://w3id.org/CEON/demo/construction/hasTechnicalRequirementsForTakeBackForReuse`
Sub Property Of	topDataProperty [dp]
Domain	product:ProductObject [c] *or* product:Product [c]
Range	xsd:string

is contaminated ^{dp}

IRI	http://w3id.org/CEON/demo/construction/isContaminated
Sub Property Of	topDataProperty ^{dp}
Domain	product:ProductObject ^c *or* product:Product ^c
Range	xsd:boolean

construction year ^{dp}

IRI	http://w3id.org/CEON/demo/construction/constructionYear
Sub Property Of	topDataProperty ^{dp}
Range	xsd:gYear

has dismantling instruction ^{dp}

IRI	http://w3id.org/CEON/demo/construction/hasDismantlingInstruction
Sub Property Of	topDataProperty ^{dp}
Range	xsd:anyURI

Annotation Properties

contributor ap

IRI	http://purl.org/dc/terms/contributor

created ap

IRI	http://purl.org/dc/terms/created

creator ap

IRI	http://purl.org/dc/terms/creator

description ap

IRI	http://purl.org/dc/terms/description

license ap

IRI	http://purl.org/dc/terms/license

title ap

IRI	http://purl.org/dc/terms/title

preferred namespace prefix ^{ap}

IRI

```
http://purl.org/voc
ab/vann/preferredNa
mespacePrefix
```

preferred namespace uri ^{ap}

IRI

```
http://purl.org/voc
ab/vann/preferredNa
mespaceUri
```

covers requirements ^{ap}

IRI

```
http://www.ontology
designpatterns.org/
schemas/cpannotatio
nschema.owl#coversR
equirements
```

Namespaces

:

```
http://w3id.org/CEON/demo/constr
uction/
```

actor

```
http://w3id.org/CEON/ontology/ac
tor/
```

actorODP

```
http://w3id.org/CEON/ontology/ac
torODP/
```

datasheet

```
http://w3id.org/CEON/ontology/da
tasheet/
```

dcterms

http://purl.org/dc/terms/

material

http://w3id.org/CEON/ontology/material/

odp

http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#

owl

http://www.w3.org/2002/07/owl#

product

http://w3id.org/CEON/ontology/product/

prov

http://www.w3.org/ns/prov#

quantity

http://w3id.org/CEON/ontology/quantity#

rdf

http://www.w3.org/1999/02/22-rdf-syntax-ns#

rdfs

http://www.w3.org/2000/01/rdf-schema#

vann

http://purl.org/vocab/vann/

xsd

http://www.w3.org/2001/XMLSchema#

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties