Circular Economy Ontology Network (CEON) - Resource ODP

Metadata

IRI

http://w3id.org/CEON/ontology/resourceODP/

Title

Circular Economy Ontology Network (CEON) - Resource ODP

Creator

Huanyu Li

Contributor

Eva Blomqvist

Mikael Lindecrantz

Robin Keskisärkkä

Date Created

2024-11-12

License

https://creativecommons.org/licenses/by/4.0/

Version Iri

http://w3id.org/CEON/ontology/resourceODP/0.4/

Version Info

0.4

Preferred Namespace Prefix

resourceODP

Preferred Namespace Uri

http://w3id.org/CEON/ontology/resourceODP/

Description

A core ODP of the CEON ontology network defining aspects of the resource concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Resource-1,3, CVN-Composition-1,2, CVN-ResrouceType-4, C7-3, E2-2, E4-6, E5-1, E6-3, T3-1.

Covers the following requirements from Onto-DESIDE D3.2: CE1-2, CE3-3, CE4-3, CE5-2, CE9-1, CE10-1, CE11-8, CE12-2, CE12-4, C7-3, E2-2, E4-6, E5-1, E6-3, T3-1.

Classes

Location ^c	
IRI	http://w3id.org/CEON/ontology/location/Location
In Range Of	hasResourceLocation ^{op}

Δ	9	S	ρ	ıt	U

Super Class Of

Information^C
Resource^C

Batch ^c	
IRI	http://w3id.org/CEON/ontology/resourceODP/Batch
Description	A batch of objects is a collection of physical objects that are of the same type, e.g. a set of items (product instances) adhering to the same product model.
Sub Class Of	Resource ^c has physical object ^{op} only Physical object ^c and has physical object ^{op} some Physical object ^c
In Domain Of	batch size dp
In Range Of	has batch ^{op}
Restriction	batch size dp exactly 1 Batch c

	<u> </u>
Constituent ^c	
IRI	http://w3id.org/CEON/ontology/resourceODP/Constituent
Description	A constituent is a component of object.
In Range Of	has constituent ^{op}
Digital object ^c	
IDI	http://www.da.arg/CEON/ontology/recourseODD/DigitalObject

IRI	http://w3id.org/CEON/ontology/resourceODP/DigitalObject
Sub Class Of	Resource ^c
Information ^c	
IRI	http://w3id.org/CEON/ontology/resourceODP/Information
Description	Information is an abstract concept that represents any kind of interpretations. For instance, information can be data generated by software systems or data used by people for communications.
Sub Class Of	<u>Asset^c</u>
In Domain Of	containsInformation op isAbout op
In Range Of	containsInformation op is realization of op

Matter ^c

IRI http://w3id.org/CEON/ontology/resourceODP/Matter

Description A matter is a physical substance.

In Range Of has matter op

Physical object^C

Description A physical object is a collection of matter.

Sub Class Of

Resource^C

has constituent op some Constituent and has constituent op only Constituent on only Co

has matter op only Matter and has matter op some Matter op

In Domain Of

has constituent op has matter op

In Range Of has physical object op

Resource ^C

IsO 59004:2024 - 3.1.5 resource

Description

Asset from which a solution is created or implemented. Depending on the

context, reference to "resource" includes "raw material", "feedstock", "material" or "component". Resource includes any energy type (e.g. the energy content or energy potential of materials). Note 4 to entry: Resources can be considered

concerning both stocks and flows.

Sub Class Of Asset^C

In Domain Of hasResourceLocation op

Super Class Of Batch^C

Digital object^c

Physical object^c

Set of objects^c

Set of objects^C

DescriptionA set of objects is a set of physical objects (items) that can be of different types,

i.e. different kinds of items.

Sub Class Of

Resource^c

has batch op some Batch and has batch op only Batch batch batch op only Batch batc

has physical object op some Physical object and has physical object op only

Physical object^C

In Domain Of has batch op

Object Properties

has location op

Super Property Of hasResourceLocation op

contains information op

ion

Sub Property Of hasPart^{op}

Domain Information^C

Range <u>Information</u>^C

has batch op

Description hasBatch intends to represent that a set of objects can be captured by a

number of batches where each batch contains a number of physical objects.

Domain Set of objects^c

Range Batch^C

has constituent op

Description hasConstitutent intends to represent that a physical object can have a collection

of composing components.

Sub Property Of hasPart op

Domain Physical object^C

Range Constituent^C

has matter op

Description hasMatter intends to represent that a physical object can have a collection of

matter.

Domain Physical object^C

Range Matter^C

has part op

Super Property Of

containsInformation op

has constituent^{op}

has physical object op

t

Description hasPhysicalObject intends to represent that a batch of objects or a set of

objects can have composing components of physical objects.

Domain Batch^c or Set of objects^c

Range Physical object^C

has resource location op

ion

Sub Property Of <u>location:hasLocation op</u>

Domain Resource^c

Range <u>location:Location</u>^c

is about ^{op}	
IRI	http://w3id.org/CEON/ontology/resourceODP/isAbout
Domain	<u>Information ^C</u>
is realization of	ор
IRI	http://w3id.org/CEON/ontology/resourceODP/isRealizationOf
Range	<u>Information ^C</u>

Datatype Properties

batch size ^{dp}	
IRI	http://w3id.org/CEON/ontology/resourceODP/batchSize
Description	batchSize intends to repsent how many physical objects are belong to a batch of objects.
Domain	<u>Batch^c</u>
Range	xsd:nonNegativeInteger

Annotation Properties

description ^{ap}	
IRI	http://purl.org/dc/elements/1.1/description
contributor ^{ap}	
IRI	http://purl.org/dc/terms/contributor
created ^{ap}	
IRI	http://purl.org/dc/terms/created
creator ap	
IRI	http://purl.org/dc/terms/creator
description ap	
IRI	http://purl.org/dc/terms/description

license ap IRI http://purl.org/dc/terms/license title ^{ap} IRI http://purl.org/dc/terms/title preferred namespace prefix ap IRI http://purl.org/vocab/vann/preferredNamespacePrefix preferred namespace uri ap IRI http://purl.org/vocab/vann/preferredNamespaceUri covers requirements ap IRI http://www.ontologydesignpatterns.org/schemas/cpannotation schema.owl#coversRequirements definition ap IRI http://www.w3.org/2004/02/skos/core#definition pref label ap IRI http://www.w3.org/2004/02/skos/core#prefLabel

Namespaces

:
 http://w3id.org/CEON/ontology/resourceODP/
dc
 http://purl.org/dc/elements/1.1/
dcterms
 http://purl.org/dc/terms/
geo
 http://www.opengis.net/ont/geosparql#
location
 http://w3id.org/CEON/ontology/location/
odp
 http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#
owl
 http://www.w3.org/2002/07/owl#
prov
 http://www.w3.org/ns/prov#

```
rdf
    http://www.w3.org/1999/02/22-rdf-syntax-ns#
rdfs
    http://www.w3.org/2000/01/rdf-schema#
skos
    http://www.w3.org/2004/02/skos/core#
vann
    http://purl.org/vocab/vann/
xsd
    http://www.w3.org/2001/XMLSchema#
```

Legend

С	Classes
ор	Object Properties
dp	Datatype Properties
ар	Annotation Properties