Circular Economy Ontology Network (CEON) - Actor ODP

Metadata

IRI

http://w3id.org/CEON/ontology/actorODP/

Title

Circular Economy Ontology Network (CEON) - Actor ODP

Creator

Eva Blomqvist

Contributor

Huanyu Li

Mikael Lindecrantz

Robin Keskisärkkä

Version Iri

http://w3id.org/CEON/ontology/actorODP/0.1/

Version Info

0.1

Preferred Namespace Prefix

actorODP

Preferred Namespace Uri

https://w3id.org/CEON/ontoloy/actorODP/

Description

A core ODP of the CEON ontology network, defining aspects of the actor concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D3.1: CVN-Process-3, CVN-Actor-1,4,6,7, CVN-Competency-3, CVN-Information-4, C11-1, C11-3, E1-6,6,6,9, E4-10

Classes

Actor [c]

IRI	http://w3id.org/CEON/ontology/actorODP/Actor
Description	An agent able to act in the context of a circular value network, e.g. an organisation, person.
In Domain Of	has actor type [op]
In Range Of	Relates to the actor holding the capability. [op]
	has participating actor [op]

Actor Type ^c

IRI   http://w3id.org/CEON/ontology/actorODP/ActorType

Description   The type of an actor, e.g. the type of company, or a specific subtype based on the organisations capabilities.

In Range Of   has actor type ^{op}

Capability ^c

IRI   http://w3id.org/CEON/ontology/actorODP/Capability

Description   Something that the actor is capable of doing, e.g. perfomring a certain role in a process, based on some properties, such as access to infrastructure, resources and know-how.

In Domain Of   Relates to the actor holding the capability. ^{op}
capability property ^{op}

In Range Of   based on capability ^{op}

Collaboration participation ^c

IRI   http://w3id.org/CEON/ontology/actorODP/CollaborationParticipation

Description   The relation involving the role of a certain actor with respect to a value network or a process in such a network, e.g. an organisation (actor) acting as the recycler (role) in a glass recycling value netowrk (network) at a specific point or period in time. Or an organisation (actor) acting as the dismantler (role) in a dismantling step of a building deconstruction process (process step) at a specific point or period in time.

Sub Class Of   Participation ^c

In Domain Of   based on capability ^{op}
is a participation in ^{op}

Participation ^C

IRI   http://w3id.org/CEON/ontology/actorODP/Participation

Sub Class Of   time point ^{dp} *exactly* 1 1 ^C *or* start time ^{dp} *exactly* 1 1 ^C

In Domain Of
has participant role ^{op}
has participating actor ^{op}
start time ^{dp}
time point ^{dp}

Super Class Of
Collaboration participation ^C
Resource Relation ^C

Resource Relation ^C

IRI   http://w3id.org/CEON/ontology/actorODP/ResourceRelation

Description   The relation involving the role of a certain actor with respect to a certain resource, e.g. an organisation or individual (actor) owning (role) a specific product (resource) at a specific point or period in time.

Sub Class Of   Participation ^C

In Domain Of   has participating resource ^{op}

Role ^C

IRI   http://w3id.org/CEON/ontology/actorODP/Role

Description   A role that an actor can take in a specific context. Applies both to roles in the context of resources, such as owner, manufacturer, reseller etc. of that resource, as well as roles in relation to a circular value network, such as recycler, dismantler, transporter etc., in relation to a material flow.

In Range Of   has participant role ^{op}

Collaboration ^C

IRI   http://w3id.org/CEON/ontology/cvn/Collaboration

Description   A collaboration between a set of actors.

Process ^C

IRI	http://w3id.org/CEON/ontology/process/Process

Resource ^C

IRI	http://w3id.org/CEON/ontology/resourceODP/Resource
In Range Of	has participating resource ^{op}

Object Properties

has actor type ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/actorType
Description	The type of the actor.
Domain	Actor ^c
Range	Actor Type ^c

based on capability ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/basedOnCapability
Description	An actor participates in a collaboration based on that it has some capability that is useful for the collaboration.
Domain	Collaboration participation ^c
Range	Capability ^c

Relates to the actor holding the capability.capability of ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/capabilityOf
Domain	Capability ^c
Range	Actor ^c

capability property ^{op}

IRI   http://w3id.org/CEON/ontology/actorODP/capabilityProperty

Description   Relates some properties to the capability, such as the parameters of it, or the needed resources.

Domain   Capability ^c

---

has location ^{op}

IRI   http://w3id.org/CEON/ontology/actorODP/hasLocation

Domain   Actor ^c *or* resourceODP:Resource ^c

---

has participant role ^{op}

IRI   http://w3id.org/CEON/ontology/actorODP/participantRole

Description   Holds the value of the role of the participant in this participation relation.

Domain   Participation ^c

Range   Role ^c

---

has participating actor ^{op}

IRI   http://w3id.org/CEON/ontology/actorODP/participatingActor

Description   Holds the value of the actor involved in this participation relation.

Domain   Participation ^c

Range   Actor ^c

has participating resource ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/participatingResource
Description	The resource that this participation relation relates to, i.e. for which the actor holds the specified role.
Domain	Resource Relation^c
Range	resourceODP:Resource^c

is a participation in ^{op}

IRI	http://w3id.org/CEON/ontology/actorODP/participationIn
Description	The collaboration or process that this participation relates to.
Domain	Collaboration participation^c
Range	Collaboration^c *or* process:Process^c

Datatype Properties

end time ^{dp}

IRI	http://w3id.org/CEON/ontology/actorODP/participationEndTime
Description	The end of a time interval.
Range	xsd:gMonthYear^c *or* xsd:dateTime^c *or* xsd:date^c *or* xsd:gYear^c

start time ^{dp}

IRI	http://w3id.org/CEON/ontology/actorODP/participationStartTime
Description	The start of a time interval.
Domain	Participation^c
Range	xsd:date^c *or* xsd:gYear^c *or* xsd:dateTime^c *or* xsd:gMonthYear^c

time point [dp]

IRI	http://w3id.org/CEON/ontology/actorODP/participationTimePoint
Description	The point in time when something took place or was valid.
Domain	Participation [c]
Range	xsd:date [c] *or* xsd:dateTime [c] *or* xsd:gMonthYear [c] *or* xsd:gYear [c]

Annotation Properties

contributor [ap]

IRI	http://purl.org/dc/terms/contributor

creator [ap]

IRI	http://purl.org/dc/terms/creator

description [ap]

IRI	http://purl.org/dc/terms/description

title [ap]

IRI	http://purl.org/dc/terms/title

preferred namespace prefix [ap]

IRI	http://purl.org/vocab/vann/preferredNamespacePrefix

preferred namespace uri [ap]

IRI	http://purl.org/vocab/vann/preferredNamespaceUri

covers requirements^{ap}	
IRI	http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#coversRequirements

Namespaces

:

http://w3id.org/CEON/ontology/actorODP/

cvn

http://w3id.org/CEON/ontology/cvn/

dcterms

http://purl.org/dc/terms/

odp

http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#

owl

http://www.w3.org/2002/07/owl#

process

http://w3id.org/CEON/ontology/process/

prov

http://www.w3.org/ns/prov#

rdf

http://www.w3.org/1999/02/22-rdf-syntax-ns#

rdfs

http://www.w3.org/2000/01/rdf-schema#

resourceODP

http://w3id.org/CEON/ontology/resourceODP/

vann

http://purl.org/vocab/vann/

xsd

http://www.w3.org/2001/XMLSchema#

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties