

The Building Topology Ontology (BOT)

Metadata

IRI

<https://w3id.org/bot#>

Title

The Building Topology Ontology (BOT)

Creator

Mads Holten Rasmussen
Pieter Pauwels
Maxime Lefrançois
Georg Ferdinand Schneider
Maxime Lefrançois
Georg Ferdinand Schneider 
Mads Holten Rasmussen 
Pieter Pauwels 

Contributor

All contributing members of the W3C Linked Building Data Community Group
Mathias Bonduel
Sjoerd Rongen
Katja Breitenfelder
Edison Chung
María Poveda-Villalón
Ville Kukkonen
Lars Wikström
Karl Hammar
Hervé Pruvost
Ana Roxin
Gonçal Costa
Walter Terkaj
Rui de Klerk
Rui Ma
Richard Pinka
Jyrki Oraskari
Ali Küçükavci
Pouya Zangeneh

Date Modified

2020-07-31T08:51:00

Date Issued

2018-06-21T12:00:00

License

<https://creativecommons.org/licenses/by/1.0/>

Version Iri

<https://w3id.org/bot-0.3.2>

Version Info

0.3.2

Prior Version

<https://w3id.org/bot-0.3.1>

Preferred Namespace Prefix

bot

Preferred Namespace Uri

[The Building Topology Ontology \(BOT\)](#)

Description

The Building Topology Ontology (BOT) is a simple ontology defining the core concepts of a building. It is a simple, easy to extend ontology for the construction industry to document and exchange building data on the web. Changes since version 0.2.0 of the ontology are documented in: <https://w3id.org/bot/bot.html#changes> The version 0.2.0 of the ontology is documented in: Mads Holten Rasmussen, Pieter Pauwels, Maxime Lefrançois, Georg Ferdinand Schneider, Christian Anker Hviiid and Jan Karlshøj (2017) Recent changes in the Building Topology Ontology, 5th Linked Data in Architecture and Construction Workshop (LDAC2017), November 13-15, 2017, Dijon, France, https://www.researchgate.net/publication/320631574_Recent_changes_in_the_Building_Topology_Ontology The initial version 0.1.0 of the ontology was documented in: Mads Holten Rasmussen, Pieter Pauwels, Christian Anker Hviiid and Jan Karlshøj (2017) Proposing a Central AEC Ontology That Allows for Domain Specific Extensions, Lean and Computing in Construction Congress (LC3): Volume I – Proceedings of the Joint Conference on Computing in Construction (JC3), July 4-7, 2017, Heraklion, Greece, pp. 237-244 <https://doi.org/10.24928/JC3-2017/0153>

Classes

Vocabulary ^c	
IRI	http://purl.org/vocommons/voaf#Vocabulary
Named Individuals	The Building Topology Ontology (BOT) ⁿⁱ

Zone ^c	
IRI	https://w3id.org/bot#Zone
Is Defined By	The Building Topology Ontology (BOT)
Description	A part of the physical world or a virtual world that is inherently both located in this world and has a 3D spatial extent; Sub-classes of bot:Zone include bot:Site, bot:Building, bot:Storey, or bot:Space. An instance of bot:Zone can contain other bot:Zone instances, making it possible to group or subdivide zones. An instance of bot:Zone can be adjacent to or intersecting other bot:Zone instances. Finally, a bot:Zone can instantiate three relations to bot:Element, which are either contained in (bot:containsElement), adjacent to it (bot:adjacentElement) or intersecting (bot:intersectingElement).
In Domain Of	adjacent zone ^{op} intersects zone ^{op} contains zone ^{op} has building ^{op} has storey ^{op} has space ^{op} has element ^{op}
In Domain Includes Of	has simple 3D model ^{dp} has 3D model ^{op}
In Range Of	adjacent zone ^{op} intersects zone ^{op} contains zone ^{op}
Super Class Of	Site ^c Building ^c Storey ^c Space ^c

Site^c

IRI	https://w3id.org/bot#Site
Is Defined By	The Building Topology Ontology (BOT)
Description	A part of the physical world or a virtual world that is inherently both located in this world and having a 3D spatial extent. It is intended to contain or contains one or more buildings.
Sub Class Of	Zone^c
In Domain Of	has zero point^{op}
In Domain Includes Of	adjacent zone^{op} intersects zone^{op} contains zone^{op} has building^{op}
In Range Includes Of	adjacent zone^{op} intersects zone^{op} contains zone^{op}

Building^c

IRI	https://w3id.org/bot#Building
Is Defined By	The Building Topology Ontology (BOT)
Description	An independent unit of the built environment with a characteristic spatial structure, intended to serve at least one function or user activity [ISO 12006-2:2013]. A bot:Building is a part of the physical world or a virtual world that is inherently both located in this world and having a 3D spatial extent, is contained in a building site, and can contain one or more storeys that are vertically connected.
Sub Class Of	Zone^c
In Domain Includes Of	adjacent zone^{op} intersects zone^{op} contains zone^{op} has storey^{op}
In Range Of	has building^{op}
In Range Includes Of	adjacent zone^{op} intersects zone^{op} contains zone^{op}

Storey^c

IRI	https://w3id.org/bot#Storey
Is Defined By	The Building Topology Ontology (BOT)
Description	A part of the physical world or a virtual world that is inherently both located in this world and having a 3D spatial extent. A bot:Storey is contained in one or more buildings, and is intended to contain one or more spaces that are horizontally connected. Storeys of a building are connected by means of vertical connections such as elevators and stairs. A bot:Storey encompasses both zones above and below ground, for example, a building with 21 floors above ground, one ground floor and 3 basements is equal to the sentence: A building has 25 instances of bot:Storey.
Sub Class Of	Zone^c
In Domain Includes	
Of	adjacent zone^{op} intersects zone^{op} contains zone^{op} has space^{op}
In Range Of	has storey^{op}
In Range Includes	
Of	adjacent zone^{op} intersects zone^{op} contains zone^{op}

Space^c

IRI	https://w3id.org/bot#Space
Is Defined By	The Building Topology Ontology (BOT)
Description	A part of the physical world or a virtual world whose 3D spatial extent is bounded actually or theoretically, and provides for certain functions within the zone it is contained in.
Sub Class Of	Zone^c
In Domain Includes	
Of	adjacent zone^{op} intersects zone^{op} contains zone^{op}
In Range Of	has space^{op}
In Range Includes	
Of	adjacent zone^{op} intersects zone^{op} contains zone^{op}

Building element^c

IRI	https://w3id.org/bot#Element
Is Defined By	The Building Topology Ontology (BOT)
Description	Constituent of a construction entity with a characteristic technical function, form or position [ISO 12006-2:2015, 3.4.7]
In Domain Of	has sub-element^{op} hosts element^{op}
In Domain Includes Of	has simple 3D model^{dp} has 3D model^{op}
In Range Of	has sub-element^{op} has element^{op} hosts element^{op}

Interface^c

IRI	https://w3id.org/bot#Interface
Is Defined By	The Building Topology Ontology (BOT)
Description	A generic concept to qualify the relationship of two or more things in the world, where at least one is a building element or zone. Examples: - Qualification of heat transmission between zones through one or more building elements. This includes one-dimensional (surface) heat losses from one zone to another through a single building element, a two dimensional (line) loss from one zone to another through the connection in which the two elements meet or a three dimensional (point) loss from one zone to another through the connection where three elements (typically two walls and a slab) meet. - Connection of an electric device to the electric system of a building. - A door between one room and another.
In Domain Of	interface of^{op}

Object Properties

adjacent zone^{op}

IRI <https://w3id.org/bot#adjacentZone>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relationship between two zones that share a common interface, but do not intersect.

Domain [Zone^c](#)

Domainincludes

- [Site^c](#)
- [Building^c](#)
- [Storey^c](#)
- [Space^c](#)

Range [Zone^c](#)

Rangeincludes

- [Site^c](#)
- [Building^c](#)
- [Storey^c](#)
- [Space^c](#)

intersects zone^{op}

IRI <https://w3id.org/bot#intersectsZone>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relationship between two zones whose 3D extent intersect. For example, a stairwell intersects different storeys.

Domain [Zone^c](#)

Domainincludes

- [Site^c](#)
- [Building^c](#)
- [Storey^c](#)
- [Space^c](#)

Range [Zone^c](#)

Rangeincludes

- [Site^c](#)
- [Building^c](#)
- [Storey^c](#)
- [Space^c](#)

contains zone^{op}

IRI <https://w3id.org/bot#containsZone>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relationship to the subzones of a major zone. A space zone could for instance be contained in a storey zone which is further contained in a building zone. bot:containsZone is a transitive property. This implies that in the previous example a bot:containsZone relationship holds between the space zone and the building zone.

Super Property Of

- [has building^{op}](#)
- [has storey^{op}](#)
- [has space^{op}](#)

Domain [Zone^c](#)

Domainincludes

- [Site^c](#)
- [Building^c](#)
- [Storey^c](#)
- [Space^c](#)

Range [Zone^c](#)

Rangeincludes

- [Site^c](#)
- [Building^c](#)
- [Storey^c](#)
- [Space^c](#)

has building^{op}

IRI <https://w3id.org/bot#hasBuilding>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation to buildings contained in a zone. The typical domains of bot:hasBuilding are instances of bot:Site.

Sub Property Of [contains zone^{op}](#)

Domain [Zone^c](#)

Domainincludes [Site^c](#)

Range [Building^c](#)

has storey^{op}

IRI <https://w3id.org/bot#hasStorey>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation to storeys contained in a zone. The typical domains of bot:hasStorey are instances of bot:Building.

Sub Property Of [contains zone^{op}](#)

Domain [Zone^c](#)

Domainincludes [Building^c](#)

Range [Storey^c](#)

has space^{op}

IRI <https://w3id.org/bot#hasSpace>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation to spaces contained in a zone. The typical domains of bot:hasSpace are instances of bot:Storey or bot:Building.

Sub Property Of [contains zone^{op}](#)

Domain [Zone^c](#)

Domainincludes [Storey^c](#)

Range [Space^c](#)

has sub-element^{op}

IRI <https://w3id.org/bot#hasSubElement>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation between two building elements, either one element hosting another (e.g. a wall hosts a window) or a subcomposition of a building element into smaller parts (e.g. an air handling unit has as a part a fan).

Domain [Building element^c](#)

Range [Building element^c](#)

has element^{op}

IRI <https://w3id.org/bot#hasElement>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Links a Zone to an Element that is either contained in, adjacent to or intersecting with the Zone. The intended use of this relationship is not to be stated explicitly, but to be inferred from its sub-properties. It will, for example, allow one to query for all the doors of a building given that they have an adjacency to spaces of the building.

Super Property Of

- [adjacent element^{op}](#)
- [contains element^{op}](#)
- [intersecting element^{op}](#)

Domain [Zone^c](#)

Range [Building element^c](#)

adjacent element^{op}

IRI <https://w3id.org/bot#adjacentElement>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation between a zone and its adjacent building elements, bounding the zone.

Sub Property Of [has element^{op}](#)

contains element^{op}

IRI <https://w3id.org/bot#containsElement>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation to a building element contained in a zone.

Sub Property Of [has element^{op}](#)

intersecting element^{op}

IRI <https://w3id.org/bot#intersectingElement>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relation between a Zone and a building Element that intersects it.

Sub Property Of [has element^{op}](#)

interface of^{op}

IRI <https://w3id.org/bot#interfaceOf>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Relationship between an interface and another thing (building zone, element or owl:Thing)

Domain [Interface^c](#)

has zero point^{op}

IRI <https://w3id.org/bot#hasZeroPoint>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Links a bot:Site to an instance that encodes the latitude and longitude of the Zero Point of the building site. This could be an instance of a wgs84:Point. The definition of GIS and geometry is not within the scope of BOT and an appropriate ontology needs to be selected here by the user. The use of this property is potentially ambiguous and it might be removed or revised in future editions of the ontology.

Domain [Site^c](#)

has 3D model^{op}

IRI <https://w3id.org/bot#has3DModel>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Links any bot:Zone or bot:Element to a IRI that identifies its 3D Model. This 3D Model can then be described using some dedicated RDF vocabulary. Else, the 3D Model IRI could be dereferenceable, and when looking up the IRI one could retrieve a representation of the 3D Model with some existing data format for 3D models.

Domain includes

- [Building element^c](#)
- [Zone^c](#)

hosts element^{op}

IRI <https://w3id.org/bot#hostsElement>

Description This property is DEPRECATED, use bot:hasSubElement instead // ORIGINAL definition: Relation between an element a) and another element b) hosted by element a). Example: inst:wall bot:hostsElement inst:window

Domain [Building element^c](#)

Range [Building element^c](#)

aggregates^{op}

IRI <https://w3id.org/bot#aggregates>

Description

This property is DEPRECATED, use bot:hasSubElement instead // ORIGINAL definition: Links an aggregate (a cluster of elements that can be treated as a single unit) to its sub-elements. For example an Air Handling Unit aggregates, among other elements, a fan and a filter.

Example of how to use bot:aggregates in a product ontology: `product:Fan rdfs:subClassOf bot:Element . product:Filter rdfs:subClassOf bot:Element . product:hasFan rdfs:subPropertyOf bot:aggregates ; rdfs:range product:Fan . product:hasFilter rdfs:subPropertyOf product:aggregates ; rdfs:range product:Filter . product:AirHandlingUnit rdfs:subClassOf bot:Element ; rdfs:subClassOf [owl:onProperty product:hasFan ; owl:someValuesFrom product:Fan] ; rdfs:subClassOf [owl:onProperty product:hasFilter ; owl:someValuesFrom product:Filter] .`

Datatype Properties

has simple 3D model^{dp}

IRI <https://w3id.org/bot#hasSimple3DModel>

Is Defined By [The Building Topology Ontology \(BOT\)](#)

Description Links any bot:Zone or bot:Element to a 3D Model encoded as a literal.

Domainincludes

- [Building element^c](#)
- [Zone^c](#)

Annotation Properties

title^{ap}

IRI <http://purl.org/dc/terms/title>

description^{ap}

IRI <http://purl.org/dc/terms/description>

issued^{ap}

IRI <http://purl.org/dc/terms/issued>

modified^{ap}

IRI <http://purl.org/dc/terms/modified>

creator^{ap}

IRI <http://purl.org/dc/terms/creator>

contributor^{ap}

IRI <http://purl.org/dc/terms/contributor>

license^{ap}

IRI <http://purl.org/dc/terms/license>

preferred namespace prefix^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespacePrefix>

preferred namespace uri^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespaceUri>

domain includes^{ap}

IRI <https://schema.org/domainIncludes>

range includes^{ap}

IRI <https://schema.org/rangeIncludes>

term_status^{ap}

IRI http://www.w3.org/2003/06/sw-vocab-status/ns#term_status

fn^{ap}

IRI <http://www.w3.org/2006/vcard/ns#fn>

name^{ap}

IRI <https://schema.org/name>

Namespaces

bot

<https://w3id.org/bot#>

dcterms

owl <http://purl.org/dc/terms/>

prov <http://www.w3.org/2002/07/owl#>

rdf <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs <http://www.w3.org/2000/01/rdf-schema#>

schema <https://schema.org/>

vann <http://purl.org/vocab/vann/>

vcard <http://www.w3.org/2006/vcard/ns#>

voaf <http://purl.org/vocommons/voaf#>

vs <http://www.w3.org/2003/06/sw-vocab-status/ns#>

Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties