

Circular Economy Ontology Network (CEON) - Value Module

Metadata

IRI

<http://w3id.org/CEON/ontology/value/>

Title

Circular Economy Ontology Network (CEON) - Value Module

Creator

Eva Blomqvist

Contributor

- Huanyu Li
- Mikael Lindecrantz
- Robin Keskisärkkä

Date Created

2023-03-30

License

<https://creativecommons.org/licenses/by/4.0/>

Version Iri

<http://w3id.org/CEON/ontology/value/0.2/>

Version Info

0.2

Preferred Namespace Prefix

value

Preferred Namespace Uri

<https://w3id.org/CEON/ontoloy/value/>

Description

A core ODP of the CEON ontology network, defining aspects of the value concept.

Covers Requirements

Covers the following requirements from Onto-DESIDE D2.3: CE1-3, CE5-16, CE5-17.

Classes

| | |
|-----------------------|---|
| Resource ^C | |
| IRI | http://w3id.org/CEON/ontology/resourceODP/Resource |
| In Range Of | hasValuableResource^{op} targettingResource^{op} |

| | |
|-----------------------------|---|
| Economic Value ^C | |
| IRI | http://w3id.org/CEON/ontology/value/EconomicValue |
| Sub Class Of | Value^C |
| Equivalentclass | UseValue^C |

Environmental Value^c

IRI <http://w3id.org/CE0N/ontology/value/EnvironmentalValue>

Sub Class Of [Value^c](#)

Exchange Value^c

IRI <http://w3id.org/CE0N/ontology/value/ExchangeValue>

Sub Class Of [Value^c](#)

Social Value^c

IRI <http://w3id.org/CE0N/ontology/value/SocialValue>

Sub Class Of [Value^c](#)

Use Value^c

IRI <http://w3id.org/CE0N/ontology/value/UseValue>

Sub Class Of [Value^c](#)

Value^c

IRI <http://w3id.org/CE0N/ontology/value/Value>

Is Defined By ISO 59004:2024 - 3.1.7 value

Description Gain(s) or benefit(s) from satisfying needs and expectations, in relation to the use and conservation of resources. EXAMPLE: Revenue, savings, productivity, sustainability, satisfaction, empowerment, engagement, experience, public health, trust. Value is relative to, and determined by the perception of, those interested party(ies) able to capture it. Value can be financial or non-financial, e.g. social, environmental, other gains or benefits. Value is dynamic over time.

In Range Of [hasAimedValue^{op}](#)
[hasAssociatedValue^{op}](#)

Super Class Of [EconomicValue^c](#)
[EnvironmentalValue^c](#)
[ExchangeValue^c](#)
[SocialValue^c](#)
[UseValue^c](#)

Value Participation^C

| | |
|---------------------|---|
| IRI | http://w3id.org/CE0N/ontology/value/ValueParticipation |
| Sub Class Of | actorODP:Participation |
| In Domain Of | hasValuableResource ^{op} valueParticipantRole ^{op} |
| In Range Of | onParticipation ^{op} targettingValueParticipation ^{op} |
| Restriction | hasAssociatedValue ^{op} some ValueParticipation ^C |

Value Participation Role^C

| | |
|--------------------------|---|
| IRI | http://w3id.org/CE0N/ontology/value/ValueParticipationRole |
| Sub Class Of | actorODP:Role |
| In Range Of | valueParticipantRole ^{op} |
| Named Individuals | ValueConsumer ⁿⁱ ValueContributor ⁿⁱ ValueCreator ⁿⁱ ValueDestroyer ⁿⁱ ValueDistributor ⁿⁱ ValueEvaluator ⁿⁱ |

Value Perception^C

| | |
|---------------------|---|
| IRI | http://w3id.org/CE0N/ontology/value/ValuePerception |
| In Domain Of | hasAssociatedValue ^{op} onParticipation ^{op} |
| In Range Of | hasPerception ^{op} |

Value Perception Type^C

| | |
|------------|---|
| IRI | http://w3id.org/CE0N/ontology/value/ValuePerceptionType |
|------------|---|

Value Proposition^C

IRI <http://w3id.org/CE0N/ontology/value/ValueProposition>

In Domain Of

[hasAimedValue](#)^{op}
[proposedBy](#)^{op}
[targettingActor](#)^{op}
[targettingResource](#)^{op}
[targettingValueParticipation](#)^{op}

Restriction

[hasAimedValue](#)^{op} some [ValueProposition](#)^C
[targettingActor](#)^{op} some [ValueProposition](#)^C
[targettingValueParticipation](#)^{op} some [ValueProposition](#)^C

Object Properties

has aimed value^{op}

IRI <http://w3id.org/CE0N/ontology/value/hasAimedValue>

Domain [ValueProposition](#)^C

Range [Value](#)^C

has associated value^{op}

IRI <http://w3id.org/CE0N/ontology/value/hasAssociatedValue>

Sub Property Of [topObjectProperty](#)^{op}

Domain [ValuePerception](#)^C

Range [Value](#)^C

has perception^{op}

IRI <http://w3id.org/CE0N/ontology/value/hasPerception>

Domain [actorODP:Actor](#)^C or [ValueProposition](#)^C

Range [ValuePerception](#)^C

has perception type^{op}

IRI <http://w3id.org/CE0N/ontology/value/hasPerceptionType>

has vp targets^{op}

IRI <http://w3id.org/CEON/ontology/value/hasVPTargets>

Super Property Of

- [targettingActor^{op}](#)
- [targettingResource^{op}](#)
- [targettingValueParticipation^{op}](#)

has valuable resource^{op}

IRI <http://w3id.org/CEON/ontology/value/hasValuableResource>

Sub Property Of [topObjectProperty^{op}](#)

Domain [ValueParticipation^c](#)

Range [http://w3id.org/CEON/ontology/resourceODP/Resource^c](http://w3id.org/CEON/ontology/resourceODP/Resource)

on participation^{op}

IRI <http://w3id.org/CEON/ontology/value/onParticipation>

Domain [ValuePerception^c](#)

Range [ValueParticipation^c](#)

proposed by^{op}

IRI <http://w3id.org/CEON/ontology/value/proposedBy>

Domain [ValueProposition^c](#)

Range [actorODP:Actor](#)

targetting actor^{op}

IRI <http://w3id.org/CEON/ontology/value/targettingActor>

Sub Property Of [hasVPTargets^{op}](#)

Domain [ValueProposition^c](#)

Range [actorODP:Actor](#)

targetting resource^{op}

IRI <http://w3id.org/CEON/ontology/value/targettingResource>

Sub Property Of [hasVPTargets^{op}](#)

Domain [ValueProposition^c](#)

Range [http://w3id.org/CEON/ontology/resourceODP/Resource^c](http://w3id.org/CEON/ontology/resourceODP/Resource)

targetting value participation^{op}

| | |
|------------------------|---|
| IRI | http://w3id.org/CEON/ontology/value/targettingValueParticipation |
| Sub Property Of | hasVPTargets^{op} |
| Domain | ValueProposition^c |
| Range | ValueParticipation^c |

value participant role^{op}

| | |
|------------------------|---|
| IRI | http://w3id.org/CEON/ontology/value/valueParticipantRole |
| Sub Property Of | actorODP:participantRole |
| Domain | ValueParticipation^c |
| Range | ValueParticipationRole^c |

Annotation Properties

contributor^{ap}

| | |
|------------|---|
| IRI | http://purl.org/dc/terms/contributor |
|------------|---|

created^{ap}

| | |
|------------|---|
| IRI | http://purl.org/dc/terms/created |
|------------|---|

creator^{ap}

| | |
|------------|---|
| IRI | http://purl.org/dc/terms/creator |
|------------|---|

description^{ap}

| | |
|------------|---|
| IRI | http://purl.org/dc/terms/description |
|------------|---|

license^{ap}

| | |
|------------|---|
| IRI | http://purl.org/dc/terms/license |
|------------|---|

title^{ap}

| | |
|------------|---|
| IRI | http://purl.org/dc/terms/title |
|------------|---|

preferred namespace prefix^{ap}

| | |
|------------|---|
| IRI | http://purl.org/vocab/vann/preferredNamespacePrefix |
|------------|---|

preferred namespace uri^{ap}

IRI <http://purl.org/vocab/vann/preferredNamespaceUri>

Namespaces

:

<http://w3id.org/CEON/ontology/value/>

actorODP <http://w3id.org/CEON/ontology/actorODP/>

dcterms <http://purl.org/dc/terms/>

odp <http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#>

owl <http://www.w3.org/2002/07/owl#>

prov <http://www.w3.org/ns/prov#>

rdf <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs <http://www.w3.org/2000/01/rdf-schema#>

vann <http://purl.org/vocab/vann/>

xsd <http://www.w3.org/2001/XMLSchema#>

Legend

| | |
|----|--------------------------|
| c | Classes |
| op | Object Properties |
| ap | Annotation Properties |