

Circular Economy Ontology Network (CEON) - Plan Module

Metadata

IRI	http://w3id.org/CEON/ontology/plan/
Title	Circular Economy Ontology Network (CEON) - Plan Module
Publisher	Onto-DESIDE
Creator	Huanyu Li
Contributor	Eva Blomqvist
Date Created	2025-06-19
Date Issued	2025-06-30
License	https://creativecommons.org/licenses/by/4.0/
Version Iri	http://w3id.org/CEON/ontology/plan/0.1/
Version Info	0.1
Preferred Namespace Prefix	ceon-plan
Preferred Namespace Uri	https://w3id.org/CEON/ontology/plan/
Description	The Plan module of CEON (Circular Economy Ontology Network).
Covers Requirements	In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDE D3.1: T8-2. In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDE D3.2: T8-2.

Classes

Description ^c	
IRI	http://w3id.org/CEON/ontology/plan/Description
In Range Of	satisfiesPlan ^{op}
Super Class Of	Plan ^c

Plan^C

IRI	http://w3id.org/CE0N/ontology/plan/Plan
Sub Class Of	Description ^C
In Domain Of	hasPlanExecution ^{op}
Restriction	processODP:hasPart some Plan ^C

Plan Execution^C

IRI	http://w3id.org/CE0N/ontology/plan/PlanExecution
Sub Class Of	processODP:Situation processODP:duringTime some processODP:TimeInterval ^C or processODP:occursAtTime ^{dp} some xsd:dateTime ^C
In Domain Of	followsExecution ^{op} precedesExecution ^{op} occursAtTime ^{dp}
In Range Of	hasPlanExecution ^{op}
Restriction	followsExecution ^{op} some PlanExecution ^C precedesExecution ^{op} some PlanExecution ^C satisfiesPlan ^{op} some PlanExecution ^C processODP:hasPart some PlanExecution ^C processODP:isSettingFor some PlanExecution ^C

Object Properties

follows execution^{op}

IRI	http://w3id.org/CE0N/ontology/plan/followsExecution
Sub Property Of	processODP:isSettingFor
Domain	PlanExecution ^C

has plan execution^{op}

IRI	http://w3id.org/CE0N/ontology/plan/hasPlanExecution
Sub Property Of	topObjectProperty ^{op}
Domain	Plan ^C
Range	PlanExecution ^C

precedes execution^{op}

IRI <http://w3id.org/CE0N/ontology/plan/precedesExecution>

Sub Property Of [processODP:isSettingFor](#)

Domain [PlanExecution](#)^c

satisfies plan^{op}

IRI <http://w3id.org/CE0N/ontology/plan/satisfiesPlan>

Sub Property Of [topObjectProperty](#)^{op}

Domain [processODP:Situation](#)

Range [Description](#)^c

has input^{op}

IRI <http://w3id.org/CE0N/ontology/processODP/hasInput>

has output^{op}

IRI <http://w3id.org/CE0N/ontology/processODP/hasOutput>

Datatype Properties

occurs at time^{dp}

IRI <http://w3id.org/CE0N/ontology/plan/occursAtTime>

Domain [PlanExecution](#)^c

Range [xsd:dateTime](#)

occurs at time^{dp}

IRI <http://w3id.org/CE0N/ontology/processODP/occursAtTime>

Namespaces

:

<http://w3id.org/CE0N/ontology/plan/>

dcterms

<http://purl.org/dc/terms/>

odp

<http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#>

owl

<http://www.w3.org/2002/07/owl#>

processODP

<http://w3id.org/CEON/ontology/processODP/>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

vann

<http://purl.org/vocab/vann/>

xsd

<http://www.w3.org/2001/XMLSchema#>

Legend

c	Classes
op	Object Properties
dp	Datatype Properties