

# Circular Economy Ontology Network (CEON) - Plan Module

## Metadata

**IRI**

<http://w3id.org/CEON/ontology/plan/>

**Title**

Circular Economy Ontology Network (CEON) - Plan Module

**Publisher**

Onto-DESIDe

**Creator**

Huanyu Li

**Contributor**

Eva Blomqvist

**Date Created**

2025-06-19

**Date Issued**

2025-06-30

**License**

<https://creativecommons.org/licenses/by/4.0/>

**Version Iri**

<http://w3id.org/CEON/ontology/plan/0.1/>

**Version Info**

0.1

**Preferred Namespace Prefix**

ceon-plan

**Preferred Namespace Uri**

<https://w3id.org/CEON/ontology/plan/>

**Description**

The Plan module of CEON (Circular Economy Ontology Network).

**Covers Requirements**

In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDe D3.1: T8-2.

In addition to requirements covered by imported ODPs, covers the following requirements from Onto-DESIDe D3.2: T8-2.

## Classes

|                          |                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------|
| Description <sup>c</sup> |                                                                                                             |
| IRI                      | <a href="http://w3id.org/CEON/ontology/plan/Description">http://w3id.org/CEON/ontology/plan/Description</a> |
| In Range Of              | <a href="#">satisfiesPlan</a> <sup>op</sup>                                                                 |
| Super Class Of           | <a href="#">Plan</a> <sup>c</sup>                                                                           |

## Plan<sup>C</sup>

|                     |                                                                                               |
|---------------------|-----------------------------------------------------------------------------------------------|
| <b>IRI</b>          | <a href="http://w3id.org/CE0N/ontology/plan/Plan">http://w3id.org/CE0N/ontology/plan/Plan</a> |
| <b>Sub Class Of</b> | <a href="#">Description</a> <sup>C</sup>                                                      |
| <b>In Domain Of</b> | <a href="#">hasPlanExecution</a> <sup>op</sup>                                                |
| <b>Restriction</b>  | <a href="#">processODP:hasPart</a> some <a href="#">Plan</a> <sup>C</sup>                     |

## Plan Execution<sup>C</sup>

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>IRI</b>          | <a href="http://w3id.org/CE0N/ontology/plan/PlanExecution">http://w3id.org/CE0N/ontology/plan/PlanExecution</a>                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Sub Class Of</b> | <a href="#">processODP:Situation</a><br><a href="#">processODP:occursAtTime</a> <sup>dp</sup> some <a href="#">xsd:dateTime</a> <sup>C</sup> or <a href="#">processODP:duringTime</a><br>some <a href="#">processODP:TimeInterval</a> <sup>C</sup>                                                                                                                                                                                                                                |
| <b>In Domain Of</b> | <a href="#">followsExecution</a> <sup>op</sup><br><a href="#">precedesExecution</a> <sup>op</sup><br><a href="#">occursAtTime</a> <sup>dp</sup>                                                                                                                                                                                                                                                                                                                                   |
| <b>In Range Of</b>  | <a href="#">hasPlanExecution</a> <sup>op</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Restriction</b>  | <a href="#">followsExecution</a> <sup>op</sup> some <a href="#">PlanExecution</a> <sup>C</sup><br><a href="#">precedesExecution</a> <sup>op</sup> some <a href="#">PlanExecution</a> <sup>C</sup><br><a href="#">satisfiesPlan</a> <sup>op</sup> some <a href="#">PlanExecution</a> <sup>C</sup><br><a href="#">processODP:hasPart</a> some <a href="#">PlanExecution</a> <sup>C</sup><br><a href="#">processODP:isSettingFor</a> some <a href="#">PlanExecution</a> <sup>C</sup> |

## Object Properties

### follows execution<sup>op</sup>

|                        |                                                                                                                       |
|------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>IRI</b>             | <a href="http://w3id.org/CE0N/ontology/plan/followsExecution">http://w3id.org/CE0N/ontology/plan/followsExecution</a> |
| <b>Sub Property Of</b> | <a href="#">processODP:isSettingFor</a>                                                                               |
| <b>Domain</b>          | <a href="#">PlanExecution</a> <sup>C</sup>                                                                            |

### has plan execution<sup>op</sup>

|                        |                                                                                                                       |
|------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>IRI</b>             | <a href="http://w3id.org/CE0N/ontology/plan/hasPlanExecution">http://w3id.org/CE0N/ontology/plan/hasPlanExecution</a> |
| <b>Sub Property Of</b> | <a href="#">topObjectProperty</a> <sup>op</sup>                                                                       |
| <b>Domain</b>          | <a href="#">Plan</a> <sup>C</sup>                                                                                     |
| <b>Range</b>           | <a href="#">PlanExecution</a> <sup>C</sup>                                                                            |

precedes execution<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/plan/precedesExecution>

**Sub Property Of** [processODP:isSettingFor](#)

**Domain** [PlanExecution](#)<sup>c</sup>

satisfies plan<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/plan/satisfiesPlan>

**Sub Property Of** [topObjectProperty](#)<sup>op</sup>

**Domain** [processODP:Situation](#)

**Range** [Description](#)<sup>c</sup>

has input<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/processODP/hasInput>

has output<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/processODP/hasOutput>

## Datatype Properties

occurs at time<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/plan/occursAtTime>

**Domain** [PlanExecution](#)<sup>c</sup>

**Range** [xsd:dateTime](#)

occurs at time<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/processODP/occursAtTime>

## Namespaces

:

<http://w3id.org/CE0N/ontology/plan/>

**dcterms**

<http://purl.org/dc/terms/>

**odp**

<http://www.ontologydesignpatterns.org/schemas/cpannotationschema.owl#>

**owl**

<http://www.w3.org/2002/07/owl#>

**processODP**

<http://w3id.org/CEON/ontology/processODP/>

**prov**

<http://www.w3.org/ns/prov#>

**rdf**

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

**rdfs**

<http://www.w3.org/2000/01/rdf-schema#>

**vann**

<http://purl.org/vocab/vann/>

**xsd**

<http://www.w3.org/2001/XMLSchema#>

## Legend

|    |                        |
|----|------------------------|
| c  | Classes                |
| op | Object<br>Properties   |
| dp | Datatype<br>Properties |