

Flat Glass Ontology

Metadata

IRI

<http://w3id.org/CEON/ontology/flatglass/>

Title

Flat Glass Ontology

Creator

Eva Blomqvist

Contributor

Robin Keskisärkkä

Date Created

2023-10-30

License

<https://github.com/LiUSemWeb/DPP/blob/master/LICENSE>

Version Iri

<http://w3id.org/CEON/ontology/flatglass//0.2/>

Version Info

0.2

Preferred Namespace Prefix

window

Preferred Namespace Uri

<http://w3id.org/CEON/ontology/flatglass/>

Description

This is the Flat Glass Ontology

Classes

Building Object^C

IRI	http://w3id.org/CEON/ontology/flatglass/BuildingObject
<u>In Domain Of</u>	http://w3id.org/CEON/ontology/flatglass/dismountingParameter ^{op} har del ^{op} http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition ^{op} http://w3id.org/CEON/ontology/flatglass/hasStructure ^{op} Tür ^{dp} Fenstertür ^{dp}
<u>In Range Of</u>	har del ^{op}
<u>Super Class Of</u>	http://w3id.org/CEON/ontology/flatglass/Window ^C http://w3id.org/CEON/ontology/flatglass/WindowFrame ^C http://w3id.org/CEON/ontology/flatglass/WindowGlass ^C

Building Object Type^C

IRI	http://w3id.org/CEON/ontology/flatglass/BuildingObjectType
<u>Super Class Of</u>	http://w3id.org/CEON/ontology/flatglass/WindowGlassType ^C http://w3id.org/CEON/ontology/flatglass/WindowType ^C

Condition^C

IRI	http://w3id.org/CEON/ontology/flatglass/Condition
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/flatglass/StructuralParameter ^C
<u>Equivalentclass</u>	
<u>In Range Of</u>	Etat du cadre ^{op}
<u>Named Individuals</u>	fair ⁿⁱ good ⁿⁱ Kasten ⁿⁱ

Dismounting Direction^C

IRI	http://w3id.org/CEON/ontology/flatglass/DismountingDirection
Sub Class Of	^C
In Range Of	demonteras utifrån/inifrån ^{op}
Named Individuals	de l'intérieur ⁿⁱ de l'extérieur ⁿⁱ

Dismounting Parameter^C

IRI	http://w3id.org/CEON/ontology/flatglass/DismountingParameter
In Range Of	^{op}
Super Class Of	^C

Downcyclable Window^C

IRI	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow
Sub Class Of	^C
Equivalentclass	^C <i>or</i> ^C <i>or</i> ^C <i>or</i> ^C
Super Class Of	^C ^C ^C ^C

Downcyclable Window Enamelled Glass^C

IRI	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowEnamelledGlass
Sub Class Of	^C
Equivalentclass	^C <i>and</i> brandglas med gel ^{dp} value false ^C <i>and</i> Drahtglas ^{dp} value false ^C <i>and</i> brandglas utan gel ^{dp} value false ^C <i>and</i> emailliertes Glas ^{dp} value true ^C

Downcyclable Window W Body Tinted Glass^C

IRI	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow ^C
Equivalentclass	brandglas utan gel ^{dp} value false ^C and brandglas med gel ^{dp} value false ^C and Drahtglas ^{dp} value false ^C and body tinted glass ^{dp} value true ^C and http://w3id.org/CEON/ontology/flatglass/Window ^C

Downcyclable Window W Thick Film^C

IRI	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWThickFilm
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow ^C
Equivalentclass	brandglas med gel ^{dp} value false ^C and brandglas utan gel ^{dp} value false ^C and Drahtglas ^{dp} value false ^C and http://w3id.org/CEON/ontology/flatglass/Window ^C and Folie dicker als 0,25 mm ^{dp} value true ^C

Downcyclable Window With Laminated Glass^C

IRI	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWithLaminatedGlass
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow ^C
Equivalentclass	http://w3id.org/CEON/ontology/flatglass/Window ^C and Verbundsicherheitsglas ^{dp} value true ^C and Folie dicker als 0,25 mm ^{dp} value false ^C and Drahtglas ^{dp} value false ^C and body tinted glass ^{dp} value false ^C and brandglas med gel ^{dp} value false ^C and emailliertes Glas ^{dp} value false ^C and brandglas utan gel ^{dp} value false ^C

Ligth Transmission Level^C

IRI	http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/StructuralParameter ^C
Equivalentclass	
In Range Of	LT above 63% ^{op}
Named Individuals	>63% ⁿⁱ <63% ⁿⁱ

Material^c

IRI <http://w3id.org/CEON/ontology/flatglass/Material>

In Range Of

[Flügelmaterial](#)^{op}
<http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition>^{op}

Named Individuals

[ALU](#)ⁿⁱ
[PVC](#)ⁿⁱ
[Stahl](#)ⁿⁱ
[Holz](#)ⁿⁱ

Non Recyclable Window^c

IRI <http://w3id.org/CEON/ontology/flatglass/NonRecyclableWindow>

Sub Class Of

<http://w3id.org/CEON/ontology/flatglass/Window>^c

Equivalentclass

<http://w3id.org/CEON/ontology/flatglass/Window>^c and [Brandschutzglas](#)^{dp} value [true](#)^c or [brandglas med gel](#)^{dp} value [true](#)^c or [brandglas utan gel](#)^{dp} value [true](#)^c or [Drahtglas](#)^{dp} value [true](#)^c

Recyclable Window^c

IRI <http://w3id.org/CEON/ontology/flatglass/RecyclableWindow>

Sub Class Of

<http://w3id.org/CEON/ontology/flatglass/Window>^c

Equivalentclass

[Folie dicker als 0,25 mm](#)^{dp} value [false](#)^c and [body tinted glass](#)^{dp} value [false](#)^c and [Brandschutzglas](#)^{dp} value [false](#)^c or [brandglas med gel](#)^{dp} value [false](#)^c and [brandglas utan gel](#)^{dp} value [false](#)^c and [Verbundsicherheitsglas](#)^{dp} value [false](#)^c and [emailliertes Glas](#)^{dp} value [false](#)^c and [Drahtglas](#)^{dp} value [false](#)^c and <http://w3id.org/CEON/ontology/flatglass/Window>^c

Super Class Of

<http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWBlinds>^c
<http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWFilmOnGlass>^c
<http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWGeorgianBar>^c
<http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance>^c
<http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWTemperedGlass>^c

Recyclable Window W Asbestos^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWAsbestos
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance ^C
Equivalentclass	Asbestkitt ja/nein/nicht bekannt ^{dp} value true ^C and http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C

Recyclable Window W Blinds^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWBlinds
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C
Equivalentclass	integrated blind ^{dp} value true ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C and PCB O/N ^{dp} value false ^C and http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C

Recyclable Window W Film On Glass^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWFilmOnGlass
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C
Equivalentclass	film on glass ^{dp} value true ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C and PCB O/N ^{dp} value false ^C and http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C

Recyclable Window W Georgian Bar^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWGeorgianBar
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C
Equivalentclass	PCB O/N ^{dp} value false ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C and http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C and Georgian bar in singl fram/IGU? ^{dp} value true ^C

Recyclable Window W Hazardous Substance^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C
Equivalentclass	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWAsbestos ^C <i>or</i> http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWPCB ^C
Super Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWAsbestos ^C http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWPCB ^C

Recyclable Window Wpcb^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWPCB
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance ^C
Equivalentclass	http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C <i>and</i> PCB O/N ^{dp} value true ^C

Recyclable Window W Tempered Glass^C

IRI	http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWTemperedGlass
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C
Equivalentclass	gehärtetes Glas ^{dp} value true ^C <i>and</i> http://w3id.org/CEON/ontology/flatglass/RecyclableWindow ^C <i>and</i> Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C <i>and</i> PCB O/N ^{dp} value false ^C

Reusable Window^C

IRI	http://w3id.org/CEON/ontology/flatglass/ReusableWindow
Sub Class Of	http://w3id.org/CEON/ontology/flatglass/Window ^C
Equivalentclass	Etat du cadre ^{op} value good ^C <i>and</i> U-Wert 2,7/1,8/1,1/0,7 ^{op} value 2,7 ^C <i>or</i> U-Wert 2,7/1,8/1,1/0,7 ^{op} value 1,8 ^C <i>and</i> Atténuation acoustique 40/37/35/30 ^{op} value 37 ^C <i>or</i> Atténuation acoustique 40/37/35/30 ^{op} value 40 ^C <i>and</i> LT above 63% ^{op} value >63% ^C

Sound Reduction Level^C

IRI <http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel>

Sub Class Of [^C](http://w3id.org/CEON/ontology/flatglass/StructuralParameter)

Equivalentclass

In Range Of [Atténuation acoustique 40/37/35/30](#)^{op}

Named Individuals
[30](#)ⁿⁱ
[35](#)ⁿⁱ
[37](#)ⁿⁱ
[40](#)ⁿⁱ

Structural Parameter^C

IRI <http://w3id.org/CEON/ontology/flatglass/StructuralParameter>

In Range Of [^{op}](http://w3id.org/CEON/ontology/flatglass/hasStructure)

Super Class Of
[^C](http://w3id.org/CEON/ontology/flatglass/Condition)
[^C](http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel)
[^C](http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel)
[^C](http://w3id.org/CEON/ontology/flatglass/U-value)
[^C](http://w3id.org/CEON/ontology/flatglass/WindowCompositionType)

U-Value^C

IRI <http://w3id.org/CEON/ontology/flatglass/U-value>

Sub Class Of [^C](http://w3id.org/CEON/ontology/flatglass/StructuralParameter)

Equivalentclass

In Range Of [U-Wert 2,7/1,8/1,1/0,7](#)^{op}

Named Individuals
[0,7](#)ⁿⁱ
[1,1](#)ⁿⁱ
[1,8](#)ⁿⁱ
[2,7](#)ⁿⁱ

IRI

<http://w3id.org/CEON/ontology/flatglass/Window>

Sub Class Of

<http://w3id.org/CEON/ontology/flatglass/BuildingObject>^c
 Atténuation acoustique 40/37/35/30^{op} *max* 1
<http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel>^c *and* [demonteras utifrån/inifrån](#)^{op} *max* 1
<http://w3id.org/CEON/ontology/flatglass/DismountingDirection>^c *and* [Tür](#)^{dp} *exactly* 1
[xsd:boolean](#)^c *and* [date de production \(année/mois\)](#)^{dp} *max* 1 [xsd:gMonthYear](#)^c *and* [Sonnenschutzglas](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Brandschutzglas](#)^{dp} *exactly* 1
[xsd:boolean](#)^c *and* [body tinted glass](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Drahtglas](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [har del](#)^{op} *some*
<http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c *and* [emailliertes Glas](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Verbundsicherheitsglas](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [gesamte Glasdicke](#)^{dp} *max* 1 [xsd:string](#)^c *and* [Etat du cadre](#)^{op} *max* 1
<http://w3id.org/CEON/ontology/flatglass/Condition>^c *and* [U-Wert 2,7/1,8/1,1/0,7](#)^{op} *max* 1 <http://w3id.org/CEON/ontology/flatglass/U-value>^c *and* [gehärtetes Glas](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Größe](#)^{dp} *max* 1 [xsd:string](#)^c *and* [Asbestkitt ja/nein/nicht bekannt](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Georgian bar in singl fram/IGU?](#)^{dp} *exactly* 1
[xsd:boolean](#)^c *and* [LT above 63%](#)^{op} *max* 1
<http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel>^c *and* [PCB O/N](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Kastenfenster ja / nein](#)^{dp} *max* 1 [xsd:boolean](#)^c *and* [film on glass](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Fenstertyp](#)^{op} *exactly* 1
<http://w3id.org/CEON/ontology/flatglass/WindowCompositionType>^c *and* [ornamentglas](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [Flügelmaterial](#)^{op} *min* 1
<http://w3id.org/CEON/ontology/flatglass/Material>^c *and* [Fenstertür](#)^{dp} *exactly* 1
[xsd:boolean](#)^c *and* [integrated blind](#)^{dp} *exactly* 1 [xsd:boolean](#)^c *and* [stamp on glass](#)^{dp} *max* 1 [xsd:boolean](#)^c *and* [har del](#)^{op} *some*
<http://w3id.org/CEON/ontology/flatglass/WindowFrame>^c

In Domain Of

[Empfehlung für den Austausch von Glas/Fenster](#)^{op}
[demonteras utifrån/inifrån](#)^{op}
[Kastenfenster ja / nein](#)^{dp}
[PCB O/N](#)^{dp}
<http://w3id.org/CEON/ontology/flatglass/openable>^{dp}

Super Class Of

<http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow>^c
<http://w3id.org/CEON/ontology/flatglass/NonRecyclableWindow>^c
<http://w3id.org/CEON/ontology/flatglass/RecyclableWindow>^c
<http://w3id.org/CEON/ontology/flatglass/ReusableWindow>^c

Window Composition Type^C

IRI	http://w3id.org/CEON/ontology/flatglass/WindowCompositionType
Sub Class Of	^C
In Range Of	<u>Fenstertyp</u> ^{op}
Named Individuals	<u>IGU only</u> ⁿⁱ <u>Simple vitrage seulement</u> ⁿⁱ <u>connected 1+1</u> ⁿⁱ <u>connected 2+1</u> ⁿⁱ

Window Frame^C

IRI	http://w3id.org/CEON/ontology/flatglass/WindowFrame
Sub Class Of	^C

Window Glass^C

IRI	http://w3id.org/CEON/ontology/flatglass/WindowGlass
Sub Class Of	^C

Window Glass Type^C

IRI	http://w3id.org/CEON/ontology/flatglass/WindowGlassType
Sub Class Of	^C

Window Type^C

IRI	http://w3id.org/CEON/ontology/flatglass/WindowType
Sub Class Of	^C

Object Properties

dismounting parameter^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/dismountingParameter>

Super Property Of [demonteras utifrån/inifrån^{op}](#)

Domain [^C](http://w3id.org/CEON/ontology/flatglass/BuildingObject)

Range [^C](http://w3id.org/CEON/ontology/flatglass/DismountingParameter)

har delhas component^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/hasComponent>

Domain [^C](http://w3id.org/CEON/ontology/flatglass/BuildingObject)

Range [^C](http://w3id.org/CEON/ontology/flatglass/BuildingObject)

Etat du cadreZustand des Flügelshas frame conditionskick på fönsterbåge^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/hasFrameCondition>

Sub Property Of [^{op}](http://w3id.org/CEON/ontology/flatglass/reuseParameter)

Domain [^C](http://w3id.org/CEON/ontology/flatglass/WindowFrame) or [^C](http://w3id.org/CEON/ontology/flatglass/Window)

Range [^C](http://w3id.org/CEON/ontology/flatglass/Condition)

Flügelmaterialhas frame materialmaterial i bågematériel de cadre^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/hasFrameMaterial>

Sub Property Of [^{op}](http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition)

Domain [^C](http://w3id.org/CEON/ontology/flatglass/Window) or [^C](http://w3id.org/CEON/ontology/flatglass/WindowFrame)

Range [^C](http://w3id.org/CEON/ontology/flatglass/Material)

LT above 63%Lichttransmission über/unter 63 ProzentTransmission lumineuse > 63 %ljustransmission över /under 63%^{op}

IRI	http://w3id.org/CEON/ontology/flatglass/hasLightTransmission
Sub Property Of	http://w3id.org/CEON/ontology/flatglass/hasStructure ^{op}
Domain	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
Range	http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel ^c

has material composition^{op}

IRI	http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition
Sub Property Of	http://w3id.org/CEON/ontology/flatglass/recyclingParameter ^{op}
Super Property Of	Flügelmaterial ^{op}
Domain	http://w3id.org/CEON/ontology/flatglass/BuildingObject ^c
Range	http://w3id.org/CEON/ontology/flatglass/Material ^c

Atténuation acoustique 40/37/35/30Schalldämmung 40/37/35/30Sound reduction 40/37/35/30ljudreduktion 40/37/35/30^{op}

IRI	http://w3id.org/CEON/ontology/flatglass/hasSoundReduction
Sub Property Of	http://w3id.org/CEON/ontology/flatglass/hasStructure ^{op}
Domain	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
Range	http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel ^c

has structure^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/hasStructure>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/reuseParameter>^{op}

Super Property Of

- [LT above 63%](#)^{op}
- [Atténuation acoustique 40/37/35/30](#)^{op}
- [U-Wert 2,7/1,8/1,1/0,7](#)^{op}
- [Fenstertyp](#)^{op}

Domain <http://w3id.org/CEON/ontology/flatglass/BuildingObject>^c

Range <http://w3id.org/CEON/ontology/flatglass/StructuralParameter>^c

U-Wert 2,7/1,8/1,1/0,7Uw 2,7/1,8/1,1/0,7u-value 2,7/1,8/1,1/0,7u-värde 2,7/1,8/1,1/0,7^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/hasUValue>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/hasStructure>^{op}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c *or* <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c

Range <http://w3id.org/CEON/ontology/flatglass/U-value>^c

Fenstertypfönstertyptype de fenêtr>window type^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/hasWindowComposition>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/hasStructure>^{op}

Domain <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c *or* <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range <http://w3id.org/CEON/ontology/flatglass/WindowCompositionType>^c

recycling parameter^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/recyclingParameter>

Super Property Of <http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition>^{op}

Empfehlung für den Austausch von Glas/Fensterbytesrekommodation
glas/fönsterrecommandation pour le remplacement des vitres/fenêtresreplacement
frame or glass^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/replacementRecommendation>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/reuseParameter>^{op}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c or
<http://w3id.org/CEON/ontology/flatglass/WindowFrame>^c

reuse parameter^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/reuseParameter>

Super Property Of

- [Etat du cadre](#)^{op}
- <http://w3id.org/CEON/ontology/flatglass/hasStructure>^{op}
- [Empfehlung für den Austausch von Glas/Fenster](#)^{op}

demonteras utifrån/inifrändemontiert von außen / innendémonté de l'extérieur/de
l'intérieurmounted from inside/outside^{op}

IRI <http://w3id.org/CEON/ontology/flatglass/windowDismounting>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/dismountingParameter>^{op}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range <http://w3id.org/CEON/ontology/flatglass/DismountingDirection>^c

Datatype Properties

body tinted glassgefärbtes Glasgenomfärgat glasverre teinté dans la masse^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/bodyTintedGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c or
<http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c

Range [xsd:boolean](#)

Kastenfenster ja / neinconnecteddouble fenêtrékopplat^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/connected>

Description

- A window composed of two connected glass panes.
- Ett fönster some består att två kopplade rutor.

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/structuralValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:boolean](#)

Asbestkitt ja/nein/nicht bekanntAsbestkitt ja/nej/vet ejAsbestor Y/Namiente O/N^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/containsAsbestos>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c or <http://w3id.org/CEON/ontology/flatglass/WindowFrame>^c

Range [xsd:boolean](#)

PCB O/NPCB Y/NPCB ja/neinPCB ja/nej^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/containsPCB>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:boolean](#)

Türdoordörrporte^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/door>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/structuralValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/BuildingObject>^c

Range [xsd:boolean](#)

emailliertes Glasemaljerat glasenamelled glassverre émaillé^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/enamelledGlass
Sub Property Of	http://w3id.org/CEON/ontology/flatglass/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c or http://w3id.org/CEON/ontology/flatglass/Window ^c
Range	xsd:boolean

film on glassfilm sur le verrefilm glas (insyn/solskyddsfilm)foliertes Glas (Transparenz/Sonnenschutzfolie)^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/filmOnGlass
Sub Property Of	http://w3id.org/CEON/ontology/flatglass/recycleParameterValue ^{dp}
Super Property Of	Folie dicker als 0,25 mm ^{dp}
Domain	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
Range	xsd:boolean

Folie dicker als 0,25 mmfilm thicker than 0.25mmfilm tjockare än 0,25mmépaisseur du film > 0,25 mm^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/filmThickerThan0point25
Sub Property Of	film on glass ^{dp}
Domain	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
Range	xsd:boolean

Brandschutzglasbrandglasfire glassverre anti-feu^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/fireGlass
Sub Property Of	http://w3id.org/CEON/ontology/flatglass/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
Range	xsd:boolean

brandglas med gelfire glass with gel^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/fireGlassWGel
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/flatglass/recycleParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
<u>Range</u>	xsd:boolean

brandglas utan gelfire glass without gel^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/fireGlassWoGel
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/flatglass/recycleParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
<u>Range</u>	xsd:boolean

Georgian bar in singl fram/IGU?Sprossen in Einzelglas/eingebaut in IsolierglaseinheitenSpröjs i enkelglas/integrerad i isolerglas?barres géorgiennes^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/georgianBar
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/flatglass/recycleParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c
<u>Range</u>	xsd:boolean

integrated blindintegrerad persiennintegrierte Jalousiestores intégrés^{dp}

IRI	http://w3id.org/CEON/ontology/flatglass/hasIntegratedBlind
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/flatglass/reuseParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/flatglass/WindowGlass ^c or http://w3id.org/CEON/ontology/flatglass/Window ^c or http://w3id.org/CEON/ontology/flatglass/WindowFrame ^c
<u>Range</u>	xsd:boolean

Verbundsicherheitsglaslamellglaslaminated glassverre feuilleté^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/laminatedGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c or
<http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:boolean](#)

date de production (année/mois)manufacturing month year (mmYY)produziert
Jahr/Monattillverkningsmånad/år (mmÅÅ)^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/manufacturingMonthYear>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c or
<http://w3id.org/CEON/ontology/flatglass/WindowFrame>^c or
<http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c

Range [xsd:gMonthYear](#)

openable^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/openable>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/structuralValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:boolean](#)

ornamentglasornamentglaspatterned glassverre à motif^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/patternedGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c or
<http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c

Range [xsd:boolean](#)

recycle parameter value^{dp}

IRI

<http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>

Super Property Of

- [body tinted glass](#)^{dp}
- [Asbestkitt ja/nein/nicht bekannt](#)^{dp}
- [PCB O/N](#)^{dp}
- [emailliertes Glas](#)^{dp}
- [film on glass](#)^{dp}
- [Brandschutzglas](#)^{dp}
- [brandglas med gel](#)^{dp}
- [brandglas utan gel](#)^{dp}
- [Georgian bar in singl fram/IGU?](#)^{dp}
- [Verbundsicherheitsglas](#)^{dp}
- [date de production \(année/mois\)](#)^{dp}
- [ornamentglas](#)^{dp}
- [Größe](#)^{dp}
- [stamp on glass](#)^{dp}
- [gehärtetes Glas](#)^{dp}
- [gesamte Glasdicke](#)^{dp}
- [Drahtglas](#)^{dp}

reuse parameter value^{dp}

IRI

<http://w3id.org/CEON/ontology/flatglass/reuseParameterValue>

Super Property Of

- [integrated blind](#)^{dp}
- [Sonnenschutzglas](#)^{dp}

Größesizestorlektaille^{dp}

IRI

<http://w3id.org/CEON/ontology/flatglass/size>

Sub Property Of

<http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain

<http://w3id.org/CEON/ontology/flatglass/WindowFrame>^c *or*
<http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c *or*
<http://w3id.org/CEON/ontology/flatglass/Window>^c

Sonnenschutzglascontrôle solairesolar control glassssolskyddsglas^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/solarControlGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/reuseParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c or <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:boolean](#)

stamp on glassstämplat glas^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/stampOnGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c or <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c

Range [xsd:boolean](#)

structural value^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/structuralValue>

Super Property Of

- [Kastenfenster ja / nein](#)^{dp}
- [Tür](#)^{dp}
- <http://w3id.org/CEON/ontology/flatglass/openable>^{dp}
- [Fenstertür](#)^{dp}

gehärtetes Glashärdat glastempered glassverre trempé^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/temperedGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c or <http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:boolean](#)

gesamte Glasdicketotal glass thicknesstotal glastjockleképaisseur totale de verre^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/totalGlassThickness>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c or
<http://w3id.org/CEON/ontology/flatglass/Window>^c

Range [xsd:float](#)

Fenstertürfönsterdörrporte-fenêtr>window door^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/windowDoor>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/structuralValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/BuildingObject>^c

Range [xsd:boolean](#)

Drahtglastrådglassverre arméwired glass^{dp}

IRI <http://w3id.org/CEON/ontology/flatglass/wiredGlass>

Sub Property Of <http://w3id.org/CEON/ontology/flatglass/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/flatglass/Window>^c or
<http://w3id.org/CEON/ontology/flatglass/WindowGlass>^c

Range [xsd:boolean](#)

Namespaces

dcterms

<http://purl.org/dc/terms/>

owl

<http://www.w3.org/2002/07/owl#>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

vann

<http://purl.org/vocab/vann/>

xsd

Legend

c

op

dp

Classes

Object Properties

Datatype Properties