Flat Glass Ontology

Metadata

IRI

http://w3id.org/CEON/ontology/flatglass/

Title

Flat Glass Ontology

Creator

Eva Blomqvist

Contributor

Robin Keskisärkkä

Date Created

2023-10-30

License

https://github.com/LiUSemWeb/DPP/blob/master/LICENSE

Version Iri

http://w3id.org/CEON/ontology/flatglass/0.2/

Version Info

0.2

Preferred Namespace Prefix

window

Preferred Namespace Uri

http://w3id.org/CEON/ontology/flatglass/

Description

This is the Flat Glass Ontology

Classes

Building Object^C

IRI http://w3id.org/CEON/ontology/flatglass/BuildingObject

In Domain Of

http://w3id.org/CEON/ontology/flatglass/dismountingParameter^{op}

has component op

http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition^{op}

http://w3id.org/CEON/ontology/flatglass/hasStructure op

door^{dp}

window doordp

In Range Of has component op

Super Class Of

http://w3id.org/CEON/ontology/flatglass/Window^c

http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowGlass http://w3id.org/CEON/ontology/flatglass/WindowGlass http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowFrame http://w3id.org/CEON/ontology/flatglass/WindowGlass http://www.deleccond.org/CEON/ontology/flatglass/WindowGlass http://www.deleccond.org/CEON/ontology/flatglass/WindowFrame http://www.deleccond.org/CEON/ontology/

Building Object Type^C

IRI http://w3id.org/CEON/ontology/flatglass/BuildingObjectType

Super Class Of

http://w3id.org/CEON/ontology/flatglass/WindowGlassType^c

http://w3id.org/CEON/ontology/flatglass/WindowType^C

Condition ^C

IRI http://w3id.org/CEON/ontology/flatglass/Condition

Sub Class Of http://w3id.org/CEON/ontology/flatglass/StructuralParameter

Equivalent class

In Range Of has frame condition op

Named Individuals

fairⁿⁱ

http://w3id.org/CEON/ontology/flatglass/goodni

poor condition ni

Dismounting Direction ^C

IRI http://w3id.org/CEON/ontology/flatglass/DismountingDirection

Sub Class Of http://w3id.org/CEON/ontology/flatglass/DismountingParameter^C

In Range Of mounted from inside/outside op

Named Individuals

<u>from inside</u>ⁿⁱ <u>from outside</u>ⁿⁱ

Dismounting Parameter ^C

IRI http://w3id.org/CEON/ontology/flatglass/DismountingParameter

In Range Of http://w3id.org/CEON/ontology/flatglass/dismountingParameter op

Super Class Of http://w3id.org/CEON/ontology/flatglass/DismountingDirection

Downcyclable Window^C

IRI http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow

Sub Class Of http://w3id.org/CEON/ontology/flatglass/Window

Equivalentclass http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass http://w3id.org/cEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass http://w3id.org/cEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass http://w3id.org/cEON/ontology/flatglass http://w3id.org/cEON/ontology/flatglass http://w3id.org/cEON/ontology/flatglass http://waw.org/cEON/ontology/flatglass http://www.org/cEON/ontology.flatglass <a href="http://www.org/ceon

or http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWThickFilm^c or http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWithLaminatedGlass
or http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowEnamelledGlass

С

Super Class Of

http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowEnamelledGlass^chttp://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass^c

http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWThickFilm^C

http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWithLaminatedGlass

Downcyclable Window Enamelled Glass^C

IRI http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowEnamelledGlass

Sub Class Of http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow

Equivalentclass enamelled glass dp value true and

http://w3id.org/CEON/ontology/flatglass/Window^c and fire glass with gel^{dp} value false^c and wired glass^{dp} value false^c and fire glass without gel^{dp} value false^c

Downcyclable Window W Body Tinted Glass^C

IRI http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWBodyTintedGlass

Sub Class Of http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow

Equivalentclass body tinted glass dp value true and

http://w3id.org/CEON/ontology/flatglass/Window^c and wired glass^{dp} value false^c and fire glass without gel^{dp} value false^c and fire glass with gel^{dp} value false^c

Downcyclable Window W Thick Film^C

IRI http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWThickFilm

Sub Class Of http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow

Equivalentclass film thicker than 0.25mm dp value true and

 $\frac{\text{http://w3id.org/CEON/ontology/flatglass/Window}^{\text{c}} \ \textit{and} \ \text{fire glass with gel}^{\text{dp}} \ \textit{value}}{\text{false}^{\text{c}} \ \textit{and} \ \text{fire glass without gel}^{\text{dp}} \ \textit{value}} \frac{\text{false}^{\text{c}}}{\text{and wired glass}^{\text{dp}}} \ \textit{value}}{\text{false}^{\text{c}}}$

Downcyclable Window With Laminated Glass^C

IRI http://w3id.org/CEON/ontology/flatglass/DowncyclableWindowWithLaminatedGlass

Sub Class Of http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow

^c and <u>body tinted glass ^{dp} value false ^c and enamelled glass ^{dp} value false ^c and fire glass without gel ^{dp} value false ^c and wired glass ^{dp} value false ^c and film thicker</u>

than 0.25mm^{dp} value false^c and fire glass with gel^{dp} value false^c

Ligth Transmission Level^C

IRI http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel

Sub Class Of http://w3id.org/CEON/ontology/flatglass/StructuralParameter

Equivalent class

In Range Of LT above 63% op

Named Individuals

http://w3id.org/CEON/ontology/flatglass/Above63Percni http://w3id.org/CEON/ontology/flatglass/Below63Percni

Material ^c

IRI http://w3id.org/CEON/ontology/flatglass/Material

In Range Of

has frame material op

http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition^{op}

Named Individuals

<u>Aluminium</u>ⁿⁱ

http://w3id.org/CEON/ontology/flatglass/PVCni

Steelⁿⁱ Woodⁿⁱ

Non Recyclable Window^c

IRI http://w3id.org/CEON/ontology/flatglass/NonRecyclableWindow

Sub Class Of http://w3id.org/CEON/ontology/flatglass/Window

Equivalentclass fire glass without gel^{dp} value true^c or fire glass with gel^{dp} value true^c or fire glass dp

value <u>true</u> or <u>wired glass</u> value <u>true</u> and <u>http://w3id.org/CEON/ontology/flatglass/Window</u>

Recyclable Window^C

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindow

Sub Class Of http://w3id.org/CEON/ontology/flatglass/Window^c

Equivalentclass http://w3id.org/CEON/ontology/flatglass/Window and wired glass dp value false c

and fire glass ^{dp} value false ^c or fire glass with gel ^{dp} value false ^c and fire glass without gel ^{dp} value false ^c and enamelled glass ^{dp} value false ^c and body tinted glass ^{dp} value false ^c and film thicker than 0.25mm ^{dp} value false ^c and laminated

glass^{dp} value false^c

Super Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWBlinds

http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWFilmOnGlass^Chttp://w3id.org/CEON/ontology/flatglass/RecyclableWindowWGeorgianBar^Chttp://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance

С

http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWTemperedGlass^c

Recyclable Window W Asbestos C

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWAsbestos

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance

0

Equivalentclass Asbestor Y/N dp value true and

http://w3id.org/CEON/ontology/flatglass/RecyclableWindow^c

Recyclable Window W Blinds^c

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWBlinds

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindow

Equivalentclass http://w3id.org/CEON/ontology/flatglass/RecyclableWindow and Asbestor Y/N dp

value false^c and PCB Y/N^{dp} value false^c and integrated blind^{dp} value true^c

Recyclable Window W Film On Glass C

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWFilmOnGlass

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindow

Equivalentclass http://w3id.org/CEON/ontology/flatglass/RecyclableWindow and Asbestor Y/N dp

value <u>false^c</u> and <u>PCB Y/N^{dp}</u> value <u>false^c</u> and <u>film on glass^{dp}</u> value <u>true^c</u>

Recyclable Window W Georgian Bar^c

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWGeorgianBar

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindow

Equivalentclass http://w3id.org/CEON/ontology/flatglass/RecyclableWindow and Georgian bar in

singl fram/IGU?^{dp} value true^c and PCB Y/N^{dp} value false^c and Asbestor Y/N^{dp}

value <u>false</u>^c

Recyclable Window W Hazardous Substance^C

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindow

Equivalentclass http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWPCB or

http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWAsbestos^C

Super Class Of

http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWAsbestos^C

http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWPCB^c

Recyclable Window Wpcb ^C

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWPCB

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWHazardousSubstance

С

Equivalentclass PCB Y/N^{dp} value true^c and

http://w3id.org/CEON/ontology/flatglass/RecyclableWindow^c

Recyclable Window W Tempered Glass ^C

IRI http://w3id.org/CEON/ontology/flatglass/RecyclableWindowWTemperedGlass

Sub Class Of http://w3id.org/CEON/ontology/flatglass/RecyclableWindow

Equivalentclass tempered glass dp value true and

http://w3id.org/CEON/ontology/flatglass/RecyclableWindow^c and Asbestor Y/N^{dp}

value <u>false^c</u> and <u>PCB Y/N^{dp}</u> value <u>false^c</u>

Reusable Window^c

IRI http://w3id.org/CEON/ontology/flatglass/ReusableWindow

Sub Class Of http://w3id.org/CEON/ontology/flatglass/Window

Equivalentclass LT above 63% op value http://w3id.org/CEON/ontology/flatglass/Above63Perc and

<u>u-value 2,7/1,8/1,1/0,7 op value 2.7 or u-value 2,7/1,8/1,1/0,7 op value 1.8 on u-value 2,7/1,8/1,1/0,7 op value 1.8 on u-value 2,7/1,8/1,1/0,7 op value 2.7 on u-value 2.</u>

Sound reduction 40/37/35/30 op value

http://w3id.org/CEON/ontology/flatglass/level40 or Sound reduction 40/37/35/30 pvalue http://w3id.org/CEON/ontology/flatglass/level37 and has frame condition p

value http://w3id.org/CEON/ontology/flatglass/good

Sound Reduction Level ^C

IRI http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel

Sub Class Of http://w3id.org/CEON/ontology/flatglass/StructuralParameter

Equivalent class

In Range Of Sound reduction 40/37/35/30 op

Named Individuals

http://w3id.org/CEON/ontology/flatglass/level30ⁿⁱhttp://w3id.org/CEON/ontology/flatglass/level35ⁿⁱhttp://w3id.org/CEON/ontology/flatglass/level37ⁿⁱhttp://w3id.org/CEON/ontology/flatglass/level40ⁿⁱ

Structural Parameter^C

IRI http://w3id.org/CEON/ontology/flatglass/StructuralParameter

In Range Of http://w3id.org/CEON/ontology/flatglass/hasStructure op

Super Class Of

http://w3id.org/CEON/ontology/flatglass/Condition^c

http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel^chttp://w3id.org/CEON/ontology/flatglass/SoundReductionLevel^c

http://w3id.org/CEON/ontology/flatglass/U-value^c

http://w3id.org/CEON/ontology/flatglass/WindowCompositionType^c

U-Value ^c

IRI http://w3id.org/CEON/ontology/flatglass/U-value

Sub Class Of http://w3id.org/CEON/ontology/flatglass/StructuralParameter

Equivalent class

In Range Of <u>u-value 2,7/1,8/1,1/0,7</u> op

Named Individuals

0.7ⁿⁱ 1.1ⁿⁱ

1.8ⁿⁱ 2.7ⁿⁱ

Window ^C

IRI

http://w3id.org/CEON/ontology/flatglass/Window

Sub Class Of

http://w3id.org/CEON/ontology/flatglass/BuildingObject^C window door dp exactly 1 xsd:boolean and has component op some http://w3id.org/CEON/ontology/flatglass/WindowFrame and connected max 1 xsd:boolean^c and Sound reduction 40/37/35/30^{op} max 1 http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel^c and film on glass dp exactly 1 xsd:boolean and has component pop some http://w3id.org/CEON/ontology/flatglass/WindowGlass^c and window type^{op} exactly 1 http://w3id.org/CEON/ontology/flatglass/WindowCompositionType^c and PCB Y/N dp exactly 1 xsd:boolean^c and door^{dp} exactly 1 xsd:boolean^c and size^{dp} max 1 xsd:string and Asbestor Y/N dp exactly 1 xsd:boolean and patterned glass dp exactly 1 xsd:boolean and has frame condition pmax 1 http://w3id.org/CEON/ontology/flatglass/Condition^c and integrated blind dp exactly 1 xsd:boolean^c and total glass thickness^{dp} max 1 xsd:string^c and tempered glass^{dp} exactly 1 xsd:boolean^c and wired glass^{dp} exactly 1 xsd:boolean^c and Georgian bar in singl fram/IGU?^{dp} exactly 1 xsd:boolean^c and has frame material op min 1 http://w3id.org/CEON/ontology/flatglass/Material^c and enamelled glass^{dp} exactly 1 xsd:boolean and manufacturing month year (mmYY) max 1 xsd:gMonthYear max 1 xsd:gMonthYear and LT above 63% op max 1 http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel^c and u-value 2,7/1,8/1,1/0,7 op max 1 http://w3id.org/CEON/ontology/flatglass/U-value and laminated glass dp exactly 1 xsd:boolean and solar control glass dp exactly 1 xsd:boolean^c and stamp on glass^{dp} max 1 xsd:boolean^c and body tinted glass^{dp} exactly 1 xsd:boolean and mounted from inside/outside max 1 http://w3id.org/CEON/ontology/flatglass/DismountingDirection c and fire glass dp exactly 1 xsd:boolean c

In Domain Of

replacement frame or glass op mounted from inside/outside op connected dp PCB Y/N dp http://w3id.org/CEON/ontology/flatglass/openable dp

Super Class Of

http://w3id.org/CEON/ontology/flatglass/DowncyclableWindow^chttp://w3id.org/CEON/ontology/flatglass/NonRecyclableWindow^chttp://w3id.org/CEON/ontology/flatglass/RecyclableWindow^chttp://w3id.org/CEON/ontology/flatglass/ReusableWindow^c

Window Composition Type ^C

IRI http://w3id.org/CEON/ontology/flatglass/WindowCompositionType

Sub Class Of http://w3id.org/CEON/ontology/flatglass/StructuralParameter

In Range Of window type op

Named Individuals

IGU only ni

single glass onlyⁿⁱ connected 1+1ⁿⁱ connected 2+1ⁿⁱ

Window Frame ^C

IRI http://w3id.org/CEON/ontology/flatglass/WindowFrame

Sub Class Of http://w3id.org/CEON/ontology/flatglass/BuildingObject

Window Glass ^C

IRI http://w3id.org/CEON/ontology/flatglass/WindowGlass

Sub Class Of http://w3id.org/CEON/ontology/flatglass/BuildingObject

Window Glass Type ^c

IRI http://w3id.org/CEON/ontology/flatglass/WindowGlassType

Sub Class Of http://w3id.org/CEON/ontology/flatglass/BuildingObjectType

Window Type^C

IRI http://w3id.org/CEON/ontology/flatglass/WindowType

Sub Class Of http://w3id.org/CEON/ontology/flatglass/BuildingObjectType

Object Properties

dismounting parameter op

IRI http://w3id.org/CEON/ontology/flatglass/dismountingParameter

Super Property Of mounted from inside/outside op

Domain http://w3id.org/CEON/ontology/flatglass/BuildingObject

Range http://w3id.org/CEON/ontology/flatglass/DismountingParameter

has component op

IRI http://w3id.org/CEON/ontology/flatglass/hasComponent

Domain http://w3id.org/CEON/ontology/flatglass/BuildingObject

Range http://w3id.org/CEON/ontology/flatglass/BuildingObject^C

has frame condition op

IRI http://w3id.org/CEON/ontology/flatglass/hasFrameCondition

Sub Property Of http://w3id.org/CEON/ontology/flatglass/reuseParameter op

Domain http://w3id.org/CEON/ontology/flatglass/WindowFrame or

http://w3id.org/CEON/ontology/flatglass/Windowc

Range http://w3id.org/CEON/ontology/flatglass/Condition

has frame material op

IRI http://w3id.org/CEON/ontology/flatglass/hasFrameMaterial

Sub Property Of http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition op

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowFrame^C

Range http://w3id.org/CEON/ontology/flatglass/Material

LT above 63% op

IRI http://w3id.org/CEON/ontology/flatglass/hasLightTransmission

Sub Property Of http://w3id.org/CEON/ontology/flatglass/hasStructure op

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^C

Range http://w3id.org/CEON/ontology/flatglass/LigthTransmissionLevel^C

has material composition op

IRI http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recyclingParameter op

Super Property Of has frame material op

Domain http://w3id.org/CEON/ontology/flatglass/BuildingObject

Range http://w3id.org/CEON/ontology/flatglass/Material

Sound reduction 40/37/35/30 op

IRI http://w3id.org/CEON/ontology/flatglass/hasSoundReduction

Sub Property Of http://w3id.org/CEON/ontology/flatglass/hasStructure op

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^C

Range http://w3id.org/CEON/ontology/flatglass/SoundReductionLevel

has structure op

IRI http://w3id.org/CEON/ontology/flatglass/hasStructure

Sub Property Of http://w3id.org/CEON/ontology/flatglass/reuseParameter op

Super Property Of

LT above 63% op

Sound reduction 40/37/35/30 op

<u>u-value 2,7/1,8/1,1/0,7 op</u>

window type^{op}

Domain http://w3id.org/CEON/ontology/flatglass/BuildingObject

Range http://w3id.org/CEON/ontology/flatglass/StructuralParameter

u-value 2,7/1,8/1,1/0,7 op

IRI http://w3id.org/CEON/ontology/flatglass/hasUValue

Sub Property Of http://w3id.org/CEON/ontology/flatglass/hasStructure op

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^c

Range http://w3id.org/CEON/ontology/flatglass/U-value

window type op

IRI http://w3id.org/CEON/ontology/flatglass/hasWindowComposition

Sub Property Of http://w3id.org/CEON/ontology/flatglass/hasStructure op

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^C

Range http://w3id.org/CEON/ontology/flatglass/WindowCompositionType http://windowcompositionType http://windowcompositionType http:/

recycling parameter op

IRI http://w3id.org/CEON/ontology/flatglass/recyclingParameter

Super Property Of http://w3id.org/CEON/ontology/flatglass/hasMaterialComposition op

replacement frame or glass op

IRI http://w3id.org/CEON/ontology/flatglass/replacementRecommendation

Sub Property Of http://w3id.org/CEON/ontology/flatglass/reuseParameter op

Domain http://w3id.org/CEON/ontology/flatglass/Window

Range http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/WindowFrame^C

reuse parameter op

IRI http://w3id.org/CEON/ontology/flatglass/reuseParameter

Super Property Of

- has frame condition op
- http://w3id.org/CEON/ontology/flatglass/hasStructure op
- replacement frame or glass op

mounted from inside/outside op

IRI http://w3id.org/CEON/ontology/flatglass/windowDismounting

Sub Property Of http://w3id.org/CEON/ontology/flatglass/dismountingParameter op

Domain http://w3id.org/CEON/ontology/flatglass/Window

Range http://w3id.org/CEON/ontology/flatglass/DismountingDirection

Datatype Properties

body tinted glass dp

IRI http://w3id.org/CEON/ontology/flatglass/bodyTintedGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/ <a href="http://w3id

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c

Range <u>xsd:boolean</u>

connected dp

IRI http://w3id.org/CEON/ontology/flatglass/connected

DescriptionA window composed of two connected glass panes.

Sub Property Of http://w3id.org/CEON/ontology/flatglass/structuralValue http://waid.org/ceon/ontology/flatglass/structuralValue http://waid.org/ceon/ontology/flatglass/structuralValue http://waid.org/ceon/ontology/flatglass/structuralValue http://waid.org/ceon/ontology/flatglass/structuralValue http://waid.org/ceon/ontology/flatglass/structuralValue http://waid.org/ceon/ontology/flatglass/structuralValue <a href="http://waid.org/ceon/ontology/flatglass/structuralValue <a href="http://waid.org/ceon/ontology/flatglass/structuralValue <a href="http://waid.org/ceon/ontology/flatglass/structuralValue <a href="http://waid.org/ceon/ontology/flatglass/structural

Domain http://w3id.org/CEON/ontology/flatglass/Window

Asbestor Y/N^{dp}

IRI http://w3id.org/CEON/ontology/flatglass/containsAsbestos

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglas

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowFrame^c

Range <u>xsd:boolean</u>

PCB Y/N^{dp}

IRI http://w3id.org/CEON/ontology/flatglass/containsPCB

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/Window

Range <u>xsd:boolean</u>

 $door^{dp}$

IRI http://w3id.org/CEON/ontology/flatglass/door

Sub Property Of http://w3id.org/CEON/ontology/flatglass/structuralValue dp

Domain http://w3id.org/CEON/ontology/flatglass/BuildingObject

Range xsd:boolean

enamelled glass ^{dp}

IRI http://w3id.org/CEON/ontology/flatglass/enamelledGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/ceon/ontology/flatglass/recycleParameterValue http://wii.org/ceon/ontology/flatglass/recycleParameterValue <a href="http://wii.org/ceon/ontology/flatglass/recycleParameterValue http://wii.org/ceon/ontology/flatglass/recycleParameterValue http://wii.org/ceon/ontology/flatglass/recycleParameterValue <a href="http://wii.org/ceon/ontology/flatglass/recycleParameterValue <a href="http://wii.org/ceon/ontology/flatglass/recycleParameterValue <a href="http://wii.or

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c

film on glass dp

IRI http://w3id.org/CEON/ontology/flatglass/filmOnGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/ <a href="http://w3id.or

Super Property Of film thicker than 0.25mm dp

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^C

Range xsd:boolean

film thicker than 0.25mm^{dp}

IRI http://w3id.org/CEON/ontology/flatglass/filmThickerThan0point25

Sub Property Of film on glass dp

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^c

Range xsd:boolean

fire glass dp

IRI http://w3id.org/CEON/ontology/flatglass/fireGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/cEON/ontology/flatglass/recycleParameterValue http://w3id.org/ceonfolia http://wiid.org/ceonfolia http://wiid.org/ceonfolia <a href="http:

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^C

Range xsd:boolean

fire glass with gel dp

IRI http://w3id.org/CEON/ontology/flatglass/fireGlassWGel

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c

fire glass without gel^{dp}

IRI http://w3id.org/CEON/ontology/flatglass/fireGlassWoGel

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue^{dp}

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^C

Range <u>xsd:boolean</u>

Georgian bar in singl fram/IGU?dp

IRI http://w3id.org/CEON/ontology/flatglass/georgianBar

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglas

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^c

Range xsd:boolean

integrated blind dp

IRI http://w3id.org/CEON/ontology/flatglass/hasIntegratedBlind

Sub Property Of http://w3id.org/CEON/ontology/flatglass/reuseParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/Window^c or

http://w3id.org/CEON/ontology/flatglass/WindowFrame^c or http://w3id.org/CEON/ontology/flatglass/WindowGlass^c

Range <u>xsd:boolean</u>

laminated glass dp

IRI http://w3id.org/CEON/ontology/flatglass/laminatedGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c

manufacturing month year (mmYY) dp

IRI http://w3id.org/CEON/ontology/flatglass/manufacturingMonthYear

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^c or http://w3id.org/CEON/ontology/flatglass/WindowFrame^c

Range xsd:gMonthYear

openable dp

IRI http://w3id.org/CEON/ontology/flatglass/openable

Sub Property Of http://w3id.org/CEON/ontology/flatglass/structuralValue dp

Domain http://w3id.org/CEON/ontology/flatglass/Window

Range xsd:boolean

patterned glass dp

IRI http://w3id.org/CEON/ontology/flatglass/patternedGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^C

recycle parameter value dp

IRI http://w3id.org/CEON/ontology/flatglass/recycleParameterValue

Super Property Of

- body tinted glass^{dp}
- Asbestor Y/N^{dp}
- PCB Y/N^{dp}
- enamelled glass dp
- film on glass dp
- fire glass^{dp}
- fire glass with gel^{dp}
- fire glass without gel^{dp}
- Georgian bar in singl fram/IGU?^{dp}
- laminated glass dp
- manufacturing month year (mmYY)^{dp}
- patterned glass^{dp}
- size^{dp}
- stamp on glass^{dp}
- tempered glass dp
- total glass thickness dp
- wired glass^{dp}

reuse parameter value dp

IRI http://w3id.org/CEON/ontology/flatglass/reuseParameterValue

Super Property Of

- integrated blind dp
- solar control glass^{dp}

size dp

IRI http://w3id.org/CEON/ontology/flatglass/size

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglas

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c or http://w3id.org/CEON/ontology/flatglass/WindowFrame^c

solar control glass dp

IRI http://w3id.org/CEON/ontology/flatglass/solarControlGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/reuseParameterValuedp

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^C

Range <u>xsd:boolean</u>

stamp on glass dp

IRI http://w3id.org/CEON/ontology/flatglass/stampOnGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue <a href="http://wii.org/cein.org

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass^c or

http://w3id.org/CEON/ontology/flatglass/Windowc

Range xsd:boolean

structural value dp

IRI http://w3id.org/CEON/ontology/flatglass/structuralValue

Super Property Of

• connected^{dp}

• door^{dp}

http://w3id.org/CEON/ontology/flatglass/openable dp

window door^{dp}

tempered glass dp

IRI http://w3id.org/CEON/ontology/flatglass/temperedGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue <a href="http://wii.org/cein.org

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c

total glass thickness dp

IRI http://w3id.org/CEON/ontology/flatglass/totalGlassThickness

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglass/recycleParameterValue http://wii.org/CEON/ontology/flatglas

Domain http://w3id.org/CEON/ontology/flatglass/Window or

http://w3id.org/CEON/ontology/flatglass/WindowGlass^c

Range <u>xsd:float</u>

window door dp

IRI http://w3id.org/CEON/ontology/flatglass/windowDoor

Sub Property Of http://w3id.org/CEON/ontology/flatglass/structuralValue dp

Domain http://w3id.org/CEON/ontology/flatglass/BuildingObject^C

Range <u>xsd:boolean</u>

wired glass dp

IRI http://w3id.org/CEON/ontology/flatglass/wiredGlass

Sub Property Of http://w3id.org/CEON/ontology/flatglass/recycleParameterValue dp

Domain http://w3id.org/CEON/ontology/flatglass/WindowGlass or

http://w3id.org/CEON/ontology/flatglass/Window^c

Range <u>xsd:boolean</u>

Namespaces

dcterms

http://purl.org/dc/terms/

owl

http://www.w3.org/2002/07/owl#

prov

http://www.w3.org/ns/prov#

rdf

http://www.w3.org/1999/02/22-rdf-syntax-ns#

rdfs

http://www.w3.org/2000/01/rdf-schema#

vann

http://purl.org/vocab/vann/

xsd

http://www.w3.org/2001/XMLSchema#

Legend

c Classes

op Object Properties

dp Datatype Properties