

Flat Glass Ontology

Metadata

IRI

<http://w3id.org/CEON/ontology/construction/window>

Title

Flat Glass Ontology

Creator

Eva Blomqvist

Contributor

Robin Keskisärkkä

Date Created

2023-10-30

License

<https://github.com/LiUSemWeb/DPP/blob/master/LICENSE>

Version Iri

<http://w3id.org/CEON/ontology/construction/window/0.2/>

Version Info

0.2

Preferred Namespace Prefix

window

Preferred Namespace Uri

<http://w3id.org/CEON/ontology/construction/window/>

Description

This is the Flat Glass Ontology

Classes

Building Object^c

IRI	http://w3id.org/CEON/ontology/construction/window/BuildingObject
<u>In Domain Of</u>	http://w3id.org/CEON/ontology/construction/window/dismountingParameter ^{op} har del ^{op} http://w3id.org/CEON/ontology/construction/window/hasMaterialComposition ^{op} http://w3id.org/CEON/ontology/construction/window/hasStructure ^{op} Tür ^{dp} Fenstertür ^{dp}
<u>In Range Of</u>	har del ^{op}
<u>Super Class Of</u>	http://w3id.org/CEON/ontology/construction/window/Window ^c http://w3id.org/CEON/ontology/construction/window/WindowFrame ^c http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c

Building Object Type^c

IRI	http://w3id.org/CEON/ontology/construction/window/BuildingObjectType
<u>Super Class Of</u>	http://w3id.org/CEON/ontology/construction/window/WindowGlassType ^c http://w3id.org/CEON/ontology/construction/window/WindowType ^c

Condition^c

IRI	http://w3id.org/CEON/ontology/construction/window/Condition
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/StructuralParameter ^c
<u>Equivalentclass</u>	
<u>In Range Of</u>	Etat du cadre ^{op}
<u>Named Individuals</u>	fair ⁿⁱ good ⁿⁱ Kasten ⁿⁱ

Dismounting Direction^C

IRI	http://w3id.org/CEON/ontology/construction/window/DismountingDirection
Sub Class Of	^C
In Range Of	demonteras utifrån/inifrån ^{op}
Named Individuals	de l'intérieur ⁿⁱ de l'extérieur ⁿⁱ

Dismounting Parameter^C

IRI	http://w3id.org/CEON/ontology/construction/window/DismountingParameter
In Range Of	^{op}
Super Class Of	^C

Downcyclable Window^C

IRI	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindow
Sub Class Of	^C
Equivalentclass	^C <i>or</i> ^C <i>or</i> ^C <i>or</i> ^C
Super Class Of	^C ^C ^C ^C

Downcyclable Window Enamelled Glass^C

IRI	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindowEnamelledGlass
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindow ^C
Equivalentclass	emailiertes Glas ^{dp} value true ^C and http://w3id.org/CEON/ontology/construction/window/Window ^C and brandglas utan gel ^{dp} value false ^C and brandglas med gel ^{dp} value false ^C and Drahtglas ^{dp} value false ^C

Downcyclable Window W Body Tinted Glass^C

IRI	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindowWBodyTintedGlass
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindow ^C
Equivalentclass	brandglas utan gel ^{dp} value false ^C and brandglas med gel ^{dp} value false ^C and Drahtglas ^{dp} value false ^C and body tinted glass ^{dp} value true ^C and http://w3id.org/CEON/ontology/construction/window/Window ^C

Downcyclable Window W Thick Film^C

IRI	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindowWThickFilm
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindow ^C
Equivalentclass	Folie dicker als 0,25 mm ^{dp} value true ^C and brandglas med gel ^{dp} value false ^C and Drahtglas ^{dp} value false ^C and brandglas utan gel ^{dp} value false ^C and http://w3id.org/CEON/ontology/construction/window/Window ^C

Downcyclable Window With Laminated Glass^C

IRI	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindowWithLaminatedGlass
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/DowncyclableWindow ^C
Equivalentclass	http://w3id.org/CEON/ontology/construction/window/Window ^C and body tinted glass ^{dp} value false ^C and emailiertes Glas ^{dp} value false ^C and Folie dicker als 0,25 mm ^{dp} value false ^C and brandglas med gel ^{dp} value false ^C and brandglas utan gel ^{dp} value false ^C and Drahtglas ^{dp} value false ^C and Verbundsicherheitsglas ^{dp} value true ^C

Ligth Transmission Level^C

IRI <http://w3id.org/CEON/ontology/construction/window/LigthTransmissionLevel>

Sub Class Of [^C](http://w3id.org/CEON/ontology/construction/window/StructuralParameter)

Equivalentclass

In Range Of [^{op}](#) LT above 63%

Named Individuals
[ⁿⁱ](#) >63%
[ⁿⁱ](#) <63%

Material^C

IRI <http://w3id.org/CEON/ontology/construction/window/Material>

In Range Of
[^{op}](#) Flügelmaterial
[^{op}](http://w3id.org/CEON/ontology/construction/window/hasMaterialComposition)

Named Individuals
[ⁿⁱ](#) ALU
[ⁿⁱ](#) PVC
[ⁿⁱ](#) Stahl
[ⁿⁱ](#) Holz

Non Recyclable Window^C

IRI <http://w3id.org/CEON/ontology/construction/window/NonRecyclableWindow>

Sub Class Of [^C](http://w3id.org/CEON/ontology/construction/window/Window)

Equivalentclass [^C](http://w3id.org/CEON/ontology/construction/window/Window) *and*
[^{dp}](#) Brandschutzglas value [^C](#) true *or* [^{dp}](#) brandglas med gel value [^C](#) true *or* [^{dp}](#) Drahtglas
value [^C](#) true *or* [^{dp}](#) brandglas utan gel value [^C](#) true

Recyclable Window^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/Window ^C
Equivalentclass	http://w3id.org/CEON/ontology/construction/window/Window ^C and Folie dicker als 0,25 mm ^{dp} value false ^C and body tinted glass ^{dp} value false ^C and brandglas med gel ^{dp} value false ^C and brandglas utan gel ^{dp} value false ^C or Brandschutzglas ^{dp} value false ^C and Verbundsicherheitsglas ^{dp} value false ^C and emailiertes Glas ^{dp} value false ^C and Drahtglas ^{dp} value false ^C
Super Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWBlinds ^C http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWFilmOnGlass ^C http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWGeorgianBar ^C http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWHazardousSubstance ^C http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWTemperedGlass ^C

Recyclable Window W Asbestos^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWAsbestos
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWHazardousSubstance ^C
Equivalentclass	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value true ^C

Recyclable Window W Blinds^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWBlinds
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C
Equivalentclass	integrated blind ^{dp} value true ^C and http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C and PCB O/N ^{dp} value false ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C

Recyclable Window W Film On Glass^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWFilmOnGlass
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C
Equivalentclass	Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C and PCB O/N ^{dp} value false ^C and film on glass ^{dp} value true ^C and http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C

Recyclable Window W Georgian Bar^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWGeorgianBar
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C
Equivalentclass	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C and PCB O/N ^{dp} value false ^C and Georgian bar in singl fram/IGU? ^{dp} value true ^C

Recyclable Window W Hazardous Substance^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWHazardousSubstance
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C
Equivalentclass	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWAsbestos ^C or http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWPCB ^C
Super Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWAsbestos ^C http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWPCB ^C

Recyclable Window Wpcb^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWPCB
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWHazardousSubstance ^C
Equivalentclass	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C and PCB O/N ^{dp} value true ^C

Recyclable Window W Tempered Glass^C

IRI	http://w3id.org/CEON/ontology/construction/window/RecyclableWindowWTemperedGlass
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C
Equivalentclass	gehärtetes Glas ^{dp} value true ^C and http://w3id.org/CEON/ontology/construction/window/RecyclableWindow ^C and Asbestkitt ja/nein/nicht bekannt ^{dp} value false ^C and PCB O/N ^{dp} value false ^C

Reusable Window^C

IRI	http://w3id.org/CEON/ontology/construction/window/ReusableWindow
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/Window ^C
Equivalentclass	U-Wert 2,7/1,8/1,1/0,7 ^{op} value 1,8 ^C or U-Wert 2,7/1,8/1,1/0,7 ^{op} value 2,7 ^C and LT above 63% ^{op} value >63% ^C and Atténuation acoustique 40/37/35/30 ^{op} value 40 ^C or Atténuation acoustique 40/37/35/30 ^{op} value 37 ^C and Etat du cadre ^{op} value good ^C

Sound Reduction Level^C

IRI	http://w3id.org/CEON/ontology/construction/window/SoundReductionLevel
Sub Class Of	http://w3id.org/CEON/ontology/construction/window/StructuralParameter ^C
Equivalentclass	
In Range Of	Atténuation acoustique 40/37/35/30 ^{op}
Named Individuals	30 ⁿⁱ 35 ⁿⁱ 37 ⁿⁱ 40 ⁿⁱ

Structural Parameter^C

IRI	http://w3id.org/CEON/ontology/construction/window/StructuralParameter
In Range Of	http://w3id.org/CEON/ontology/construction/window/hasStructure ^{op}
Super Class Of	http://w3id.org/CEON/ontology/construction/window/Condition ^C http://w3id.org/CEON/ontology/construction/window/LigthTransmissionLevel ^C http://w3id.org/CEON/ontology/construction/window/SoundReductionLevel ^C http://w3id.org/CEON/ontology/construction/window/U-value ^C http://w3id.org/CEON/ontology/construction/window/WindowCompositionType ^C

U-Value^c

IRI	http://w3id.org/CEON/ontology/construction/window/U-value
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/StructuralParameter ^c
<u>Equivalentclass</u>	
<u>In Range Of</u>	U-Wert 2,7/1,8/1,1/0,7 ^{op}
<u>Named Individuals</u>	0,7 ⁿⁱ 1,1 ⁿⁱ 1,8 ⁿⁱ 2,7 ⁿⁱ

IRI

<http://w3id.org/CEON/ontology/construction/window/Window>

Sub Class Of

<http://w3id.org/CEON/ontology/construction/window/BuildingObject>^c
[har del](#)^{op} some <http://w3id.org/CEON/ontology/construction/window/WindowFrame>^c
[and integrated blind](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and Fenstertür](#)^{dp} [exactly](#) 1
[xsd:boolean](#)^c [and demonteras utifrån/inifrån](#)^{op} [max](#) 1
<http://w3id.org/CEON/ontology/construction/window/DismountingDirection>^c [and](#)
[stamp on glass](#)^{dp} [max](#) 1 [xsd:boolean](#)^c [and Atténuation acoustique 40/37/35/30](#)^{op}
[max](#) 1 <http://w3id.org/CEON/ontology/construction/window/SoundReductionLevel>^c
[and Brandschutzglas](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and PCB O/N](#)^{dp} [exactly](#) 1
[xsd:boolean](#)^c [and har del](#)^{op} some
<http://w3id.org/CEON/ontology/construction/window/WindowGlass>^c [and Etat du](#)
[cadre](#)^{op} [max](#) 1 <http://w3id.org/CEON/ontology/construction/window/Condition>^c [and](#)
[Sonnenschutzglas](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and date de production \(année/mois\)](#)
[dp](#) [max](#) 1 [xsd:gMonthYear](#)^c [and Tür](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and](#)
[Verbundsicherheitsglas](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and Flügelmaterial](#)^{op} [min](#) 1
<http://w3id.org/CEON/ontology/construction/window/Material>^c [and Drahtglas](#)^{dp}
[exactly](#) 1 [xsd:boolean](#)^c [and Georgian bar in singl fram/IGU?](#)^{dp} [exactly](#) 1
[xsd:boolean](#)^c [and U-Wert 2,7/1,8/1,1/0,7](#)^{op} [max](#) 1
<http://w3id.org/CEON/ontology/construction/window/U-value>^c [and film on glass](#)^{dp}
[exactly](#) 1 [xsd:boolean](#)^c [and gehärtetes Glas](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and](#)
[emailliertes Glas](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and Größe](#)^{dp} [max](#) 1 [xsd:string](#)^c [and LT](#)
[above 63%](#)^{op} [max](#) 1
<http://w3id.org/CEON/ontology/construction/window/LigthTransmissionLevel>^c [and](#)
[gesamte Glasdicke](#)^{dp} [max](#) 1 [xsd:string](#)^c [and ornamentglas](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c
[and body tinted glass](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and Fenstertyp](#)^{op} [exactly](#) 1
<http://w3id.org/CEON/ontology/construction/window/WindowCompositionType>^c
[and Asbestkitt ja/nein/nicht bekannt](#)^{dp} [exactly](#) 1 [xsd:boolean](#)^c [and Kastenfenster ja](#)
[/ nein](#)^{dp} [max](#) 1 [xsd:boolean](#)^c

In Domain Of

[Empfehlung für den Austausch von Glas/Fenster](#)^{op}
[demonteras utifrån/inifrån](#)^{op}
[Kastenfenster ja / nein](#)^{dp}
[PCB O/N](#)^{dp}
<http://w3id.org/CEON/ontology/construction/window/openable>^{dp}

Super Class Of

<http://w3id.org/CEON/ontology/construction/window/DowncyclableWindow>^c
<http://w3id.org/CEON/ontology/construction/window/NonRecyclableWindow>^c
<http://w3id.org/CEON/ontology/construction/window/RecyclableWindow>^c
<http://w3id.org/CEON/ontology/construction/window/ReusableWindow>^c

Window Composition Type^c

IRI	http://w3id.org/CEON/ontology/construction/window/WindowCompositionType
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/StructuralParameter ^c
<u>In Range Of</u>	Fenstertyp ^{op}
<u>Named Individuals</u>	IGU only ⁿⁱ Simple vitrage seulement ⁿⁱ connected 1+1 ⁿⁱ connected 2+1 ⁿⁱ

Window Frame^c

IRI	http://w3id.org/CEON/ontology/construction/window/WindowFrame
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/BuildingObject ^c

Window Glass^c

IRI	http://w3id.org/CEON/ontology/construction/window/WindowGlass
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/BuildingObject ^c

Window Glass Type^c

IRI	http://w3id.org/CEON/ontology/construction/window/WindowGlassType
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/BuildingObjectType ^c

Window Type^c

IRI	http://w3id.org/CEON/ontology/construction/window/WindowType
<u>Sub Class Of</u>	http://w3id.org/CEON/ontology/construction/window/BuildingObjectType ^c

Object Properties

dismounting parameter^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/dismountingParameter>

Super Property Of [demonteras utifrån/inifrån^{op}](#)

Domain <http://w3id.org/CEON/ontology/construction/window/BuildingObject>^c

Range <http://w3id.org/CEON/ontology/construction/window/DismountingParameter>^c

har delhas component^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/hasComponent>

Domain <http://w3id.org/CEON/ontology/construction/window/BuildingObject>^c

Range <http://w3id.org/CEON/ontology/construction/window/BuildingObject>^c

Etat du cadreZustand des Flügelshas frame conditionskick på fönsterbåge^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/hasFrameCondition>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/reuseParameter>^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c *or* <http://w3id.org/CEON/ontology/construction/window/WindowFrame>^c

Range <http://w3id.org/CEON/ontology/construction/window/Condition>^c

Flügelmaterialhas frame materialmaterial i bågematériel de cadre^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/hasFrameMaterial>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/hasMaterialComposition>^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c *or* <http://w3id.org/CEON/ontology/construction/window/WindowFrame>^c

Range <http://w3id.org/CEON/ontology/construction/window/Material>^c

LT above 63%Lichttransmission über/unter 63 ProzentTransmission lumineuse > 63 %ljustransmission över /under 63%^{op}

IRI	http://w3id.org/CEON/ontology/construction/window/hasLightTransmission
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/hasStructure ^{op}
Domain	http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
Range	http://w3id.org/CEON/ontology/construction/window/LigthTransmissionLevel ^c

has material composition^{op}

IRI	http://w3id.org/CEON/ontology/construction/window/hasMaterialComposition
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recyclingParameter ^{op}
Super Property Of	Flügelmaterial ^{op}
Domain	http://w3id.org/CEON/ontology/construction/window/BuildingObject ^c
Range	http://w3id.org/CEON/ontology/construction/window/Material ^c

Atténuation acoustique 40/37/35/30Schalldämmung 40/37/35/30Sound reduction 40/37/35/30ljudreduktion 40/37/35/30^{op}

IRI	http://w3id.org/CEON/ontology/construction/window/hasSoundReduction
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/hasStructure ^{op}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	http://w3id.org/CEON/ontology/construction/window/SoundReductionLevel ^c

has structure^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/hasStructure>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/reuseParameter>^{op}

Super Property Of

- [LT above 63%](#)^{op}
- [Atténuation acoustique 40/37/35/30](#)^{op}
- [U-Wert 2,7/1,8/1,1/0,7](#)^{op}
- [Fenstertyp](#)^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/BuildingObject>^c

Range <http://w3id.org/CEON/ontology/construction/window/StructuralParameter>^c

U-Wert 2,7/1,8/1,1/0,7Uw 2,7/1,8/1,1/0,7u-value 2,7/1,8/1,1/0,7u-värde 2,7/1,8/1,1/0,7^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/hasUValue>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/hasStructure>^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/WindowGlass>^c or <http://w3id.org/CEON/ontology/construction/window/Window>^c

Range <http://w3id.org/CEON/ontology/construction/window/U-value>^c

Fenstertypfönstertyptype de fenêtr>window type^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/hasWindowComposition>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/hasStructure>^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/WindowGlass>^c or <http://w3id.org/CEON/ontology/construction/window/Window>^c

Range <http://w3id.org/CEON/ontology/construction/window/WindowCompositionType>^c

recycling parameter^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/recyclingParameter>

Super Property Of <http://w3id.org/CEON/ontology/construction/window/hasMaterialComposition>^{op}

Empfehlung für den Austausch von Glas/Fensterbytesrekommandation
glas/fönsterrecommandation pour le remplacement des vitres/fenêtresreplacement
frame or glass^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/replacementRecommendation>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/reuseParameter>^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c

Range <http://w3id.org/CEON/ontology/construction/window/WindowFrame>^c or
<http://w3id.org/CEON/ontology/construction/window/WindowGlass>^c

reuse parameter^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/reuseParameter>

Super Property Of

- [Etat du cadre](#)^{op}
- <http://w3id.org/CEON/ontology/construction/window/hasStructure>^{op}
- [Empfehlung für den Austausch von Glas/Fenster](#)^{op}

demonteras utifrån/inifrändemontiert von außen / innendémonté de l'extérieur/de
l'intérieurmounted from inside/outside^{op}

IRI <http://w3id.org/CEON/ontology/construction/window/windowDismounting>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/dismountingParameter>^{op}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c

Range <http://w3id.org/CEON/ontology/construction/window/DismountingDirection>^c

Datatype Properties

body tinted glassgefärbtes Glasgenomfärgat glasverre teinté dans la masse^{dp}

IRI <http://w3id.org/CEON/ontology/construction/window/bodyTintedGlass>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/construction/window/WindowGlass>^c or
<http://w3id.org/CEON/ontology/construction/window/Window>^c

Range [xsd:boolean](#)

Kastfenster ja / neinconnecteddouble fenêtrerekopplat^{dp}

IRI <http://w3id.org/CEON/ontology/construction/window/connected>

Description

- A window composed of two connected glass panes.
- Ett fönster som består av två kopplade rutor.

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/structuralValue>^{dp}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c

Range [xsd:boolean](#)

Asbestkitt ja/nein/nicht bekanntAsbestkitt ja/nej/vet ejAsbestor Y/Namiant O/N^{dp}

IRI <http://w3id.org/CEON/ontology/construction/window/containsAsbestos>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c *or* <http://w3id.org/CEON/ontology/construction/window/WindowFrame>^c

Range [xsd:boolean](#)

PCB O/NPCB Y/NPCB ja/neinPCB ja/nej^{dp}

IRI <http://w3id.org/CEON/ontology/construction/window/containsPCB>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/recycleParameterValue>^{dp}

Domain <http://w3id.org/CEON/ontology/construction/window/Window>^c

Range [xsd:boolean](#)

Türdoordörrporte^{dp}

IRI <http://w3id.org/CEON/ontology/construction/window/door>

Sub Property Of <http://w3id.org/CEON/ontology/construction/window/structuralValue>^{dp}

Domain <http://w3id.org/CEON/ontology/construction/window/BuildingObject>^c

Range [xsd:boolean](#)

emailliertes Glasemailerat glaseramelled glassverre émaillé^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/enamelledGlass
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

film on glassfilm sur le verrefilmat glas (insyn/solskyddsfilm)foliertes Glas
(Transparenz/Sonnenschutzfolie)^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/filmOnGlass
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Super Property Of	Folie dicker als 0,25 mm ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
Range	xsd:boolean

Folie dicker als 0,25 mmfilm thicker than 0.25mmfilm tjockare än 0,25mmépaisseur du
film > 0,25 mm^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/filmThickerThan0point25
Sub Property Of	film on glass ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
Range	xsd:boolean

Brandschutzglasbrandglasfire glassverre anti-feu^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/fireGlass
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

brandglas med gelfire glass with gel^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/fireGlassWGel
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

brandglas utan gelfire glass without gel^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/fireGlassWoGel
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

Georgian bar in singl fram/IGU?Sprossen in Einzelglas/eingebaut in IsolierglaseinheitenSpröjs i enkelglas/integrerad i isolerglas?barres géorgiennes^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/georgianBar
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

integrated blindintegrerad persiennintegrierte Jalousiestores intégrés^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/hasIntegratedBlind
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/reuseParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowFrame ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
Range	xsd:boolean

Verbundsicherheitsglaslamellglaslaminated glassverre feuilleté^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/laminatedGlass
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

date de production (année/mois)manufacturing month year (mmYY)produziert
Jahr/Monatillverkningsmånad/år (mmÅÅ)^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/manufacturingMonthYear
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowFrame ^c
Range	xsd:gMonthYear

openable^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/openable
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/structuralValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

ornamentglasornamentglaspatterned glassverre à motif^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/patternedGlass
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
Range	xsd:boolean

recycle parameter value^{dp}

IRI

<http://w3id.org/CEON/ontology/construction/window/recycleParameterValue>

Super Property Of

- [body tinted glass](#)^{dp}
- [Asbestkitt ja/nein/nicht bekannt](#)^{dp}
- [PCB O/N](#)^{dp}
- [emailliertes Glas](#)^{dp}
- [film on glass](#)^{dp}
- [Brandschutzglas](#)^{dp}
- [brandglas med gel](#)^{dp}
- [brandglas utan gel](#)^{dp}
- [Georgian bar in singl fram/IGU?](#)^{dp}
- [Verbundsicherheitsglas](#)^{dp}
- [date de production \(année/mois\)](#)^{dp}
- [ornamentglas](#)^{dp}
- [Größe](#)^{dp}
- [stamp on glass](#)^{dp}
- [gehärtetes Glas](#)^{dp}
- [gesamte Glasdicke](#)^{dp}
- [Drahtglas](#)^{dp}

reuse parameter value^{dp}

IRI

<http://w3id.org/CEON/ontology/construction/window/reuseParameterValue>

Super Property Of

- [integrated blind](#)^{dp}
- [Sonnenschutzglas](#)^{dp}

Größesizestorlektaille^{dp}

IRI

<http://w3id.org/CEON/ontology/construction/window/size>

Sub Property Of

<http://w3id.org/CEON/ontology/construction/window/recycleParameterValue>^{dp}

Domain

<http://w3id.org/CEON/ontology/construction/window/Window>^c or
<http://w3id.org/CEON/ontology/construction/window/WindowFrame>^c or
<http://w3id.org/CEON/ontology/construction/window/WindowGlass>^c

Sonnenschutzglascontrôle solairesolar control glassssolskyddsglas^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/solarControlGlass
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/construction/window/reuseParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
<u>Range</u>	xsd:boolean

stamp on glassstämplat glas^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/stampOnGlass
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
<u>Range</u>	xsd:boolean

structural value^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/structuralValue
<u>Super Property Of</u>	<ul style="list-style-type: none">• Kastenfenster ja / nein^{dp}• Tür^{dp}• http://w3id.org/CEON/ontology/construction/window/openable^{dp}• Fenstertür^{dp}

gehärtetes Glashärdat glastempered glassverre trempé^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/temperedGlass
<u>Sub Property Of</u>	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
<u>Domain</u>	http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
<u>Range</u>	xsd:boolean

gesamte Glasdicketotal glass thicknesstotal glastjockleképaisseur totale de verre^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/totalGlassThickness
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/Window ^c or http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c
Range	xsd:float

Fenstertürfönsterdörrporte-fenêtr>window door^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/windowDoor
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/structuralValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/BuildingObject ^c
Range	xsd:boolean

Drahtglastrådglassverre arméwired glass^{dp}

IRI	http://w3id.org/CEON/ontology/construction/window/wiredGlass
Sub Property Of	http://w3id.org/CEON/ontology/construction/window/recycleParameterValue ^{dp}
Domain	http://w3id.org/CEON/ontology/construction/window/WindowGlass ^c or http://w3id.org/CEON/ontology/construction/window/Window ^c
Range	xsd:boolean

Namespaces

dcterms

<http://purl.org/dc/terms/>

owl

<http://www.w3.org/2002/07/owl#>

prov

<http://www.w3.org/ns/prov#>

rdf

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

rdfs

<http://www.w3.org/2000/01/rdf-schema#>

vann

<http://purl.org/vocab/vann/>

xsd

Legend

c

op

dp

Classes

Object Properties

Datatype Properties