
Yunpeng Xiong Weekly Report (Semester 2, Week 10)

> Yunpeng Xiong 1513076


Q1

> What you have done for the project during the week and what you have achieved/delivered individually?


- What I've done for the project during the week:
  - Attending weekly mentor and team meetings. (~2 hours)
  - Attend client meeting (~1 hour)
  - Monitor backend members on their allocated use cases (~4 hours)
- Individually...
  - Finish the poster for Endeavor and submit (~20 hours): https://www.canva.com/design/DAG07Z-IFYo/UcI0y332lDbeQC164va2bw/view




  - Align (fix) our user management after we've implemented all CSV import (~4 hours): https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessments/commit/07a3eea3489eeff789b843dcf298a4a3008860eb




  - Implement examiner dashboard (frontend) (~10 hours): https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessments/commit/92a7e1fabf29c13615e32964eb51f664a405e883


SWEN90017-2025-SM1 / OAS-web-based-oral-assessments
Code
Issues 41
Pull requests 1
Actions
Projects 1
Wiki
Security
Insights
Settings
Commit 92a7e1f
Browse files
xiongnemo committed now Verified
feat (frontend): refine examiner dashboard layout and routing
- add icon-enabled metric cards and richer calendar with week/month views
- route queue/schedule actions directly to assignment/session pages
- surface assignmentId filters in results service and default results view
- Restored icons on the top stats tiles by rendering each metric's Font Awesome glyph alongside its tint (frontend/components/examiner/dashboard/ExaminerStatsCards.jsx:36), so the chips no longer show empty placeholders.
- Switched all dashboard deep links to their richer routes: queue and "Today's schedule" actions go straight to /examiner/assessment/{assignmentId}/{sessionId}, assignment cards now open /examiner/assessment/{assignmentId} for session management, and "View submissions" carries through an assignmentId query. Filter plumbing in results is aware of the parameter, trimming the data client-side (frontend/app/examiner/page.jsx:334, frontend/components/examiner/dashboard/AssignmentsActionPanel.jsx:78, frontend/app/examiner/results/page.jsx:9, frontend/services/examinerResultsService.real.js:147).
dev
1 parent e173ad8 commit 92a7e1f
Filter files...
frontend
app/examiner
page.jsx
results
page.jsx
components/examiner/dash...
AssignmentsActionPanel.jsx
ExaminerStatsCards.jsx
PendingFeedback.jsx
9 files changed +1501 -645 lines changed
Search within code
frontend/app/examiner/page.jsx
Load Diff
Large diffs are not rendered by default.
frontend/app/examiner/results/page.jsx
@@ -1,14 +1,21 @@
1 1 'use client';


Examiner Dashboard
Welcome back! Here's what's happening with your assessments today.
Welcome back, Examiner!
Here is the latest snapshot of your assessments and schedule.
Manage schedule
Review submissions
Today's Sessions
0
0 sessions scheduled
No sessions today
Pending Marking
3
3 sessions awaiting feedback
All caught up
Submitted This Week
0
0 submissions lodged
Great work!
Students Assessed (7d)
0
0 learners assessed
Includes groups & individuals
Assignments Needing Attention
Manage schedule
Presentation Assignment Test
SWEN90017 · Software Engineering Project Management
RELEASED
Next session
12 Oct
9:00 am
3 awaiting marking
0 drafts in progress
0 submitted
0 slots need examiners
Manage sessions
View submissions
CSV Test Assignment 1
SWEN90006 · Modelling Complex Software Systems
RELEASED
0 awaiting marking
0 drafts in progress
0 submitted
0 slots need examiners

CSV Test Assignment 1
SWEN90006 · Modelling Complex Software Systems
RELEASED
0 awaiting marking
0 drafts in progress
0 submitted
0 slots need examiners
Manage sessions
View submissions

Examiner Calendar
Week
Month
FRI 10
SAT 11
SUN 12
MON 13
TUE 14
WED 15
THU 16
No sessions
Presentatio...
9:00 am
Pending
Presentatio...
9:35 am
Pending
Presentatio...
10:10 am
Pending
Today's Schedule
View full schedule
No sessions scheduled for today
Browse schedule
Recent Submissions
View all
No submissions yet.
Marking Queue
0 due today



- Debug for inconsistent behaviour (~8 hours)
  - If you still remember, in last week's weekly report I mentioned we delete the dirty data in our database for a fresh restart. We deleted most of the things except subject (first few, and make edit so they look real) and users (actively using or in use by testing team).
  - In this week, frontend reported inconsistent behaviour:
    - When requests for a subject detail, it returns ghost data. Using this ghost data we can't do CRUD on it:
      - Request:

```
# nemo @ nemo-g15-5511 in ~ [17:31:34]
$ curl -v
http://oas12025.eng.unimelb.edu.au:8081/api/assignments/subj
ect/8 | jq
  % Total    % Received % Xferd  Average Speed   Time
Time     Time  Current
                                 Dload  Upload   Total
Spent    Left  Speed
  0     0    0     0    0     0      0      0 --:--:-- --:-
-:-- --:--:--     0* Host oas12025.eng.unimelb.edu.au:8081
was resolved.
* IPv6: (none)
* IPv4: 45.113.232.163
*   Trying 45.113.232.163:8081...
* Connected to oas12025.eng.unimelb.edu.au (45.113.232.163)
port 8081
> GET /api/assignments/subject/8 HTTP/1.1
> Host: oas12025.eng.unimelb.edu.au:8081
> User-Agent: curl/8.9.1
> Accept: */*
>
* Request completely sent off
< HTTP/1.1 200
< Access-Control-Allow-Origin: *
< Access-Control-Allow-Methods:
GET,POST,PUT,DELETE,OPTIONS,PATCH,HEAD
```

```
< Access-Control-Allow-Headers: Content-
Type,Authorization,X-Requested-With,Accept,Origin,Access-
Control-Request-Method,Access-Control-Request-Headers,X-
Trace-ID,X-CSRF-TOKEN
< Access-Control-Expose-Headers: Authorization,Content-
Disposition,X-Trace-ID,Access-Control-Allow-Origin,Access-
Control-Allow-Credentials
< Access-Control-Allow-Credentials: true
< Access-Control-Max-Age: 3600
< Vary: Origin
< Vary: Access-Control-Request-Method
< Vary: Access-Control-Request-Headers
< X-Trace-ID: 174ccf656e4f4df8b509ba89ac0d728a
< X-Content-Type-Options: nosniff
< X-XSS-Protection: 1; mode=block
< Cache-Control: no-cache, no-store, max-age=0, must-
revalidate
< Pragma: no-cache
< Expires: 0
< X-Frame-Options: DENY
< Content-Type: application/json
< Content-Length: 2551
< Date: Sat, 04 Oct 2025 07:38:31 GMT
<
{ [2011 bytes data]
100  2551  100  2551    0     0   6651      0 --:--:-- --:-
-:-- --:--:--  6695
* Connection #0 to host oas12025.eng.unimelb.edu.au left
intact
```

Response:



```
{
  "success": true,
  "code": "200",
  "data": [
    {
      "id": 9,
      "subjectId": 8,
      "subjectCode": null,
      "subjectName": null,
      "name": "UML Modeling Exercise Test123",
      "description": "Create comprehensive UML diagrams for
a complex software system",
      "type": "individual",
      "startDate": "2025-08-29T01:10:00",
      "endDate": "2025-08-31T01:15:00",
      "weight": 12.0,
      "progress": 0.0,
      "status": "PENDING",
      "rubricMetaInfo": "{\"name\":\"UML Modeling Exercise
Test Rubric\",\"description\":\"UML Modeling Exercise Test
Rubric\",\"totalPoints\":100.0}",
      "rubricsInfo": [
        {
```

```
        "description": "Communication Skills",
        "weight": 50.0,
        "scaleType": "letter",
        "performanceLevel": [
          {
            "description": "Excellent",
            "startPoint": 90.0,
            "endPoint": 100.0,
            "preDefinedComment": null
          },
          {
            "description": "Good",
            "startPoint": 80.0,
            "endPoint": 88.0,
            "preDefinedComment": null
          },
          {
            "description": "Medium",
            "startPoint": 70.0,
            "endPoint": 79.0,
            "preDefinedComment": null
          },
          {
            "description": "Not good",
            "startPoint": 60.0,
            "endPoint": 69.0,
            "preDefinedComment": null
          },
          {
            "description": "Bad",
            "startPoint": 0.0,
            "endPoint": 58.0,
            "preDefinedComment": null
          }
        ]
      },
      {
        "description": "Communication Skills",
        "weight": 50.0,
        "scaleType": "numeric",
        "performanceLevel": [
          {
            "description": "Excellent",
            "startPoint": 90.0,
            "endPoint": 100.0,
            "preDefinedComment": null
          },
          {
            "description": "Good",
            "startPoint": 80.0,
            "endPoint": 88.0,
            "preDefinedComment": null
          },
          {
            "description": "Medium",
            "startPoint": 70.0,
```


```
            "endPoint": 79.0,
            "preDefinedComment": null
          },
          {
            "description": "Not good",
            "startPoint": 60.0,
            "endPoint": 69.0,
            "preDefinedComment": null
          },
          {
            "description": "Bad",
            "startPoint": 0.0,
            "endPoint": 58.0,
            "preDefinedComment": null
          }
        ]
      },
      {
        "description": "Writting Skills",
        "weight": 0.0,
        "scaleType": "descriptive",
        "performanceLevel": [
          {
            "description": "Outstanding",
            "startPoint": 90.0,
            "endPoint": 100.0,
            "preDefinedComment": null
          },
          {
            "description": "Very Good",
            "startPoint": 80.0,
            "endPoint": 89.0,
            "preDefinedComment": null
          },
          {
            "description": "Good",
            "startPoint": 70.0,
            "endPoint": 79.0,
            "preDefinedComment": null
          },
          {
            "description": "Satisfactory",
            "startPoint": 60.0,
            "endPoint": 69.0,
            "preDefinedComment": null
          },
          {
            "description": "Needs Improvement",
            "startPoint": 0.0,
            "endPoint": 59.0,
            "preDefinedComment": null
          }
        ]
      }
    ],
    "creator": 75,
```

```
      "updater": null,
      "createTime": "2025-08-23T11:50:17",
      "updateTime": "2025-08-31T13:01:53",
      "setupStatus": null
    },
    {
      "id": 33,
      "subjectId": 8,
      "subjectCode": null,
      "subjectName": null,
      "name": "12313",
      "description": "13213131",
      "type": "mixed",
      "startDate": "2025-08-06T11:50:17",
      "endDate": "2025-09-05T11:50:17",
      "weight": 25.0,
      "progress": 0.0,
      "status": "PENDING",
      "rubricMetaInfo": null,
      "rubricsInfo": null,
      "creator": 2,
      "updater": null,
      "createTime": null,
      "updateTime": null,
      "setupStatus": null
    }
  ]
}
```


- But these row(s) doesn't exist in backend database:



- The log shows nothing wrong:




- Then after some hours of brainstorming, I recall in previous experience some ORM framework may put the previous results in cache (and sometimes violating cache consistency) but the other backend people say (state) they don't use Redis or other cache.

- I review the codebase and find out their Redis config is still there (https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessments/blob/9a2e9130b863a5abb81f95f81b9d714b76b56d0f/backend/src/main/resources/application.yml#L26):



- So I connect to the redis instance and execute some commands to find out what actually exists in it:




```
# Keyspace
db0:keys=35,expires=35,avg_ttl=715875481
singapore-keyvalue.render.com:6379> keys *
 1) "subjectAssignmentCount::48"
 2) "subjectAssignments::1"
 3) "subjectAssignmentCount::8"
 4) "subjectAssignments::45"
 5) "subjectAssignmentCount::3"
 6) "subjectAssignments::4"
 7) "subjectAssignments::34"
 8) "subjectAssignments::29"
 9) "subjectAssignments::36"
10) "subjectAssignments::47"
11) "subjectAssignmentCount::5"
12) "subjectAssignmentCount::4"
13) "subjectAssignments::32"
14) "subjectAssignments::7"
15) "subjectAssignmentCount::1"
16) "subjectAssignmentCount::2"
17) "subjectAssignments::30"
18) "subjectAssignments::33"
19) "subjectAssignments::48"
20) "subjectAssignments::2"
21) "subjectAssignmentCount::6"
22) "subjectAssignmentCount::46"
23) "subjectAssignmentCount::7"
24) "subjectAssignmentCount::47"
25) "subjectAssignments::8"
26) "subjectAssignmentCount::28"
27) "subjectAssignmentCount::25"
28) "subjectAssignments::3"
29) "subjectAssignments::28"
30) "subjectAssignments::31"
31) "subjectAssignments::44"
32) "subjectAssignments::27"
33) "subjectAssignments::6"
34) "subjectAssignments::5"
35) "subjectAssignments::25"
```



- The result is clear: my assumption is true. Next I begin to review the code. In the following lines they actually use `Cacheable`: https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessments/blob/3aec214306c8a2bf670cf591681630bc2eb4b8cb/backend/src/main/java/org/swen90017/oas/service/impl/AssignmentServiceImpl.java#L10 (import), https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessments/blob/3aec214306c8a2bf670cf591681630bc2eb4b8cb/backend/src/main/java/org/swen90017/oas/service/impl/AssignmentServiceImpl.java#L234 and https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessment

s/blob/3aec214306c8a2bf670cf591681630bc2eb4b8cb/backend/src/main/java/org/swen90017/oas/service/impl/AssignmentServiceImpl.java#L256. Viewing the blame uncovered these code are from Yongchun:



- Action taken: `flushall` on the redis instance, remove those `Cacheable` from the code (https://github.com/SWEN90017-2025-SM1/OAS-web-based-oral-assessments/commit/de8fe0955e2b0544042dc09b8e45178820192a41).
- Outcome: resolved. Let us make the request again:

  Request:

```
# nemo @ nemo-g15-5511 in ~ [17:38:34]
$ curl -v
http://oas12025.eng.unimelb.edu.au:8081/api/assignments/subject/8 | jq
  % Total    % Received % Xferd  Average Speed   Time
Time     Time  Current
                                 Dload  Upload   Total
Spent    Left  Speed
  0     0    0     0    0     0      0      0 --:--:-- --:--:-- --:--:--     0* Host oas12025.eng.unimelb.edu.au:8081 was resolved.
* IPv6: (none)
* IPv4: 45.113.232.163
*   Trying 45.113.232.163:8081...
* Connected to oas12025.eng.unimelb.edu.au (45.113.232.163) port 8081
> GET /api/assignments/subject/8 HTTP/1.1
> Host: oas12025.eng.unimelb.edu.au:8081
> User-Agent: curl/8.9.1
> Accept: */*
>
* Request completely sent off
< HTTP/1.1 200
< Access-Control-Allow-Origin: *
```

```
< Access-Control-Allow-Methods:
GET,POST,PUT,DELETE,OPTIONS,PATCH,HEAD
< Access-Control-Allow-Headers: Content-
Type,Authorization,X-Requested-With,Accept,Origin,Access-
Control-Request-Method,Access-Control-Request-Headers,X-
Trace-ID,X-CSRF-TOKEN
< Access-Control-Expose-Headers: Authorization,Content-
Disposition,X-Trace-ID,Access-Control-Allow-Origin,Access-
Control-Allow-Credentials
< Access-Control-Allow-Credentials: true
< Access-Control-Max-Age: 3600
< Vary: Origin
< Vary: Access-Control-Request-Method
< Vary: Access-Control-Request-Headers
< X-Trace-ID: 12163a0caf8342be946e48d66bcdd27d
< X-Content-Type-Options: nosniff
< X-XSS-Protection: 1; mode=block
< Cache-Control: no-cache, no-store, max-age=0, must-
revalidate
< Pragma: no-cache
< Expires: 0
< X-Frame-Options: DENY
< Content-Type: application/json
< Content-Length: 39
< Date: Sat, 04 Oct 2025 08:15:07 GMT
<
{ [39 bytes data]
100    39  100    39    0     0    151      0 --:--:-- --:-
-:-- --:--:--   152
* Connection #0 to host oas12025.eng.unimelb.edu.au left
intact
```

```
{
  "success": true,
  "code": "200",
  "data": []
}
```

Q2

> List 2-3 key issues you may have encountered and give reasons if applicable.

- Nope.

Q3

> What you plan to do for the project next week individually?

- I plan to do the following for the project next week:
  - Implement student result for backend.
  - Continuous technical support for the whole team.