Honours Project - MHW225671

INTERIM REPORT

2025-26

Department of Computer Science

Submitted for the Degree of:

BSc (Hons) Computing

Project Title: Usage tracking & psychology-based mobile application to help treat social media and smartphone addiction in young adults

Name: Liam De Buffalo

Student ID: S2213159

Supervisor: Dr. Mario Mata

Second Marker: To Be Confirmed

Word Count:

(excluding contents pages, figures, tables, references and appendices)

"Except where explicitly stated, all work in this report, is my own original work and has not been submitted elsewhere in fulfilment of the requirement of this or any other award"

Name:
Liam De Buffalo

Date:
November 5, 2025

Contents

1 Introduction **3**
1.1 Project Background . . . 3
1.2 Project Overview . . . 4
1.2.1 Project Outline . . . 4
1.2.2 Project Objectives . . . 5
1.3 Project Hypothesis . . . 6

2 Literature and Technology Review **7**
2.1 Investigate existing mobile apps that use psychological methods to treat mental health issues . . . 7
2.1.1 Prior research on mobile app interventions . . . 7
2.1.2 Discussion . . . 8
2.2 Investigate the contextualisation of SA and SMA in existing apps . . . 9
2.2.1 Issues with contextualisation . . . 9
2.2.2 Discussion . . . 10
2.3 Investigate psychological frameworks . . . 10
2.3.1 Existing psychological frameworks for SA and SMA . . . 10
2.3.2 Cognitive Behavioural Therapy . . . 10
2.3.3 Reality Therapy . . . 11
2.4 Investigate methods to track app usage . . . 12
2.4.1 Justification for app usage tracking . . . 12
2.4.2 Methods of app usage tracking . . . 12
2.4.3 Discussion . . . 13

3 Project's Primary Research Methods **14**
3.1 Research Method . . . 14
3.2 Develop the psychology-based intervention mobile application . . . 14
3.2.1 Development . . . 14
3.2.2 Project Lifecycle . . . 15
3.2.3 Testing . . . 15
3.3 Evaluation . . . 15
3.4 Preliminary Work . . . 16
3.5 Remaining Work . . . 16
3.6 Ethical Issues . . . 17

References **18**

List of Tables

1 Remaining work to be carried out 17

1 Introduction

This section will provide a brief overview on smartphones and social media. It will then provide context on the issue of smartphone addiction and social media addiction, including how people develop such addictions, and the effects they have on an individual. Existing apps and studies that attempt to deal with the issue are also mentioned. It will also provide an overview on the project and it's objectives to be achieved in the literature & technology review and during development of the app.

1.1 Project Background

Social media, sometimes referred to as Social Networking Sites (SNS), and smartphones have been adopted as an important piece of daily life for a substantial number of people in the world. They have provided us the ability to connect with groups of individuals online from around the globe on a never-before-seen scale, allowing for friendships, communities and relationships to be built from virtually anywhere. Dating back to the days of MySpace in the mid-2000s, the June 2007 release of Apple's "iPhone" and the release of the HTC Dream running the open source "Android" operating system in 2008 to SNS's such as X (formerly known as Twitter) and Facebook reaching out to billions around the globe, smartphones and social media looks to be omnipresent within a majority of peoples' lives, with it being estimated that 1 in 3 people globally have some form of social media presence (Shah 2021), reportedly 85% of adults in the United States own a smartphone (Ouellette and Rao 2022), and young people reportedly receiving their first phone at the age of 10 (Chan, Yeo, and Handayani 2023).

However, over the years, worries have been raised regarding a variety of issues that concern both smartphones and social media, particularly surrounding the problem of individuals developing an overdependence on their smartphones and / or social media that negatively affects their day-to-day life (Allen and Buzzi 2020; Primack et al. 2017). Commonly categorised as "Smartphone Addiction" (SA) and "Social Media Addiction" (SMA), subsets of behavioural addiction (King and Dong 2017; Hou et al. 2019) the issue has become a largely discussed and researched topic over the last 15 years with researchers looking into potential causes and correlations with other health effects.

A study from Indian researchers Bhalerao et al. (2020) analysed SA and provided a multitude of possible causes behind SA, one of which being how the current generation has been brought up alongside the internet and technology as a whole, therefore they may feel a preference to communicate over the internet as opposed

to in-person, fuelling the dwindling need for talking face-to-face with someone. Researchers in the United States King and Dong (2017) made a series of hypotheses in relation to college students and the effects related to SA, looking at SA's associations with "life stressors" (a measure of stress and anxiety), "digital overload" (a measure of information and communication overload), retention, academic performance, and social well-being. The results found that SA could be positively correlated with life stressors, digital overload, retention, and academic performance, something consistent with previous studies, with social well-being as the only factor with no significant correlation.

Potential treatments have been researched as well, A China-based study from 2019 analysing SMA (Hou et al. 2019) developed a cognitive-behavioural-therapy-based intervention program that used various techniques including reminder cards, jotting down thoughts and emotions before sleeping, and cognitive reconstruction. The results showed that compared to the control group, those who took part in the program saw improvements in their overall mental health, engagement in learning, sleep quality and also saw a drop in social media usage.

An app titled "AntiSocial" developed by Australian company BugBean for Android devices allowed users to restrict access to certain apps and provided app usage statistics, but also added other functionality such as showing the user the app usage of other users that were within their age group, location, and occupation. It also showed users how many times they picked up their device, and how long they used certain apps for (Michael 2017). The author stated that the app ranked 3rd in downloads on the UK Google Play store mere days after launch, "demonstrat[ing] the need for [AntiSocial.io]" (ibid.).

However, there seemingly exists a gap of intervention apps that deal specifically with SA or SMA, and that also allow self-reflection from the user. Literature on the topic mostly provide analysis on apps that deal with adjacent issues. A 2021 study by Oliveira et al. (2021) reviewed the effectiveness of psychological intervention mobile apps, and while they concluded that the apps showed promise, none of the literature specifically looked at treating the issue of SA or SMA.

1.2 Project Overview

1.2.1 Project Outline

Evidence has shown that smartphone apps that help with SA and SMA by restricting usage of applications are in-demand, and significant amounts research and studies

have been conducted, suggesting treatments to the issue. However, most consumer products on the app store opt to utilise app-restriction functionalities. Because of this approach, young adults who use these apps aren't given much opportunity to reflect on the nature of their addiction and the potential causes of it, should they choose not to seek outside professional assistance, leading to very little character growth for the end-user. However, by taking a different approach by integrating psychology, young adults can be given opportunity to reflect on their addiction and learn how to treat the issue. With that being said, the research statement is as follows:

To create a mobile application that integrates psychological intervention methods alongside usage tracking technologies to help treat smartphone and social media addiction

1.2.2 Project Objectives

The primary aim of this project is to create an application that can guide the user into reducing their smartphone & social media usage with the use of usage tracking and psychological methods. Two types of objectives have been identified, those being secondary objectives and primary objectives.

Secondary Objectives

Investigate existing mobile apps that use psychological methods to treat mental health issues
Research into how existing mobile applications make use of psychological methods when treating issues such as depression and anxiety to understand how viable using mobile apps are to treat similar issues.

Investigate the contextualisation of SA and SMA in existing apps
Research how the issue of SA and SMA are contextualised within existing intervention apps and what issues could arise from how they are presented. This will help in enabling growth in a user when it comes to learning about SA and SMA.

Investigate psychological frameworks
Research how psychological methods have been used in the past, specifically to treat SA or SMA, and see if such methods have been integrated with mobile apps to gain a further understanding on how these methods could be integrated or improved upon.

Investigate methods to track app usage
Research into how apps currently track phone activity, and how they can be utilised

in the context of the project, as a major component of the application makes use of usage tracking.

Primary Objectives

Develop the smartphone intervention app
Create the application based on the knowledge gained from the literature and technology review. This will involve integrating the chosen psychological framework and usage tracking method before testing the app's functionality via test cases to ensure the app functions as intended.

Gather participants for evaluating the app and perform evaluation
Participants will be used when evaluating if the developed application reduces smartphone and social media usage more than existing apps that use restriction functionality. They will be given an overview of the app before being given a consent form to sign to consent to participating in the research. Participants will be split into two groups, one will be using the developed app while the other will be using an existing app that has app restriction functionality.

Analyse the results and obtain a conclusion
Collect results from the evaluation and see if the app was more impactful at reducing smartphone usage than traditional apps. Then draw up a conclusion based on the results, and see if the problem statement and hypothesis were met.

1.3 Project Hypothesis

To test the hypothesis of this project, participants involved in testing the project will be split into two separate groups. One group will attempt to reduce their smartphone & social media usage by using a mobile application with usage tracking and psychological intervention methods, while the other will do the same, but by using a mobile application with traditional app restriction technologies instead. Given this, the hypothesis for this project is:

The combination of usage tracking and intervention methods rooted in psychology within a mobile application will help to reduce the smartphone & social media usage in young adults more than existing apps which only use app restriction technologies.

2 Literature and Technology Review

The literature and technology review is an integral component of the project as it allows the author to obtain foundational knowledge on the subject area that will then be used to carry out development of the primary research instrument. This is done by performing research and analysis into prior work surrounding the subject area.

This literature and technology review will review mobile apps that use psychological methods to treat mental health issues before pivoting into looking at how existing apps provide context regarding SA and SMA and the issues that may come with it. An investigation into how psychological methods can be used to treat smartphone and social media addiction is then performed before researching how app usage can be tracked.

2.1 Investigate existing mobile apps that use psychological methods to treat mental health issues

In the project background, it was briefly mentioned that although researchers have studied SA and SMA, few apps exist that tackle the issue are available, or been created for research purposes, though apps that treat similar issues exist and have extensively been reviewed and evaluated. Therefore this section aims to look at existing studies on apps to gain a further understanding on the viability of treating mental health issues.

2.1.1 Prior research on mobile app interventions

German researchers Weisel et al. (2019) carried out a literature review of mobile apps that integrate psychological frameworks to treat mental health issues such as depression, anxiety, drug use, PTSD, sleep-related issues, and suicidal ideation, with their intention being to evaluate the effectiveness of these apps in reducing mental health symptoms. The review discusses the kinds of components these apps utilise, with the most common being behaviour monitoring, participant engagement via explicit input, tailoring based on feedback, and gamification, while also noting the psychological frameworks used, with a majority of apps opting to use CBT. They discover that out of all the mental health issues targeted within the literature, only depression, sleep-related issues and smoking returned a significant effect, with apps that targeted the other listed mental health issues failing to return significant effects, with the review stating that "our knowledge on how to design effective mental health apps is very much at the beginning".

They continue by suggesting different design and development approaches that focus more on the user and the framework, as well as engagement with the app via usage patterns, before concluding by saying that at the current point in time, there isn't much significant evidence that supports using mobile apps for treating mental health as an alternative to traditional treatment, highlighting that while apps targeting depression, sleep issues and smoking showed promising results, the results returned a high risk of bias within them (Weisel et al. 2019).

Portuguese researchers Oliveira et al. (2021) reviewed mobile app-based interventions utilising psychological methods that targeted college students, aiming to review the outcomes of using app-based psychological interventions as opposed to traditional therapy, as well as looking how these apps are being embraced by students. The review details the types of mental health issues these apps target such as anxiety, depression and stress, while also noting that a majority of these apps are "self-guided" in nature (ibid.) ,with them looking to prevent the issue. Psychological frameworks the apps use are mentioned, with cognitive-behavioural therapy (CBT) being the main framework used or combined with another framework, while also mentioning other frameworks such as Acceptance and Commitment Therapy (ACT) and Self-determination Theory (SDT).

The review then concludes by saying that the current literature demonstrates that using mobile apps for mental health intervention is a viable option and that using these intervention apps could be a great resource for counselling services. It notes however that future work into the topic should utilise alternative psychological methods, as well as looking further into what students and therapists would want out of similar apps, and that future studies should stray from monetary incentives for students looking to participate in said studies (ibid.).

2.1.2 Discussion

Weisel et al. (2019) found that while apps that targeted depression, sleep-related issues, and smoking showed some results, the field was merely in its infancy when it came to designing effective applications that integrate psychological frameworks. Then, Oliveira et al. (2021) showed that mobile apps that targets mental health issues aimed towards college-level students were a viable alternative option for treating mental health issues due to student embracement, showcasing growth within the topic between the two points in time, though noted that this could've been due to incentives attached with the latter study.

These studies lack any insight on user privacy or psychological frameworks other than CBT, showing a need to expand the types of psychological frameworks used for

these apps and stray away from incentives for a user which may bias user retention. The studies however demonstrate that the viability of a mobile mental health app that uses psychological frameworks has grown over time, and that developing such app is doable, as long as aspects such as other frameworks, user privacy, and user incentive are considered.

2.2 Investigate the contextualisation of SA and SMA in existing apps

Near the end of the project background, it was mentioned that because of how intervention apps are developed with mostly functionality in mind, while neglecting any sort of teaching element, therefore leaving the user little to no room to learn about SA and SMA. This section intends to review how SA and SMA are currently contextualised, and how this could be improved.

2.2.1 Issues with contextualisation

Researcher Dosselaar (2017) put forward an argument stating that SA apps created by developers aren't suitable for treating SA due to developers having limited knowledge on the topic of SA, and points out the irony in attempting to treat SA with the use of a Smartphone. This sentiment is also shared within the book Petrucco (2021), stating that proposing technology as a solution to an issue where the cause is the technology itself is paradoxical in nature.

The author says that developers lack a deep understanding of the topic due, as well as pointing out the overall complexity of the issue, mentioning how SA is a product of many other factors; not just the phone, and with the creation of these apps, they simplify what is often a complex issue by acting as a one-size-fits-all solution (Dosselaar 2017; Roffarello and Russis 2019). They also fail to consider context behind smartphone usage, noting how it can be productive (Dosselaar 2017) and non-disruptive depending on where it's used (Petrucco 2021). Another issue is that the apps lack any kind of opportunity for the user to understand and reflect on the nature of SA, noting that these apps frame SA as an issue that can be easily measured, while lacking any features that offer information about SA (Dosselaar 2017), something that plays a role in treating the issue (Rosa, Stracuzzi, and Faro 2022).

The author concludes by stating that SA apps are limited in effectiveness as they focus on practical functionality of the app rather than the contextualisation and opportunity for reflection for the user, before recommending researching integrating psychological frameworks into the apps (Dosselaar 2017). Rahmillah et al. (2023)

states that characteristics such as knowledge of their relationship between their smartphone and overall health, could influence app effectiveness.

2.2.2 Discussion

While it can be argued that some of these issues have been ironed out over time, at a consumer-level, most of these issues are yet to be addressed by anyone but the developers of these apps (Dosselaar 2017). These apps focus only on features such as self-monitoring and app restriction (Löchtefeld, Böhmer, and Ganev 2013), rather than providing opportunity for end-users to reflect and learn. These apps frame SA and SMA as an issue that can be solved with the apps themselves, rather than it being a complex issue (Santhosh 2025), emphasised by the fact that not all smartphone usage is the same for each individual (Petrucco 2021), bringing suggestions of incorporating aspects such as psychological frameworks into these apps to make them more effective (Dosselaar 2017).

2.3 Investigate psychological frameworks

One part of the project background mentioned that plenty of studies have been conducted utilising different psychological methods to treat SA and SMA. This section aims to review the most common psychological methods to understand which method would work best with the project.

2.3.1 Existing psychological frameworks for SA and SMA

The study from Dosselaar (ibid.) in the previous section highlighted the need for research into how psychological frameworks could be integrated into consumer SA and SMA intervention apps to make them more effective, a sentiment shared with Oliveira et al. (2021), who mentioned future intervention apps should incorporate [other] psychological methods.

With existing intervention apps (not focused on SA or SMA) developed for research purposes, the most common psychological framework that was used was Cognitive Behavioural Therapy (CBT) (Weisel et al. 2019; Oliveira et al. 2021), though other frameworks such as mindfulness, reality therapy, and theory of planned behaviour have also been utilised to mixed success (Gajecki et al. 2014; Witkiewitz et al. 2014; Lu et al. 2025).

2.3.2 Cognitive Behavioural Therapy

Cognitive Behavioural Therapy (CBT) is a psychological framework that can be defined as an "active, problem-focused, time-sensitive treatment approach" which

aims to increase adaptive behaviour and reduce emotional distress in an individual with mental health issues by using targeted, short-term strategies that intends to alter maladaptive emotional responses in an individual by changing their thoughts and/or behaviours (Wenzel 2017; Kaczkurkin and Foa 2015). Despite results lacking in a few areas, it can be argued that it's the framework with the highest usage (Hofmann et al. 2012) in a general sense, due to the proven success the framework and it's associated strategies has had on treating certain issues such as nicotine overdependence, schizophrenia, depression, and anxiety (ibid.), with some considering it the "gold standard" (Beck 2020).

The main CBT techniques used in intervention apps are behavioural activation (An approach that focuses on engaging a patient in positive activities and helping with aversive control (Tindall et al. 2017)), cognitive restructuring (A process that assists patients in identifying and evaluating negative thoughts (Wenzel 2017)), and problem solving (Find and use solutions to a patient's issue (Denecke, Schmid, and Nüssli 2022)). The results of implementing these techniques into these apps can be seen in studies such as from researchers Throuvala et al. (2020) who assessed if the use of these techniques could reduce smartphone usage via three separate apps which provided these techniques (AntiSocial, Headspace, Pacifica) and found that those in the experimental group saw their smartphone usage drop and were made more aware of their usage when compared to the control group.

2.3.3 Reality Therapy

Reality Therapy (RT) is a psychological framework first developed by Dr. William Glasser in 1962 whose base principles can be traced back to choice theory, which itself theorises that all human behaviour is a result of choices, and life choices made are driven by our need for survival, love & belonging, power, freedom, and fun (Bradley 2014; Wubbolding 2016). RT's primary aim is on focusing a individual's behaviour in the present by using the Wants, Direction, Evaluation, and Planning & Commitment System (WDEP system) (Bradley 2014). This involves asking an individual to define a goal for themselves, what they're currently doing (e.g. using social media), and if that action / behaviour is impeding their progress towards that goal or not, before being encouraged to replace it with a healthier alternative (Yao et al. 2017). RT has shown effectiveness in treating issues such as Internet Addiction and Internet Gaming Disorder (Yao et al. 2017; Zajac et al. 2017), though has had limited research (Bradley 2014) when treating SA and SMA compared to CBT.

Regarding its usage in intervention apps and their associated results, a study by Rad and Ahmadi (2018) was the most recent study found that developed a mobile app integrating RT. The app was hypothesised to reduce anxiety, SNS usage, among

others, and was developed for Android devices. It implemented teachings about SMA, as well as app restriction functions, with the results being that metrics such as anxiety and SNS usage fell when compared to the control group.

2.4 Investigate methods to track app usage

The project background mentioned that existing SA and SMA intervention applications mainly make use of app-restriction and usage tracking technologies, and due to usage tracking being a large component of the project, it would be useful to know the technological methods used for app usage tracking.

2.4.1 Justification for app usage tracking

In some apps, app usage tracking has been implemented and shown to be successful in reducing smartphone usage, a study by researchers Rahmillah et al. (2023) review the effectiveness of apps intended to reduce Smartphone use, and found that in the 13 apps reviewed, 4 apps successfully reduced smartphone usage, those of which included app usage tracking, though it should be noted that all apps included some form of usage tracking.

2.4.2 Methods of app usage tracking

Rosa, Stracuzzi, and Faro (2022) hypothesised that individuals with high levels of smartphone usage show more difficulty in not using their smartphone, when compared to those with lower levels, verifying their hypothesis by developing an application called "SocialStatsApp" to track app usage of participants, alongside the use of questionnaires such as the Smartphone Addiction Scale-Short Version, used to screen adolescents who may be vulnerable to smartphone addiction (Kwon et al. 2013), as well as cognitive tests using external platforms. The app was developed for devices using the Android operating system, Google's mobile phone OS. The researchers mention how making the app compatible for iOS devices, Apple's smartphone OS, was not possible, as the OS disallows the collection of usage statistics for privacy reasons (Apple-Support n.d.). The programming language used was Java, one of three officially supported languages via the Android SDK, the other two being Kotlin and C++ (Android-Developers n.d.), though the study doesn't detail the reasoning behind using Java. For usage tracking, the app makes use of the Android class
android.app.usage.UsageStatsManager from the Android API which gives access to phone usage stats and history. Because of this, the app needs permission manually granted by the user. The results of the study showed that those with high levels of

smartphone usage did experience more difficulty in not using their phone.

Researchers Bye et al. (2024) analysed the effects technology has on the mental health of young people, developing an app called the "3S-YP" app that would constantly collect what the researchers vaguely refer to as "smartphone metadata" from participants. While they don't detail the development of the app, they do mention that smartphone metadata was collected using the android.app.usage package from the Android API, while also mentioning that metadata collection was not performed for the iOS version of the application due to "data protection restrictions", a sentiment shared by the previous study, showing that developing for Android allowed for additional functionality not possible with iOS.

Outside of using the Android API, another method of tracking a user's app usage is by making use of screenshots and digital well-being features bundled with smartphones. Ubochi (2019) investigates the use of digital health apps and their effectiveness via Apple's Screen Time feature. Due to the aforementioned privacy restrictions implemented by apple, the researcher instructs participants to instead screenshot multiple aspects related to the Screen Time feature. A limitation of this method however is that screenshots must be taken at a specified time, as mistiming it could yield less accurate metrics (*Mobile sensing in psychology: Methods and applications* 2024).

2.4.3 Discussion

Both studies chose Android as their development platform of choice, mentioning that iOS apps don't allow for app usage tracking due to privacy restrictions (Rosa, Stracuzzi, and Faro 2022; Bye et al. 2024; Apple-Support n.d.). This is elaborated further in the book *Mobile sensing in psychology: Methods and applications* (2024) that mentions including iOS users would require a "jailbroken" phone, which brings a variety of issues with it. Meanwhile, Android allows for this, as long as the user permits it. Only one of the studies makes mention of a programming language (Rosa, Stracuzzi, and Faro 2022), that being Java, and while both studies make use of the android.app.usage package within the Android API, only one (ibid.) explicitly uses the UsageStatsManager class. Given this, it is clear that the OS that the app should be developed for is Android, and that using the android.app.usage package would be a viable method of app usage tracking.

3 Project's Primary Research Methods

This section will give a detailed overview on the methods that will be used to carry out the remainder of the project and provide a reasonable conclusion to the problem statement and hypothesis. This section will also outline any possible ethical issues, what work has been completed up to this point and all remaining work that will be carried out over the project's lifetime.

3.1 Research Method

This project aims to create a smartphone & social media addiction mobile intervention app that utilises psychological frameworks and usage tracking and find if it reduces smartphone & social media usage in young adults more than traditional intervention apps that use app-restriction features. The project will follow a develop and test methodology.

A mobile application that integrates a chosen psychological framework alongside usage tracking functionalities will be created, then at the conclusion of development, testing and evaluating the effectiveness of the app will begin, which will involve comparing the results of using the developed app for two weeks with an existing app that uses app-restriction functionalities for the same time period with participants. This testing method has been used by other researchers who have conducted research into the topic or have developed intervention apps (Throuvala et al. 2020; Rad and Ahmadi 2018). The results of this will then be evaluated to find if it satisfies the problem statement and hypothesis.

3.2 Develop the psychology-based intervention mobile application

3.2.1 Development

Due to the research carried out in the literature and technology review, the platform that the app will be developed for will be Google's Android OS. This is because Android applications easily allow for requesting usage statistics of apps installed on a user's phone via the android.app.usage package in the Android API, while Apple's iOS operating system doesn't allow for this due to privacy concerns. The app will be developed using the Java programming language, and will Android Studio as its IDE, as it's the IDE recommended by Google for developing Android apps.

Cognitive Behavioural Therapy and Reality Therapy were both discussed as psychological frameworks that could be used for the app, and from the research carried

out, Reality Therapy was decided on as the framework to integrate. This is because one of the main criticisms of SA & SMA intervention apps was the lack of opportunity to learn about SA & SMA, and Reality Therapy's aim is to make a patient aware on if their actions get in their way of their goals, and to then replace the action with a healthier alternative. Meanwhile, Cognitive Behavioural Therapy's methods don't innately provide teaching opportunities in its framework.

3.2.2 Project Lifecycle

A key component of any project is the lifecycle the project's development will follow. This project will make use of an agile methodology during the development. The Agile methodology is a framework that allows for iteration and flexibility throughout the software development lifecycle in response to user and stakeholder demands, an advantage over traditional methodologies such as the waterfall methodology (Al-Saqqa, Sawalha, and AbdelNabi 2020; Altameem 2015).

3.2.3 Testing

Testing will consist of integration testing and system testing. Integration testing will occur once the development of the prototype reaches certain development milestones, such as when implementation of a component is completed, where it will then be tested against a set of test cases. Development will then progress to the next milestone once the state of the component is at a satisfactory level. Near the end of development, the prototype will undergo system testing, where the entire prototype is tested from the perspective of an end-user for functional and non-functional elements (Loikkanen 2024).

3.3 Evaluation

Evaluating the application will involve gathering 10 participants to partake in testing the app. This is because the evaluation will involve splitting participants into two equal-sized groups, one of which will make use of the developed app, while the other will use a separate app that only provides app restriction in order to evaluate the app's effectiveness. After a two week testing period, participants will be asked to provide statistics about their app usage over the two weeks. Those in the group using the developed app will also receive a survey regarding their experience with the app. The results from this testing period will then be used to evaluate the app's effectiveness and identify any areas of further work.

3.4 Preliminary Work

Work surrounding the project is already underway. As of submission, requirements gathering is still underway, though is nearing the state of completion. Part of requirements gathering involved gathering responses via surveys and user interviews, though ethical approval has not been granted to conduct these at this time. Initial work on wireframes of screens to be included in the app is also underway.

3.5 Remaining Work

Below is a table containing a list of remaining tasks, their estimated start and end dates, a description of the task, and the expected deliverable at the completion of the task. It should be noted that check-ins with stakeholder(s) will occur at certain points throughout the entirety of the project.

Task Name	Description	Deliverable(s)	Start and End Date
Carry out requirements gathering	An extensive set of functional and non-functional requirements that satisfies the problem statement and hypothesis will be gathered and listed in a requirements specification document. This will consist of information found during the literature review, as well as independent research via one-to-one interviews and surveys.	Requirements specification document	Start: Ongoing as of October End: Est. Early November
Create design document	Once requirements gathering has concluded, the process of creating wireframes for the UI, flowcharts that deptict user choices and screen layouts will begin. These designs will then be used when developing the app.	Design document containing wireframes, flowcharts, screen layouts	Start: Est. Early November End: Est. Late November - Early December
Develop the application	Upon design approval from stakeholders, development of the prototype will begin, with the final result being an application that meets the requirements outlined in the requirements specification document.	Functional Prototype(s)	Start: Est. Early December End: Est. Mid February
Undergo testing for the application	Concurrent to development, the application will also undergo testing. When a component of the app is completed, integration testing will commence against a set of test cases to ensure the component works as expected. Integration testing will continue until all components are successfully implemented, where system testing will being, which tests the entire app from a user's perspective.	Results of testing inside a test document	Start: Est. Late December - Early January End: Est. Mid February
Conduct user evaluation	Evaluation will consist of splitting participants into two separate groups, one of which will use the app, while the other uses a separate app. After this, a survey will be given to those who used the developed app, assessing certain aspects of the app. Ethical approval is still pending as of writing.	Evaluation report document, final report	Start: Est. Late February End: Est. Mid-late April

Table 1: Remaining work to be carried out

3.6 Ethical Issues

The use of human participants for testing purposes was mentioned within the introduction when discussing the project's primary objectives. Participants will be used for this purpose and will play a significant role when assessing if the completed app meets the project hypothesis as they will be the ones testing the app. As well as this, participants are intended to be used for requirements gathering via user interviews and surveys. Due to this, ethical approval will need to be granted by the module co-ordinator before conducting anything involving participants. An ethical approval form was submitted, though as of the time of submission, approval has not been granted, nor has any response to the initial form has been given.

References

Allen, Ruth and Peter Buzzi (2020). "Social media and mental health social work". In: *Social Media and Social Work*. Policy Press, pp. 113–132.

Altameem, Eman A. (2015). "Impact of agile methodology on software development". In: *Computer and Information Science* 8.2, p. 9.

Android-Developers (n.d.). *Application fundamentals — App architecture — Android Developers*. English. URL: https://developer.android.com/guide/components/fundamentals.

Apple-Support (n.d.). *If an app asks to track your activity - Apple Support (UK)*. English. URL: https://support.apple.com/en-gb/102420.

Beck, Judith S. (2020). *Cognitive behavior therapy: Basics and beyond*. Guilford Publications.

Bhalerao, Muktpal M. et al. (2020). "An analysis of smartphone addiction among MBBS students". In: *Indian Journal of Clinical Anatomy and Physiology* 7.1, pp. 1–7.

Bradley, Ezrina L. (2014). "CHOICE THEORY AND REALITY THERAPY: AN OVERVIEW". English. In: *International Journal of Choice Theory and Reality Therapy* 34.1. Source type: Scholarly Journals; Object type: Article; Object type: Feature; Copyright: Copyright International Journal of Reality Therapy Fall 2014; DOCID: 3496477601; PCID: 91773702; PMID: 165936; ProvJournalCode: NJRT; PublisherXID: INNNNJRT0009496428, pp. 6–13. URL: https://www.proquest.com/scholarly-journals/choice-theory-reality-therapy-overview/docview/1625136609/se-2?accountid=15977%20https://discover.gcu.ac.uk/discovery/openurl?institution=44GLCU_INST%5C&vid=44GLCU_INST:44GLCU_VU2%5C&?url_ver=Z39.88-2004%5C&rft_val_fmt=info:ofi/fmt:kev:mtx:journal%5C&genre=article%5C&sid=ProQ:ProQ%5C%253Apsychology%5C&atitle=CHOICE+THEORY+AND+REALITY+THERAPY%5C%253A+AN+OVERVIEW%5C&title=International+Journal+of+Choice+Theory+and+Reality+Therapy%5C&issn=%5C&date=2014-10-01%5C&volume=34%5C&issue=1%5C&spage=6%5C&au=Bradley%5C%252C+Ezrina+L%5C&isbn=%5C&jtitle=International+Journal+of+Choice+Theory+and+Reality+Therapy%5C&btitle=%5C&rft_id=info:eric/%5C&rft_id=info:doi/.

Bye, Amanda et al. (2024). "Cohort profile: The Social media, smartphone use and Self-harm in Young People (3S-YP) study–A prospective, observational cohort study of young people in contact with mental health services". English. In: *PLoS One* 19.5, e0299059. DOI: 10.1371/journal.pone.0299059.

Chan, Sii Jiing, Kee Jiar Yeo, and Lina Handayani (2023). "Types of smartphone usage and problematic smartphone use among adolescents: A review of literature". In: *International Journal of Evaluation and Research in Education* 12.2, pp. 563–570.

Denecke, Kerstin, Nicole Schmid, and Stephan Nüssli (2022). "Implementation of cognitive behavioral therapy in e–mental health apps: literature review". In: *Journal of medical Internet research* 24.3, e27791.

Dosselaar, C. van (2017). "Smartphone addiction? There's an app for that!-How "smartphone addiction apps" frame smartphone addiction through discourse and affordances". PhD thesis.

Gajecki, Mikael et al. (2014). "Mobile phone brief intervention applications for risky alcohol use among university students: a randomized controlled study". In: *Addiction science & clinical practice* 9.1, p. 11.

Hofmann, Stefan G. et al. (2012). "The efficacy of cognitive behavioral therapy: A review of meta-analyses". In: *Cognitive therapy and research* 36.5, pp. 427–440.

Hou, Yubo et al. (2019). "Social media addiction: Its impact, mediation, and intervention". In: *Cyberpsychology: Journal of psychosocial research on cyberspace* 13.1.

Kaczkurkin, Antonia N. and Edna B. Foa (2015). "Cognitive-behavioral therapy for anxiety disorders: an update on the empirical evidence". In: *Dialogues in clinical neuroscience* 17.3, pp. 337–346.

King, Ruth C. and Su Dong (2017). "The impact of smartphone on young adults". In: *The Business & Management Review* 8.4, p. 342.

Kwon, Min et al. (2013). "The smartphone addiction scale: development and validation of a short version for adolescents". In: *PloS one* 8.12, e83558.

Löchtefeld, Markus, Matthias Böhmer, and Lyubomir Ganev (2013). "AppDetox: helping users with mobile app addiction". In: *Proceedings of the 12th international conference on mobile and ubiquitous multimedia*, pp. 1–2.

Loikkanen, Ildikó (2024). "Improving End to End Testing of a Complex Full Stack Software". In.

Lu, Peng et al. (2025). "Interventions for Digital Addiction: Umbrella Review of Meta-Analyses". English. In: *Journal of Medical Internet Research* 27, e59656. DOI: 10.2196/59656. URL: https://www.proquest.com/scholarly-journals/interventions-digital-addiction-umbrella-review/docview/3222368316/se-2?accountid=15977%20https://discover.gcu.ac.uk/discovery/openurl?institution=44GLCU_INST%5C&vid=44GLCU_INST:44GLCU_VU2%5C&?url_ver=Z39.88-2004%5C&rft_val_fmt=info:ofi/fmt:kev:mtx:journal%5C&genre=article%5C&sid=ProQ:ProQ%5C%253Ahealthcompleteshell%5C&atitle=Interventions+for+Digital+Addiction%5C%253A+Umbrella+Review+of+Meta-Analyses%5C&title=Journal+of+Medical+Internet+Research%5C&issn=%5C&date=2025-01-01%5C&volume=27%5C&issue=%5C&spage=e59656%5C&au=Lu%5C%252C+Peng%5C%253BQiu%5C%252C+Jiamin%5C%253BHuang%5C%252C+Shiqi%5C%253BWang%5C%252C+Xinman%5C%253BHan%5C%252C+Shasha%5C%253BZhu%5C%252C+Sui%5C%253BYoujing+Ning%5C%

253BFang-fang%5C%252C+Zeng%5C%253BYuan%5C%252C+Yuan%5C&isbn=%5C&jtitle=Journal+of+Medical+Internet+Research%5C&btitle=%5C&rft_id=info:eric/%5C&rft_id=info:doi/10.2196%5C%252F59656%20https://doi.org/10.2196/59656.

Michael, Katina (2017). "Are you addicted to your smartphone, social media, and more?: The new AntiSocial app could help". In: *IEEE Consumer Electronics Magazine* 6.4, pp. 116–121.

Mobile sensing in psychology: Methods and applications (2024). English. Source type: Books; Object type: Book; Object type: Reference Document; AccNum: 2024-33139-000; CSAUnique: PSIN-2024-33139-000. New York, NY: The Guilford Press, p. 802. URL: https://www.proquest.com/books/mobile-sensing-psychology-methods-applications/docview/2919441599/se-2?accountid=15977%20https://discover.gcu.ac.uk/discovery/openurl?institution=44GLCU_INST%5C&vid=44GLCU_INST:44GLCU_VU2%5C&?url_ver=Z39.88-2004%5C&rft_val_fmt=info:ofi/fmt:kev:mtx:book%5C&genre=book%5C&sid=ProQ:ProQ%5C%253Apsycinfo%5C&atitle=%5C&title=Mobile+sensing+in+psychology%5C%253A+Methods+and+applications%5C&issn=%5C&date=2024-01-01%5C&volume=%5C&issue=%5C&spage=%5C&au=%5C&isbn=9781462553105%5C&jtitle=%5C&btitle=Mobile+sensing+in+psychology%5C%253A+Methods+and+applications%5C&rft_id=info:eric/2024-33139-000%5C&rft_id=info:doi/.

Oliveira, Carla et al. (2021). "Effectiveness of Mobile App-Based Psychological Interventions for College Students: A Systematic Review of the Literature". In: *Frontiers in Psychology* olume 12 - 2021. URL: https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2021.647606.

Ouellette, Samantha and Babar K. Rao (2022). "Usefulness of smartphones in dermatology: a US-based review". In: *International Journal of Environmental Research and Public Health* 19.6, p. 3553.

Petrucco, Corrado (2021). "User and Smartphones Social and Cognitive Interaction". In: *Teaching and Mobile Learning*. CRC Press, pp. 75–92.

Primack, Brian A. et al. (2017). "Social Media Use and Perceived Social Isolation Among Young Adults in the U.S." In: *American Journal of Preventive Medicine* 53.1. ID: 271902, pp. 1–8. DOI: 10.1016/j.amepre.2017.01.010. URL: https://www.sciencedirect.com/science/article/pii/S0749379717300168.

Rad, Mahsa Esmaeili and Farid Ahmadi (2018). "A new method to measure and decrease the online social networking addiction". In: *Asia-Pacific Psychiatry* 10.4, e12330.

Rahmillah, Fety Ilma et al. (2023). "Evaluating the effectiveness of apps designed to reduce mobile phone use and prevent maladaptive mobile phone use: mul-

timethod study". In: *Journal of medical Internet research* 25. pmid:37643002, e42541.

Roffarello, Alberto Monge and Luigi De Russis (2019). "The race towards digital wellbeing: Issues and opportunities". In: *Proceedings of the 2019 CHI conference on human factors in computing systems*, pp. 1–14.

Rosa, Angela Fabio, Alessia Stracuzzi, and Riccardo Lo Faro (2022). "Problematic Smartphone Use Leads to Behavioral and Cognitive Self-Control Deficits". English. In: *International Journal of Environmental Research and Public Health* 19.12, p. 7445. DOI: 10.3390/ijerph19127445.

Santhosh, Joseph (2025). "Augmented Digital Fotonovela (SMAART App) to Mitigate Health Consequences Among Adolescents Resulting from Social Media Addiction". English. Source type: Dissertations & Theses; Object type: Dissertation; Object type: Thesis; Copyright: Database copyright ProQuest LLC; ProQuest does not claim copyright in the individual underlying works.; DissertationNum: 31839151; DocISBN: 9798288851650; PublisherXID: 31839151; PMID: 66569; MSTARLegacyID: DISS-31839151. PhD thesis. ISBN: 9798288851650. URL: https://www.proquest.com/dissertations-theses/augmented-digital-fotonovela-smaart-app-mitigate/docview/3231139889/se-2?accountid=15977%20https://discover.gcu.ac.uk/discovery/openurl?institution=44GLCU_INST%5C&vid=44GLCU_INST:44GLCU_VU2%5C&?url_ver=Z39.88-2004%5C&rft_val_fmt=info:ofi/fmt:kev:mtx:dissertation%5C&genre=dissertations%5C&sid=ProQ:ProQuest+Dissertations+%5C%2526+Theses+Global%5C&atitle=%5C&title=Augmented+Digital+Fotonovela+%5C%2528SMAART+App%5C%2529+to+Mitigate+Health+Consequences+Among+Adolescents+Resulting+from+Social+Media+Addiction%5C&issn=%5C&date=2025-01-01%5C&volume=%5C&issue=%5C&spage=%5C&au=Santhosh%5C%252C+Joseph%5C&isbn=9798288851650%5C&jtitle=%5C&btitle=%5C&rft_id=info:eric/%5C&rft_id=info:doi/.

Al-Saqqa, Samar, Samer Sawalha, and Hiba AbdelNabi (2020). "Agile software development: Methodologies and trends." In: *International Journal of Interactive Mobile Technologies* 14.11.

Shah, Aastha (2021). "Rise of Social Media and Its Trends". In: *International Journal of Research Culture Society* 22, p. 162.

Throuvala, Melina A. et al. (2020). "Mind over matter: testing the efficacy of an online randomized controlled trial to reduce distraction from smartphone use". In: *International journal of environmental research and public health* 17.13, p. 4842.

Tindall, Lucy et al. (2017). "Is behavioural activation effective in the treatment of depression in young people? A systematic review and meta-analysis". In: *Psychology and Psychotherapy: Theory, Research and Practice* 90.4, pp. 770–796.

Ubochi, Ebubechukwu Onyekachi Aham (2019). "Apple's Screen Time: The Utility of Digital Wellness Software in Curbing Smartphone Dependency". In.

Weisel, Kiona K. et al. (2019). "Standalone smartphone apps for mental health—a systematic review and meta-analysis". English. In: *NPJ Digital Medicine* 2.1. DOI: 10.1038/s41746-019-0188-8.

Wenzel, Amy (2017). "Basic strategies of cognitive behavioral therapy". In: *Psychiatric Clinics* 40.4. pmid:29080588, pp. 597–609.

Witkiewitz, Katie et al. (2014). "Development and evaluation of a mobile intervention for heavy drinking and smoking among college students." In: *Psychology of Addictive Behaviors* 28.3, p. 639.

Wubbolding, R. (2016). "Reality therapy". In: *Contemporary theory and practice in counseling and psychotherapy*, pp. 173–200.

Yao, Yuan-Wei et al. (2017). "Combined reality therapy and mindfulness meditation decrease intertemporal decisional impulsivity in young adults with Internet gaming disorder". In: *Computers in Human Behavior* 68. ID: 271802, pp. 210–216. DOI: 10.1016/j.chb.2016.11.038. URL: https://www.sciencedirect.com/science/article/pii/S0747563216307798.

Zajac, Kristyn et al. (2017). "Treatments for Internet gaming disorder and Internet addiction: A systematic review". English. In: *Psychology of Addictive Behaviors* 31.8. Source type: Scholarly Journals; Object type: Feature; Object type: Article; Copyright: © 2017, American Psychological Association; AccNum: 2017-40993-001; CSAUnique: PSAR-2017-40993-001; DOI: 10.1037/adb0000315; ISSN: 0893-164X; ElecISSN: 1939-1501; PMID: 28921996; Peer Reviewed: true. DOI: 10.1037/adb0000315. URL: https://www.proquest.com/scholarly-journals/treatments-internet-gaming-disorder-addiction/docview/1940533247/se-2?accountid=15977%20https://discover.gcu.ac.uk/discovery/openurl?institution=44GLCU_INST%5C&vid=44GLCU_INST:44GLCU_VU2%5C&?url_ver=Z39.88-2004%5C&rft_val_fmt=info:ofi/fmt:kev:mtx:journal%5C&genre=article%5C&sid=ProQ:ProQ%5C%253Apsycarticles%5C&atitle=Treatments+for+Internet+gaming+disorder+and+Internet+addiction%5C%253A+A+systematic+review%5C&title=Psychology+of+Addictive+Behaviors%5C&issn=0893164X%5C&date=2017-12-01%5C&volume=31%5C&issue=8%5C&spage=979%5C&au=Zajac%5C%252C+Kristyn%5C%253BGinley%5C%252C+Meredith+K.%5C%253BChang%5C%252C+Rocio%5C%253BPetry%5C%252C+Nancy+M.%5C&isbn=%5C&jtitle=Psychology+of+Addictive+Behaviors%5C&btitle=%5C&rft_id=info:eric/2017-40993-001%5C&rft_id=info:doi/10.1037%5C%252Fadb0000315%20https://doi.org/10.1037/adb0000315.