```
$ git init
Initialized empty Git repository in D:/git_test/.git/
```

```
53561@   ij   r7000p MINGW64 /d/git_test (master)
$ git add git_2.txt

53561@   ij   r7000p MINGW64 /d/git_test (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   git_2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        git_1.doc
```

```
53561@    ij    r7000p MINGW64 /d/git_test (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    git_1.doc
        modified:   git_2.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        git_1.txt

no changes added to commit (use "git add" and/or "git commit -a")

53561@    ij    r7000p MINGW64 /d/git_test (master)
$ git add git_2.txt

53561@    ij    r7000p MINGW64 /d/git_test (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   git_2.txt

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        deleted:    git_1.doc

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        git_1.txt


53561@    ij    r7000p MINGW64 /d/git_test (master)
$ git add .

53561@    ij    r7000p MINGW64 /d/git_test (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    git_1.doc
        new file:   git_1.txt
        modified:   git_2.txt


53561@    ij    r7000p MINGW64 /d/git_test (master)
$ git commit -m 'version_1'
[master 166372c] version_1
 3 files changed, 1 deletion(-)
 delete mode 100644 git_1.doc
 create mode 100644 git_1.txt
```

```
53561@██ij██r7000p MINGW64 /d/git_test (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   git_2.txt

no changes added to commit (use "git add" and/or "git commit -a")

53561@██ij██r7000p MINGW64 /d/git_test (master)
$ git add .

53561@██ij██r7000p MINGW64 /d/git_test (master)
$ git commit -m "version_2"
[master a07caea] version_2
 1 file changed, 1 insertion(+)

53561@██ij██r7000p MINGW64 /d/git_test (master)
$ git log
commit a07caea83c9e9cdd1efdff2665609b90677160fe (HEAD -> master)
Author: 梁健林 <535618760@qq.com>
Date:   Sun Feb 14 15:44:19 2021 +0800

    version_2

commit 166372ca8844de1bc556ee0ad7f6bec1360ce226
Author: 梁健林 <535618760@qq.com>
Date:   Sun Feb 14 15:42:18 2021 +0800

    version_1
```

```
53561@▓▓ij▓▓r7000p MINGW64 /d/git回滚测试 (master)
$ git log
commit 89a7f127fddba5c99c0eb29499a917073e49e3a9 (HEAD -> master)
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:58:36 2021 +0800

    退订功能

commit 5aa020292a5c3746b54ea8ee8b551a7023d04574
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:36:43 2021 +0800

    订单功能

commit 28bfd5d8993923d41547a1a1008e743cfb48a97d
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:35:36 2021 +0800

    购买功能

53561@▓▓ij▓▓r7000p MINGW64 /d/git回滚测试 (master)
$ git reset --hard 5aa020292a5c3746b54ea8ee8b551a7023d04574
HEAD is now at 5aa0202 订单功能

53561@▓▓ij▓▓r7000p MINGW64 /d/git回滚测试 (master)
$ git log
commit 5aa020292a5c3746b54ea8ee8b551a7023d04574 (HEAD -> master)
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:36:43 2021 +0800

    订单功能

commit 28bfd5d8993923d41547a1a1008e743cfb48a97d
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:35:36 2021 +0800

    购买功能
```

```
53561@████ij███r7000p MINGW64 /d/git回滚测试 (master)
$ git reflog
5aa0202 (HEAD -> master) HEAD@{0}: reset: moving to 5aa020292a5c3746b54ea8ee8b551a7023d04574
89a7f12 HEAD@{1}: reset: moving to 89a7f12
5aa0202 (HEAD -> master) HEAD@{2}: reset: moving to 5aa0202
5aa0202 (HEAD -> master) HEAD@{3}: reset: moving to HEAD^
89a7f12 HEAD@{4}: reset: moving to HEAD
89a7f12 HEAD@{5}: reset: moving to 89a7f12
89a7f12 HEAD@{6}: reset: moving to 89a7f127fddba5c99c0eb29499a917073e49e3a9
89a7f12 HEAD@{7}: commit: 退订功能
5aa0202 (HEAD -> master) HEAD@{8}: reset: moving to 5aa020292a5c3746b54ea8ee8b551a7023d04574
5aa0202 (HEAD -> master) HEAD@{9}: reset: moving to 5aa0202
28bfd5d HEAD@{10}: reset: moving to 28bfd5d8993923d41547a1a1008e743cfb48a97d
5aa0202 (HEAD -> master) HEAD@{11}: reset: moving to 5aa020292a5c3746b54ea8ee8b551a7023d04574
5aa0202 (HEAD -> master) HEAD@{12}: reset: moving to 5aa0202
28bfd5d HEAD@{13}: reset: moving to 28bfd5d
28bfd5d HEAD@{14}: reset: moving to 28bfd5d8993923d41547a1a1008e743cfb48a97d
28bfd5d HEAD@{15}: reset: moving to 28bfd5d8993923d41547a1a1008e743cfb48a97d
5aa0202 (HEAD -> master) HEAD@{16}: reset: moving to 5aa0202
5aa0202 (HEAD -> master) HEAD@{17}: reset: moving to 5aa020292a5c3746b54ea8ee8b551a7023d04574
5aa0202 (HEAD -> master) HEAD@{18}: commit: 订单功能
28bfd5d HEAD@{19}: commit (initial): 购买功能

53561@████ij███r7000p MINGW64 /d/git回滚测试 (master)
$ git reset --hard 89a7f12
HEAD is now at 89a7f12 退订功能

53561@████ij███r7000p MINGW64 /d/git回滚测试 (master)
$ git log
commit 89a7f127fddba5c99c0eb29499a917073e49e3a9 (HEAD -> master)
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:58:36 2021 +0800

    退订功能

commit 5aa020292a5c3746b54ea8ee8b551a7023d04574
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:36:43 2021 +0800

    订单功能

commit 28bfd5d8993923d41547a1a1008e743cfb48a97d
Author: 梁健林 <535618760@qq.com>
Date:   Mon Feb 15 15:35:36 2021 +0800

    购买功能
```

支付功能
<<<<<<< HEAD
退单功能(bug修复)
=======
退单功能
商城功能开发到百分之五十
商城功能开发到百分之一百
>>>>>>> dev