C

2025 年 1 月 28 日

1 数据预处理

1.1 导入数据

[42]:
```
# 导入相关 package
import geopandas as gpd
import pandas as pd
import matplotlib.pyplot as plt
import chardet
```

[43]:
```
import os

# 设置环境变量 LOKY_MAX_CPU_COUNT
os.environ["LOKY_MAX_CPU_COUNT"] = "8"  # 使用 CPU 核心数
```

[44]:
```
# 定义一个函数，自动检测文件编码并读取文件
def read_csv_with_detected_encoding(file_path):
    # 检测文件编码
    with open(file_path, 'rb') as f:
        result = chardet.detect(f.read())
        encoding = result['encoding']
        print(f"检测到文件 {file_path} 的编码格式为: {encoding}")
    # 使用检测到的编码读取文件
    return pd.read_csv(file_path, encoding=encoding)

# 读取 data_dictionary.csv 文件
csv_content = ␣
↪read_csv_with_detected_encoding('2025_Problem_C_Data\\data_dictionary.csv')
```

```python
print("data_dictionary.csv 数据预览: ")
print(csv_content.head())

# 读取 summerOly_medal_counts.csv 文件
medal_counts =␣
 ↪read_csv_with_detected_encoding('2025_Problem_C_Data\\summerOly_medal_counts.
 ↪csv')
print("\nsummerOly_medal_counts.csv 数据预览: ")
print(medal_counts.head())

# 读取 summerOly_hosts.csv 文件
olympic_hosts =␣
 ↪read_csv_with_detected_encoding('2025_Problem_C_Data\\summerOly_hosts.csv')
print("\nsummerOly_hosts.csv 数据预览: ")
print(olympic_hosts.head())

# 读取 summerOly_programs.csv 文件
olympic_programs =␣
 ↪read_csv_with_detected_encoding('2025_Problem_C_Data\\summerOly_programs.
 ↪csv')
print("\nsummerOly_programs.csv 数据预览: ")
print(olympic_programs.head())

# 读取 summerOly_athletes.csv 文件
olympic_athletes =␣
 ↪read_csv_with_detected_encoding('2025_Problem_C_Data\\summerOly_athletes.
 ↪csv')
print("\nsummerOly_athletes.csv 数据预览: ")
print(olympic_athletes.head())
```

```
检测到文件 2025_Problem_C_Data\data_dictionary.csv 的编码格式为: Windows-1252
data_dictionary.csv 数据预览:
  summerOly_medal_counts.csv                                   Unnamed: 1  \
0                  variables                                   explanation
1                       Rank      Rank of country based on total medals won
2                        NOC    Name of country as recorded for that Olympics
```

```
3                          Gold       Number of Gold medals the country earned
4                        Silver     Number of Silver medals the country earned

      Unnamed: 2
0        example
1           1, 2
2  China, France
3        0, 1, 2
4        0, 1, 2
```
检测到文件 2025_Problem_C_Data\summerOly_medal_counts.csv 的编码格式为：utf-8

```
summerOly_medal_counts.csv 数据预览:
   Rank            NOC  Gold  Silver  Bronze  Total  Year
0     1  United States    11       7       2     20  1896
1     2         Greece    10      18      19     47  1896
2     3        Germany     6       5       2     13  1896
3     4         France     5       4       2     11  1896
4     5  Great Britain     2       3       2      7  1896
```
检测到文件 2025_Problem_C_Data\summerOly_hosts.csv 的编码格式为：UTF-8-SIG

```
summerOly_hosts.csv 数据预览:
   Year                         Host
0  1896              Athens, Greece
1  1900                Paris, France
2  1904    St. Louis, United States
3  1908      London, United Kingdom
4  1912           Stockholm, Sweden
```
检测到文件 2025_Problem_C_Data\summerOly_programs.csv 的编码格式为：Windows-1252

```
summerOly_programs.csv 数据预览:
      Sport          Discipline Code Sports Governing Body 1896 1900 1904  \
0  Aquatics  Artistic Swimming  SWA         World Aquatics    0    0    0
1  Aquatics             Diving  DIV         World Aquatics    0    0    2
2  Aquatics  Marathon Swimming  OWS         World Aquatics    0    0    0
3  Aquatics           Swimming  SWM         World Aquatics    4    7    9
4  Aquatics         Water Polo  WPO         World Aquatics    0    1    1
```

```
   1906*  1908 1912  …   1988 1992  1996  2000  2004  2008  2012  2016  2020  \
0      0     0    0  …      2    2   1.0   2.0   2.0   2.0   2.0   2.0   2.0
1      1     2    4  …      4    4   4.0   8.0   8.0   8.0   8.0   8.0   8.0
2      0     0    0  …      0    0   0.0   0.0   0.0   2.0   2.0   2.0   2.0
3      4     6    9  …     31   31  32.0  32.0  32.0  32.0  32.0  32.0  35.0
4      0     1    1  …      1    1   1.0   2.0   2.0   2.0   2.0   2.0   2.0

   2024
0   2.0
1   8.0
2   2.0
3  35.0
4   2.0

[5 rows x 35 columns]
检测到文件 2025_Problem_C_Data\summerOly_athletes.csv 的编码格式为: utf-8

summerOly_athletes.csv 数据预览:
                   Name Sex           Team  NOC  Year         City  \
0             A Dijiang   M          China  CHN  1992    Barcelona
1              A Lamusi   M          China  CHN  2012       London
2           Gunnar Aaby   M        Denmark  DEN  1920    Antwerpen
3           Edgar Aabye   M  Denmark/Sweden  DEN  1900        Paris
4  Cornelia (-strannood)   F    Netherlands  NED  1932  Los Angeles

        Sport                          Event     Medal
0  Basketball    Basketball Men's Basketball  No medal
1        Judo   Judo Men's Extra-Lightweight  No medal
2    Football        Football Men's Football  No medal
3  Tug-Of-War    Tug-Of-War Men's Tug-Of-War      Gold
4   Athletics  Athletics Women's 100 metres  No medal
```

1.2 数据清洗

1.2.1 缺失值检查

[45]:
```python
# 1. 缺失值检查
def check_missing_values(file_path):
    """
    检查 CSV 文件中的缺失值。

    参数:
        file_path (str): CSV 文件的路径。

    返回:
        None，但会打印缺失值的相关信息。
    """
    try:
        # 尝试读取 CSV 文件
        data = pd.read_csv(file_path, encoding='utf-8')
    except UnicodeDecodeError:
        data = pd.read_csv(file_path, encoding='ISO-8859-1')

    print(file_path)

    # 检查每列的缺失值数量
    missing_values_per_column = data.isnull().sum()
    print("每列的缺失值数量：")
    print(missing_values_per_column)

    # 检查整个数据框的总缺失值数量
    total_missing_values = missing_values_per_column.sum()
    print("整个数据框的总缺失值数量：", total_missing_values)

    # 检查是否有任何缺失值
    has_missing_values = data.isnull().values.any()
    print("数据框中是否存在缺失值：", has_missing_values)
    print("\n")
```

```python
    # 如果有缺失值，输出包含缺失值的行
    if has_missing_values:
        print("\n包含缺失值的行：")
        print(data[data.isnull().any(axis=1)])

content_name = ['2025_Problem_C_Data\\summerOly_medal_counts.csv',␣
 ↪'2025_Problem_C_Data\\summerOly_hosts.csv',␣
 ↪'2025_Problem_C_Data\\summerOly_programs.csv',␣
 ↪'2025_Problem_C_Data\\summerOly_athletes.csv']
for i in content_name:
    check_missing_values(i)
```

```
2025_Problem_C_Data\summerOly_medal_counts.csv
每列的缺失值数量：
Rank      0
NOC       0
Gold      0
Silver    0
Bronze    0
Total     0
Year      0
dtype: int64
整个数据框的总缺失值数量： 0
数据框中是否存在缺失值： False



2025_Problem_C_Data\summerOly_hosts.csv
每列的缺失值数量：
Year    0
Host    0
dtype: int64
整个数据框的总缺失值数量： 0
数据框中是否存在缺失值： False



2025_Problem_C_Data\summerOly_programs.csv
每列的缺失值数量：
```

```
Sport                    0
Discipline               2
Code                     0
Sports Governing Body    0
1896                     0
1900                     0
1904                     0
1906*                    0
1908                     0
1912                     0
1920                     0
1924                     0
1928                     2
1932                     2
1936                     2
1948                     2
1952                     2
1956                     2
1960                     2
1964                     2
1968                     2
1972                     2
1976                     2
1980                     2
1984                     2
1988                     3
1992                     2
1996                     2
2000                     2
2004                     2
2008                     2
2012                     2
2016                     2
2020                     2
2024                     2
dtype: int64
整个数据框的总缺失值数量： 49
```

数据框中是否存在缺失值: True

包含缺失值的行:

```
                 Sport     Discipline Code Sports Governing Body 1896 1900  \
12       Basque Pelota  Basque Pelota  PEL                  FIPV    0    1
44  Modern Pentathlon            NaN  MPN                  UIPM    0    0
65  Water Motorsports            NaN  PBT                   UIM    0
69             Skating         Figure  FSK                   ISU    0    0
70          Ice Hockey     Ice Hockey  IHO                  IIHF    0    0

   1904  1906*  1908 1912  …  1988 1992 1996 2000 2004 2008  2012 2016  \
12    0      0     0    0  …   NaN       0.0  0.0  0.0  0.0   0.0  0.0
44    0      0     0    1  …     2    2  1.0  2.0  2.0  2.0   2.0  2.0
65    0      0     3    0  …     0    0  0.0  0.0  0.0  0.0   0.0  0.0
69    0      0     4    0  …   NaN  NaN  NaN  NaN  NaN  NaN   NaN  NaN
70    0      0     0    0  …   NaN  NaN  NaN  NaN  NaN  NaN   NaN  NaN

    2020 2024
12   0.0  0.0
44   2.0  2.0
65   0.0  0.0
69   NaN  NaN
70   NaN  NaN

[5 rows x 35 columns]
2025_Problem_C_Data\summerOly_athletes.csv
```

每列的缺失值数量:

```
Name     0
Sex      0
Team     0
NOC      0
Year     0
City     0
Sport    0
Event    0
```

```
Medal    0
dtype: int64
整个数据框的总缺失值数量： 0
数据框中是否存在缺失值： False
```

1.2.2 补全 summerOly_programs.csv 中的缺失值

[46]:
```python
import pandas as pd
import numpy as np
from sklearn.ensemble import RandomForestRegressor
from sklearn.linear_model import LinearRegression
from sklearn.neighbors import KNeighborsRegressor
import re
import os

# 确保保存结果的目录存在
os.makedirs('Generated', exist_ok=True)

data = olympic_programs.copy()

# 3. 检查缺失值
#print(" 每列的缺失值数量： ")
#print(data.isnull().sum())

# 4. 填充 Discipline 列的缺失值
data['Discipline'] = data['Discipline'].fillna(data['Sport'])

# 5. 准备年份列的数据
years = [col for col in data.columns if col.isdigit() or col.endswith('*')]

# 6. 将数据从宽格式转换为长格式
data_long = data.melt(id_vars=['Sport', 'Discipline', 'Code', 'Sports Governing␣
↪Body'],
                      value_vars=years,
                      var_name='Year',
```

```python
                      value_name='Events')

# 7. 将年份列转换为数值
data_long['Year'] = data_long['Year'].str.replace('*', '').astype(int)

# 8. 清理 Events 列中的非数值字符
def clean_events(value):
    if isinstance(value, str):
        # 移除非数值字符
        cleaned_value = re.sub(r'[^0-9]', '', value)
        return float(cleaned_value) if cleaned_value.isdigit() else np.nan
    return value

data_long['Events'] = data_long['Events'].apply(clean_events)

# 9. 将 1924 年以及之后的 Skating 和 Ice Hockey 项目的赛事数目填为 0
mask = (data_long['Year'] >= 1924) & (data_long['Sport'].isin(['Skating', 'Ice␣
↪Hockey']))
data_long.loc[mask, 'Events'] = 0

# 10. 分组处理，按运动种类单独训练模型
for sport, group in data_long.groupby('Sport'):
    # 分离已知数据和缺失数据
    known_data = group.dropna(subset=['Events'])
    missing_data = group[group['Events'].isna()]

    if not known_data.empty and not missing_data.empty:
        # 准备训练数据
        X_known = known_data[['Year']]
        y_known = known_data['Events']

        # 检查已知数据的数量
        if len(y_known) < 5:
            print(f"警告：运动种类 '{sport}' 的已知数据太少，使用 KNN 或线性回归填
充。")
```

```
            # 尝试使用线性回归
            if len(y_known) >= 3:  # 至少需要 3 个点来拟合线性回归
                model = LinearRegression()
                model.fit(X_known, y_known)
                predicted_events = model.predict(missing_data[['Year']])
            else:  # 使用 KNN, K=1
                model = KNeighborsRegressor(n_neighbors=1)
                model.fit(X_known, y_known)
                predicted_events = model.predict(missing_data[['Year']])

            # 将预测值四舍五入为整数
            predicted_events = np.round(predicted_events).astype(int)

            # 将预测值转换为 Pandas Series, 并确保索引对齐
            predicted_series = pd.Series(predicted_events, index=missing_data.
↪index)

            # 填充缺失值
            data_long.loc[data_long['Sport'] == sport, 'Events'] = data_long.
↪loc[data_long['Sport'] == sport, 'Events'].fillna(predicted_series)
        else:
            # 训练随机森林模型
            model = RandomForestRegressor(n_estimators=100, random_state=42)
            model.fit(X_known, y_known)

            # 预测缺失数据
            X_missing = missing_data[['Year']]
            predicted_events = model.predict(X_missing)

            # 将预测值四舍五入为整数
            predicted_events = np.round(predicted_events).astype(int)

            # 将预测值转换为 Pandas Series, 并确保索引对齐
            predicted_series = pd.Series(predicted_events, index=missing_data.
↪index)
```

```python
            # 填充缺失值
            data_long.loc[data_long['Sport'] == sport, 'Events'] = data_long.
 ↪loc[data_long['Sport'] == sport, 'Events'].fillna(predicted_series)

            # 记录日志
            print(f"运动种类 '{sport}' 的模型训练完成，预测了␣
 ↪{len(predicted_events)} 个缺失值。")
        else:
            print(f"运动种类 '{sport}' 没有缺失数据或没有足够的已知数据。")

# 11. 将数据重新转换为宽格式
data_filled = data_long.pivot_table(index=['Sport', 'Discipline', 'Code',␣
 ↪'Sports Governing Body'],
                                    columns='Year',
                                    values='Events',
                                    aggfunc='first').reset_index()

# 12. 输出结果
print("\n填充后的数据：")
print(data_filled.head())

# 13. 保存结果到新的 CSV 文件
output_path = 'Generated\\summerOly_programs_filled.csv'
data_filled.to_csv(output_path, index=False, encoding='utf-8')  # 确保保存时使用
正确的编码
print(f"填充后的数据已保存到 {output_path}")
```

```
运动种类 'Aquatics' 没有缺失数据或没有足够的已知数据。
运动种类 'Archery' 没有缺失数据或没有足够的已知数据。
运动种类 'Athletics' 没有缺失数据或没有足够的已知数据。
运动种类 'Badminton' 的模型训练完成，预测了 2 个缺失值。
运动种类 'Baseball and Softball' 的模型训练完成，预测了 8 个缺失值。
运动种类 'Basketball' 的模型训练完成，预测了 2 个缺失值。
运动种类 'Basque Pelota' 的模型训练完成，预测了 4 个缺失值。
运动种类 'Boxing' 没有缺失数据或没有足够的已知数据。
运动种类 'Breaking' 没有缺失数据或没有足够的已知数据。
```

运动种类 'Canoeing' 的模型训练完成，预测了 1 个缺失值。
运动种类 'Cricket' 没有缺失数据或没有足够的已知数据。
运动种类 'Croquet' 没有缺失数据或没有足够的已知数据。
运动种类 'Cycling' 没有缺失数据或没有足够的已知数据。
运动种类 'Equestrian' 没有缺失数据或没有足够的已知数据。
运动种类 'Fencing' 没有缺失数据或没有足够的已知数据。
运动种类 'Field hockey' 没有缺失数据或没有足够的已知数据。
运动种类 'Flag football' 没有缺失数据或没有足够的已知数据。
运动种类 'Football' 没有缺失数据或没有足够的已知数据。
运动种类 'Golf' 没有缺失数据或没有足够的已知数据。
运动种类 'Gymnastics' 没有缺失数据或没有足够的已知数据。
运动种类 'Handball' 的模型训练完成，预测了 1 个缺失值。
运动种类 'Ice Hockey' 没有缺失数据或没有足够的已知数据。
运动种类 'Jeu de Paume' 没有缺失数据或没有足够的已知数据。
运动种类 'Judo' 没有缺失数据或没有足够的已知数据。
运动种类 'Karate' 没有缺失数据或没有足够的已知数据。
运动种类 'Lacrosse' 的模型训练完成，预测了 3 个缺失值。
运动种类 'Modern Pentathlon' 没有缺失数据或没有足够的已知数据。
运动种类 'Polo' 没有缺失数据或没有足够的已知数据。
运动种类 'Rackets' 没有缺失数据或没有足够的已知数据。
运动种类 'Roque' 没有缺失数据或没有足够的已知数据。
运动种类 'Rowing' 没有缺失数据或没有足够的已知数据。
运动种类 'Rugby' 没有缺失数据或没有足够的已知数据。
运动种类 'Sailing' 没有缺失数据或没有足够的已知数据。
运动种类 'Shooting' 没有缺失数据或没有足够的已知数据。
运动种类 'Skateboarding' 没有缺失数据或没有足够的已知数据。
运动种类 'Skating' 没有缺失数据或没有足够的已知数据。
运动种类 'Sport Climbing' 没有缺失数据或没有足够的已知数据。
运动种类 'Squash' 没有缺失数据或没有足够的已知数据。
运动种类 'Surfing' 没有缺失数据或没有足够的已知数据。
运动种类 'Table Tennis' 没有缺失数据或没有足够的已知数据。
运动种类 'Taekwondo' 的模型训练完成，预测了 2 个缺失值。
运动种类 'Tennis' 的模型训练完成，预测了 2 个缺失值。
运动种类 'Total disciplines' 没有缺失数据或没有足够的已知数据。
运动种类 'Total events' 没有缺失数据或没有足够的已知数据。
运动种类 'Total sports' 没有缺失数据或没有足够的已知数据。
运动种类 'Triathlon' 没有缺失数据或没有足够的已知数据。

```
运动种类 'Tug of War' 没有缺失数据或没有足够的已知数据。
运动种类 'Volleyball' 的模型训练完成，预测了 1 个缺失值。
运动种类 'Water Motorsports' 的模型训练完成，预测了 1 个缺失值。
运动种类 'Weightlifting' 没有缺失数据或没有足够的已知数据。
运动种类 'Wrestling' 没有缺失数据或没有足够的已知数据。

填充后的数据:
Year     Sport          Discipline Code Sports Governing Body  1896  1900  \
0     Aquatics  Artistic Swimming  SWA         World Aquatics   0.0   0.0
1     Aquatics             Diving  DIV         World Aquatics   0.0   0.0
2     Aquatics  Marathon Swimming  OWS         World Aquatics   0.0   0.0
3     Aquatics           Swimming  SWM         World Aquatics   4.0   7.0
4     Aquatics         Water Polo  WPO         World Aquatics   0.0   1.0

Year  1904  1906  1908  1912  …  1988  1992  1996  2000  2004  2008  2012  \
0      0.0   0.0   0.0   0.0  …   2.0   2.0   1.0   2.0   2.0   2.0   2.0
1      2.0   1.0   2.0   4.0  …   4.0   4.0   4.0   8.0   8.0   8.0   8.0
2      0.0   0.0   0.0   0.0  …   0.0   0.0   0.0   0.0   0.0   2.0   2.0
3      9.0   4.0   6.0   9.0  …  31.0  31.0  32.0  32.0  32.0  32.0  32.0
4      1.0   0.0   1.0   1.0  …   1.0   1.0   1.0   2.0   2.0   2.0   2.0

Year  2016  2020  2024
0      2.0   2.0   2.0
1      8.0   8.0   8.0
2      2.0   2.0   2.0
3     32.0  35.0  35.0
4      2.0   2.0   2.0

[5 rows x 35 columns]
填充后的数据已保存到 Generated\summerOly_programs_filled.csv
```

1.2.3 Medal_counts 数据清洗

[47]:
```python
# 2. 数据清洗
# 确保数据的格式正确
data = medal_counts[['Year', 'NOC', 'Gold', 'Silver', 'Bronze', 'Total']]
```

```python
# 3. 创建年份和国家的索引
years = data['Year'].unique()
noc = data['NOC'].unique()

# 4. 定义一个函数来生成表格
def generate_table(data, column_name):
    # 创建一个空的 DataFrame，以年份为列，国家为行
    table = pd.DataFrame(index=noc, columns=years)

    # 填充数据
    for index, row in data.iterrows():
        year = row['Year']
        country = row['NOC']
        value = row[column_name]
        table.at[country, year] = value

    # 推断数据类型并填充缺失值为 0
    table = table.infer_objects(copy=False).fillna(0).astype(int)

    return table

# 5. 生成金牌、银牌、铜牌和总数的表格
gold_table = generate_table(data, 'Gold')
silver_table = generate_table(data, 'Silver')
bronze_table = generate_table(data, 'Bronze')
total_table = generate_table(data, 'Total')

# 6. 保存到新的 CSV 文件
gold_table.to_csv('Generated\\summerOly_gold_summary.csv')
silver_table.to_csv('Generated\\summerOly_silver_summary.csv')
bronze_table.to_csv('Generated\\summerOly_bronze_summary.csv')
total_table.to_csv('Generated\\summerOly_total_summary.csv')
```

[48]:
```python
# 7. 输出结果
print("金牌表格：")
print(gold_table)
```

金牌表格:

	1896	1900	1904	1908	1912	1920	1924	1928	1932	\
United States	11	19	76	23	26	41	45	22	0	
Greece	10	0	1	0	1	0	0	0	0	
Germany	6	4	4	3	5	0	0	10	0	
France	5	27	0	5	7	9	13	6	0	
Great Britain	2	15	1	56	10	14	9	3	0	
…	…	…	…	…	…	…	…	…	…	
Saint Lucia	0	0	0	0	0	0	0	0	0	
Dominica	0	0	0	0	0	0	0	0	0	
Albania	0	0	0	0	0	0	0	0	0	
Cabo Verde	0	0	0	0	0	0	0	0	0	
Refugee Olympic Team	0	0	0	0	0	0	0	0	0	

	1936	…	1988	1992	1996	2000	2004	2008	2012	\
United States	24	…	36	37	44	37	36	36	48	
Greece	0	…	0	2	4	4	6	0	0	
Germany	38	…	0	33	20	13	13	16	11	
France	7	…	6	8	15	13	11	7	11	
Great Britain	4	…	5	5	1	11	9	19	29	
…	…	…	…	…	…	…	…	…	…	
Saint Lucia	0	…	0	0	0	0	0	0	0	
Dominica	0	…	0	0	0	0	0	0	0	
Albania	0	…	0	0	0	0	0	0	0	
Cabo Verde	0	…	0	0	0	0	0	0	0	
Refugee Olympic Team	0	…	0	0	0	0	0	0	0	

	2016	2020	2024
United States	46	39	40
Greece	3	2	1
Germany	17	10	12
France	10	10	16
Great Britain	27	22	14
…	…	…	…
Saint Lucia	0	0	1
Dominica	0	0	1
Albania	0	0	0

```
Cabo Verde                0     0     0
Refugee Olympic Team      0     0     0

[210 rows x 30 columns]
```

[49]:

```python
print("\n银牌表格: ")
print(silver_table)
```

```
银牌表格:
                      1896  1900  1904  1908  1912  1920  1924  1928  1932  \
United States            7    14    78    12    19    27    27    18     0
Greece                  18     0     0     3     0     1     0     0     0
Germany                  5     3     5     5    13     0     0     7     0
France                   4    39     1     5     4    19    15    10     0
Great Britain            3     7     1    51    15    15    13    10     0
…                      …   …   …   …   …   …   …   …   …
Saint Lucia              0     0     0     0     0     0     0     0     0
Dominica                 0     0     0     0     0     0     0     0     0
Albania                  0     0     0     0     0     0     0     0     0
Cabo Verde               0     0     0     0     0     0     0     0     0
Refugee Olympic Team     0     0     0     0     0     0     0     0     0

                      1936  …  1988  1992  1996  2000  2004  2008  2012  \
United States           21  …    31    34    32    24    39    39    26
Greece                   0  …     0     0     4     6     6     2     0
Germany                 31  …     0    21    18    17    16    11    20
France                   6  …     4     5     7    14     9    16    11
Great Britain            7  …    10     3     8    10     9    13    18
…                     …  …   …   …   …   …   …   …   …
Saint Lucia              0  …     0     0     0     0     0     0     0
Dominica                 0  …     0     0     0     0     0     0     0
Albania                  0  …     0     0     0     0     0     0     0
Cabo Verde               0  …     0     0     0     0     0     0     0
Refugee Olympic Team     0  …     0     0     0     0     0     0     0

                      2016  2020  2024
```

```
United States           37    41    44
Greece                   1     1     1
Germany                 10    11    13
France                  18    12    26
Great Britain           23    20    22
…                    …   …   …
Saint Lucia              0     0     1
Dominica                 0     0     0
Albania                  0     0     0
Cabo Verde               0     0     0
Refugee Olympic Team     0     0     0

[210 rows x 30 columns]
```

[50]:

```
print("\n铜牌表格: ")
print(bronze_table)
```

```
铜牌表格:
                     1896  1900  1904  1908  1912  1920  1924  1928  1932  \
United States           2    15    77    12    19    27    27    16     0
Greece                 19     0     1     1     1     0     0     0     0
Germany                 2     2     6     5     7     0     0    14     0
France                  2    37     0     9     3    13    10     5     0
Great Britain           2     9     0    39    16    13    12     7     0
…                    …   …   …   …   …   …   …   …   …
Saint Lucia             0     0     0     0     0     0     0     0     0
Dominica                0     0     0     0     0     0     0     0     0
Albania                 0     0     0     0     0     0     0     0     0
Cabo Verde              0     0     0     0     0     0     0     0     0
Refugee Olympic Team    0     0     0     0     0     0     0     0     0

                     1936  …  1988  1992  1996  2000  2004  2008  2012  \
United States          12  …    27    37    25    32    26    37    30
Greece                  0  …     1     0     0     3     4     1     2
Germany                32  …     0    28    27    26    20    14    13
France                  6  …     6    16    15    11    13    20    13
```

```
Great Britain           3  ...    9    12     6     7    12    19    18
...                   ...  ...  ...  ...  ...   ...   ...   ...   ...
Saint Lucia             0  ...    0     0     0     0     0     0     0
Dominica                0  ...    0     0     0     0     0     0     0
Albania                 0  ...    0     0     0     0     0     0     0
Cabo Verde              0  ...    0     0     0     0     0     0     0
Refugee Olympic Team    0  ...    0     0     0     0     0     0     0

                     2016  2020  2024
United States          38    33    42
Greece                  2     1     6
Germany                15    16     8
France                 14    11    22
Great Britain          17    22    29
...                   ...   ...   ...
Saint Lucia             0     0     0
Dominica                0     0     0
Albania                 0     0     2
Cabo Verde              0     0     1
Refugee Olympic Team    0     0     1

[210 rows x 30 columns]
```

[51]:

```
print("\n总数表格：")
print(total_table)
```

```
总数表格：
                     1896  1900  1904  1908  1912  1920  1924  1928  1932  \
United States          20    48   231    47    64    95    99    56     0
Greece                 47     0     2     4     2     1     0     0     0
Germany                13     9    15    13    25     0     0    31     0
France                 11   103     1    19    14    41    38    21     0
Great Britain           7    31     2   146    41    42    34    20     0
...                   ...   ...   ...   ...   ...   ...   ...   ...   ...
Saint Lucia             0     0     0     0     0     0     0     0     0
Dominica                0     0     0     0     0     0     0     0     0
```

```
Albania                0    0    0    0    0    0    0    0    0
Cabo Verde             0    0    0    0    0    0    0    0    0
Refugee Olympic Team   0    0    0    0    0    0    0    0    0

                    1936  …  1988  1992  1996  2000  2004  2008  2012  \
United States         57  …    94   108   101    93   101   112   104
Greece                 0  …     1     2     8    13    16     3     2
Germany              101  …     0    82    65    56    49    41    44
France                19  …    16    29    37    38    33    43    35
Great Britain         14  …    24    20    15    28    30    51    65
…                    …   …   …   …   …   …   …   …   …
Saint Lucia            0  …     0     0     0     0     0     0     0
Dominica               0  …     0     0     0     0     0     0     0
Albania                0  …     0     0     0     0     0     0     0
Cabo Verde             0  …     0     0     0     0     0     0     0
Refugee Olympic Team   0  …     0     0     0     0     0     0     0

                    2016  2020  2024
United States        121   113   126
Greece                 6     4     8
Germany               42    37    33
France                42    33    64
Great Britain         67    64    65
…                    …    …    …
Saint Lucia            0     0     2
Dominica               0     0     1
Albania                0     0     2
Cabo Verde             0     0     1
Refugee Olympic Team   0     0     1

[210 rows x 30 columns]
```

1.2.4 清理 summerOly_medal_counts.csv 异常值

[52]:
```python
import pandas as pd
import numpy as np
from sklearn.impute import KNNImputer

# 读取 CSV 文件
file_path = '2025_Problem_C_Data\\summerOly_medal_counts.csv'
data = pd.read_csv(file_path)

# 定义一个函数，用于剔除非英文字符
def remove_non_english_chars(text):
    if pd.isnull(text):
        return text
    return re.sub(r'[^a-zA-Z]', '', text)

# 对 NOC 列进行数据检查和处理
data['NOC'] = data['NOC'].apply(remove_non_english_chars)

# 提取实际的奥运会年份
olympic_years = data['Year'].unique()
olympic_years = np.sort(olympic_years)  # 按年份排序
print("实际的奥运会年份：", olympic_years)

# 将数据按年份和国家分组
data['Year'] = data['Year'].astype(int)
data['NOC'] = data['NOC'].astype(str)
data = data[['Year', 'NOC', 'Gold', 'Silver', 'Bronze', 'Total']]

# 获取所有国家
countries = data['NOC'].unique()

# 创建一个完整的年份和国家组合的 DataFrame
all_combinations = pd.MultiIndex.from_product([olympic_years, countries],␣
↪names=['Year', 'NOC']).to_frame(index=False)

# 合并数据，填充缺失值为 NaN（暂时不填充为 0）
```

```python
complete_data = pd.merge(all_combinations, data, on=['Year', 'NOC'], how='left')

# 计算每个国家首次参加奥运会的时间
first_participation = complete_data[complete_data['Total'] > 0].groupby('NOC')['Year'].min().reset_index()
first_participation.columns = ['NOC', 'First_Participation']
complete_data = pd.merge(complete_data, first_participation, on='NOC', how='left')

# 将每个国家在首次参加之前的所有年份的奖牌数填充为 0
complete_data.loc[complete_data['Year'] < complete_data['First_Participation'], ['Gold', 'Silver', 'Bronze', 'Total']] = 0

# 将首次参加时间列删除，因为它已经不再需要
complete_data.drop(columns=['First_Participation'], inplace=True)

# 定义一个函数来处理每个奖牌类型
def knn_impute(column_name):
    # 提取需要处理的列
    grouped = complete_data[['Year', 'NOC', column_name]].groupby('NOC')
    # 将分组结果转换为多个 DataFrame
    grouped_dfs = [group for noc, group in grouped]
    for df in grouped_dfs:
        current_noc = df['NOC'].iloc[0]  # 由于每个分组的 'NOC' 是相同的，可以直接取第一个值
        #print(f" 当前组的 NOC: {current_noc}")

        # 初始化 KNNImputer
        imputer = KNNImputer(n_neighbors=3, weights='distance')  # n_neighbors 是邻居数量，weights 可以选择 'uniform' 或 'distance'

        # 选择需要填充的列
        try:
            df_filled = imputer.fit_transform(df[['Year', column_name]])
        except ValueError as e:
            print(f"Error processing {current_noc} for {column_name}: {e}")
```

```
            continue

        # 将结果转换回 DataFrame
        df_filled = pd.DataFrame(df_filled, columns=['Year', column_name])
        #print(df_filled)

        df_filled['Year'] = df_filled['Year'].astype(int)
        df_filled[column_name] = df_filled[column_name].round().astype(int)

        #print(df_filled)

        # 合并回原始数据
        #complete_data['NOC'==current_noc, column_name] = df_filled[column_name]
        for year in df_filled['Year']:
            index = df_filled[df_filled['Year'] == year].index[0]
            original_value = complete_data.loc[(complete_data['NOC'] ==␣
↪current_noc) & (complete_data['Year'] == year), column_name]

            if original_value.isna().any():
                # 如果存在 NaN 值，进行填充
                complete_data.loc[(complete_data['NOC'] == current_noc) &␣
↪(complete_data['Year'] == year), column_name] = df_filled[column_name].
↪iloc[index]
            else:
                # 获取原始值和填充值
                original_value = original_value.values[0]  # 获取具体的数值
                imputed_value = df_filled[column_name].iloc[index]

                # 检查分母是否为零
                if imputed_value != 0:
                    if abs(original_value - imputed_value) / imputed_value > 0.
↪2:
                        print(f"Large difference detected for {current_noc} in␣
↪{year}: original={original_value}, imputed={imputed_value}")
                        complete_data.loc[(complete_data['NOC'] == current_noc)␣
↪& (complete_data['Year'] == year), column_name] = imputed_value
```

```
                #else:
                    #print(f"Imputed value is zero for {current_noc} in {year},␣
↪skipping division.")

def adjust_outliers(column_name):
    print(f"Adjusting outliers for {column_name}")
    for current_noc in countries:
        country_data = complete_data[complete_data['NOC'] ==␣
↪current_noc][['Year', column_name]].sort_values(by='Year')
        for i in range(1, len(country_data) - 1):
            current_year = country_data.iloc[i]['Year']
            current_value = country_data.iloc[i][column_name]
            prev_value = country_data.iloc[i - 1][column_name]
            next_value = country_data.iloc[i + 1][column_name]

            if prev_value == 0 or next_value == 0:
                continue

            # 计算左右年份的平均值
            avg_value = (prev_value + next_value) / 2

            # 检查当前值是否偏离平均值超过 50%
            if ((abs(current_value - avg_value) > avg_value) and current_value␣
↪>= avg_value) or ((abs(current_value - avg_value) > current_value) and␣
↪current_value <= avg_value):
                # 替换为三个值的平均值
                new_value = (current_value + prev_value + next_value) / 3
                new_value = round(new_value)
                #print(f"Outlier detected for {current_noc} in {current_year}:␣
↪original={current_value}, adjusted={new_value}")
                complete_data.loc[(complete_data['NOC'] == current_noc) &␣
↪(complete_data['Year'] == current_year), column_name] = new_value

medal_list = ['Total', 'Gold', 'Silver', 'Bronze']

# 进行 KNN 补全
```

```
for medal in medal_list:
    knn_impute(medal)

# 调整异常值
for medal in medal_list:
    adjust_outliers(medal)

# 保存处理后的数据为 CSV 文件
output_file = 'Generated\\summerOly_medal_counts_imputed.csv'
complete_data.to_csv(output_file, index=False)
print(f"处理后的数据已保存到 {output_file}")
```

```
实际的奥运会年份： [1896 1900 1904 1908 1912 1920 1924 1928 1932 1936 1948 1952␣
↪1956 1960
 1964 1968 1972 1976 1980 1984 1988 1992 1996 2000 2004 2008 2012 2016
 2020 2024]
Adjusting outliers for Total
Adjusting outliers for Gold
Adjusting outliers for Silver
Adjusting outliers for Bronze
处理后的数据已保存到 Generated\summerOly_medal_counts_imputed.csv
```

1.2.5 处理国家变更与如今不存在的国家

[53]:
```
import pandas as pd

# 读取 CSV 文件
file_path = 'Generated\\summerOly_medal_counts_imputed.csv'
df = pd.read_csv(file_path)

# 定义国家名称映射关系
country_mapping = {
    'WestGermany': 'Germany',
    'EastGermany': 'Germany',
    'UnitedTeamofGermany': 'Germany',
    'RussianEmpire': 'Russia',
    'SovietUnion': 'Russia',
```

```python
    'Czechoslovakia': 'CzechRepublic',
    'Yugoslavia': 'Serbia',
    'Bohemia': 'CzechRepublic',
    'Formosa': 'Taiwan',
    'Mixedteam': 'Mixedteam'
}

# 更新国家名称
df['NOC'] = df['NOC'].replace(country_mapping)

# 去除如今不存在的国家
current_countries = [
    'UnitedStates', 'Greece', 'Germany', 'France', 'GreatBritain', 'Hungary', 
 ↪'Austria', 'Australia', 'Denmark', 'Switzerland',
    'Mixedteam', 'Belgium', 'Italy', 'Cuba', 'Canada', 'Spain', 'Luxembourg', 
 ↪'Norway', 'Netherlands', 'India', 'Sweden',
    'Australasia', 'Finland', 'SouthAfrica', 'Estonia', 'Brazil', 'Japan', 
 ↪'CzechRepublic', 'NewZealand', 'Yugoslavia',
    'Argentina', 'Uruguay', 'Poland', 'Haiti', 'Portugal', 'Romania', 'Egypt', 
 ↪'Ireland', 'Chile', 'Philippines', 'Mexico',
    'Latvia', 'Turkey', 'Jamaica', 'Peru', 'Ceylon', 'TrinidadandTobago', 
 ↪'Panama', 'SouthKorea', 'Iran', 'PuertoRico',
    'Lebanon', 'Bulgaria', 'Venezuela', 'Iceland', 'Pakistan', 'Bahamas', 
 ↪'Ethiopia', 'Ghana', 'Morocco', 'Singapore',
    'BritishWestIndies', 'Iraq', 'Tunisia', 'Kenya', 'Nigeria', 'Mongolia', 
 ↪'Uganda', 'Cameroon', 'Taiwan', 'NorthKorea',
    'Colombia', 'Niger', 'Bermuda', 'Thailand', 'Zimbabwe', 'Tanzania', 
 ↪'Guyana', 'China', 'IvoryCoast', 'Syria', 'Algeria',
    'ChineseTaipei', 'DominicanRepublic', 'Zambia', 'Suriname', 'CostaRica', 
 ↪'Indonesia', 'NetherlandsAntilles', 'Senegal',
    'VirginIslands', 'Djibouti', 'UnifiedTeam', 'Lithuania', 'Namibia', 
 ↪'Croatia', 'IndependentOlympicParticipants', 'Israel',
    'Slovenia', 'Malaysia', 'Qatar', 'Russia', 'Ukraine', 'CzechRepublic', 
 ↪'Kazakhstan', 'Belarus', 'FRYugoslavia', 'Slovakia',
```

```
    'Armenia', 'Burundi', 'Ecuador', 'HongKong', 'Moldova', 'Uzbekistan',␣
↪'Azerbaijan', 'Tonga', 'Georgia', 'Mozambique',
    'SaudiArabia', 'SriLanka', 'Vietnam', 'Barbados', 'Kuwait', 'Kyrgyzstan',␣
↪'Macedonia', 'UnitedArabEmirates',
    'SerbiaandMontenegro', 'Paraguay', 'Eritrea', 'Serbia', 'Tajikistan',␣
↪'Samoa', 'Sudan', 'Afghanistan', 'Mauritius', 'Togo',
    'Bahrain', 'Grenada', 'Botswana', 'Cyprus', 'Gabon', 'Guatemala',␣
↪'Montenegro', 'IndependentOlympicAthletes', 'Fiji',
    'Jordan', 'Kosovo', 'ROC', 'SanMarino', 'NorthMacedonia', 'Turkmenistan',␣
↪'BurkinaFaso', 'SaintLucia', 'Dominica',
    'Albania', 'CaboVerde', 'RefugeeOlympicTeam'
]

# 保留当前存在的国家
df = df[df['NOC'].isin(current_countries)]

# 国家合并取均值
df_grouped = df.groupby(['Year', 'NOC']).mean().apply(np.floor).reset_index()

# 保存数据
df_grouped.to_csv('Generated\\summerOly_medal_counts_processed.csv')

# 查看处理后的数据
print(df_grouped.head(4))
```

```
   Year          NOC  Gold  Silver  Bronze  Total
0  1896  Afghanistan   0.0     0.0     0.0    0.0
1  1896      Albania   0.0     0.0     0.0    0.0
2  1896      Algeria   0.0     0.0     0.0    0.0
3  1896    Argentina   0.0     0.0     0.0    0.0
```

1.2.6 清理 athletes.csv 并转换格式为宽

[54]:
```
# 读取 summerOly_athletes.csv 文件
data = olympic_athletes.copy()

# 转换为长格式，将年份放到列的抬头位置
```

```python
pivot_df = data.pivot_table(index=['Name', 'Sex', 'Team', 'NOC', 'City',␣
↪'Sport', 'Event'],
                                    columns='Year',
                                    values='Medal',
                                    aggfunc='first').reset_index()

# 填充缺失值为 0
pivot_df = pivot_df.fillna(0)

# 输出结果
print("转换为宽格式后的数据: ")
print(pivot_df.head())

# 保存为新的 CSV 文件
output_path = 'Generated\\summerOly_athletes_wide_format.csv'
pivot_df.to_csv(output_path, index=False, encoding='utf-8')
print(f"宽格式数据已保存到 {output_path}")
```

```
转换为宽格式后的数据:
Year            Name Sex          Team  NOC   City         Sport  \
0       (jr) Larocca   M     Argentina  ARG  Paris    Equestrian
1      . Chadalavada   F         India  IND  Tokyo       Fencing
2             . Deni   M     Indonesia  INA  Tokyo  Weightlifting
3                671   F         China  CHN  Paris      Breaking
4           A Alayed   F  Saudi Arabia  KSA  Paris      Swimming

Year                    Event 1896 1900 1904  … 1988 1992 1996 2000 2004  \
0            Jumping Individual    0    0    0  …    0    0    0    0    0
1      Women's Sabre Individual    0    0    0  …    0    0    0    0    0
2                    Men's 67kg    0    0    0  …    0    0    0    0    0
3                       B-Girls    0    0    0  …    0    0    0    0    0
4     Women's 200m Freestyle    0    0    0  …    0    0    0    0    0

Year 2008 2012 2016      2020      2024
0       0    0    0         0  No medal
1       0    0    0  No medal         0
2       0    0    0  No medal         0
```

```
3          0     0     0          0    Bronze
4          0     0     0          0  No medal

[5 rows x 38 columns]
宽格式数据已保存到 Generated\summerOly_athletes_wide_format.csv
```

2 分析数据

2.1 国家级特征

[55]:
```python
import pandas as pd
import matplotlib.pyplot as plt

# 读取 CSV 文件
data = medal_counts.copy()

# 数据预处理
# 由于数据格式较为复杂，需要先将其转换为更易于处理的格式
# 提取年份和各个国家的奖牌总数
# 假设我们关注的是美国（United States）和中国的（China）奖牌总数
us_data = data[data['NOC'] == 'United States'][['Year', 'Total']].
  ↪rename(columns={'Total': 'US_Total'})
china_data = data[data['NOC'] == 'China'][['Year', 'Total']].
  ↪rename(columns={'Total': 'China_Total'})

# 合并数据
merged_data = pd.merge(us_data, china_data, on='Year', how='outer').
  ↪sort_values(by='Year')

# 绘制折线图
plt.figure(figsize=(12, 6))
plt.plot(merged_data['Year'], merged_data['US_Total'], label='United States',␣
  ↪marker='o')
plt.plot(merged_data['Year'], merged_data['China_Total'], label='China',␣
  ↪marker='o')
```

```python
# 添加标题和图例
plt.title('Summer Olympic Medal Totals Over the Years')
plt.xlabel('Year')
plt.ylabel('Total Medals')
plt.legend()

# 显示网格
plt.grid(True)

# 显示图表
plt.show()
```



[56]:
```python
import pandas as pd
import matplotlib.pyplot as plt

# 读取 CSV 文件
data = pd.read_csv('Generated\\summerOly_medal_counts_imputed.csv')

# 数据预处理
# 由于数据格式较为复杂，需要先将其转换为更易于处理的格式
```

```python
# 提取年份和各个国家的奖牌总数
# 假设我们关注的是美国（United States）和中国的（China）奖牌总数
us_data = data[data['NOC'] == 'United States'][['Year', 'Total']].
    ↪rename(columns={'Total': 'US_Total'})
china_data = data[data['NOC'] == 'China'][['Year', 'Total']].
    ↪rename(columns={'Total': 'China_Total'})

# 合并数据
merged_data = pd.merge(us_data, china_data, on='Year', how='outer').
    ↪sort_values(by='Year')

# 绘制折线图
plt.figure(figsize=(12, 6))
plt.plot(merged_data['Year'], merged_data['US_Total'], label='United States',␣
    ↪marker='o')
plt.plot(merged_data['Year'], merged_data['China_Total'], label='China',␣
    ↪marker='o')

# 添加标题和图例
plt.title('Summer Olympic Medal Totals Over the Years')
plt.xlabel('Year')
plt.ylabel('Total Medals')
plt.legend()

# 显示网格
plt.grid(True)

# 显示图表
plt.show()
```



2.2 项目级特征

2.3 运动员级特征

2.3.1 预处理

[57]:

```
# 读取 summerOly_athletes.csv 文件
data = olympic_athletes.copy()

# 提取必要的列
athlete_years = olympic_athletes[['Name', 'Sex', 'NOC', 'Team', 'Year',␣
↪'Sport', 'Event']].drop_duplicates()
# 合并 Name, Sex, NOC 列
athlete_years['Feature'] = athlete_years['Name'] + ', ' + athlete_years['Sex'] ␣
↪+ ', ' + athlete_years['NOC']

# 删除原始的 Name, Sex, NOC 列
#athlete_years = athlete_years.drop(columns=['Name', 'Sex', 'NOC'])

# 对每个运动员进行排序
athlete_years = athlete_years.sort_values(by=['Feature','Year'])
```

```
athlete_years.to_csv('Generated\\athlete_yesrs.csv', index=False,␣
↪encoding='utf-8')
```

2.3.2 添加唯一特征值

[58]:
```
import os

# 设置环境变量 LOKY_MAX_CPU_COUNT
os.environ["LOKY_MAX_CPU_COUNT"] = "8"  # 使用 CPU 核心数
```

[59]:
```
import pandas as pd
from sklearn.cluster import DBSCAN
from sklearn.preprocessing import StandardScaler

# 读取 CSV 文件
file_path = 'Generated\\athlete_yesrs.csv'  # 替换为你的文件路径
data = pd.read_csv(file_path)

# 显示原始数据的前几行
print("原始数据的前几行：")
print(data.head())

# 设置时间阈值
time_threshold_small = 12
time_threshold_large = 44

# 按 Feature 分组
grouped = data.groupby('Feature')

# 用于存储处理后的数据
processed_data = []

# 遍历每个分组
for feature, group in grouped:
    # 按 Year 排序
    group = group.sort_values(by='Year')
```

```
    # 初始化变量
    unique_feature_count = 0
    last_year = None

    # 遍历分组中的每条记录
    for index, row in group.iterrows():
        current_year = row['Year']

        # 判断是否为同一个运动员
        if last_year is not None:
            year_diff = current_year - last_year
            if year_diff > time_threshold_large:
                # 如果时间跨度大于 44 年，直接认为是不同运动员
                unique_feature_count += 1
            elif year_diff > time_threshold_small:
                # 如果时间跨度在 12 到 44 年之间，进行聚类分析
                features_cluster = group[['Year', 'Sport', 'Event']].
↪apply(lambda x: x.factorize()[0])
                features_cluster = StandardScaler().
↪fit_transform(features_cluster)

                # 使用 DBSCAN 聚类
                dbscan = DBSCAN(eps=0.5, min_samples=2)
                group['Cluster'] = dbscan.fit_predict(features_cluster)

                # 为每个聚类生成唯一标识
                for cluster in group['Cluster'].unique():
                    cluster_group = group[group['Cluster'] == cluster]
                    for _, cluster_row in cluster_group.iterrows():
                        new_feature = f"{feature}_{cluster}"
                        processed_data.append({
                            'Name': cluster_row['Name'],
                            'Sex': cluster_row['Sex'],
                            'Team': cluster_row['Team'],
                            'NOC': cluster_row['NOC'],
                            'Year': cluster_row['Year'],
```

```python
                        'Sport': cluster_row['Sport'],
                        'Event': cluster_row['Event'],
                        'Feature': new_feature
                    })
                    unique_feature_count += 1
                break  # 已经处理完当前分组，跳出循环

        # 如果时间跨度在阈值内，认为是同一个运动员
        new_feature = f"{feature}_{unique_feature_count}"
        processed_data.append({
            'Name': row['Name'],
            'Sex': row['Sex'],
            'Team': row['Team'],
            'NOC': row['NOC'],
            'Year': row['Year'],
            'Sport': row['Sport'],
            'Event': row['Event'],
            'Feature': new_feature
        })

        # 更新变量
        last_year = current_year

# 将处理后的数据转换为 DataFrame
processed_df = pd.DataFrame(processed_data)

# 显示处理后的数据
print("\n处理后的数据：")
print(processed_df[['Feature', 'Sport', 'Event', 'Year']].head())

# 保存处理后的数据到新的 CSV 文件
output_file_path = 'Generated\\athlete_years_processed.csv'
processed_df.to_csv(output_file_path, index=False)
print(f"\n处理后的数据已保存到 {output_file_path}")
```

原始数据的前几行：

```
            Name Sex  NOC          Team  Year           Sport  \
```

```
0    (jr) Larocca   M  ARG     Argentina  2024      Equestrian
1   . Chadalavada   F  IND         India  2020         Fencing
2          . Deni   M  INA     Indonesia  2020  Weightlifting
3             671   F  CHN         China  2024        Breaking
4        A Alayed   F  KSA  Saudi Arabia  2024        Swimming

                        Event                Feature
0         Jumping Individual   (jr) Larocca, M, ARG
1   Women's Sabre Individual  . Chadalavada, F, IND
2                  Men's 67kg         . Deni, M, INA
3                     B-Girls            671, F, CHN
4    Women's 200m Freestyle        A Alayed, F, KSA
```

```
处理后的数据:
                   Feature          Sport                     Event  Year
0   (jr) Larocca, M, ARG_0     Equestrian        Jumping Individual  2024
1  . Chadalavada, F, IND_0        Fencing  Women's Sabre Individual  2020
2         . Deni, M, INA_0  Weightlifting                Men's 67kg  2020
3            671, F, CHN_0       Breaking                   B-Girls  2024
4       A Alayed, F, KSA_0       Swimming    Women's 200m Freestyle  2024

处理后的数据已保存到 Generated\athlete_years_processed.csv
```

2.3.3 统计连续参加奥运会的年数与对应人数

[60]:
```python
# 读取 CSV 文件
file_path = 'Generated\\athlete_years_processed.csv'  # 替换为你的文件路径
athlete_years = pd.read_csv(file_path)
```

[61]:
```python
# 计算连续参加的届数
def count_consecutive_years(group):
    years = group['Year'].sort_values().values
    consecutive_year = []
    current_count = 1
    for i in range(1, len(years)):
        if years[i] - years[i - 1] <= 6 :
            if years[i] - years[i - 1] >= 3:
```

```python
                current_count += 1
        else:
            if current_count > 10:
                print(group)
            consecutive_year.append(current_count)
            current_count = 1
    consecutive_year.append(current_count)
    return pd.Series(consecutive_year)

# 应用函数计算每个运动员的连续届数
consecutive_years = athlete_years.groupby('Feature').
 ↪apply(count_consecutive_years, include_groups=False).explode().reset_index()
consecutive_years.columns = ['Feature', 'level_0',  'Consecutive_Years']  # 修正
列名
consecutive_years = consecutive_years.drop(columns=['level_0'])  # 删除不必要的
列

# 统计每个连续届数的人数
consecutive_years_count = consecutive_years['Consecutive_Years'].value_counts().
 ↪reset_index()
consecutive_years_count.columns = ['Consecutive_Years', 'Count']

# 输出结果
print("连续参加奥运会的届数与对应人次: ")
print(consecutive_years_count)

# 保存为新的 CSV 文件
output_path = 'Generated\\consecutive_years_count.csv'
consecutive_years_count.to_csv(output_path, index=False, encoding='utf-8')
print(f"统计结果已保存到 {output_path}")
```

```
连续参加奥运会的届数与对应人次:
   Consecutive_Years   Count
0                  1  108202
1                  2   23470
2                  3    6036
```

```
3                   4    1575
4                   5     372
5                   6      79
6                   7      18
7                   8       4
8                   9       1
统计结果已保存到 Generated\consecutive_years_count.csv
```

数据可视化

[62]:
```python
# 导入必要的库
import pandas as pd
import matplotlib.pyplot as plt
from matplotlib.font_manager import FontProperties

# 设置支持中文的字体
plt.rcParams['font.sans-serif'] = ['SimHei']  # 使用黑体字体
plt.rcParams['axes.unicode_minus'] = False  # 解决负号显示问题

# 读取数据
data = pd.read_csv("Generated/consecutive_years_count.csv")

# 定义大致届数区间
bins = [0, 2, 3, 4, 14]
labels = ['1 次', '2 次', '3 次', '4 次及以上']

# 将数据分组到区间
data['Group'] = pd.cut(data['Consecutive_Years'], bins=bins, labels=labels,␣
 ↪right=False)

# 计算每个区间的总人次，显式设置 observed=True
grouped_data = data.groupby('Group', observed=True)['Count'].sum().reset_index()

# 准备绘图数据
labels = grouped_data['Group']
sizes = grouped_data['Count']
colors = ['#ff9999', '#66b3ff', '#66ccff', '#99ff99']  # 颜色列表
```

```python
# 绘制饼图
plt.figure(figsize=(8, 8))
wedges, texts, autotexts = plt.pie(sizes, colors=colors, autopct='%1.1f%%',␣
↪startangle=140, textprops={'fontsize': 12})

# 添加图例（色块 + 标签），放置在右侧
plt.legend(wedges, labels, title="连续参加届数", loc="center left",␣
↪bbox_to_anchor=(1, 0, 0.5, 1))

plt.title('连续参加奥运会届数的扇形比例图', fontsize=16)
plt.axis('equal')  # 确保饼图是圆形
plt.show()
```



[63]:
```python
# 保存组别与对应比例
group_percentages = []
for label, autotext in zip(labels, autotexts):
    # 获取百分比文本并去掉百分号，转换为浮点数
    percentage = float(autotext.get_text().strip('%'))
    group_percentages.append((label, percentage))

# 打印结果
print("组别与对应比例：")
for group, percentage in group_percentages:
    print(f"{group}: {percentage:.1f}%")
```

```
组别与对应比例：
1 次: 77.4%
2 次: 16.8%
3 次: 4.3%
4 次及以上: 1.5%
```

2.3.4 统计运动员参加奥运会的时间跨度

[64]:
```python
# 读取 CSV 文件
file_path = 'Generated\\athlete_years_processed.csv'  # 替换为你的文件路径
athlete_years = pd.read_csv(file_path)
```

[65]:
```python
# 计算每个运动员的第一次和最后一次参赛年份
def calculate_year_gap(group):
    years = group['Year'].values
    min_n = 2032
    max_n = 1896
    for i in years:
        if i < min_n:
            min_n = i
        if i > max_n:
            max_n = i
    if len(years) > 0:
        if max_n - min_n + 1 > 60:
            #print(group)
```

```
            return 1
        return max_n - min_n + 1
    else:
        return 0

# 应用函数计算每个运动员的间隔年数
athlete_gaps = athlete_years.groupby('Feature').apply(calculate_year_gap,␣
↪include_groups=False).reset_index()
athlete_gaps.columns = ['Feature', 'Year_Gap']

# 统计每个间隔年数的人数
gap_counts = athlete_gaps['Year_Gap'].value_counts().reset_index()
gap_counts.columns = ['Year_Gap', 'Count']

# 按 Year_Gap 排序
gap_counts = gap_counts.sort_values(by='Year_Gap')

# 输出结果
print("运动员第一次参加奥运会和最后一次参加奥运会之间的间隔年数：")
print(gap_counts)

# 保存为新的 CSV 文件
output_path = 'Generated\\athlete_year_gaps.csv'
gap_counts.to_csv(output_path, index=False, encoding='utf-8')
print(f"统计结果已保存到 {output_path}")
```

```
运动员第一次参加奥运会和最后一次参加奥运会之间的间隔年数：
    Year_Gap  Count
0          1  99249
8          3     98
1          5  21869
10         7     77
2          9   8014
18        11     12
3         13   2887
15        15     16
4         17    942
```

```
19          19      8
5           21    382
20          23      3
6           25    178
21          27      1
7           29    134
22          31      1
9           33     90
11          37     57
12          41     49
24          43      1
13          45     44
14          49     21
17          53     12
16          57     13
23          59      1
统计结果已保存到 Generated\athlete_year_gaps.csv
```

数据可视化

[66]:

```python
# 导入必要的库
import pandas as pd
import matplotlib.pyplot as plt
import numpy as np

# 设置支持中文的字体
plt.rcParams['font.sans-serif'] = ['SimHei']  # 使用黑体字体
plt.rcParams['axes.unicode_minus'] = False  # 解决负号显示问题

# 读取数据
data = pd.read_csv("Generated\\athlete_year_gaps.csv")

# 定义大致间隔年数区间
bins = [0, 5, 10, 15, 20, 30, 120]  # 区间划分：0-5 年，5-10 年，10-15 年，15-20
年，20-30 年，30 年以上
labels = ['0-5 年', '5-10 年', '10-15 年', '15-20 年', '20-30 年', '30 年以上']

# 将数据分组到区间
```

```python
data['Group'] = pd.cut(data['Year_Gap'], bins=bins, labels=labels, right=False)

# 计算每个区间的总人次
grouped_data = data.groupby('Group', observed=True)['Count'].sum().reset_index()

# 准备绘图数据
labels = grouped_data['Group']
sizes = grouped_data['Count']
colors = plt.cm.viridis(np.linspace(0, 1, len(labels)))  # 使用颜色映射生成颜色列
表

# 绘制饼图
plt.figure(figsize=(10, 10))
wedges, texts, autotexts = plt.pie(sizes, colors=colors, autopct='%1.1f%%',␣
↪startangle=140, textprops={'fontsize': 12})

# 添加图例（色块 + 标签），放置在右侧
plt.legend(wedges, labels, title="间隔年数区间", loc="center left",␣
↪bbox_to_anchor=(1, 0, 0.5, 1))

plt.title('运动员第一次参加奥运会和最后一次参加奥运会之间的间隔年数比例图',␣
↪fontsize=16)
plt.axis('equal')  # 确保饼图是圆形
plt.show()
```



' " 根据扇形图，对于运动员连续参加比赛，只考虑连续参加 2-3 届的运动员的连续性影响，其余影响可以忽略不计。' ' '

参加时间跨度为 **0-15** 年的运动员中连续参加的比例

[67]:
```
# 合并时间跨度和连续届数数据
athlete_gaps.to_csv('Generated\\athlete_gaps.csv')
consecutive_years.to_csv('Generated\\consecutive_years.csv')
merged_data = athlete_gaps.merge(consecutive_years, on='Feature')

# 筛选出时间跨度为 1-15 年的运动员
filtered_data = merged_data[(merged_data['Year_Gap'] >= 1) &␣
 ↪(merged_data['Year_Gap'] <= 15)]
```

```python
# 统计连续参加的比例
total_count = filtered_data.shape[0]
consecutive_count = filtered_data[filtered_data['Year_Gap'] <=␣
↪filtered_data['Consecutive_Years']*4].shape[0]
consecutive_ratio = consecutive_count / total_count if total_count > 0 else 0

# 输出结果
print(f"时间跨度为 1-15 年的运动员中，连续参加的比例为：{consecutive_ratio:.2%}")

# 保存结果到 CSV 文件
output_path = 'Generated\\consecutive_ratio.csv'
filtered_data.to_csv(output_path, index=False, encoding='utf-8')
print(f"统计结果已保存到 {output_path}")
```

```
时间跨度为 1-15 年的运动员中，连续参加的比例为：94.51%
统计结果已保存到 Generated\consecutive_ratio.csv
```

数据可视化

[68]:
```python
# 导入必要的库
import matplotlib.pyplot as plt

# 设置支持中文的字体
plt.rcParams['font.sans-serif'] = ['SimHei']  # 使用黑体字体
plt.rcParams['axes.unicode_minus'] = False  # 解决负号显示问题

# 数据
percentages = [consecutive_ratio*100, (1-consecutive_ratio)*100]  # 一个百分数和
剩余部分
labels = ['continuous', 'not continuous']  # 标签
colors = ['#66ccff', '#66b3ff']  # 颜色

# 绘制饼图
plt.figure(figsize=(6, 6))  # 设置图形大小
plt.pie(percentages, labels=labels, colors=colors, autopct='%1.2f%%',␣
↪startangle=90)
# autopct='%1.2f%%' 表示在每个扇形上显示百分比，格式为 2 位小数
```

```python
# startangle=90 表示从 90 度（即正上方）开始绘制

# 添加标题
plt.title('参加时间跨度为 0-15 年的运动员中连续参加的比例')

# 显示图形
plt.show()
```



结论

- ‘我们可以发现，参加奥运会时间跨度 0-15 年中绝大部分运动员都是连续参加的’
- ‘而且我们前面发现，绝大部分的运动员的时间跨度在 0-15 年之间，连续参加届数在 1-3 届’

- ‘而且我们知道，0-15 之间只能连续参加 1-3 次奥运会’
- ‘我们因此可以得出结论，绝大部分奥运会运动员连续参加了 1-3 次奥运会’
- ‘所以我们可以得出结论，考虑运动员连续参加比赛对奖牌的影响只需要考虑连续参加 2-3 次的情况’

[69]:
```
first_percentage = group_percentages[1][1]/
↪(group_percentages[0][1]+group_percentages[1][1]+group_percentages[2][1]+group_percentages[
print(f'一个参加了一次奥运会的运动员参加下一次奥运会的可能为{first_percentage : .
↪2f}' + '%')
second_percentage = group_percentages[2][1]/
↪(group_percentages[1][1]+group_percentages[2][1]+group_percentages[3][1])*100
print(f'一个参加了两次奥运会的运动员参加下一次奥运会的可能为{second_percentage : .
↪2f}' + '%')
third_percentage = group_percentages[3][1]/
↪(group_percentages[2][1]+group_percentages[3][1])*100
print(f'一个参加了三次奥运会的运动员参加下一次奥运会的可能为{third_percentage : .
↪2f}' + '%')
athlete_join_willing = {1 : first_percentage, 2 : second_percentage, 3 :␣
↪third_percentage}
```

```
一个参加了一次奥运会的运动员参加下一次奥运会的可能为 16.80%
一个参加了两次奥运会的运动员参加下一次奥运会的可能为 19.03%
一个参加了三次奥运会的运动员参加下一次奥运会的可能为 25.86%
```

3 构建模型

3.1 XGBoost

3.1.1 直接预测（超参数优化）

[70]:
```
import pandas as pd
import numpy as np
from xgboost import XGBRegressor
from sklearn.model_selection import train_test_split, GridSearchCV
from sklearn.metrics import mean_squared_error
from sklearn.preprocessing import LabelEncoder


#scikit-learn==1.5.2
```

```python
# 加载数据
data = pd.read_csv('Generated\\summerOly_medal_counts_processed.csv')

# 数据预处理
# 将国家代码转换为数值标签
label_encoder = LabelEncoder()
data['NOC'] = label_encoder.fit_transform(data['NOC'])

# 处理缺失值
data = data.fillna(0)

# 创建特征：前一届奥运会的奖牌总数、金牌数、银牌数、铜牌数
data['Prev_Total'] = data.groupby('NOC')['Total'].shift(1)
data['Prev_Gold'] = data.groupby('NOC')['Gold'].shift(1)
data['Prev_Silver'] = data.groupby('NOC')['Silver'].shift(1)
data['Prev_Bronze'] = data.groupby('NOC')['Bronze'].shift(1)

# 填充缺失值
data['Prev_Total'] = data['Prev_Total'].fillna(0)
data['Prev_Gold'] = data['Prev_Gold'].fillna(0)
data['Prev_Silver'] = data['Prev_Silver'].fillna(0)
data['Prev_Bronze'] = data['Prev_Bronze'].fillna(0)

# 选择特征和目标变量
features = data[['Year', 'NOC', 'Prev_Total', 'Prev_Gold', 'Prev_Silver',␣
↪'Prev_Bronze']]
target_total = data['Total']
target_gold = data['Gold']
target_silver = data['Silver']
target_bronze = data['Bronze']

# 划分训练集和测试集
X_train_total, X_test_total, y_train_total, y_test_total =␣
↪train_test_split(features, target_total, test_size=0.2, random_state=42)
```

```python
X_train_gold, X_test_gold, y_train_gold, y_test_gold =␣
↪train_test_split(features, target_gold, test_size=0.2, random_state=42)
X_train_silver, X_test_silver, y_train_silver, y_test_silver =␣
↪train_test_split(features, target_silver, test_size=0.2, random_state=42)
X_train_bronze, X_test_bronze, y_train_bronze, y_test_bronze =␣
↪train_test_split(features, target_bronze, test_size=0.2, random_state=42)

X_test = pd.DataFrame({'Total' : [X_test_total],
          'Gold' : [X_test_gold],
          'Silver' : [X_test_silver],
          'Bronze' : [X_test_bronze],
          })
y_test = pd.DataFrame({'Total' : [y_test_total],
          'Gold' : [y_test_gold],
          'Silver' : [y_test_silver],
          'Bronze' : [y_test_bronze],
          })

# 启用 GPU 加速
params = {
    #'tree_method' : "hist",
    #'device' : "cuda",
    #'predictor': 'gpu_predictor',  # 使用 GPU 进行预测
    'objective': 'reg:squarederror',
    'random_state': '42'
}


# 定义 XGBoost 模型
model_total = XGBRegressor(**params)
model_gold = XGBRegressor(**params)
model_silver = XGBRegressor(**params)
model_bronze = XGBRegressor(**params)

# 超参数优化
param_grid = {
```

```
    'n_estimators': [50, 100, 150],
    'learning_rate': [0.01, 0.1, 0.2],
    'max_depth': [3, 5, 7],
    'subsample': [0.7, 0.8, 0.9]
}

# 使用 GridSearchCV 进行超参数优化
grid_search_total = GridSearchCV(estimator=model_total, param_grid=param_grid,␣
↪cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_gold = GridSearchCV(estimator=model_gold, param_grid=param_grid,␣
↪cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_silver = GridSearchCV(estimator=model_silver,␣
↪param_grid=param_grid, cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_bronze = GridSearchCV(estimator=model_bronze,␣
↪param_grid=param_grid, cv=3, scoring='neg_mean_squared_error', n_jobs=-1)

# 训练模型
grid_search_total.fit(X_train_total, y_train_total)
grid_search_gold.fit(X_train_gold, y_train_gold)
grid_search_silver.fit(X_train_silver, y_train_silver)
grid_search_bronze.fit(X_train_bronze, y_train_bronze)

# 获取最佳模型
best_model_total = grid_search_total.best_estimator_
best_model_gold = grid_search_gold.best_estimator_
best_model_silver = grid_search_silver.best_estimator_
best_model_bronze = grid_search_bronze.best_estimator_

# 评估模型
def evaluate_model(model, X_test, y_test):
    y_pred = model.predict(X_test)
    mse = mean_squared_error(y_test, y_pred)
    print(f'MSE: {mse}')
    return y_pred

print("Total Medals Model Evaluation:")
```

```
evaluate_model(best_model_total, X_test_total, y_test_total)

print("Gold Medals Model Evaluation:")
evaluate_model(best_model_gold, X_test_gold, y_test_gold)

print("Silver Medals Model Evaluation:")
evaluate_model(best_model_silver, X_test_silver, y_test_silver)

print("Bronze Medals Model Evaluation:")
evaluate_model(best_model_bronze, X_test_bronze, y_test_bronze)

# 定义超参数网格
param_grid = {
    'max_depth': [3, 5, 7],
    'learning_rate': [0.01, 0.1, 0.2],
    'n_estimators': [50, 100, 150],
    'subsample': [0.7, 0.8, 0.9],
    'colsample_bytree': [0.7, 0.8, 0.9]
}

# 为每个国家单独训练模型
country_models = {}
for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    if len(country_data) > 1:  # 确保每个国家至少有两条记录
        country_data = country_data.replace([np.inf, -np.inf], np.nan)  # 替换无
穷值为 NaN
        country_data = country_data.ffill()  # 前向填充
        country_data = country_data.bfill()  # 后向填充
        country_features = country_data[['Year', 'NOC', 'Prev_Total',␣
↪'Prev_Gold', 'Prev_Silver', 'Prev_Bronze']]
        country_target_total = country_data['Total']
        country_target_gold = country_data['Gold']
        country_target_silver = country_data['Silver']
        country_target_bronze = country_data['Bronze']
```

```
        country_model_total = XGBRegressor(**params)
        country_model_gold = XGBRegressor(**params)
        country_model_silver = XGBRegressor(**params)
        country_model_bronze = XGBRegressor(**params)

        # 使用 GridSearchCV 进行超参数优化
        grid_search_country_model_total =␣
↪GridSearchCV(estimator=country_model_total, param_grid=param_grid, cv=2,␣
↪scoring='neg_mean_squared_error', n_jobs=-1, verbose=0)
        grid_search_country_model_gold =␣
↪GridSearchCV(estimator=country_model_gold, param_grid=param_grid, cv=2,␣
↪scoring='neg_mean_squared_error', n_jobs=-1, verbose=0)
        grid_search_country_model_silver =␣
↪GridSearchCV(estimator=country_model_silver, param_grid=param_grid, cv=2,␣
↪scoring='neg_mean_squared_error', n_jobs=-1, verbose=0)
        grid_search_country_model_bronze =␣
↪GridSearchCV(estimator=country_model_bronze, param_grid=param_grid, cv=2,␣
↪scoring='neg_mean_squared_error', n_jobs=-1, verbose=0)

        grid_search_country_model_total.fit(country_features,␣
↪country_target_total)
        grid_search_country_model_gold.fit(country_features,␣
↪country_target_gold)
        grid_search_country_model_silver.fit(country_features,␣
↪country_target_silver)
        grid_search_country_model_bronze.fit(country_features,␣
↪country_target_bronze)

        # 获取最佳模型
        best_country_model_total = grid_search_country_model_total.
↪best_estimator_
        best_country_model_gold = grid_search_country_model_gold.best_estimator_
        best_country_model_silver = grid_search_country_model_silver.
↪best_estimator_
```

```
        best_country_model_bronze = grid_search_country_model_bronze.
↪best_estimator_

        # 评估性能
        print("Total Medals Model Evaluation:")
        evaluate_model(best_country_model_total, X_test_total, y_test_total)
        print("Gold Medals Model Evaluation:")
        evaluate_model(best_country_model_gold, X_test_gold, y_test_gold)
        print("Silver Medals Model Evaluation:")
        evaluate_model(best_country_model_silver, X_test_silver, y_test_silver)
        print("Bronze Medals Model Evaluation:")
        evaluate_model(best_country_model_bronze, X_test_bronze, y_test_bronze)

        country_models[country] = {
            'total': best_country_model_total,
            'gold': best_country_model_gold,
            'silver': best_country_model_silver,
            'bronze': best_country_model_bronze
        }

# 预测 2028 年奥运会的奖牌数
next_year = 2028
predictions = []

for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    if len(country_data) > 1:
        prev_total = country_data['Total'].iloc[-1]
        prev_gold = country_data['Gold'].iloc[-1]
        prev_silver = country_data['Silver'].iloc[-1]
        prev_bronze = country_data['Bronze'].iloc[-1]

        next_data = pd.DataFrame({
            'Year': [next_year],
            'NOC': [country],
            'Prev_Total': [prev_total],
```

```
            'Prev_Gold': [prev_gold],
            'Prev_Silver': [prev_silver],
            'Prev_Bronze': [prev_bronze]
        })

        # 使用单独模型预测
        total_pred = country_models[country]['total'].predict(next_data)
        gold_pred = country_models[country]['gold'].predict(next_data)
        silver_pred = country_models[country]['silver'].predict(next_data)
        bronze_pred = country_models[country]['bronze'].predict(next_data)

        # 使用整体模型预测
        total_pred_global = best_model_total.predict(next_data)
        gold_pred_global = best_model_gold.predict(next_data)
        silver_pred_global = best_model_silver.predict(next_data)
        bronze_pred_global = best_model_bronze.predict(next_data)

        # 根据数据量分配权重
        data_count = len(country_data)
        weight = min(data_count / 10, 1)  # 数据量越多，权重越高，但不超过 1
        total_pred_combined = weight * total_pred + (1 - weight) *␣
↪total_pred_global
        gold_pred_combined = weight * gold_pred + (1 - weight) *␣
↪gold_pred_global
        silver_pred_combined = weight * silver_pred + (1 - weight) *␣
↪silver_pred_global
        bronze_pred_combined = weight * bronze_pred + (1 - weight) *␣
↪bronze_pred_global

        # 对预测结果取整
        total_pred_combined = round(total_pred_combined[0])
        gold_pred_combined = round(gold_pred_combined[0])
        silver_pred_combined = round(silver_pred_combined[0])
        bronze_pred_combined = round(bronze_pred_combined[0])

        predictions.append({
```

```
            'NOC': country,
            'Total_Predicted': total_pred_combined,
            'Gold_Predicted': gold_pred_combined,
            'Silver_Predicted': silver_pred_combined,
            'Bronze_Predicted': bronze_pred_combined
        })

# 将预测结果转换为 DataFrame
predictions_df = pd.DataFrame(predictions)

# 将 NOC 标签转换回国家代码
predictions_df['NOC'] = label_encoder.inverse_transform(predictions_df['NOC'])

# 输出预测结果
print(predictions_df)

# 保存预测结果到 CSV 文件
predictions_df.to_csv('Result\\2028_olympics_medal_predictions.csv',␣
 ↪index=False)
```

```
Total Medals Model Evaluation:
MSE: 14.183948320207696
Gold Medals Model Evaluation:
MSE: 2.9414593946059715
Silver Medals Model Evaluation:
MSE: 1.8287626291987034
Bronze Medals Model Evaluation:
MSE: 2.185780634244944
```

```
c:\Users\Ziqi\Documents\Python\2025-MCM-C\new_env\Lib\site-
packages\numpy\ma\core.py:2892: RuntimeWarning: invalid value encountered in
cast
  _data = np.array(data, dtype=dtype, copy=copy,
```

```
Total Medals Model Evaluation:
MSE: 140.75342068015084
Gold Medals Model Evaluation:
MSE: 18.508602150537634
```

```
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 15.818427348076781
Total Medals Model Evaluation:
MSE: 142.85282353556897
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.57628960602166
Total Medals Model Evaluation:
MSE: 122.58495074211991
Gold Medals Model Evaluation:
MSE: 17.402119733106872
Silver Medals Model Evaluation:
MSE: 14.068511301831862
Bronze Medals Model Evaluation:
MSE: 12.350547132239438
Total Medals Model Evaluation:
MSE: 117.61289573977655
Gold Medals Model Evaluation:
MSE: 15.07693219210729
Silver Medals Model Evaluation:
MSE: 13.564828598561522
Bronze Medals Model Evaluation:
MSE: 14.238776584657261
Total Medals Model Evaluation:
MSE: 129.11978398983476
Gold Medals Model Evaluation:
MSE: 18.434324148292763
Silver Medals Model Evaluation:
MSE: 14.228132612839607
Bronze Medals Model Evaluation:
MSE: 14.471448380309658
Total Medals Model Evaluation:
```

```
MSE: 124.98686516532699
Gold Medals Model Evaluation:
MSE: 16.651968965013406
Silver Medals Model Evaluation:
MSE: 13.778019188979943
Bronze Medals Model Evaluation:
MSE: 14.139838236770917
Total Medals Model Evaluation:
MSE: 358.80440175013155
Gold Medals Model Evaluation:
MSE: 20.563497436255997
Silver Medals Model Evaluation:
MSE: 14.728424680409017
Bronze Medals Model Evaluation:
MSE: 62.151548453599624
Total Medals Model Evaluation:
MSE: 121.52328745335026
Gold Medals Model Evaluation:
MSE: 17.08826741405428
Silver Medals Model Evaluation:
MSE: 8.456780684764317
Bronze Medals Model Evaluation:
MSE: 13.800333944030273
Total Medals Model Evaluation:
MSE: 121.28168772713842
Gold Medals Model Evaluation:
MSE: 17.188011597117296
Silver Medals Model Evaluation:
MSE: 12.243500658956734
Bronze Medals Model Evaluation:
MSE: 13.01291421240365
Total Medals Model Evaluation:
MSE: 135.42778365851981
Gold Medals Model Evaluation:
MSE: 16.491949999900445
Silver Medals Model Evaluation:
MSE: 15.715501421589924
```

```
Bronze Medals Model Evaluation:
MSE: 15.425882914340793
Total Medals Model Evaluation:
MSE: 136.0125892999167
Gold Medals Model Evaluation:
MSE: 17.489983416107265
Silver Medals Model Evaluation:
MSE: 14.761046310429055
Bronze Medals Model Evaluation:
MSE: 16.594110127403372
Total Medals Model Evaluation:
MSE: 141.87124104542065
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.243400642547297
Total Medals Model Evaluation:
MSE: 120.71016681843432
Gold Medals Model Evaluation:
MSE: 15.787307093399031
Silver Medals Model Evaluation:
MSE: 14.19017143798728
Bronze Medals Model Evaluation:
MSE: 13.257024386223838
Total Medals Model Evaluation:
MSE: 147.57950644741916
Gold Medals Model Evaluation:
MSE: 18.25579859115117
Silver Medals Model Evaluation:
MSE: 18.632453573025572
Bronze Medals Model Evaluation:
MSE: 14.94270892045927
Total Medals Model Evaluation:
MSE: 139.6394026306558
Gold Medals Model Evaluation:
```

```
MSE: 17.767295402724574
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.460522670790425
Total Medals Model Evaluation:
MSE: 139.35187215005126
Gold Medals Model Evaluation:
MSE: 17.88929933233542
Silver Medals Model Evaluation:
MSE: 14.974081675585804
Bronze Medals Model Evaluation:
MSE: 16.854725073108664
Total Medals Model Evaluation:
MSE: 101.07380992388109
Gold Medals Model Evaluation:
MSE: 15.216573986366383
Silver Medals Model Evaluation:
MSE: 10.614158888550097
Bronze Medals Model Evaluation:
MSE: 17.021541084900498
Total Medals Model Evaluation:
MSE: 137.91288893522758
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 15.049108389021708
Total Medals Model Evaluation:
MSE: 61.34089209055521
Gold Medals Model Evaluation:
MSE: 10.549011817980551
Silver Medals Model Evaluation:
MSE: 7.605056533916365
Bronze Medals Model Evaluation:
MSE: 7.2707636253885966
```

```
Total Medals Model Evaluation:
MSE: 142.02179006561525
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.237062975312316
Total Medals Model Evaluation:
MSE: 139.3351760873514
Gold Medals Model Evaluation:
MSE: 18.035994408118114
Silver Medals Model Evaluation:
MSE: 14.73899526655078
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 143.3969044824103
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.724709920071003
Total Medals Model Evaluation:
MSE: 139.34559437757136
Gold Medals Model Evaluation:
MSE: 17.214406951374524
Silver Medals Model Evaluation:
MSE: 15.212162587307901
Bronze Medals Model Evaluation:
MSE: 16.490335383368734
Total Medals Model Evaluation:
MSE: 137.43044956221405
Gold Medals Model Evaluation:
MSE: 14.082064906186895
Silver Medals Model Evaluation:
```

```
MSE: 18.99416929276979
Bronze Medals Model Evaluation:
MSE: 13.800402129408212
Total Medals Model Evaluation:
MSE: 142.49664552351146
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.023011600995122
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 133.4642191773885
Gold Medals Model Evaluation:
MSE: 17.355501671116315
Silver Medals Model Evaluation:
MSE: 13.540156929741585
Bronze Medals Model Evaluation:
MSE: 15.426952193809083
Total Medals Model Evaluation:
MSE: 1059.2390573782006
Gold Medals Model Evaluation:
MSE: 217.9136816957673
Silver Medals Model Evaluation:
MSE: 65.1023815429746
Bronze Medals Model Evaluation:
MSE: 61.27728020539144
Total Medals Model Evaluation:
MSE: 120.7995675082242
Gold Medals Model Evaluation:
MSE: 15.957535261561022
Silver Medals Model Evaluation:
MSE: 14.024219968829057
Bronze Medals Model Evaluation:
MSE: 12.974846857613437
Total Medals Model Evaluation:
MSE: 114.4462319617079
```

```
Gold Medals Model Evaluation:
MSE: 14.065858206775063
Silver Medals Model Evaluation:
MSE: 12.038611154448432
Bronze Medals Model Evaluation:
MSE: 12.862802915832578
Total Medals Model Evaluation:
MSE: 134.83039375503853
Gold Medals Model Evaluation:
MSE: 18.518730006912765
Silver Medals Model Evaluation:
MSE: 15.35066484663198
Bronze Medals Model Evaluation:
MSE: 14.726264824957381
Total Medals Model Evaluation:
MSE: 123.04308202795725
Gold Medals Model Evaluation:
MSE: 16.378520776721903
Silver Medals Model Evaluation:
MSE: 13.313374606708491
Bronze Medals Model Evaluation:
MSE: 14.652005754387616
Total Medals Model Evaluation:
MSE: 92.45289568036877
Gold Medals Model Evaluation:
MSE: 17.45292206229233
Silver Medals Model Evaluation:
MSE: 9.54926623257859
Bronze Medals Model Evaluation:
MSE: 9.575333970581806
Total Medals Model Evaluation:
MSE: 141.5976571749477
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.763930751060396
Bronze Medals Model Evaluation:
```

```
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 124.00918192995411
Gold Medals Model Evaluation:
MSE: 15.70584489021724
Silver Medals Model Evaluation:
MSE: 13.685500024925961
Bronze Medals Model Evaluation:
MSE: 14.075050089775988
Total Medals Model Evaluation:
MSE: 135.07712626389417
Gold Medals Model Evaluation:
MSE: 16.407976076624227
Silver Medals Model Evaluation:
MSE: 14.712657467624638
Bronze Medals Model Evaluation:
MSE: 18.195535976693513
Total Medals Model Evaluation:
MSE: 141.4524764745244
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.06321729731559
Total Medals Model Evaluation:
MSE: 143.3969044824103
Gold Medals Model Evaluation:
MSE: 18.35809521683373
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 132.9917902552506
Gold Medals Model Evaluation:
MSE: 17.333133489644688
```

```
Silver Medals Model Evaluation:
MSE: 14.774083079468037
Bronze Medals Model Evaluation:
MSE: 14.888124326409718
Total Medals Model Evaluation:
MSE: 131.57558257428238
Gold Medals Model Evaluation:
MSE: 17.577953646470387
Silver Medals Model Evaluation:
MSE: 13.83418224110092
Bronze Medals Model Evaluation:
MSE: 15.704402378295871
Total Medals Model Evaluation:
MSE: 125.64458241245921
Gold Medals Model Evaluation:
MSE: 17.677077047051263
Silver Medals Model Evaluation:
MSE: 13.565503849149154
Bronze Medals Model Evaluation:
MSE: 14.639010014660908
Total Medals Model Evaluation:
MSE: 142.6711241751874
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.53910115819738
Total Medals Model Evaluation:
MSE: 119.74260543786875
Gold Medals Model Evaluation:
MSE: 16.40745144714485
Silver Medals Model Evaluation:
MSE: 13.848489533202711
Bronze Medals Model Evaluation:
MSE: 12.920595633059174
Total Medals Model Evaluation:
```

```
MSE: 119.64131817384899
Gold Medals Model Evaluation:
MSE: 15.789496425350672
Silver Medals Model Evaluation:
MSE: 13.436402389671295
Bronze Medals Model Evaluation:
MSE: 12.054728090609537
Total Medals Model Evaluation:
MSE: 132.08755741712528
Gold Medals Model Evaluation:
MSE: 17.16391235187512
Silver Medals Model Evaluation:
MSE: 14.09656418567718
Bronze Medals Model Evaluation:
MSE: 15.291661971328502
Total Medals Model Evaluation:
MSE: 141.42012674221036
Gold Medals Model Evaluation:
MSE: 18.33465279574127
Silver Medals Model Evaluation:
MSE: 14.846908790952323
Bronze Medals Model Evaluation:
MSE: 16.789748792221168
Total Medals Model Evaluation:
MSE: 71.46401099844464
Gold Medals Model Evaluation:
MSE: 10.874740656055133
Silver Medals Model Evaluation:
MSE: 8.503563416648833
Bronze Medals Model Evaluation:
MSE: 8.952931957009552
Total Medals Model Evaluation:
MSE: 430.3321074157528
Gold Medals Model Evaluation:
MSE: 51.211189027312564
Silver Medals Model Evaluation:
MSE: 60.169209903551945
```

```
Bronze Medals Model Evaluation:
MSE: 76.01822924563578
Total Medals Model Evaluation:
MSE: 141.9789980744976
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.847146113828398
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 128.99034889723183
Gold Medals Model Evaluation:
MSE: 16.59454281295756
Silver Medals Model Evaluation:
MSE: 13.569258233283135
Bronze Medals Model Evaluation:
MSE: 14.641360235746816
Total Medals Model Evaluation:
MSE: 958.9618946758767
Gold Medals Model Evaluation:
MSE: 89.13399482046448
Silver Medals Model Evaluation:
MSE: 101.97040236207555
Bronze Medals Model Evaluation:
MSE: 88.12731449605982
Total Medals Model Evaluation:
MSE: 137.77627507790044
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.505414889948891
Bronze Medals Model Evaluation:
MSE: 14.940825786098362
Total Medals Model Evaluation:
MSE: 423.5669933946924
Gold Medals Model Evaluation:
```

```
MSE: 36.31717644068732
Silver Medals Model Evaluation:
MSE: 47.29206765147535
Bronze Medals Model Evaluation:
MSE: 48.93329161520254
Total Medals Model Evaluation:
MSE: 145.86302352903726
Gold Medals Model Evaluation:
MSE: 19.99434790818509
Silver Medals Model Evaluation:
MSE: 23.392654973091872
Bronze Medals Model Evaluation:
MSE: 17.401896702261702
Total Medals Model Evaluation:
MSE: 139.87656568615063
Gold Medals Model Evaluation:
MSE: 18.441185924955366
Silver Medals Model Evaluation:
MSE: 13.53636457150377
Bronze Medals Model Evaluation:
MSE: 16.126925245552552
Total Medals Model Evaluation:
MSE: 139.00450093060985
Gold Medals Model Evaluation:
MSE: 18.257099882233568
Silver Medals Model Evaluation:
MSE: 15.39002164701618
Bronze Medals Model Evaluation:
MSE: 16.571470586552312
Total Medals Model Evaluation:
MSE: 142.2275439007511
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.306406148992405
```

```
Total Medals Model Evaluation:
MSE: 137.46119030179804
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.143672283592648
Bronze Medals Model Evaluation:
MSE: 16.943613958528637
Total Medals Model Evaluation:
MSE: 132.78970479872174
Gold Medals Model Evaluation:
MSE: 17.4729361979997
Silver Medals Model Evaluation:
MSE: 15.245944176253085
Bronze Medals Model Evaluation:
MSE: 15.606736971660961
Total Medals Model Evaluation:
MSE: 189.24244991334984
Gold Medals Model Evaluation:
MSE: 37.85571514365352
Silver Medals Model Evaluation:
MSE: 27.82685424008854
Bronze Medals Model Evaluation:
MSE: 31.511467693917236
Total Medals Model Evaluation:
MSE: 137.7564704547477
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.615002026414722
Bronze Medals Model Evaluation:
MSE: 15.55369268783078
Total Medals Model Evaluation:
MSE: 141.46316516955667
Gold Medals Model Evaluation:
MSE: 17.520532117597618
Silver Medals Model Evaluation:
```

```
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 15.779644445974679
Total Medals Model Evaluation:
MSE: 137.7791441335767
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 13.761335055679432
Bronze Medals Model Evaluation:
MSE: 15.26846197606054
Total Medals Model Evaluation:
MSE: 128.71381913191783
Gold Medals Model Evaluation:
MSE: 17.69731813118513
Silver Medals Model Evaluation:
MSE: 14.284207697126444
Bronze Medals Model Evaluation:
MSE: 13.743768023631464
Total Medals Model Evaluation:
MSE: 128.79591029344485
Gold Medals Model Evaluation:
MSE: 16.960412414942144
Silver Medals Model Evaluation:
MSE: 14.181781246488878
Bronze Medals Model Evaluation:
MSE: 14.09178375897888
Total Medals Model Evaluation:
MSE: 114.8451674781899
Gold Medals Model Evaluation:
MSE: 15.416523229377445
Silver Medals Model Evaluation:
MSE: 13.84757605170232
Bronze Medals Model Evaluation:
MSE: 13.857348757217634
Total Medals Model Evaluation:
MSE: 142.97759343948675
```

```
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.562434910371756
Total Medals Model Evaluation:
MSE: 125.65896596947744
Gold Medals Model Evaluation:
MSE: 16.561858866459158
Silver Medals Model Evaluation:
MSE: 13.791116233875021
Bronze Medals Model Evaluation:
MSE: 12.911142548854563
Total Medals Model Evaluation:
MSE: 131.91750636022712
Gold Medals Model Evaluation:
MSE: 17.5655350180797
Silver Medals Model Evaluation:
MSE: 13.81521282450842
Bronze Medals Model Evaluation:
MSE: 15.049765848257437
Total Medals Model Evaluation:
MSE: 206.45664606820688
Gold Medals Model Evaluation:
MSE: 43.468497500318506
Silver Medals Model Evaluation:
MSE: 20.675656069336327
Bronze Medals Model Evaluation:
MSE: 17.542365157074435
Total Medals Model Evaluation:
MSE: 136.13675874993626
Gold Medals Model Evaluation:
MSE: 17.779087314064153
Silver Medals Model Evaluation:
MSE: 14.921817966987119
Bronze Medals Model Evaluation:
```

```
MSE: 15.62986508350761
Total Medals Model Evaluation:
MSE: 111.17327072317192
Gold Medals Model Evaluation:
MSE: 14.261646986460654
Silver Medals Model Evaluation:
MSE: 11.315058124927397
Bronze Medals Model Evaluation:
MSE: 12.197801233909257
Total Medals Model Evaluation:
MSE: 319.9670015264475
Gold Medals Model Evaluation:
MSE: 31.05901598394929
Silver Medals Model Evaluation:
MSE: 38.39943386640468
Bronze Medals Model Evaluation:
MSE: 24.50816027411338
Total Medals Model Evaluation:
MSE: 136.15506462077178
Gold Medals Model Evaluation:
MSE: 18.447981328716264
Silver Medals Model Evaluation:
MSE: 14.707436911961903
Bronze Medals Model Evaluation:
MSE: 14.775797220374905
Total Medals Model Evaluation:
MSE: 127.30748648909412
Gold Medals Model Evaluation:
MSE: 16.634659806400304
Silver Medals Model Evaluation:
MSE: 12.609374066776969
Bronze Medals Model Evaluation:
MSE: 13.842519328445977
Total Medals Model Evaluation:
MSE: 115.70549389757369
Gold Medals Model Evaluation:
MSE: 15.432247519733274
```

```
Silver Medals Model Evaluation:
MSE: 12.93039784822176
Bronze Medals Model Evaluation:
MSE: 12.110291854474921
Total Medals Model Evaluation:
MSE: 139.74747766272486
Gold Medals Model Evaluation:
MSE: 18.432234553194622
Silver Medals Model Evaluation:
MSE: 14.848137494719394
Bronze Medals Model Evaluation:
MSE: 16.22947823700332
Total Medals Model Evaluation:
MSE: 140.11930942429288
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 15.662211468322043
Total Medals Model Evaluation:
MSE: 133.10545942321878
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 13.96414535656642
Bronze Medals Model Evaluation:
MSE: 14.855834224010652
Total Medals Model Evaluation:
MSE: 127.56652924353895
Gold Medals Model Evaluation:
MSE: 17.353212941067035
Silver Medals Model Evaluation:
MSE: 13.276219113771015
Bronze Medals Model Evaluation:
MSE: 14.97416532796742
Total Medals Model Evaluation:
```

```
MSE: 137.71314003465486
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 13.785144539581065
Bronze Medals Model Evaluation:
MSE: 14.956013439102191
Total Medals Model Evaluation:
MSE: 125.57589470566808
Gold Medals Model Evaluation:
MSE: 16.80106889405876
Silver Medals Model Evaluation:
MSE: 14.256961497853823
Bronze Medals Model Evaluation:
MSE: 13.590768783485288
Total Medals Model Evaluation:
MSE: 137.07256891101002
Gold Medals Model Evaluation:
MSE: 16.767026971472696
Silver Medals Model Evaluation:
MSE: 15.144168640389212
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 141.87124104542065
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.243400642547297
Total Medals Model Evaluation:
MSE: 132.9885280255021
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.025048059925746
```

```
Bronze Medals Model Evaluation:
MSE: 15.550514312800422
Total Medals Model Evaluation:
MSE: 142.41286633228276
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.391406811866954
Total Medals Model Evaluation:
MSE: 122.88854761340191
Gold Medals Model Evaluation:
MSE: 17.41744942829359
Silver Medals Model Evaluation:
MSE: 13.266356384500956
Bronze Medals Model Evaluation:
MSE: 13.925095231808378
Total Medals Model Evaluation:
MSE: 130.3344856428949
Gold Medals Model Evaluation:
MSE: 23.178505781786185
Silver Medals Model Evaluation:
MSE: 13.800624435420994
Bronze Medals Model Evaluation:
MSE: 17.20539461309142
Total Medals Model Evaluation:
MSE: 135.3465064408034
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.570818820045854
Bronze Medals Model Evaluation:
MSE: 14.808219510499175
Total Medals Model Evaluation:
MSE: 133.5653302599893
Gold Medals Model Evaluation:
```

```
MSE: 18.243516810099045
Silver Medals Model Evaluation:
MSE: 14.158554731579681
Bronze Medals Model Evaluation:
MSE: 14.799591778455794
Total Medals Model Evaluation:
MSE: 141.9789980744976
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.847146113828398
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 128.53279094919372
Gold Medals Model Evaluation:
MSE: 15.163652603577788
Silver Medals Model Evaluation:
MSE: 14.394880057608226
Bronze Medals Model Evaluation:
MSE: 13.801221794303313
Total Medals Model Evaluation:
MSE: 139.33559570427354
Gold Medals Model Evaluation:
MSE: 17.19828224455516
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.79758977136095
Total Medals Model Evaluation:
MSE: 136.40619780497929
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 13.509131303570495
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
```

```
Total Medals Model Evaluation:
MSE: 127.97074906745453
Gold Medals Model Evaluation:
MSE: 13.446127503491082
Silver Medals Model Evaluation:
MSE: 9.709605096279564
Bronze Medals Model Evaluation:
MSE: 22.473188101012962
Total Medals Model Evaluation:
MSE: 141.41526602534674
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.719530727107722
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 90.82187183131279
Gold Medals Model Evaluation:
MSE: 16.46292436843005
Silver Medals Model Evaluation:
MSE: 9.861979940395406
Bronze Medals Model Evaluation:
MSE: 10.557522512299439
Total Medals Model Evaluation:
MSE: 138.90460745989
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.334087824543742
Bronze Medals Model Evaluation:
MSE: 16.269595238379605
Total Medals Model Evaluation:
MSE: 130.24560627768508
Gold Medals Model Evaluation:
MSE: 17.046973306958115
Silver Medals Model Evaluation:
```

```
MSE: 13.388307855682035
Bronze Medals Model Evaluation:
MSE: 12.61663651919816
Total Medals Model Evaluation:
MSE: 117.16959512126158
Gold Medals Model Evaluation:
MSE: 15.025275128218055
Silver Medals Model Evaluation:
MSE: 13.17042773656496
Bronze Medals Model Evaluation:
MSE: 13.332845766228688
Total Medals Model Evaluation:
MSE: 142.02253023859032
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.879037674693903
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 113.12692967068391
Gold Medals Model Evaluation:
MSE: 12.567166176786662
Silver Medals Model Evaluation:
MSE: 12.097676294688442
Bronze Medals Model Evaluation:
MSE: 14.28169880610954
Total Medals Model Evaluation:
MSE: 137.73642807920788
Gold Medals Model Evaluation:
MSE: 17.805580306523346
Silver Medals Model Evaluation:
MSE: 14.831100015655679
Bronze Medals Model Evaluation:
MSE: 15.91288272227091
Total Medals Model Evaluation:
MSE: 137.56921310056828
```

```
Gold Medals Model Evaluation:
MSE: 17.115933522281484
Silver Medals Model Evaluation:
MSE: 15.028158419773177
Bronze Medals Model Evaluation:
MSE: 15.923797272210706
Total Medals Model Evaluation:
MSE: 142.67113750188773
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.087768574724542
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 137.6247990519643
Gold Medals Model Evaluation:
MSE: 18.015592930757705
Silver Medals Model Evaluation:
MSE: 13.891151909137237
Bronze Medals Model Evaluation:
MSE: 16.222980978212686
Total Medals Model Evaluation:
MSE: 130.93607685319475
Gold Medals Model Evaluation:
MSE: 17.55580040628031
Silver Medals Model Evaluation:
MSE: 14.047186837285457
Bronze Medals Model Evaluation:
MSE: 14.64044132805513
Total Medals Model Evaluation:
MSE: 141.09046314385375
Gold Medals Model Evaluation:
MSE: 15.615346401008328
Silver Medals Model Evaluation:
MSE: 9.488869177705215
Bronze Medals Model Evaluation:
```

```
MSE: 14.394994150607133
Total Medals Model Evaluation:
MSE: 128.74027775749815
Gold Medals Model Evaluation:
MSE: 16.882727234912707
Silver Medals Model Evaluation:
MSE: 13.574545565240095
Bronze Medals Model Evaluation:
MSE: 15.263664923091076
Total Medals Model Evaluation:
MSE: 136.06583345801198
Gold Medals Model Evaluation:
MSE: 18.282738631898457
Silver Medals Model Evaluation:
MSE: 15.022675106118193
Bronze Medals Model Evaluation:
MSE: 15.207178453684888
Total Medals Model Evaluation:
MSE: 137.2541636466537
Gold Medals Model Evaluation:
MSE: 18.2053941034054
Silver Medals Model Evaluation:
MSE: 14.758058418403055
Bronze Medals Model Evaluation:
MSE: 15.314030286556767
Total Medals Model Evaluation:
MSE: 319.3562992481888
Gold Medals Model Evaluation:
MSE: 32.45522085934934
Silver Medals Model Evaluation:
MSE: 44.730654201336975
Bronze Medals Model Evaluation:
MSE: 34.2966550913708
Total Medals Model Evaluation:
MSE: 143.3969044824103
Gold Medals Model Evaluation:
MSE: 18.508602150537634
```

```
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.724709920071003
Total Medals Model Evaluation:
MSE: 69.0968085735777
Gold Medals Model Evaluation:
MSE: 11.332462973290282
Silver Medals Model Evaluation:
MSE: 8.005806236692317
Bronze Medals Model Evaluation:
MSE: 6.9620993715241
Total Medals Model Evaluation:
MSE: 731.6196669968692
Gold Medals Model Evaluation:
MSE: 155.5471407104923
Silver Medals Model Evaluation:
MSE: 62.76565025740928
Bronze Medals Model Evaluation:
MSE: 34.14865917254159
Total Medals Model Evaluation:
MSE: 142.85282353556897
Gold Medals Model Evaluation:
MSE: 18.35809521683373
Silver Medals Model Evaluation:
MSE: 15.297862980408816
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 141.97211501849736
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.868688356632255
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
```

```
MSE: 140.1860723417631
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.89386352183329
Bronze Medals Model Evaluation:
MSE: 16.3834643829581
Total Medals Model Evaluation:
MSE: 139.81409086366125
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.990330475436913
Bronze Medals Model Evaluation:
MSE: 15.767712838466531
Total Medals Model Evaluation:
MSE: 141.41526602534674
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.719530727107722
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 115.50343250893141
Gold Medals Model Evaluation:
MSE: 16.76679836055545
Silver Medals Model Evaluation:
MSE: 12.520437626804206
Bronze Medals Model Evaluation:
MSE: 13.279401321327365
Total Medals Model Evaluation:
MSE: 139.60382040217826
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.212751059806186
```

```
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 137.50041052809894
Gold Medals Model Evaluation:
MSE: 16.404693533998483
Silver Medals Model Evaluation:
MSE: 14.816481700720088
Bronze Medals Model Evaluation:
MSE: 14.844592006576514
Total Medals Model Evaluation:
MSE: 126.16630244990345
Gold Medals Model Evaluation:
MSE: 15.071809809910627
Silver Medals Model Evaluation:
MSE: 13.40853226322626
Bronze Medals Model Evaluation:
MSE: 12.597443131742804
Total Medals Model Evaluation:
MSE: 127.25009954091041
Gold Medals Model Evaluation:
MSE: 16.926480710184762
Silver Medals Model Evaluation:
MSE: 13.85025155682014
Bronze Medals Model Evaluation:
MSE: 15.943679690749073
Total Medals Model Evaluation:
MSE: 122.22429946498771
Gold Medals Model Evaluation:
MSE: 16.772517866978095
Silver Medals Model Evaluation:
MSE: 11.583161634916555
Bronze Medals Model Evaluation:
MSE: 13.999412456879316
Total Medals Model Evaluation:
MSE: 251.61842026089872
Gold Medals Model Evaluation:
```

```
MSE: 33.140948130894614
Silver Medals Model Evaluation:
MSE: 19.51450542095045
Bronze Medals Model Evaluation:
MSE: 26.495273911833902
Total Medals Model Evaluation:
MSE: 105.98040261668906
Gold Medals Model Evaluation:
MSE: 15.69860768926409
Silver Medals Model Evaluation:
MSE: 15.896625274102412
Bronze Medals Model Evaluation:
MSE: 14.196455796077425
Total Medals Model Evaluation:
MSE: 141.82337932321212
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.772864172316424
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 141.97211501849736
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.868688356632255
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 138.76663959741063
Gold Medals Model Evaluation:
MSE: 18.348737894531723
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 15.32975484106139
```

```
Total Medals Model Evaluation:
MSE: 97.86561132643006
Gold Medals Model Evaluation:
MSE: 9.939944801859536
Silver Medals Model Evaluation:
MSE: 14.530194606984049
Bronze Medals Model Evaluation:
MSE: 11.830940058907796
Total Medals Model Evaluation:
MSE: 92.3029029187137
Gold Medals Model Evaluation:
MSE: 16.731164303443318
Silver Medals Model Evaluation:
MSE: 10.859344784883668
Bronze Medals Model Evaluation:
MSE: 9.421127814825896
Total Medals Model Evaluation:
MSE: 138.59047770663238
Gold Medals Model Evaluation:
MSE: 17.75290432646527
Silver Medals Model Evaluation:
MSE: 15.428913291547145
Bronze Medals Model Evaluation:
MSE: 15.990374443350733
Total Medals Model Evaluation:
MSE: 144.00537634408602
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 139.89583852281243
Gold Medals Model Evaluation:
MSE: 18.49097762254012
Silver Medals Model Evaluation:
```

```
MSE: 15.364905985556241
Bronze Medals Model Evaluation:
MSE: 15.351029718397214
Total Medals Model Evaluation:
MSE: 138.15749736287572
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 13.867874875710406
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 124.52643597291664
Gold Medals Model Evaluation:
MSE: 16.54440089048447
Silver Medals Model Evaluation:
MSE: 13.363132120760671
Bronze Medals Model Evaluation:
MSE: 14.387371590097464
Total Medals Model Evaluation:
MSE: 142.41286633228276
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.391406811866954
Total Medals Model Evaluation:
MSE: 141.23447219747518
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.637407466189542
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 133.09967521980215
```

```
Gold Medals Model Evaluation:
MSE: 18.044336810714906
Silver Medals Model Evaluation:
MSE: 14.63179011803488
Bronze Medals Model Evaluation:
MSE: 14.792626154088062
Total Medals Model Evaluation:
MSE: 133.92583877046084
Gold Medals Model Evaluation:
MSE: 17.53268434088007
Silver Medals Model Evaluation:
MSE: 14.570375991830685
Bronze Medals Model Evaluation:
MSE: 12.342067246971313
Total Medals Model Evaluation:
MSE: 118.09401599766086
Gold Medals Model Evaluation:
MSE: 15.895064846442166
Silver Medals Model Evaluation:
MSE: 13.026615279307633
Bronze Medals Model Evaluation:
MSE: 13.59106185654135
Total Medals Model Evaluation:
MSE: 142.02253023859032
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.879037674693903
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
MSE: 136.1892923916188
Gold Medals Model Evaluation:
MSE: 17.199064555728967
Silver Medals Model Evaluation:
MSE: 14.479878408930748
Bronze Medals Model Evaluation:
```

```
MSE: 16.335528680973404
Total Medals Model Evaluation:
MSE: 147.09534075675091
Gold Medals Model Evaluation:
MSE: 17.525681307294043
Silver Medals Model Evaluation:
MSE: 11.920742772536746
Bronze Medals Model Evaluation:
MSE: 21.738538680584604
Total Medals Model Evaluation:
MSE: 801.8796592665005
Gold Medals Model Evaluation:
MSE: 127.08414639875762
Silver Medals Model Evaluation:
MSE: 92.8079718222651
Bronze Medals Model Evaluation:
MSE: 54.35878860000859
Total Medals Model Evaluation:
MSE: 139.97747351836793
Gold Medals Model Evaluation:
MSE: 18.31775223173615
Silver Medals Model Evaluation:
MSE: 15.480645161290322
Bronze Medals Model Evaluation:
MSE: 16.10785772122929
Total Medals Model Evaluation:
MSE: 7955.440914422284
Gold Medals Model Evaluation:
MSE: 1287.7319429982033
Silver Medals Model Evaluation:
MSE: 886.8534870824524
Bronze Medals Model Evaluation:
MSE: 502.76065810972136
Total Medals Model Evaluation:
MSE: 136.6027273902471
Gold Medals Model Evaluation:
MSE: 17.93912512270018
```

```
Silver Medals Model Evaluation:
MSE: 14.284246468040052
Bronze Medals Model Evaluation:
MSE: 15.606827977360092
Total Medals Model Evaluation:
MSE: 118.05266389190098
Gold Medals Model Evaluation:
MSE: 17.147729741230755
Silver Medals Model Evaluation:
MSE: 14.076711138301276
Bronze Medals Model Evaluation:
MSE: 13.454165858708564
Total Medals Model Evaluation:
MSE: 130.08125955237986
Gold Medals Model Evaluation:
MSE: 18.012003816764853
Silver Medals Model Evaluation:
MSE: 12.81432007096309
Bronze Medals Model Evaluation:
MSE: 14.951866215159672
Total Medals Model Evaluation:
MSE: 138.9081210348589
Gold Medals Model Evaluation:
MSE: 17.97066037439278
Silver Medals Model Evaluation:
MSE: 14.325087813911944
Bronze Medals Model Evaluation:
MSE: 16.856653003907994
Total Medals Model Evaluation:
MSE: 141.41526602534674
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.719530727107722
Bronze Medals Model Evaluation:
MSE: 16.93763440860215
Total Medals Model Evaluation:
```

```
MSE: 138.59047770663238
Gold Medals Model Evaluation:
MSE: 18.508602150537634
Silver Medals Model Evaluation:
MSE: 14.379276547459726
Bronze Medals Model Evaluation:
MSE: 15.834178407042506
Total Medals Model Evaluation:
MSE: 128.59097654913361
Gold Medals Model Evaluation:
MSE: 16.939784606300343
Silver Medals Model Evaluation:
MSE: 13.285004550045176
Bronze Medals Model Evaluation:
MSE: 16.012281431777485
               NOC  Total_Predicted  Gold_Predicted  Silver_Predicted  \
0      Afghanistan                1               0                 0
1          Albania                2               0                 0
2          Algeria                4               2                 0
3        Argentina                3               1                 1
4          Armenia                4               0                 3
..             …              …             …                …
150      Venezuela                3               0                 2
151        Vietnam                1               0                 1
152  VirginIslands                0               0                 0
153         Zambia                1               0                 0
154       Zimbabwe                3               1                 2

     Bronze_Predicted
0                   1
1                   2
2                   2
3                   1
4                   1
..                …
150                 0
151                 0
```

```
152                 0
153                 1
154                 0

[155 rows x 5 columns]
```

3.1.2 非超参数优化模型

[71]:
```python
import pandas as pd
import numpy as np
from xgboost import XGBRegressor
from sklearn.model_selection import train_test_split, GridSearchCV
from sklearn.metrics import mean_squared_error
from sklearn.preprocessing import LabelEncoder

# 加载数据
data = pd.read_csv('Generated\\summerOly_medal_counts_processed.csv')

# 数据预处理
# 将国家代码转换为数值标签
label_encoder = LabelEncoder()
data['NOC'] = label_encoder.fit_transform(data['NOC'])

# 处理缺失值
data = data.fillna(0)

# 创建特征：前一届奥运会的奖牌总数、金牌数、银牌数、铜牌数
data['Prev_Total'] = data.groupby('NOC')['Total'].shift(1)
data['Prev_Gold'] = data.groupby('NOC')['Gold'].shift(1)
data['Prev_Silver'] = data.groupby('NOC')['Silver'].shift(1)
data['Prev_Bronze'] = data.groupby('NOC')['Bronze'].shift(1)

# 填充缺失值
data['Prev_Total'] = data['Prev_Total'].fillna(0)
data['Prev_Gold'] = data['Prev_Gold'].fillna(0)
data['Prev_Silver'] = data['Prev_Silver'].fillna(0)
data['Prev_Bronze'] = data['Prev_Bronze'].fillna(0)
```

```
# 选择特征和目标变量
features = data[['Year', 'NOC', 'Prev_Total', 'Prev_Gold', 'Prev_Silver',␣
↪'Prev_Bronze']]
target_total = data['Total']
target_gold = data['Gold']
target_silver = data['Silver']
target_bronze = data['Bronze']

# 划分训练集和测试集
X_train_total, X_test_total, y_train_total, y_test_total =␣
↪train_test_split(features, target_total, test_size=0.2, random_state=42)
X_train_gold, X_test_gold, y_train_gold, y_test_gold =␣
↪train_test_split(features, target_gold, test_size=0.2, random_state=42)
X_train_silver, X_test_silver, y_train_silver, y_test_silver =␣
↪train_test_split(features, target_silver, test_size=0.2, random_state=42)
X_train_bronze, X_test_bronze, y_train_bronze, y_test_bronze =␣
↪train_test_split(features, target_bronze, test_size=0.2, random_state=42)

# 定义 XGBoost 模型
model_total = XGBRegressor(objective='reg:squarederror', random_state=42)
model_gold = XGBRegressor(objective='reg:squarederror', random_state=42)
model_silver = XGBRegressor(objective='reg:squarederror', random_state=42)
model_bronze = XGBRegressor(objective='reg:squarederror', random_state=42)

# 超参数优化
param_grid = {
    'n_estimators': [50, 100, 150],
    'learning_rate': [0.01, 0.1, 0.2],
    'max_depth': [3, 5, 7],
    'subsample': [0.7, 0.8, 0.9]
}

# 使用 GridSearchCV 进行超参数优化
grid_search_total = GridSearchCV(estimator=model_total, param_grid=param_grid,␣
↪cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
```

```python
grid_search_gold = GridSearchCV(estimator=model_gold, param_grid=param_grid,␣
↪cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_silver = GridSearchCV(estimator=model_silver,␣
↪param_grid=param_grid, cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_bronze = GridSearchCV(estimator=model_bronze,␣
↪param_grid=param_grid, cv=3, scoring='neg_mean_squared_error', n_jobs=-1)

# 训练模型
grid_search_total.fit(X_train_total, y_train_total)
grid_search_gold.fit(X_train_gold, y_train_gold)
grid_search_silver.fit(X_train_silver, y_train_silver)
grid_search_bronze.fit(X_train_bronze, y_train_bronze)

# 获取最佳模型
best_model_total = grid_search_total.best_estimator_
best_model_gold = grid_search_gold.best_estimator_
best_model_silver = grid_search_silver.best_estimator_
best_model_bronze = grid_search_bronze.best_estimator_

# 评估模型
def evaluate_model(model, X_test, y_test):
    y_pred = model.predict(X_test)
    mse = mean_squared_error(y_test, y_pred)
    print(f'MSE: {mse}')
    return y_pred

print("Total Medals Model Evaluation:")
evaluate_model(best_model_total, X_test_total, y_test_total)

print("Gold Medals Model Evaluation:")
evaluate_model(best_model_gold, X_test_gold, y_test_gold)

print("Silver Medals Model Evaluation:")
evaluate_model(best_model_silver, X_test_silver, y_test_silver)

print("Bronze Medals Model Evaluation:")
```

```
evaluate_model(best_model_bronze, X_test_bronze, y_test_bronze)

# 为每个国家单独训练模型
country_models = {}
for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    if len(country_data) > 1:  # 确保每个国家至少有两条记录
        country_features = country_data[['Year','NOC', 'Prev_Total',␣
↪'Prev_Gold', 'Prev_Silver', 'Prev_Bronze']]
        country_target_total = country_data['Total']
        country_target_gold = country_data['Gold']
        country_target_silver = country_data['Silver']
        country_target_bronze = country_data['Bronze']

        country_model_total = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)
        country_model_gold = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)
        country_model_silver = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)
        country_model_bronze = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)

        country_model_total.fit(country_features, country_target_total)
        country_model_gold.fit(country_features, country_target_gold)
        country_model_silver.fit(country_features, country_target_silver)
        country_model_bronze.fit(country_features, country_target_bronze)

        country_models[country] = {
            'total': country_model_total,
            'gold': country_model_gold,
            'silver': country_model_silver,
            'bronze': country_model_bronze
        }

# 预测 2028 年奥运会的奖牌数
```

```
next_year = 2028
predictions = []

for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    if len(country_data) > 1:
        prev_total = country_data['Total'].iloc[-1]
        prev_gold = country_data['Gold'].iloc[-1]
        prev_silver = country_data['Silver'].iloc[-1]
        prev_bronze = country_data['Bronze'].iloc[-1]

        next_data = pd.DataFrame({
            'Year': [next_year],
            'NOC': [country],  # 添加 NOC 列
            'Prev_Total': [prev_total],
            'Prev_Gold': [prev_gold],
            'Prev_Silver': [prev_silver],
            'Prev_Bronze': [prev_bronze]
        })

        # 使用单独模型预测
        total_pred = country_models[country]['total'].predict(next_data)
        gold_pred = country_models[country]['gold'].predict(next_data)
        silver_pred = country_models[country]['silver'].predict(next_data)
        bronze_pred = country_models[country]['bronze'].predict(next_data)

        # 使用整体模型预测
        total_pred_global = best_model_total.predict(next_data)
        gold_pred_global = best_model_gold.predict(next_data)
        silver_pred_global = best_model_silver.predict(next_data)
        bronze_pred_global = best_model_bronze.predict(next_data)

        # 根据数据量分配权重
        data_count = len(country_data)
        weight = min(data_count / 10, 1)  # 数据量越多，权重越高，但不超过 1
```

```python
        total_pred_combined = weight * total_pred + (1 - weight) *␣
↪total_pred_global
        gold_pred_combined = weight * gold_pred + (1 - weight) *␣
↪gold_pred_global
        silver_pred_combined = weight * silver_pred + (1 - weight) *␣
↪silver_pred_global
        bronze_pred_combined = weight * bronze_pred + (1 - weight) *␣
↪bronze_pred_global

        # 对预测结果取整
        total_pred_combined = round(total_pred_combined[0])
        gold_pred_combined = round(gold_pred_combined[0])
        silver_pred_combined = round(silver_pred_combined[0])
        bronze_pred_combined = round(bronze_pred_combined[0])

        predictions.append({
            'NOC': country,
            'Total_Predicted': total_pred_combined,
            'Gold_Predicted': gold_pred_combined,
            'Silver_Predicted': silver_pred_combined,
            'Bronze_Predicted': bronze_pred_combined
        })

# 将预测结果转换为 DataFrame
predictions_df = pd.DataFrame(predictions)

# 将 NOC 标签转换回国家代码
predictions_df['NOC'] = label_encoder.inverse_transform(predictions_df['NOC'])

# 输出预测结果
print(predictions_df)

# 保存预测结果到 CSV 文件
predictions_df.to_csv('Result\\2028_olympics_medal_predictions_2.csv',␣
↪index=False)
```

```
Total Medals Model Evaluation:
MSE: 14.183948320207696
Gold Medals Model Evaluation:
MSE: 2.9414593946059715
Silver Medals Model Evaluation:
MSE: 1.8287626291987034
Bronze Medals Model Evaluation:
MSE: 2.185780634244944
               NOC  Total_Predicted  Gold_Predicted  Silver_Predicted  \
0      Afghanistan                1               0                 0
1          Albania                2               0                 0
2          Algeria                5               2                 0
3        Argentina                3               1                 1
4          Armenia                4               0                 3
..             …                …             …               …
150      Venezuela                3               1                 2
151        Vietnam                1               0                 1
152   VirginIslands               0               0                 0
153         Zambia                1               0                 0
154       Zimbabwe                3               1                 2

     Bronze_Predicted
0                   1
1                   2
2                   2
3                   1
4                   1
..                …
150                 0
151                 0
152                 0
153                 1
154                 0

[155 rows x 5 columns]
```

3.1.3 评估预测区间

[72]:
```python
import math

# 加载数据
data = pd.read_csv('Generated\\summerOly_medal_counts_processed.csv')
predictions_df = pd.read_csv('Result\\2028_olympics_medal_predictions_2.csv')

# 数据预处理
# 将国家代码转换为数值标签
label_encoder = LabelEncoder()
data['NOC2'] = data['NOC'].copy()
data['NOC'] = label_encoder.fit_transform(data['NOC'])
predictions_df['NOC2'] = predictions_df['NOC'].copy()
predictions_df['NOC'] = label_encoder.fit_transform(predictions_df['NOC'])

# 输出预测结果
print(predictions_df)

# 处理缺失值
data = data.fillna(0)

# 创建特征：前一届奥运会的奖牌总数、金牌数、银牌数、铜牌数
data['Prev_Total'] = data.groupby('NOC')['Total'].shift(1)
data['Prev_Gold'] = data.groupby('NOC')['Gold'].shift(1)
data['Prev_Silver'] = data.groupby('NOC')['Silver'].shift(1)
data['Prev_Bronze'] = data.groupby('NOC')['Bronze'].shift(1)

# 填充缺失值
data['Prev_Total'] = data['Prev_Total'].fillna(0)
data['Prev_Gold'] = data['Prev_Gold'].fillna(0)
data['Prev_Silver'] = data['Prev_Silver'].fillna(0)
data['Prev_Bronze'] = data['Prev_Bronze'].fillna(0)

def evaluate_model_2(model, X_test, y_test):
    y_pred = model.predict(X_test)
    mse = mean_squared_error(y_test, y_pred)
```

```python
    print(f'MSE: {mse}')
    return mse

# 计算预测区间
def prediction_interval(model, X, y, confidence=0.95):
    # 评估区间
    interval_get = math.sqrt(int(evaluate_model_2(model, X, y)))
    preds = []
    for i in range(10):  # 进行 10 次预测以估计不确定性
        preds.append(model.predict(X))
    preds = np.array(preds)
    lower = np.percentile(preds, (1 - confidence) / 2 * 100, axis=0) -␣
↪round(interval_get/2)
    upper = np.percentile(preds, (1 + confidence) / 2 * 100, axis=0) +␣
↪round(interval_get/2)
    return lower, upper

# 计算每个国家的预测区间
prediction_intervals = []
for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    print(country, label_encoder.inverse_transform([country])[0])
    if len(country_data) > 1:
        prev_total = country_data['Total'].iloc[-1]
        prev_gold = country_data['Gold'].iloc[-1]
        prev_silver = country_data['Silver'].iloc[-1]
        prev_bronze = country_data['Bronze'].iloc[-1]

        next_data = pd.DataFrame({
            'Year': [next_year],
            'NOC': [country],
            'Prev_Total': [prev_total],
            'Prev_Gold': [prev_gold],
            'Prev_Silver': [prev_silver],
            'Prev_Bronze': [prev_bronze]
        })
```

```
        total_lower, total_upper =␣
↪prediction_interval(country_models[country]['total'], next_data,␣
↪country_data['Total'][country_data['Year']==2024], 0.95)
        gold_lower, gold_upper =␣
↪prediction_interval(country_models[country]['gold'], next_data,␣
↪country_data['Gold'][country_data['Year']==2024], 0.95)
        silver_lower, silver_upper =␣
↪prediction_interval(country_models[country]['silver'], next_data,␣
↪country_data['Silver'][country_data['Year']==2024], 0.95)
        bronze_lower, bronze_upper =␣
↪prediction_interval(country_models[country]['bronze'], next_data,␣
↪country_data['Bronze'][country_data['Year']==2024], 0.95)

        prediction_intervals.append({
            'NOC': country,
            'Total_Predicted': predictions_df.loc[predictions_df['NOC2'] ==␣
↪label_encoder.inverse_transform([country])[0], 'Total_Predicted'].values[0],
            'Total_Lower': round(total_lower[0]),
            'Total_Upper': round(total_upper[0]),
            'Gold_Predicted': predictions_df.loc[predictions_df['NOC2'] ==␣
↪label_encoder.inverse_transform([country])[0], 'Gold_Predicted'].values[0],
            'Gold_Lower': round(gold_lower[0]),
            'Gold_Upper': round(gold_upper[0]),
            'Silver_Predicted': predictions_df.loc[predictions_df['NOC2'] ==␣
↪label_encoder.inverse_transform([country])[0], 'Silver_Predicted'].values[0],
            'Silver_Lower': round(silver_lower[0]),
            'Silver_Upper': round(silver_upper[0]),
            'Bronze_Predicted': predictions_df.loc[predictions_df['NOC2'] ==␣
↪label_encoder.inverse_transform([country])[0], 'Bronze_Predicted'].values[0],
            'Bronze_Lower': round(bronze_lower[0]),
            'Bronze_Upper': round(bronze_upper[0])
        })

# 将预测区间转换为 DataFrame
prediction_intervals_df = pd.DataFrame(prediction_intervals)
```

```python
# 将 NOC 标签转换回国家代码
prediction_intervals_df['NOC'] = label_encoder.
    ↪inverse_transform(prediction_intervals_df['NOC'])

# 输出预测区间
print(prediction_intervals_df)

# 保存预测区间到 CSV 文件
prediction_intervals_df.
    ↪to_csv('Result\\2028_olympics_medal_predictions_intervals.csv', index=False)
```

```
     NOC  Total_Predicted  Gold_Predicted  Silver_Predicted  Bronze_Predicted  \
0      0                1               0                 0                 1
1      1                2               0                 0                 2
2      2                5               2                 0                 2
3      3                3               1                 1                 1
4      4                4               0                 3                 1
..   …                …             …               …                …
150  150                3               1                 2                 0
151  151                1               0                 1                 0
152  152                0               0                 0                 0
153  153                1               0                 0                 1
154  154                3               1                 2                 0

               NOC2
0       Afghanistan
1           Albania
2           Algeria
3         Argentina
4           Armenia
..              …
150       Venezuela
151         Vietnam
152    VirginIslands
153          Zambia
154        Zimbabwe
```

```
[155 rows x 6 columns]
0 Afghanistan
MSE: 1.6973353922367096e-07
MSE: 0.0
MSE: 0.0
MSE: 1.6973353922367096e-07
1 Albania
MSE: 1.5524549326073611e-06
MSE: 0.0
MSE: 0.0
MSE: 1.5524549326073611e-06
2 Algeria
MSE: 3.994724107171578
MSE: 0.0715187132484516
MSE: 6.735792893548496e-07
MSE: 0.40100133269567095
3 Argentina
MSE: 2.3470784071832895e-07
MSE: 3.494688058935935e-07
MSE: 4.82183182271001e-09
MSE: 1.0942446948547513e-08
4 Armenia
MSE: 1.7953652786673047e-08
MSE: 0.022775736567688165
MSE: 1.1654483387246728e-06
MSE: 0.000602870343314521
5 Australasia
MSE: 7.366907084360719e-09
MSE: 2.8141045049778768e-09
MSE: 0.0
MSE: 3.5811922316497657e-09
6 Australia
MSE: 46.04812975054665
MSE: 18.760339548826778
MSE: 14.428052094081067
MSE: 2.297645300950535
```

```
7 Austria
MSE: 3.2837787522751114
MSE: 0.929088444383197
MSE: 0.3103930830840831
MSE: 0.12714879985674088
8 Azerbaijan
MSE: 0.9369287917252223
MSE: 5.139809786669503e-07
MSE: 0.01512698294305892
MSE: 3.4371402080068947e-07
9 Bahamas
MSE: 2.9368317200351157e-07
MSE: 4.619677440587111e-08
MSE: 2.775757794742491e-08
MSE: 4.4608173054226145e-07
10 Bahrain
MSE: 1.4410503013095877e-06
MSE: 1.3981571242993596e-06
MSE: 2.537326828644382e-07
MSE: 1.4199488305166597e-06
11 Barbados
MSE: 1.140026007704961e-08
MSE: 0.0
MSE: 0.0
MSE: 1.140026007704961e-08
12 Belarus
MSE: 0.04860342527626926
MSE: 5.0977689625142375e-08
MSE: 0.10681934870467558
MSE: 3.903685922068689e-06
13 Belgium
MSE: 1.1185702533111908e-06
MSE: 0.10785510490313754
MSE: 2.5321249417231684e-06
MSE: 8.881784197001252e-08
14 Bermuda
MSE: 1.1742159244931827e-08
```

```
MSE: 1.6973353922367096e-07
MSE: 0.0
MSE: 2.3612407219856805e-08
15 Botswana
MSE: 1.3981571242993596e-06
MSE: 1.4199488305166597e-06
MSE: 0.06726882339650331
MSE: 9.92802048623378e-08
16 Brazil
MSE: 2.201559254899621e-07
MSE: 0.019516072094120318
MSE: 1.5123171124287182e-06
MSE: 3.873096941505537
17 BritishWestIndies
MSE: 2.3428810891346075e-08
MSE: 0.0
MSE: 0.0
MSE: 2.3428810891346075e-08
18 Bulgaria
MSE: 3.1766921892995015e-07
MSE: 0.011571393059114143
MSE: 0.42826602829359217
MSE: 0.0004790748798768618
19 BurkinaFaso
MSE: 4.778883209155538e-07
MSE: 0.0
MSE: 0.0
MSE: 4.778883209155538e-07
20 Burundi
MSE: 7.42305452661185e-08
MSE: 1.0778264337465494e-08
MSE: 2.1742369327171218e-07
MSE: 0.0
21 CaboVerde
MSE: 1.4199488305166597e-06
MSE: 0.0
MSE: 0.0
```

```
MSE: 1.4199488305166597e-06
22 Cameroon
MSE: 3.263864201130673e-08
MSE: 4.982917154450206e-07
MSE: 3.155964636928306e-08
MSE: 2.0903196290074218e-07
23 Canada
MSE: 1.63796721608378e-06
MSE: 1.4971092241466977e-06
MSE: 1.342618816124741e-08
MSE: 0.008354335444892058
24 Ceylon
MSE: 7.160666008459318e-09
MSE: 0.0
MSE: 7.160666008459318e-09
MSE: 0.0
25 Chile
MSE: 3.476111487543676e-08
MSE: 7.718895744801557e-09
MSE: 1.955996253855119e-09
MSE: 1.9367148421502254e-08
26 China
MSE: 1.6994433920481242
MSE: 3.6888543146196753
MSE: 0.049751780348742614
MSE: 0.22513277226607897
27 ChineseTaipei
MSE: 4.584762791637331e-07
MSE: 2.8574106636369834e-08
MSE: 9.210824938766463e-05
MSE: 1.4479246601695195e-07
28 Colombia
MSE: 4.800773467650288e-08
MSE: 7.667576085625353e-08
MSE: 1.885928213596344e-08
MSE: 1.248465650860453e-07
29 CostaRica
```

```
MSE: 3.2878375577638508e-09
MSE: 1.1996345016534961e-08
MSE: 1.654898907929553e-08
MSE: 2.1325163857000007e-08
30 Croatia
MSE: 2.7412261260906234e-07
MSE: 1.1951328815484885e-09
MSE: 2.786348431982333e-07
MSE: 0.09114096443249764
31 Cuba
MSE: 33.48610947668567
MSE: 1.2728315964550916
MSE: 0.948688959761057
MSE: 2.3940999722990455
32 Cyprus
MSE: 2.1742369327171218e-07
MSE: 0.0
MSE: 2.1742369327171218e-07
MSE: 0.0
33 CzechRepublic
MSE: 0.84680817145113
MSE: 1.0291515195604006e-06
MSE: 0.9990270121516573
MSE: 3.725290298461914e-09
34 Denmark
MSE: 0.03616618936939631
MSE: 9.044993589668593e-07
MSE: 0.1823740395662412
MSE: 1.0471276254975237e-06
35 Djibouti
MSE: 4.99626951493399e-10
MSE: 0.0
MSE: 0.0
MSE: 4.99626951493399e-10
36 Dominica
MSE: 1.4199488305166597e-06
MSE: 1.4199488305166597e-06
```

MSE: 0.0

MSE: 0.0

37 DominicanRepublic

MSE: 2.525930540286936e-07

MSE: 1.868126137338777e-06

MSE: 9.782178919332541e-08

MSE: 6.22405934791459e-07

38 Ecuador

MSE: 1.5181867638602853e-06

MSE: 6.74118041388283e-08

MSE: 1.7011171991043739e-06

MSE: 1.5524549326073611e-06

39 Egypt

MSE: 0.23856807980359918

MSE: 3.078030772485363e-07

MSE: 1.7557830744863168e-09

MSE: 4.140958503623779

40 Eritrea

MSE: 1.2923835163312744e-08

MSE: 0.0

MSE: 0.0

MSE: 1.2923835163312744e-08

41 Estonia

MSE: 2.1151436158106662e-10

MSE: 6.444296118957027e-08

MSE: 1.6270200604035775e-08

MSE: 3.412026217120001e-09

42 Ethiopia

MSE: 0.010629131050393426

MSE: 1.8673951274195133e-07

MSE: 0.019763054388022283

MSE: 1.2788976758932105e-06

43 FRYugoslavia

MSE: 5.835327101522125e-07

MSE: 7.42305452661185e-08

MSE: 7.42305452661185e-08

MSE: 1.0830504493242188e-08

44 Fiji
MSE: 6.195568857947364e-08
MSE: 3.211040390258338e-07
MSE: 1.4199488305166597e-06
MSE: 9.92802048623378e-08
45 Finland
MSE: 1.1690545420606213e-06
MSE: 2.1794434937132136e-08
MSE: 1.4613750559701322e-06
MSE: 6.722712555529142e-07
46 France
MSE: 43.71525864351133
MSE: 7.979276914310503
MSE: 12.340475586766843
MSE: 53.4596161448726
47 Gabon
MSE: 2.3095451991457522e-08
MSE: 0.0
MSE: 2.3095451991457522e-08
MSE: 0.0
48 Georgia
MSE: 0.7632527873668096
MSE: 0.16041672148645603
MSE: 2.521139776945347e-07
MSE: 8.145667749204222e-07
49 Germany
MSE: 6.055925041437149e-07
MSE: 0.06465836433926597
MSE: 0.00010631933400873095
MSE: 1.0608346201479435e-08
50 Ghana
MSE: 2.5669578462839127e-08
MSE: 0.0
MSE: 2.263556034862694e-08
MSE: 2.873554194593453e-08
51 GreatBritain
MSE: 2.852175384759903e-09

MSE: 1.6575540939811617e-08

MSE: 0.00024034082889556885

MSE: 34.540550915757194

52 Greece

MSE: 3.0976461244392794

MSE: 1.2118888018651433

MSE: 0.9956312315707692

MSE: 5.115907697472721e-07

53 Grenada

MSE: 1.3981571242993596e-06

MSE: 6.5833540192780865e-09

MSE: 1.6884047836144305e-09

MSE: 1.4026714012516095e-06

54 Guatemala

MSE: 1.3981571242993596e-06

MSE: 4.778883209155538e-07

MSE: 6.5833540192780865e-09

MSE: 4.778883209155538e-07

55 Guyana

MSE: 1.6995968167330504e-08

MSE: 0.0

MSE: 0.0

MSE: 1.6995968167330504e-08

56 Haiti

MSE: 5.802590408165997e-09

MSE: 0.0

MSE: 1.1631658389687339e-08

MSE: 8.517478996543298e-09

57 HongKong

MSE: 1.248465650860453e-07

MSE: 1.8416621969663538e-06

MSE: 1.2191963105777634e-07

MSE: 1.2249893188709393e-07

58 Hungary

MSE: 0.002195656594267348

MSE: 0.0002019169187406078

MSE: 1.1612176542187171

MSE: 0.006406245419384504

59 Iceland

MSE: 2.324669878817076e-08

MSE: 0.0

MSE: 0.002013544599727135

MSE: 1.4244981230149278e-06

60 IndependentOlympicAthletes

MSE: 1.1061871418860392e-09

MSE: 3.211040390258338e-07

MSE: 0.0

MSE: 3.211040390258338e-07

61 IndependentOlympicParticipants

MSE: 3.8314794892357895e-08

MSE: 0.0

MSE: 1.2548357216595072e-08

MSE: 1.0830504493242188e-08

62 India

MSE: 0.06979242902184524

MSE: 0.7265408555982198

MSE: 0.9983279547677739

MSE: 4.9885456974152476e-06

63 Indonesia

MSE: 1.8737522608134896

MSE: 1.6257845345535316e-06

MSE: 1.3687797402614174e-06

MSE: 2.4663728481755243e-07

64 Iran

MSE: 1.642853021621704e-06

MSE: 5.83309542889765e-08

MSE: 7.531583619324067

MSE: 2.180833917009295e-06

65 Iraq

MSE: 2.7549018638868555e-08

MSE: 0.0

MSE: 0.0

MSE: 2.7549018638868555e-08

66 Ireland

MSE: 1.4142724467092194e-06

MSE: 1.8448991454533825e-06

MSE: 0.46593481471610687

MSE: 0.7807063998482136

67 Israel

MSE: 1.7584991383046145e-06

MSE: 1.3219647598816664e-07

MSE: 1.8261644072481431e-06

MSE: 2.7850900607973017e-07

68 Italy

MSE: 0.00036612991243600845

MSE: 1.4288358099438483

MSE: 0.564170645521699

MSE: 1.7591466999292606

69 IvoryCoast

MSE: 2.6284396881237626e-08

MSE: 2.3095451991457522e-08

MSE: 1.8298635804604773e-08

MSE: 9.313225746154785e-08

70 Jamaica

MSE: 3.1977305135480947

MSE: 0.013250568242767713

MSE: 0.0024697603890331266

MSE: 0.3690294030780592

71 Japan

MSE: 3.2145180739462376e-08

MSE: 5.820766091346741e-11

MSE: 1.2450072972569615e-06

MSE: 0.000157535324433411

72 Jordan

MSE: 3.32009939540967e-08

MSE: 5.387291710150455e-09

MSE: 4.778883209155538e-07

MSE: 1.6884047836144305e-09

73 Kazakhstan

MSE: 3.9617589209228754e-07

MSE: 1.0344371048631729e-07

MSE: 1.3376143215282355e-07

MSE: 1.7768252291716635e-07

74 Kenya

MSE: 4.193143468000926e-07

MSE: 1.161333784693852e-08

MSE: 1.8744076498933282e-05

MSE: 1.8814792641026088

75 Kosovo

MSE: 4.5204160414868966e-07

MSE: 1.4409998954043146e-07

MSE: 1.4199488305166597e-06

MSE: 1.4199488305166597e-06

76 Kuwait

MSE: 1.0754776269550348e-07

MSE: 0.0

MSE: 0.0

MSE: 1.0754776269550348e-07

77 Kyrgyzstan

MSE: 0.08774251273848677

MSE: 0.0

MSE: 3.089947000489701e-07

MSE: 1.5193620583886513e-06

78 Latvia

MSE: 6.0040861171728466e-09

MSE: 1.0754776269550348e-07

MSE: 5.725222185767824e-11

MSE: 1.3648104868480004e-10

79 Lebanon

MSE: 2.1325163857000007e-08

MSE: 0.0

MSE: 5.551115123125783e-09

MSE: 3.915943125321064e-10

80 Lithuania

MSE: 0.6522478321587641

MSE: 7.01580543894945e-07

MSE: 0.9995318007261176

MSE: 1.0194995070378354e-08

81 Luxembourg

MSE: 1.6816557035781443e-09

MSE: 6.814904196517091e-09

MSE: 3.3506523167585813e-09

MSE: 0.0

82 Macedonia

MSE: 1.140026007704961e-08

MSE: 0.0

MSE: 0.0

MSE: 1.140026007704961e-08

83 Malaysia

MSE: 8.543997864762787e-08

MSE: 0.0

MSE: 1.4577337912290291e-06

MSE: 1.5757123605908419e-06

84 Mauritius

MSE: 1.074163096010802e-08

MSE: 0.0

MSE: 0.0

MSE: 1.074163096010802e-08

85 Mexico

MSE: 0.9750407944522976

MSE: 0.00123627023016383

MSE: 0.9532222128905801

MSE: 3.5144368818055796

86 Mixedteam

MSE: 9.094947017729282e-13

MSE: 4.330104275140911e-09

MSE: 1.035971308738226e-09

MSE: 4.8466972657479346e-09

87 Moldova

MSE: 0.12468672506435041

MSE: 0.0

MSE: 1.4780625043897544e-06

MSE: 1.81073210114846e-06

88 Mongolia

MSE: 0.5925653473187964

MSE: 6.8889623910832355e-09

MSE: 0.8167207442879034

MSE: 3.9594106877861037

89 Montenegro

MSE: 2.3095451991457522e-08

MSE: 0.0

MSE: 2.3095451991457522e-08

MSE: 0.0

90 Morocco

MSE: 0.0621849701985866

MSE: 4.6511901530266186e-07

MSE: 6.6136397777894295e-09

MSE: 0.06726647361860216

91 Mozambique

MSE: 7.42305452661185e-08

MSE: 6.5513532170963446e-09

MSE: 0.0

MSE: 1.1996345016534961e-08

92 Namibia

MSE: 2.0497751052062085e-08

MSE: 0.0

MSE: 2.0497751052062085e-08

MSE: 0.0

93 Netherlands

MSE: 4.895264282822609e-08

MSE: 1.682201400399208e-06

MSE: 3.4904610402008984e-07

MSE: 1.101434463635087e-07

94 NetherlandsAntilles

MSE: 4.99626951493399e-10

MSE: 0.0

MSE: 4.99626951493399e-10

MSE: 0.0

95 NewZealand

MSE: 5.392394086811692e-07

MSE: 1.813299604691565e-06

MSE: 1.4324768926599063e-06

MSE: 1.1054964943468804e-08

96 Niger

MSE: 6.407848474054845e-09

MSE: 0.0

MSE: 9.313225746154785e-08

MSE: 2.1719322495902997e-08

97 Nigeria

MSE: 2.1082144030515337e-08

MSE: 2.5066654497944264e-09

MSE: 5.0816325369851256e-08

MSE: 6.369734961708673e-09

98 NorthKorea

MSE: 5.8215846365783364e-08

MSE: 1.792197035308668e-06

MSE: 3.387004312571662e-07

MSE: 1.0614653211096083

99 NorthMacedonia

MSE: 4.778883209155538e-07

MSE: 0.0

MSE: 4.778883209155538e-07

MSE: 0.0

100 Norway

MSE: 0.09249974467115862

MSE: 0.06336245393163153

MSE: 0.8465350429990082

MSE: 2.7309997733482305e-05

101 Pakistan

MSE: 2.063451631784119e-08

MSE: 1.4284850990975428e-07

MSE: 9.562590587676924e-09

MSE: 2.0079145783913323e-09

102 Panama

MSE: 2.0259506072761724e-08

MSE: 1.46794109540162e-09

MSE: 4.778883209155538e-07

MSE: 8.960664046499676e-10

103 Paraguay

```
MSE: 1.2923835163312744e-08
MSE: 0.0
MSE: 1.2923835163312744e-08
MSE: 0.0
104 Peru
MSE: 1.0424972884948147e-08
MSE: 5.429920696925306e-09
MSE: 2.5110489548319094e-09
MSE: 2.537326828644382e-07
105 Philippines
MSE: 4.760770480061183e-07
MSE: 1.3981571242993596e-06
MSE: 0.22906018066709866
MSE: 1.762611660183211e-06
106 Poland
MSE: 1.8835820108652115
MSE: 1.4319062415779626e-06
MSE: 0.011657366299914429
MSE: 0.06389915492400178
107 Portugal
MSE: 0.17264335821215582
MSE: 7.583341954386924e-07
MSE: 0.06631665280133348
MSE: 0.4225406888982528
108 PuertoRico
MSE: 1.7581829894197654e-06
MSE: 3.211040390258338e-07
MSE: 2.2689356340973604e-07
MSE: 1.4889521935401717e-06
109 Qatar
MSE: 1.4262332115322351e-07
MSE: 1.0822434133541845e-07
MSE: 9.578828589701526e-08
MSE: 5.445324191555301e-08
110 ROC
MSE: 1.6350531950592995e-07
MSE: 1.752787284203805e-07
```

MSE: 6.007121555740014e-08

MSE: 1.3271710486151278e-07

111 RefugeeOlympicTeam

MSE: 1.4199488305166597e-06

MSE: 0.0

MSE: 0.0

MSE: 1.4199488305166597e-06

112 Romania

MSE: 4.682085129465122

MSE: 0.0023860022158714855

MSE: 0.03766681315846654

MSE: 0.4349356939110862

113 Russia

MSE: 0.010707588458899409

MSE: 0.027287651206279406

MSE: 8.185452315956354e-08

MSE: 0.07871044465355226

114 SaintLucia

MSE: 1.5524549326073611e-06

MSE: 1.4199488305166597e-06

MSE: 1.4199488305166597e-06

MSE: 0.0

115 Samoa

MSE: 1.074163096010802e-08

MSE: 0.0

MSE: 1.074163096010802e-08

MSE: 0.0

116 SanMarino

MSE: 7.834591997379903e-08

MSE: 0.0

MSE: 4.778883209155538e-07

MSE: 1.0707914555041498e-07

117 SaudiArabia

MSE: 7.887379638304992e-09

MSE: 0.0

MSE: 2.623921915301253e-07

MSE: 4.986535256637552e-07

118 Senegal

MSE: 4.99626951493399e-10

MSE: 0.0

MSE: 4.99626951493399e-10

MSE: 0.0

119 Serbia

MSE: 1.477101250202395e-07

MSE: 2.1570394892478362e-07

MSE: 2.8090477144360193e-07

MSE: 1.4190391084412113e-07

120 SerbiaandMontenegro

MSE: 7.718895744801557e-09

MSE: 0.0

MSE: 7.718895744801557e-09

MSE: 0.0

121 Singapore

MSE: 1.1510792319313623e-10

MSE: 1.6884047836144305e-09

MSE: 1.398155706801059e-07

MSE: 5.7985971579910256e-08

122 Slovakia

MSE: 4.5220191680073185e-07

MSE: 1.1319621282318755e-06

MSE: 1.5416651523103239e-06

MSE: 2.8032619781015455e-08

123 Slovenia

MSE: 0.2425715807476081

MSE: 2.461115400365088e-08

MSE: 5.994852614321644e-09

MSE: 0.3530150804849974

124 SouthAfrica

MSE: 0.5164398081578838

MSE: 0.0506667008408499

MSE: 0.08793004583191077

MSE: 0.0007638633409356999

125 SouthKorea

MSE: 43.26979633342489

MSE: 8.856364980260878

MSE: 1.2459555987063595

MSE: 1.0008031549741645

126 Spain

MSE: 35.331490358920746

MSE: 0.10381211041021743

MSE: 0.17627111272395268

MSE: 2.291215537134349

127 SriLanka

MSE: 1.140026007704961e-08

MSE: 0.0

MSE: 1.140026007704961e-08

MSE: 0.0

128 Sudan

MSE: 1.074163096010802e-08

MSE: 0.0

MSE: 1.074163096010802e-08

MSE: 0.0

129 Suriname

MSE: 4.1797321159720013e-08

MSE: 1.654898907929553e-08

MSE: 0.0

MSE: 1.1631658389687339e-08

130 Sweden

MSE: 1.9083821927861209

MSE: 0.06598845990106383

MSE: 0.06784283701654203

MSE: 0.7962807892091064

131 Switzerland

MSE: 0.9667695876871676

MSE: 3.8678848104464123

MSE: 0.011723307024169571

MSE: 6.526305188073422

132 Syria

MSE: 3.324445074781579e-08

MSE: 1.6080186172781866e-08

MSE: 1.65282874911838e-08

MSE: 9.313225746154785e-08

133 Taiwan

MSE: 0.0

MSE: 0.0

MSE: 0.0

MSE: 0.0

134 Tajikistan

MSE: 1.6581680597482773e-06

MSE: 5.387291710150455e-09

MSE: 6.3767993767271316e-09

MSE: 1.377653063627804e-06

135 Tanzania

MSE: 1.6760225207690382e-08

MSE: 0.0

MSE: 1.6760225207690382e-08

MSE: 0.0

136 Thailand

MSE: 0.9632442612428349

MSE: 0.00017719934754723

MSE: 1.7095235307351686e-06

MSE: 0.21871474907038646

137 Togo

MSE: 1.074163096010802e-08

MSE: 0.0

MSE: 0.0

MSE: 1.074163096010802e-08

138 Tonga

MSE: 1.0778264337465494e-08

MSE: 0.0

MSE: 1.0778264337465494e-08

MSE: 0.0

139 TrinidadandTobago

MSE: 0.0032727213500862717

MSE: 1.8668228882745552e-06

MSE: 0.0019722895922882344

MSE: 0.00010224747132170364

140 Tunisia

MSE: 4.1224262758987607e-07

MSE: 4.604316927725449e-08

MSE: 3.049969166113442e-08

MSE: 1.6554061090801042e-06

141 Turkey

MSE: 4.860666316170864

MSE: 1.1744494875247256

MSE: 4.015513412259143

MSE: 4.807044206245337e-06

142 Turkmenistan

MSE: 4.778883209155538e-07

MSE: 0.0

MSE: 4.778883209155538e-07

MSE: 0.0

143 Uganda

MSE: 1.3815684951623552e-07

MSE: 5.908192690640135e-08

MSE: 4.330104275140911e-09

MSE: 4.754275237188478e-07

144 Ukraine

MSE: 3.40419490225122

MSE: 0.7299633708512943

MSE: 0.137955934971842

MSE: 0.03334851470049216

145 UnifiedTeam

MSE: 3.230670699849725e-07

MSE: 2.516353561077267e-07

MSE: 5.047922968515195e-07

MSE: 1.6350531950592995e-07

146 UnitedArabEmirates

MSE: 9.313225746154785e-08

MSE: 8.74015187083042e-09

MSE: 0.0

MSE: 2.1742369327171218e-07

147 UnitedStates

MSE: 5.0188551566097885

MSE: 14.137472632122808

MSE: 1.0510191714856774

MSE: 31.46059445689025

148 Uruguay

MSE: 1.2185466857772553e-08

MSE: 8.925877397551354e-09

MSE: 2.0251356147582555e-09

MSE: 1.2979553837339814e-09

149 Uzbekistan

MSE: 1.7145148376584984e-06

MSE: 0.45250979676438874

MSE: 0.9990391656192656

MSE: 1.9813847984551103e-07

150 Venezuela

MSE: 1.602439283487911e-07

MSE: 5.948828629698255e-08

MSE: 1.9244907889515162e-07

MSE: 3.937924236597676e-08

151 Vietnam

MSE: 2.516353561077267e-07

MSE: 3.211040390258338e-07

MSE: 1.0754776269550348e-07

MSE: 6.5833540192780865e-09

152 VirginIslands

MSE: 4.99626951493399e-10

MSE: 0.0

MSE: 4.99626951493399e-10

MSE: 0.0

153 Zambia

MSE: 3.324445074781579e-08

MSE: 0.0

MSE: 7.859672177473758e-10

MSE: 2.9385830657702172e-08

154 Zimbabwe

MSE: 7.781864042044617e-11

MSE: 5.2332339350869006e-08

MSE: 1.2535252835732535e-09

MSE: 1.140026007704961e-08

	NOC	Total_Predicted	Total_Lower	Total_Upper	Gold_Predicted	\
0	Afghanistan	1	1	1	0	
1	Albania	2	2	2	0	
2	Algeria	5	4	6	2	
3	Argentina	3	3	3	1	
4	Armenia	4	4	4	0	
..	…	…	…	…	…	
150	Venezuela	3	3	3	1	
151	Vietnam	1	1	1	0	
152	VirginIslands	0	0	0	0	
153	Zambia	1	1	1	0	
154	Zimbabwe	3	3	3	1	

	Gold_Lower	Gold_Upper	Silver_Predicted	Silver_Lower	Silver_Upper	\
0	0	0	0	0	0	
1	0	0	0	0	0	
2	2	2	0	0	0	
3	1	1	1	1	1	
4	0	0	3	3	3	
..	…	…	…	…	…	
150	1	1	2	2	2	
151	0	0	1	1	1	
152	0	0	0	0	0	
153	0	0	0	0	0	
154	1	1	2	2	2	

	Bronze_Predicted	Bronze_Lower	Bronze_Upper
0	1	1	1
1	2	2	2
2	2	2	2
3	1	1	1
4	1	1	1
..	…	…	…
150	0	0	0
151	0	0	0
152	0	0	0
153	1	1	1

```
154                 0              0              0

[155 rows x 13 columns]
```

- 结论：XGBoost 已经训练好的模型的值趋近于不变

3.2 贝叶斯方法

3.2.1 先验预测

[73]:
```python
import pandas as pd
import numpy as np
from scipy.stats import norm
from xgboost import XGBRegressor
from sklearn.model_selection import train_test_split, GridSearchCV
from sklearn.metrics import mean_squared_error, r2_score, mean_absolute_error
from sklearn.preprocessing import LabelEncoder

# 加载数据
data = pd.read_csv('Generated\\summerOly_medal_counts_processed.csv')

# 数据预处理
# 将国家代码转换为数值标签
label_encoder = LabelEncoder()
data['NOC'] = label_encoder.fit_transform(data['NOC'])

# 处理缺失值
data = data.fillna(0)

# 创建特征：前一届奥运会的奖牌总数、金牌数、银牌数、铜牌数
data['Prev_Total'] = data.groupby('NOC')['Total'].shift(1)
data['Prev_Gold'] = data.groupby('NOC')['Gold'].shift(1)
data['Prev_Silver'] = data.groupby('NOC')['Silver'].shift(1)
data['Prev_Bronze'] = data.groupby('NOC')['Bronze'].shift(1)

# 填充缺失值
data['Prev_Total'] = data['Prev_Total'].fillna(0)
data['Prev_Gold'] = data['Prev_Gold'].fillna(0)
```

```python
data['Prev_Silver'] = data['Prev_Silver'].fillna(0)
data['Prev_Bronze'] = data['Prev_Bronze'].fillna(0)

# 选择特征和目标变量
features = data[['Year', 'NOC', 'Prev_Total', 'Prev_Gold', 'Prev_Silver',␣
 ↪'Prev_Bronze']]
target_total = data['Total']
target_gold = data['Gold']
target_silver = data['Silver']
target_bronze = data['Bronze']

# 划分训练集和测试集
X_train_total, X_test_total, y_train_total, y_test_total =␣
 ↪train_test_split(features, target_total, test_size=0.2, random_state=42)
X_train_gold, X_test_gold, y_train_gold, y_test_gold =␣
 ↪train_test_split(features, target_gold, test_size=0.2, random_state=42)
X_train_silver, X_test_silver, y_train_silver, y_test_silver =␣
 ↪train_test_split(features, target_silver, test_size=0.2, random_state=42)
X_train_bronze, X_test_bronze, y_train_bronze, y_test_bronze =␣
 ↪train_test_split(features, target_bronze, test_size=0.2, random_state=42)

# 定义 XGBoost 模型
model_total = XGBRegressor(objective='reg:squarederror', random_state=42)
model_gold = XGBRegressor(objective='reg:squarederror', random_state=42)
model_silver = XGBRegressor(objective='reg:squarederror', random_state=42)
model_bronze = XGBRegressor(objective='reg:squarederror', random_state=42)

# 超参数优化
param_grid = {
    'n_estimators': [50, 100, 150],
    'learning_rate': [0.01, 0.1, 0.2],
    'max_depth': [3, 5, 7],
    'subsample': [0.7, 0.8, 0.9]
}

# 使用 GridSearchCV 进行超参数优化
```

```
grid_search_total = GridSearchCV(estimator=model_total, param_grid=param_grid,␣
↪cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_gold = GridSearchCV(estimator=model_gold, param_grid=param_grid,␣
↪cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_silver = GridSearchCV(estimator=model_silver,␣
↪param_grid=param_grid, cv=3, scoring='neg_mean_squared_error', n_jobs=-1)
grid_search_bronze = GridSearchCV(estimator=model_bronze,␣
↪param_grid=param_grid, cv=3, scoring='neg_mean_squared_error', n_jobs=-1)

# 训练模型
grid_search_total.fit(X_train_total, y_train_total)
grid_search_gold.fit(X_train_gold, y_train_gold)
grid_search_silver.fit(X_train_silver, y_train_silver)
grid_search_bronze.fit(X_train_bronze, y_train_bronze)

# 获取最佳模型
best_model_total = grid_search_total.best_estimator_
best_model_gold = grid_search_gold.best_estimator_
best_model_silver = grid_search_silver.best_estimator_
best_model_bronze = grid_search_bronze.best_estimator_

# 评估模型
def evaluate_model(model, X_test, y_test):
    y_pred = model.predict(X_test)
    mse = mean_squared_error(y_test, y_pred)
    r2 = r2_score(y_test, y_pred)
    mae = mean_absolute_error(y_test, y_pred)
    print(f'MSE: {mse}, R2: {r2}, MAE: {mae}')
    return y_pred

print("Total Medals Model Evaluation:")
evaluate_model(best_model_total, X_test_total, y_test_total)

print("Gold Medals Model Evaluation:")
evaluate_model(best_model_gold, X_test_gold, y_test_gold)
```

```python
print("Silver Medals Model Evaluation:")
evaluate_model(best_model_silver, X_test_silver, y_test_silver)

print("Bronze Medals Model Evaluation:")
evaluate_model(best_model_bronze, X_test_bronze, y_test_bronze)

# 贝叶斯更新
def bayesian_update(prior_mean, prior_std, new_data):
    if np.isnan(prior_mean) or np.isnan(prior_std) or np.isnan(new_data).any():
        return np.nan, np.nan

    n = len(new_data)
    new_mean = np.mean(new_data)
    new_std = np.std(new_data)

    # 避免除以零
    if prior_std == 0:
        prior_std = 1e-6
    if new_std == 0:
        new_std = 1e-6

    # 更新后验分布的参数
    posterior_mean = (prior_mean / prior_std**2 + new_mean * n / new_std**2) /
 ↪(1 / prior_std**2 + n / new_std**2)
    posterior_std = np.sqrt(1 / (1 / prior_std**2 + n / new_std**2))

    return posterior_mean, posterior_std

# 使用历史数据作为先验分布
prior_mean_total = np.mean(data['Total'])
prior_std_total = np.std(data['Total'])
prior_mean_gold = np.mean(data['Gold'])
prior_std_gold = np.std(data['Gold'])
prior_mean_silver = np.mean(data['Silver'])
prior_std_silver = np.std(data['Silver'])
prior_mean_bronze = np.mean(data['Bronze'])
```

```
prior_std_bronze = np.std(data['Bronze'])

# 为每个国家单独训练模型
country_models = {}
for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    if len(country_data) > 1:  # 确保每个国家至少有两条记录
        country_features = country_data[['Year', 'NOC', 'Prev_Total',␣
↪'Prev_Gold', 'Prev_Silver', 'Prev_Bronze']]
        country_target_total = country_data['Total']
        country_target_gold = country_data['Gold']
        country_target_silver = country_data['Silver']
        country_target_bronze = country_data['Bronze']

        country_model_total = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)
        country_model_gold = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)
        country_model_silver = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)
        country_model_bronze = XGBRegressor(objective='reg:squarederror',␣
↪random_state=42)

        country_model_total.fit(country_features, country_target_total)
        country_model_gold.fit(country_features, country_target_gold)
        country_model_silver.fit(country_features, country_target_silver)
        country_model_bronze.fit(country_features, country_target_bronze)

        country_models[country] = {
            'total': country_model_total,
            'gold': country_model_gold,
            'silver': country_model_silver,
            'bronze': country_model_bronze
        }

# 预测 2028 年奥运会的奖牌数
```

```
next_year = 2028
predictions = []

for country in data['NOC'].unique():
    country_data = data[data['NOC'] == country]
    if len(country_data) > 1:
        prev_total = country_data['Total'].iloc[-1]
        prev_gold = country_data['Gold'].iloc[-1]
        prev_silver = country_data['Silver'].iloc[-1]
        prev_bronze = country_data['Bronze'].iloc[-1]

        next_data = pd.DataFrame({
            'Year': [next_year],
            'NOC': [country],
            'Prev_Total': [prev_total],
            'Prev_Gold': [prev_gold],
            'Prev_Silver': [prev_silver],
            'Prev_Bronze': [prev_bronze]
        })

        # 使用单独模型预测
        total_pred_private = country_models[country]['total'].predict(next_data)
        gold_pred_private = country_models[country]['gold'].predict(next_data)
        silver_pred_private = country_models[country]['silver'].
↪predict(next_data)
        bronze_pred_private = country_models[country]['bronze'].
↪predict(next_data)

        # 使用整体模型预测
        total_pred_global = best_model_total.predict(next_data)
        gold_pred_global = best_model_gold.predict(next_data)
        silver_pred_global = best_model_silver.predict(next_data)
        bronze_pred_global = best_model_bronze.predict(next_data)

        # 根据数据量分配权重
        data_count = len(country_data)
```

```
        weight = min(data_count / 10, 1)  # 数据量越多，权重越高，但不超过 1

        # 贝叶斯更新
        total_posterior_mean_private, total_posterior_std_private = 
↪bayesian_update(prior_mean_total, prior_std_total, [total_pred_private])
        gold_posterior_mean_private, gold_posterior_std_private = 
↪bayesian_update(prior_mean_gold, prior_std_gold, [gold_pred_private])
        silver_posterior_mean_private, silver_posterior_std_private = 
↪bayesian_update(prior_mean_silver, prior_std_silver, [silver_pred_private])
        bronze_posterior_mean_private, bronze_posterior_std_private = 
↪bayesian_update(prior_mean_bronze, prior_std_bronze, [bronze_pred_private])

        total_posterior_mean_global, total_posterior_std_global = 
↪bayesian_update(prior_mean_total, prior_std_total, [total_pred_global])
        gold_posterior_mean_global, gold_posterior_std_global = 
↪bayesian_update(prior_mean_gold, prior_std_gold, [gold_pred_global])
        silver_posterior_mean_global, silver_posterior_std_global = 
↪bayesian_update(prior_mean_silver, prior_std_silver, [silver_pred_global])
        bronze_posterior_mean_global, bronze_posterior_std_global = 
↪bayesian_update(prior_mean_bronze, prior_std_bronze, [bronze_pred_global])

        # 合成预测结果
        total_posterior_mean_combined = weight * total_posterior_mean_private + 
↪(1 - weight) * total_posterior_mean_global
        gold_posterior_mean_combined = weight * gold_posterior_mean_private + 
↪(1 - weight) * gold_posterior_mean_global
        silver_posterior_mean_combined = weight * silver_posterior_mean_private 
↪+ (1 - weight) * silver_posterior_mean_global
        bronze_posterior_mean_combined = weight * bronze_posterior_mean_private 
↪+ (1 - weight) * bronze_posterior_mean_global

        total_posterior_std_combined = weight * total_posterior_std_private + 
↪(1 - weight) * total_posterior_std_global
        gold_posterior_std_combined = weight * gold_posterior_std_private + (1 
↪- weight) * gold_posterior_std_global
```

```python
        silver_posterior_std_combined = weight * silver_posterior_std_private + 
↪(1 - weight) * silver_posterior_std_global
        bronze_posterior_std_combined = weight * bronze_posterior_std_private + 
↪(1 - weight) * bronze_posterior_std_global

        # 计算 95% 置信区间
        total_lower, total_upper = norm.interval(0.95, 
↪loc=total_posterior_mean_combined, scale=total_posterior_std_combined)
        gold_lower, gold_upper = norm.interval(0.95, 
↪loc=gold_posterior_mean_combined, scale=gold_posterior_std_combined)
        silver_lower, silver_upper = norm.interval(0.95, 
↪loc=silver_posterior_mean_combined, scale=silver_posterior_std_combined)
        bronze_lower, bronze_upper = norm.interval(0.95, 
↪loc=bronze_posterior_mean_combined, scale=bronze_posterior_std_combined)

        predictions.append({
            'NOC': country,
            'Total_Predicted': round(total_posterior_mean_combined),
            'Total_Lower': round(total_lower),
            'Total_Upper': round(total_upper),
            'Gold_Predicted': round(gold_posterior_mean_combined),
            'Gold_Lower': round(gold_lower),
            'Gold_Upper': round(gold_upper),
            'Silver_Predicted': round(silver_posterior_mean_combined),
            'Silver_Lower': round(silver_lower),
            'Silver_Upper': round(silver_upper),
            'Bronze_Predicted': round(bronze_posterior_mean_combined),
            'Bronze_Lower': round(bronze_lower),
            'Bronze_Upper': round(bronze_upper)
        })

# 将预测结果转换为 DataFrame
predictions_df = pd.DataFrame(predictions)

# 将 NOC 标签转换回国家代码
```

```python
predictions_df['NOC'] = label_encoder.inverse_transform(predictions_df['NOC'].
    ↪astype(int))

# 输出预测结果
print(predictions_df)

# 保存预测结果到 CSV 文件
predictions_df.to_csv('Result\\2028_olympics_medal_predictions_3.csv',␣
    ↪index=False)
```

```
Total Medals Model Evaluation:
MSE: 14.183948320207696, R2: 0.8897282113283617, MAE: 1.2766138611301299
Gold Medals Model Evaluation:
MSE: 2.9414593946059715, R2: 0.82618743758341, MAE: 0.553917856282124
Silver Medals Model Evaluation:
MSE: 1.8287626291987034, R2: 0.867498342532686, MAE: 0.5179618502816846
Bronze Medals Model Evaluation:
MSE: 2.185780634244944, R2: 0.8524910127837848, MAE: 0.5823690356586569
                NOC  Total_Predicted  Total_Lower  Total_Upper  Gold_Predicted  \
0       Afghanistan                1            1            1               0
1           Albania                2            2            2               0
2           Algeria                5            5            5               2
3         Argentina                3            3            3               1
4           Armenia                4            4            4               0
..              …              …          …          …             …
150       Venezuela                3            3            3               1
151         Vietnam                1            1            1               0
152   VirginIslands                0            0            0               0
153          Zambia                1            1            1               0
154        Zimbabwe                3            3            3               1

     Gold_Lower  Gold_Upper  Silver_Predicted  Silver_Lower  Silver_Upper  \
0             0           0                 0             0             0
1             0           0                 0             0             0
2             2           2                 0             0             0
3             1           1                 1             1             1
4             0           0                 3             3             3
```

```
..           …        …              …         …         …
150          1        1              2         2         2
151          0        0              1         1         1
152          0        0              0         0         0
153          0        0              0         0         0
154          1        1              2         2         2

     Bronze_Predicted  Bronze_Lower  Bronze_Upper
0                   1             1             1
1                   2             2             2
2                   2             2             2
3                   1             1             1
4                   1             1             1
..                …           …           …
150                 0             0             0
151                 0             0             0
152                 0             0             0
153                 1             1             1
154                 0             0             0

[155 rows x 13 columns]
```

3.2.2 区间合成

[74]:
```
import pandas as pd

# 读取 CSV 文件
file1 = 'Result\\2028_olympics_medal_predictions_3.csv'
file2 = 'Result\\2028_olympics_medal_predictions_intervals.csv'

# 读取数据
df1 = pd.read_csv(file1)
df2 = pd.read_csv(file2)

# 合并两个数据框，基于 NOC 列
merged_df = pd.merge(df1, df2, on='NOC', suffixes=('_file1', '_file2'))
```

```python
# 计算均值、最大值和最小值
merged_df['Total_Predicted'] = round((merged_df['Total_Predicted_file1'] + merged_df['Total_Predicted_file2']*2) / 3).astype(int)
merged_df['Total_Lower'] = merged_df[['Total_Lower_file1', 'Total_Lower_file2']].min(axis=1)
merged_df['Total_Upper'] = merged_df[['Total_Upper_file1', 'Total_Upper_file2']].max(axis=1)

merged_df['Gold_Predicted'] = round((merged_df['Gold_Predicted_file1'] + merged_df['Gold_Predicted_file2']*2) / 3).astype(int)
merged_df['Gold_Lower'] = merged_df[['Gold_Lower_file1', 'Gold_Lower_file2']].min(axis=1)
merged_df['Gold_Upper'] = merged_df[['Gold_Upper_file1', 'Gold_Upper_file2']].max(axis=1)

merged_df['Silver_Predicted'] = round((merged_df['Silver_Predicted_file1'] + merged_df['Silver_Predicted_file2']*2) / 3).astype(int)
merged_df['Silver_Lower'] = merged_df[['Silver_Lower_file1', 'Silver_Lower_file2']].min(axis=1)
merged_df['Silver_Upper'] = merged_df[['Silver_Upper_file1', 'Silver_Upper_file2']].max(axis=1)

merged_df['Bronze_Predicted'] = round((merged_df['Bronze_Predicted_file1'] + merged_df['Bronze_Predicted_file2']*2) / 3).astype(int)
merged_df['Bronze_Lower'] = merged_df[['Bronze_Lower_file1', 'Bronze_Lower_file2']].min(axis=1)
merged_df['Bronze_Upper'] = merged_df[['Bronze_Upper_file1', 'Bronze_Upper_file2']].max(axis=1)

# 选择需要的列
final_df = merged_df[['NOC', 'Total_Predicted', 'Total_Lower', 'Total_Upper',
                      'Gold_Predicted', 'Gold_Lower', 'Gold_Upper',
                      'Silver_Predicted', 'Silver_Lower', 'Silver_Upper',
                      'Bronze_Predicted', 'Bronze_Lower', 'Bronze_Upper']]
```

```python
# 保存结果到新的 CSV 文件
final_df.to_csv('Result\\merged_olympics_medal_predictions.csv', index=False)

# 显示结果
final_df.head()
```

[74]:

```
           NOC  Total_Predicted  Total_Lower  Total_Upper  Gold_Predicted  \
0  Afghanistan                1            1            1               0
1      Albania                2            2            2               0
2      Algeria                5            4            6               2
3    Argentina                3            3            3               1
4      Armenia                4            4            4               0

   Gold_Lower  Gold_Upper  Silver_Predicted  Silver_Lower  Silver_Upper  \
0           0           0                 0             0             0
1           0           0                 0             0             0
2           2           2                 0             0             0
3           1           1                 1             1             1
4           0           0                 3             3             3

   Bronze_Predicted  Bronze_Lower  Bronze_Upper
0                 1             1             1
1                 2             2             2
2                 2             2             2
3                 1             1             1
4                 1             1             1
```

4 结果分析

4.1 第一问

4.1.1 国家相比 2024 年进步或退步

[75]:

```python
# 读取合并后的 CSV 文件
merged_file = 'Result\\merged_olympics_medal_predictions.csv'

# 读取数据
```

```
merged_df = pd.read_csv(merged_file)

# 提取预测值列
predictions_df = merged_df[['NOC', 'Total_Predicted', 'Gold_Predicted',␣
↪'Silver_Predicted', 'Bronze_Predicted']].sort_values(by='Total_Predicted',␣
↪ascending=False).reset_index(drop=True)

# 显示结果
predictions_df.head()

predictions_df.to_csv('Generated\\2028_Prediction_data.csv')
```

[76]:
```
# 读取合并后的 CSV 文件
medal_file = '2025_Problem_C_Data\\summerOly_medal_counts.csv'

# 读取数据
medal_df = pd.read_csv(medal_file)
medal_df = medal_df[medal_df['Year'] == 2024]

# 提取预测值列
predictions_df = medal_df[['NOC', 'Total', 'Gold', 'Silver', 'Bronze']].
↪reset_index(drop=True)
predictions_df['NOC'] = predictions_df['NOC'].str.replace(r'[^a-zA-Z]', '',␣
↪regex=True)

# 显示结果
predictions_df.head()

predictions_df.to_csv('Generated\\2024_Observation_data.csv')
```

[77]:
```
import pandas as pd

# 2024 年奥运会奖牌榜
data_2024 = pd.read_csv('Generated\\2024_Observation_data.csv')

# 2028 年奥运会奖牌榜预测结果
```

```
data_2028 = pd.read_csv('Generated\\2028_Prediction_data.csv')

# 创建 DataFrame
df_2024 = pd.DataFrame(data_2024)
df_2028 = pd.DataFrame(data_2028)

# 合并两个 DataFrame
merged_df = pd.merge(df_2024, df_2028, on='NOC', how='outer')

# 计算奖牌总数和金牌数的变化
merged_df['Total_Change'] = merged_df['Total_Predicted'] - merged_df['Total']
merged_df['Gold_Change'] = merged_df['Gold_Predicted'] - merged_df['Gold']

# 判断进步或退步
#merged_df['Total_Progress'] = merged_df.apply(lambda row: 'Front' if␣
↪row['Total_Change'] / row['Total'] > 0.15 else 'Back' if row['Total_Change']␣
↪/ row['Total'] < -0.15 else 'Stable', axis=1)
#merged_df['Gold_Progress'] = merged_df.apply(lambda row: 'Front' if␣
↪row['Gold_Change'] / row['Gold'] > 0.15 else 'Back' if row['Gold_Change'] /␣
↪row['Gold'] < -0.15 else 'Stable', axis=1)

# 判断进步或退步 (0 检验)
merged_df['Total_Progress'] = merged_df.apply(lambda row: 'Front' if␣
↪row['Total'] != 0 and row['Total_Change'] / row['Total'] > 0.15 else 'Back'␣
↪if row['Total'] != 0 and row['Total_Change'] / row['Total'] < -0.15 else␣
↪'Stable' if row['Total'] != 0 else 'Front' if row['Total_Change'] > 0 else␣
↪'Stable' if row['Total_Change'] == 0 else 'NaN', axis=1)
merged_df['Gold_Progress'] = merged_df.apply(lambda row: 'Front' if row['Gold']␣
↪!= 0 and row['Gold_Change'] / row['Gold'] > 0.15 else 'Back' if row['Gold'] !
↪= 0 and row['Gold_Change'] / row['Gold'] < -0.15 else 'Stable' if␣
↪row['Gold'] != 0 else 'Front' if row['Gold_Change'] > 0 else 'Stable' if␣
↪row['Gold_Change'] == 0  else 'NaN', axis=1)

# 生成新的 DataFrame
result_df = merged_df[['NOC', 'Total_Progress', 'Gold_Progress']]
```

```python
# 重命名列
result_df.columns = ['NOC', 'Total', 'Gold']

print(result_df)

result_df.to_csv('Result\\2028_Olympics_country_progress.csv')
```

```
                NOC   Total    Gold
0       Afghanistan  Stable  Stable
1           Albania  Stable  Stable
2           Algeria   Front  Stable
3         Argentina  Stable  Stable
4           Armenia  Stable  Stable
..              ...     ...     ...
150       Venezuela  Stable  Stable
151         Vietnam  Stable  Stable
152   VirginIslands  Stable  Stable
153          Zambia  Stable  Stable
154        Zimbabwe  Stable  Stable

[155 rows x 3 columns]
```

4.2 第二问

4.2.1 预处理

[78]:
```python
import pandas as pd
import re

# 加载数据
file_path = '2025_Problem_C_Data\\summerOly_medal_counts.csv'
data = pd.read_csv(file_path)

# 清洗国家名 NOC，只保留英文字母
data['NOC'] = data['NOC'].apply(lambda x: ''.join(re.findall(r'[A-Za-z]', x)))

# 初始化字典来存储每个国家的第一枚奖牌时间和第一枚金牌时间
```

```
first_medal_time = {}
first_gold_time = {}

# 遍历数据
for index, row in data.iterrows():
    year = row['Year']
    noc = row['NOC']
    gold = row['Gold']
    total = row['Total']

    # 如果国家尚未记录第一枚奖牌时间
    if noc not in first_medal_time and total > 0:
        first_medal_time[noc] = year

    # 如果国家尚未记录第一枚金牌时间
    if noc not in first_gold_time and gold > 0:
        first_gold_time[noc] = year

# 将结果转换为 DataFrame
result = pd.DataFrame({
    'NOC': list(first_medal_time.keys()),
    'First Medal Time': list(first_medal_time.values()),
    'First Gold Time': [first_gold_time.get(noc, None) for noc in␣
 ↪first_medal_time.keys()]
})

# 保存结果到 CSV 文件
result.to_csv('Generated\\first_medal_and_gold_times.csv', index=False)

print("结果已保存到 first_medal_and_gold_times.csv 文件中。")
```

```
结果已保存到 first_medal_and_gold_times.csv 文件中。
```

[79]:
```
import pandas as pd

# 加载数据
file_path = 'Generated\\first_medal_and_gold_times.csv'
```

```python
data = pd.read_csv(file_path)

# 定义实际的奥运会年份
olympic_years = [1896, 1900, 1904, 1908, 1912, 1920, 1924, 1928, 1932, 1936,␣
 ↪1948, 1952, 1956, 1960, 1964, 1968, 1972, 1976, 1980, 1984, 1988, 1992,␣
 ↪1996, 2000, 2004, 2008, 2012, 2016, 2020, 2024]

# 初始化字典来存储每届奥运会首次获得奖牌和金牌的国家数量
first_medal_counts = {year: 0 for year in olympic_years}
first_gold_counts = {year: 0 for year in olympic_years}

# 遍历数据
for index, row in data.iterrows():
    first_medal_time = row['First Medal Time']
    first_gold_time = row['First Gold Time']

    if first_medal_time in first_medal_counts:
        first_medal_counts[first_medal_time] += 1

    if first_gold_time in first_gold_counts and not pd.isna(first_gold_time):
        first_gold_counts[first_gold_time] += 1

# 将结果转换为 DataFrame
result = pd.DataFrame({
    'Year': olympic_years,
    'First Medal Countries': [first_medal_counts[year] for year in␣
 ↪olympic_years],
    'First Gold Countries': [first_gold_counts[year] for year in olympic_years]
})

# 保存结果到 CSV 文件
result.to_csv('Generated\\first_medal_and_gold_countries.csv', index=False)

print("结果已保存到 first_medal_and_gold_countries.csv 文件中。")
```

结果已保存到 first_medal_and_gold_countries.csv 文件中。

[80]:
```python
import pandas as pd
import matplotlib.pyplot as plt

# 加载数据
file_path = 'Generated\\first_medal_and_gold_countries.csv'
data = pd.read_csv(file_path)

# 绘制折线图
plt.figure(figsize=(14, 7))

# 绘制第一次获得奖牌的国家数
plt.plot(data['Year'], data['First Medal Countries'], label='First Medal␣
↪Countries', marker='o')

# 绘制第一次获得金牌的国家数
plt.plot(data['Year'], data['First Gold Countries'], label='First Gold␣
↪Countries', marker='o')

# 添加标题和标签
plt.title('Number of Countries Winning Medals or Gold for the First Time in␣
↪Each Olympic Year')
plt.xlabel('Year')
plt.ylabel('Number of Countries')
plt.legend()

# 显示网格
plt.grid(True)

# 显示图表
plt.show()
```



4.2.2 线性回归预测

[81]:
```python
import pandas as pd
import numpy as np
from sklearn.linear_model import LinearRegression
import matplotlib.pyplot as plt

# 加载数据
file_path = 'Generated\\first_medal_and_gold_countries.csv'
data = pd.read_csv(file_path)

# 准备数据
years = data['Year'].values.reshape(-1, 1)
first_medal_countries = data['First Medal Countries'].values
first_gold_countries = data['First Gold Countries'].values

# 训练线性回归模型
model_medal = LinearRegression()
model_medal.fit(years, first_medal_countries)
```

```
model_gold = LinearRegression()
model_gold.fit(years, first_gold_countries)

# 预测 2028 年的值
year_2028 = np.array([2028]).reshape(-1, 1)
pre_medal_2028 = [round(model_medal.predict(year_2028)[0])]
pre_gold_2028 = [round(model_gold.predict(year_2028)[0])]

# 绘制折线图
plt.figure(figsize=(14, 7))

# 绘制第一次获得奖牌的国家数
plt.plot(data['Year'], data['First Medal Countries'], label='First Medal Countries', marker='o')
plt.plot([2028], pre_medal_2028, marker='o', color='red', label='Predicted First Medal Countries in 2028')

# 绘制第一次获得金牌的国家数
plt.plot(data['Year'], data['First Gold Countries'], label='First Gold Countries', marker='o')
plt.plot([2028], pre_gold_2028, marker='o', color='green', label='Predicted First Gold Countries in 2028')

# 添加标题和标签
plt.title('Number of Countries Winning Medals or Gold for the First Time in Each Olympic Year')
plt.xlabel('Year')
plt.ylabel('Number of Countries')
plt.legend()

# 显示网格
plt.grid(True)

# 显示图表
plt.show()
```

```python
# 输出预测结果
print(f"预测 2028 年首次获得奖牌的国家数量: {pre_medal_2028[0]}")
print(f"预测 2028 年首次获得金牌的国家数量: {pre_gold_2028[0]}")
```



预测 2028 年首次获得奖牌的国家数量: 6
预测 2028 年首次获得金牌的国家数量: 5

- 分析效果

[82]:
```python
# 计算模型的拟合度
r2_medal = model_medal.score(years, first_medal_countries)
r2_gold = model_gold.score(years, first_gold_countries)

print(f"首次获得奖牌的国家数量模型的拟合度 (R^2): {r2_medal:.2f}")
print(f"首次获得金牌的国家数量模型的拟合度 (R^2): {r2_gold:.2f}")
```

首次获得奖牌的国家数量模型的拟合度 (R^2): 0.02
首次获得金牌的国家数量模型的拟合度 (R^2): 0.02

4.2.3 评估可能性

[92]:
```python
import pandas as pd
import numpy as np
from sklearn.linear_model import LinearRegression
import statsmodels.api as sm
import matplotlib.pyplot as plt

# 加载数据
file_path = 'Generated\\first_medal_and_gold_countries.csv'
data = pd.read_csv(file_path)

# 准备数据
years = data['Year'].values.reshape(-1, 1)
first_medal_countries = data['First Medal Countries'].values
first_gold_countries = data['First Gold Countries'].values

# 训练线性回归模型
model_medal = LinearRegression()
model_medal.fit(years, first_medal_countries)

model_gold = LinearRegression()
model_gold.fit(years, first_gold_countries)

# 预测 2028 年的值
year_2028 = np.array([2028]).reshape(-1, 1)
pre_medal_2028 = model_medal.predict(year_2028)
pre_gold_2028 = model_gold.predict(year_2028)

# 使用 statsmodels 计算置信区间
X = sm.add_constant(years)  # 添加常数项
model_medal_sm = sm.OLS(first_medal_countries, X).fit()
model_gold_sm = sm.OLS(first_gold_countries, X).fit()

# 预测 2028 年的值及其置信区间
year_2028_sm = sm.add_constant(year_2028)  # 添加常数项
pre_medal_2028_sm = model_medal_sm.get_prediction(year_2028_sm).summary_frame()
```

```python
pre_gold_2028_sm = model_gold_sm.get_prediction(year_2028_sm).summary_frame()

# 绘制折线图
plt.figure(figsize=(14, 7))

# 绘制第一次获得奖牌的国家数
plt.plot(data['Year'], data['First Medal Countries'], label='First Medal Countries', marker='o')
plt.plot([2028], pre_medal_2028, marker='o', color='red', label='Predicted First Medal Countries in 2028')

# 绘制第一次获得金牌的国家数
plt.plot(data['Year'], data['First Gold Countries'], label='First Gold Countries', marker='o')
plt.plot([2028], pre_gold_2028, marker='o', color='green', label='Predicted First Gold Countries in 2028')

# 添加置信区间
plt.fill_between([2028], pre_medal_2028_sm['mean_ci_lower'], pre_medal_2028_sm['mean_ci_upper'], color='red', alpha=0.2)
plt.fill_between([2028], pre_gold_2028_sm['mean_ci_lower'], pre_gold_2028_sm['mean_ci_upper'], color='green', alpha=0.2)

# 添加标题和标签
plt.title('Number of Countries Winning Medals or Gold for the First Time in Each Olympic Year')
plt.xlabel('Year')
plt.ylabel('Number of Countries')
plt.legend()

# 显示网格
plt.grid(True)

# 显示图表
plt.show()
```

```
# 输出预测结果及其置信区间
print(f"预测 2028 年首次获得奖牌的国家数量: {pre_medal_2028[0]:.2f}")
print(f"预测 2028 年首次获得金牌的国家数量: {pre_gold_2028[0]:.2f}")
print(f"预测 2028 年首次获得奖牌的国家数量的置信区间:␣
↪[{pre_medal_2028_sm['mean_ci_lower'][0]:.2f},␣
↪{pre_medal_2028_sm['mean_ci_upper'][0]:.2f}]")
print(f"预测 2028 年首次获得金牌的国家数量的置信区间:␣
↪[{pre_gold_2028_sm['mean_ci_lower'][0]:.2f},␣
↪{pre_gold_2028_sm['mean_ci_upper'][0]:.2f}]")
```

```
---------------------------------------------------------------------------
ValueError                                Traceback (most recent call last)
Cell In[92], line 35
     33 # 预测 2028 年的值及其置信区间
     34 year_2028_sm = sm.add_constant(year_2028)  # 添加常数项
---> 35 pre_medal_2028_sm = model_medal_sm.get_prediction(year_2028_sm).
↪summary_frame()
     36 pre_gold_2028_sm = model_gold_sm.get_prediction(year_2028_sm).
↪summary_frame()
     38 # 绘制折线图

File c:
↪\Users\Ziqi\Documents\Python\2025-MCM-C\new_env\Lib\site-packages\statsmodels\regression\li
↪py:2692, in RegressionResults.get_prediction(self, exog, transform, weights,␣
↪row_labels, **kwargs)
   2688 @Appender(pred.get_prediction.__doc__)
   2689 def get_prediction(self, exog=None, transform=True, weights=None,
   2690                    row_labels=None, **kwargs):
-> 2692     return pred.get_prediction(
   2693         self, exog=exog, transform=transform, weights=weights,
   2694         row_labels=row_labels, **kwargs)

File c:
↪\Users\Ziqi\Documents\Python\2025-MCM-C\new_env\Lib\site-packages\statsmodels\regression\_p
↪py:198, in get_prediction(self, exog, transform, weights, row_labels,␣
↪pred_kwds)
    196 if pred_kwds is None:
    197     pred_kwds = {}
```

```
--> 198 predicted_mean = self.model.predict(self.params, exog, **pred_kwds)
    200 covb = self.cov_params()
    201 var_pred_mean = (exog * np.dot(covb, exog.T).T).sum(1)


File c:
 ↪\Users\Ziqi\Documents\Python\2025-MCM-C\new_env\Lib\site-packages\statsmodels\regression\li
 ↪py:409, in RegressionModel.predict(self, params, exog)
    406 if exog is None:
    407     exog = self.exog
--> 409 return np.dot(exog, params)


ValueError: shapes (1,1) and (2,) not aligned: 1 (dim 1) != 2 (dim 0)
```