Set 1

JSON-java

- boolean similar(Object other) JSONObject.java
- Writer write(Writer writer, int indentFactor, int indent) JSONObject.java
- JSONArray(JSONTokener x) JSONArray.java
- String unescape(String string) XML.java

json-iterator

- Decoder createDecoder(String cacheKey, Type type) extra/GsonCompatibilityMode.java
- void enocde_(Object obj, JsonStream stream) output/ReflectionObjectEncoder.java
- void enableDecoders() extra/Base64FloatSupport.java
- boolean equals(Object o) extra/GsonCompatibilityMode.java

Set 2

JSON-java

- String toString(JSONArray ja) JSONML.java
- BigInteger objectToBigInteger(Object val, BigInteger defaultValue) JSONObject.java
- JSONArray(JSONTokener x) JSONArray.java
- Float getFloat(int index) JSONArray.java

json-iterator

- Object read() JsonIterator.java
- int parse(JsonIterator iter) IterImplString.java
- boolean equals(Object o) extra/GsonCompatibilityMode.java
- void skipFixedBytes(JsonIterator iter, int n) IterImplForStreaming.java

Set 3

JSON-java

- String toString(JSONArray ja) JSONML.java
- String unescape(String string) XML.java
- void populateMap(Object bean) JSONObject.java
- JSONObject toJSONObject(String string) Cookie.java

json-iterator

- void enableDecoders() extra/Base64FloatSupport.java
- void writeRaw(String val, int remaining) output/JsonStream.java
- Any fillCacheUntil(int target) any/ArrayLazyAny.java
- Object read() JsonIterator.java