

Sybase PowerDesigner Physical Data Model Report

***Model: GP Gestione Personale
Report: GPP Gestione Personale***



Author: MarcoFa
Version:
Date: 25/02/2022

Summary: Anagrafe Matricolare e Ambiente Applicativo del sistema Gestione Integrata del Personale

Table of Contents

The 'Table of Contents' field needs to be updated!

I Specifications

Include specifications here...

II Model information

II.1 Card of model GP_GESTIONE_PERSONALE

Name	GP Gestione Personale
Code	GP_GESTIONE_PERSONALE
Comment	Anagrafe Matricolare e Ambiente Applicativo del sistema Gestione Integrata del Personale
DBMS	ORACLE Version 8i2 (for Si4)
Database	<None>


II.2 Description of model GP_GESTIONE_PERSONALE

Anagrafe Matricolare e Ambiente Applicativo del sistema Gestione Integrata del Personale.


III PDM Diagrams

III.1 Model level diagrams

III.1.1 Diagram CONTESTO




III.1.2 Diagram SINTESI



III.2 Package diagrams Ambiente_Applicativo

III.2.1 Diagram GENERALE



III.3 Package diagrams Ambiente_Sistema

III.3.1 Diagram GENERALE

A_COMPETENZE		
UTENTE	VARCHAR2(8)	<pk>
OGGETTO	VARCHAR2(30)	<pk>
AMBIENTE	VARCHAR2(8)	<pk>
ENTE	VARCHAR2(4)	<pk>
COMPETENZA	VARCHAR2(20)	<pk>

A_COMUN		
PROVINCIA_STATO	NUMBER(3)	<pk>
COMUNE	NUMBER(3)	<pk>


A_PROVINCIE		
PROVINCIA	NUMBER(3)	<pk>

A_REGION		
REGIONE	NUMBER(3)	<pk>


GRUPPI_LINGUISTICA		
GRUPPO	VARCHAR2(1)	
SEQUENZA	NUMBER(2)	
GRUPPO_AL	VARCHAR2(1)	
DESCRIZIONE	VARCHAR2(30)	

III.4 Package diagrams Anagrafe_Matricolare


III.4.1 Diagram DENUNCIA_DISABILI



III.4.2 Diagram GENERALE




III.4.3 Diagram REF_CODES



III.5 Package diagrams Ref_Codes

III.5.1 Diagram REF_CODES_DEFINIZIONE



IV Common Objects

IV.1 Business Rules

IV.1.1 List of business rules

Name	Code	Rule Type
Allargamento Campo Gestione	ALLARGAMENTO_CAMPO_GESTIONE	Definition
Allineamento Amministrativi	ALLINEAMENTO_AMMINISTRATIVI	Definition
Chiavi per Relazioni Condizionate	CHIAVI_PER_RELAZIONI_CONDIZIONATE	Definition
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM_REF_CODES	Definition
Domino INPUT	DOMINO_INPUT	Definition
FK Constraint Deferred	FK_CONSTRAINT_DEFERRED	Requirement
integrita_storica	INTEGRITA_STORICA	Definition
NUOVE FK	NUOVE_FK	Definition
Oggetti non presenti (p00u@test)	OGGETTI_NON_PRESENTI_P00U_TEST	Definition
PK Trasformate in UK	PK_TRASFORMATE_IN_UK	Definition
Relazioni Condizionate	RELAZIONI_CONDIZIONATE	Definition
Relazioni su COMUNI (se è OK elimianre la BR)	RELAZIONI_SU_COMUNI_SE_E_OK_ELIMIANRE_LA_BR	Definition
Revisioni Struttura	REVISIONI_STRUTTURA	Definition
riferimento storico	RIFERIMENTO_STORICO	Definition
Suddivisioni Struttura	SUDDIVISIONI_STRUTTURA	Definition
Valorizzazione Unità Revisione	VALORIZZAZIONE_UNITA_REVISIIONE	Definition

IV.1.2 Business rule ALLARGAMENTO_CAMPO_GESTIONE

IV.1.2.1 Card of business rule ALLARGAMENTO_CAMPO_GESTIONE

Name	Allargamento Campo Gestione
Code	ALLARGAMENTO_CAMPO_GESTIONE
Rule Type	Definition

IV.1.3 Business rule ALLINEAMENTO_AMMINISTRATIVI

IV.1.3.1 Card of business rule ALLINEAMENTO_AMMINISTRATIVI

Name	Allineamento Amministrativi
Code	ALLINEAMENTO_AMMINISTRATIVI
Rule Type	Definition

IV.1.4 Business rule CHIAVI_PER_RELAZIONI_CONDIZIONATE

IV.1.4.1 Card of business rule CHIAVI_PER_RELAZIONI_CONDIZIONATE

Name	Chiavi per Relazioni Condizionate
Code	CHIAVI_PER_RELAZIONI_CONDIZIONATE
Rule Type	Definition

IV.1.5 Business rule CREAZIONE_DEI_DOMINI_PGM_REF_CODES_

IV.1.5.1 Card of business rule

CREAZIONE_DEI_DOMINI_PGM_REF_CODES_

Name	Creazione dei Domini (PGM_REF_CODES)
Code	CREAZIONE_DEI_DOMINI_PGM_REF_CODES
Rule Type	Definition

IV.1.5.2 List of all dependencies of the business rule

CREAZIONE_DEI_DOMINI_PGM_REF_CODES_

Name	Code	Class Name
GruppoLin	gruppolin	Domain
MESE	mese	Domain
NO	no	Domain
Rilevanza Giuridica	rilevanza_giuridica	Domain
Sesso	sesso	Domain
SI	si	Domain
SINO	sino	Domain
Vocabolo	vocabolo	Domain

IV.1.6 Business rule DOMINO_INPUT

IV.1.6.1 Card of business rule DOMINO_INPUT

Name	Domino INPUT
Code	DOMINO_INPUT

Rule Type	Definition
-----------	------------

IV.1.6.2 List of all dependencies of the business rule DOMINO_INPUT

Name	Code	Class Name
MOVIMENTI_CONTABILI.INPUT	movimenti_contabili_input	Domain

IV.1.7 Business rule FK_CONSTRAINT_DEFERRED

IV.1.7.1 Card of business rule FK_CONSTRAINT_DEFERRED

Name	FK Constraint Deferred
Code	FK_CONSTRAINT_DEFERRED
Rule Type	Requirement

IV.1.7.2 Description of business rule FK_CONSTRAINT_DEFERRED

Per FK abbinate alla tabella settori è necessario il deferred per poter eseguire la procedura ALLINEA_SETTORI.

DA FARE SOLO SU ORACLE 8

IV.1.8 Business rule INTEGRITA_STORICA

IV.1.8.1 Card of business rule INTEGRITA_STORICA

Name	integrita_storica
Code	INTEGRITA_STORICA
Rule Type	Definition

IV.1.8.2 Description of business rule INTEGRITA_STORICA

nel trigger '<Father Table>_TIU' viene richiamata (in caso di update/delete) il controllo 'chk_RI', che mediante la funzione 'is_integrita_storica_ok', controlla la correttezza del legame con un eventuale record figlio secondo la condizione di join complessa; nel caso in cui, prima di eseguire questo controllo, sia necessario effettuare delle modifiche sulla tabella padre stessa (es: ripristinare la condizione di contiguità tra i periodi di una stessa 'famiglia' di record), nel trigger '<Father Table>_TIU' vengono lanciate, in post-event nella stessa istruzione, la procedure set_periodi_contigui, che effettua le operazioni di modifica sulla tabella padre, e subito dopo la procedure chk_RI che effettua (tra le altre) le operazioni di controllo di integrità storica sulla tabella figlia;

IV.1.8.3 List of all dependencies of the business rule INTEGRITA_STORICA

Name	Code	Class Name
RAIN_ANAG	RAIN_ANAG	Reference

IV.1.9 Business rule NUOVE_FK

IV.1.9.1 Card of business rule NUOVE_FK

Name	NUOVE FK
Code	NUOVE_FK
Rule Type	Definition

IV.1.10 Business rule OGGETTI_NON_PRESENTI_P00U_TEST_

IV.1.10.1 Card of business rule OGGETTI_NON_PRESENTI_P00U_TEST_

Name	Oggetti non presenti (p00u@test)
Code	OGGETTI_NON_PRESENTI_P00U_TEST_
Rule Type	Definition

IV.1.11 Business rule PK_TRASFORMATE_IN_UK

IV.1.11.1 Card of business rule PK_TRASFORMATE_IN_UK

Name	PK Trasformate in UK
Code	PK_TRASFORMATE_IN_UK
Rule Type	Definition

IV.1.12 Business rule RELAZIONI_CONDIZIONATE

IV.1.12.1 Card of business rule RELAZIONI_CONDIZIONATE

Name	Relazioni Condizionate
Code	RELAZIONI_CONDIZIONATE
Rule Type	Definition

*IV.1.13 Business rule**RELAZIONI_SU_COMUNI_SE_E_OK_ELIMIANRE_LA_BR_*

IV.1.13.1 Card of business rule

RELAZIONI_SU_COMUNI_SE_E_OK_ELIMIANRE_LA_BR_

Name	Relazioni su COMUNI (se è OK eliminare la BR)
Code	RELAZIONI_SU_COMUNI_SE_E_OK_ELIMIANRE_LA_BR_
Rule Type	Definition

IV.1.13.2 List of all dependencies of the business rule

RELAZIONI_SU_COMUNI__SE_E_OK_ELIMIANRE_LA_BR_

Name	Code	Class Name
ANAG COMU DOM	ANAG COMU DOM	Reference
ANAG COMU NAS	ANAG COMU NAS	Reference
ANAG COMU RES	ANAG COMU RES	Reference

IV.1.14 Business rule REVISIONI_STRUTTURA

IV.1.14.1 Card of business rule REVISIONI_STRUTTURA

Name	Revisioni Struttura
Code	REVISIONI_STRUTTURA
Rule Type	Definition

IV.1.15 Business rule RIFERIMENTO_STORICO

IV.1.15.1 Card of business rule RIFERIMENTO_STORICO

Name	riferimento storico
Code	RIFERIMENTO_STORICO
Rule Type	Definition

IV.1.15.2 Description of business rule RIFERIMENTO_STORICO

nel trigger '<Child_Table_Package>_TIU' viene richiamata (in caso di insert/update) il controllo 'chk_RI', che mediante la funzione 'is_riferimento_storico_ok', controlla l'eventuale esistenza di un record padre secondo la condizione di join complessa;

IV.1.15.3 List of all dependencies of the business rule RIFERIMENTO_STORICO

Name	Code	Class Name
RAIN_ANAG	RAIN_ANAG	Reference

IV.1.16 Business rule SUDDIVISIONI_STRUTTURA

IV.1.16.1 Card of business rule SUDDIVISIONI_STRUTTURA

Name	Suddivisioni Struttura
Code	SUDDIVISIONI_STRUTTURA
Rule Type	Definition

IV.1.17 Business rule VALORIZZAZIONE_UNITA_REVISIONE**IV.1.17.1 Card of business rule VALORIZZAZIONE_UNITA_REVISIONE**

Name	Valorizzazione Unità Revisione
Code	VALORIZZAZIONE_UNITA_REVISIONE
Rule Type	Definition

V Physical diagrams objects

V.1 Domains

V.1.1 List of domains

Name	Code	Data Type	Mandatory
Anno	anno	NUMBER(4)	
calendario	calendario	VARCHAR2(4)	
capitolo	capitolo	VARCHAR2(5)	
codice_2	codice_2	VARCHAR2(2)	
codice_3	codice_3	VARCHAR2(3)	
Codice 4	codice_4	VARCHAR2(4)	
codice_5	codice_5	VARCHAR2(5)	
Codice 8	codice_8	VARCHAR2(8)	
codice_11	codice_11	VARCHAR2(11)	
codice_12	codice_12	VARCHAR2(12)	
codice_20	codice_20	VARCHAR2(20)	
codice fiscale	codice_fiscale	VARCHAR2(16)	
comune	comune	NUMBER(3)	
Data	data	DATE	
Denominazione	denominazione	VARCHAR2(60)	
Descrizione	descrizione	VARCHAR2(120)	
Domain_42	domain_42	?	
Domain_43	domain_43	?	
email	email	VARCHAR2(40)	
Gestione	gestione	VARCHAR2(8)	
GruppoLin	gruppolin	?	
Indirizzo	indirizzo	VARCHAR2(40)	
MESE	mese	?	
MOVIMENTI_CONTABI LI.INPUT	movimenti_contabili_input	VARCHAR2(1)	
NI	ni	NUMBER(8)	
NO	no	?	
Nome	nome	VARCHAR2(40)	
NOSI	nosi	?	
Note	note	VARCHAR2(2000)	
Note4000	note4000	VARCHAR2(2000)	
num civico	num_civico	VARCHAR2(5)	
Numero	numero	NUMBER(8)	
partita iva	partita_iva	VARCHAR2(11)	
provincia	provincia	NUMBER(3)	
Rilevanza Giuridica	rilevanza_giuridica	?	

Sequenza	sequenza	NUMBER(6)	
Sesso	sesso	VARCHAR2(1)	
SI	si	?	
SI o NO	si_o_no	VARCHAR2(2)	
SINO	sino	?	
telefono_fax	telefono_fax	VARCHAR2(14)	
Tipo	tipo	VARCHAR2(1)	
Vocabolo	vocabolo	?	

V.1.2 Domain anno

V.1.2.1 Card of domain anno

Name	Anno
Code	anno
Data Type	NUMBER(4)
Mandatory	No

V.1.2.2 Code preview of domain anno

- The preview is empty because of the setting.
- Check the generation option.

V.1.2.3 Standard checks of domain anno

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.2.4 Server validation rule of domain anno

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.2.5 List of all dependencies of the domain anno

Name	Code	Class Name
Anno	anno	Shortcut of domain

V.1.3 Domain calendario

V.1.3.1 Card of domain calendario

Name	calendario
Code	calendario
Data Type	VARCHAR2(4)
Mandatory	No

V.1.3.2 Code preview of domain calendario

- The preview is empty because of the setting.
- Check the generation option.

V.1.3.3 Standard checks of domain calendario

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.3.4 Server validation rule of domain calendario

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.3.5 List of all dependencies of the domain calendario

Name	Code	Class Name
calendario	calendario	Shortcut of domain

V.1.4 Domain capitolo

V.1.4.1 Card of domain capitolo

Name	capitolo
Code	capitolo
Data Type	VARCHAR2(5)
Mandatory	No

V.1.4.2 Code preview of domain capitolo

- The preview is empty because of the setting.
- Check the generation option.

V.1.4.3 Standard checks of domain capitolo

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.4.4 Server validation rule of domain capitolo

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.5 Domain codice_2

V.1.5.1 Card of domain codice_2

Name	codice_2
Code	codice_2
Data Type	VARCHAR2(2)
Mandatory	No

V.1.5.2 Code preview of domain codice_2

- The preview is empty because of the setting.
- Check the generation option.

V.1.5.3 Standard checks of domain codice_2

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.5.4 Server validation rule of domain codice_2

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.6 Domain codice_3

V.1.6.1 Card of domain codice_3

Name	codice_3
Code	codice_3
Data Type	VARCHAR2(3)
Mandatory	No

V.1.6.2 Code preview of domain codice_3

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.6.3 Standard checks of domain codice_3

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.6.4 Server validation rule of domain codice_3

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.7 Domain codice_4

V.1.7.1 Card of domain codice_4

Name	Codice 4
Code	codice_4
Data Type	VARCHAR2(4)
Mandatory	No

V.1.7.2 Code preview of domain codice_4

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.7.3 Standard checks of domain codice_4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.7.4 Server validation rule of domain codice_4

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.7.5 List of all dependencies of the domain codice_4

Name	Code	Class Name
Codice 4	codice_4	Shortcut of domain

V.1.8 Domain codice_5

V.1.8.1 Card of domain codice_5

Name	codice_5
Code	codice_5
Data Type	VARCHAR2(5)
Mandatory	No

V.1.8.2 Code preview of domain codice_5

- The preview is empty because of the setting.
- Check the generation option.

V.1.8.3 Standard checks of domain codice_5

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.1.8.4 Server validation rule of domain codice_5

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.9 Domain codice_8

V.1.9.1 Card of domain codice_8

Name	Codice 8
Code	codice_8
Data Type	VARCHAR2(8)
Mandatory	No

V.1.9.2 Code preview of domain codice_8

- The preview is empty because of the setting.
- Check the generation option.

V.1.9.3 Standard checks of domain codice_8

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.9.4 Server validation rule of domain codice_8

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.9.5 List of all dependencies of the domain codice_8

Name	Code	Class Name
Codice 8	codice_8	Shortcut of domain

V.1.10 *Domain codice_11*

V.1.10.1 Card of domain codice_11

Name	codice_11
Code	codice_11
Data Type	VARCHAR2(11)
Mandatory	No

V.1.10.2 Code preview of domain codice_11

- The preview is empty because of the setting.
- Check the generation option.

V.1.10.3 Standard checks of domain codice_11

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.10.4 Server validation rule of domain codice_11

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.11 *Domain codice_12*

V.1.11.1 Card of domain codice_12

Name	codice_12
Code	codice_12
Data Type	VARCHAR2(12)
Mandatory	No

V.1.11.2 Code preview of domain codice_12

- The preview is empty because of the setting.
- Check the generation option.

V.1.11.3 Standard checks of domain codice_12

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.11.4 Server validation rule of domain codice_12

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.12 *Domain codice_20*

V.1.12.1 Card of domain codice_20

Name	codice_20
Code	codice_20
Data Type	VARCHAR2(20)
Mandatory	No

V.1.12.2 Code preview of domain codice_20

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.12.3 Standard checks of domain codice_20

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.12.4 Server validation rule of domain codice_20

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.12.5 List of all dependencies of the domain codice_20

Name	Code	Class Name

codice_20	codice_20	Shortcut of domain
-----------	-----------	--------------------

V.1.13 *Domain codice_fiscale*

V.1.13.1 Card of domain codice_fiscale

Name	codice fiscale
Code	codice_fiscale
Data Type	VARCHAR2(16)
Mandatory	No

V.1.13.2 Code preview of domain codice_fiscale

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.13.3 Standard checks of domain codice_fiscale

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.13.4 Server validation rule of domain codice_fiscale

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.13.5 List of all dependencies of the domain codice_fiscale

Name	Code	Class Name
codice fiscale	codice_fiscale	Shortcut of domain

V.1.14 *Domain comune*

V.1.14.1 Card of domain comune

Name	comune
Code	comune

Data Type	NUMBER(3)
Mandatory	No

V.1.14.2 Code preview of domain comune

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.14.3 Standard checks of domain comune

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.14.4 Server validation rule of domain comune

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.15 *Domain data*

V.1.15.1 Card of domain data

Name	Data
Code	data
Data Type	DATE
Mandatory	No

V.1.15.2 Code preview of domain data

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.15.3 Standard checks of domain data

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.1.15.4 Server validation rule of domain data

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.15.5 List of all dependencies of the domain data

Name	Code	Class Name
Data	data	Shortcut of domain

V.1.16 *Domain denominazione*

V.1.16.1 Card of domain denominazione

Name	Denominazione
Code	denominazione
Data Type	VARCHAR2(60)
Mandatory	No

V.1.16.2 Code preview of domain denominazione

- The preview is empty because of the setting.
- Check the generation option.

V.1.16.3 Standard checks of domain denominazione

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.16.4 Server validation rule of domain denominazione

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.16.5 List of all dependencies of the domain denominazione

Name	Code	Class Name
Denominazione	denominazione	Shortcut of domain

V.1.17 *Domain descrizione*

V.1.17.1 Card of domain descrizione

Name	Descrizione
Code	descrizione
Data Type	VARCHAR2(120)
Mandatory	No

V.1.17.2 Code preview of domain descrizione

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.17.3 Standard checks of domain descrizione

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.17.4 Server validation rule of domain descrizione

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.17.5 List of all dependencies of the domain descrizione

Name	Code	Class Name
Descrizione	descrizione	Shortcut of domain

V.1.18 *Domain domain_42*

V.1.18.1 Card of domain domain_42

Name	Domain_42
Code	domain_42
Data Type	<Undefined>
Mandatory	No

V.1.18.2 Code preview of domain domain_42

- The preview is empty because of the setting.
- Check the generation option.

V.1.18.3 Standard checks of domain domain_42

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.18.4 Server validation rule of domain domain_42

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.18.5 List of columns of the domain domain_42

Name	Code	Table
FILV_ID	FILV_ID	FILTRI_LISTE_VALORI

V.1.18.6 List of all dependencies of the domain domain_42

Name	Code	Class Name
FILV_ID	FILV_ID	Column

V.1.19 *Domain domain_43*

V.1.19.1 Card of domain domain_43

Name	Domain_43
Code	domain_43

Data Type	<Undefined>
Mandatory	No

V.1.19.2 Code preview of domain domain_43

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.19.3 Standard checks of domain domain_43

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.19.4 Server validation rule of domain domain_43

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.19.5 List of columns of the domain domain_43

Name	Code	Table
DIFA_ID	DIFA_ID	DICHIARAZIONI_FAMILY ARI

V.1.19.6 List of all dependencies of the domain domain_43

Name	Code	Class Name
DIFA_ID	DIFA_ID	Column

V.1.20 Domain email

V.1.20.1 Card of domain email

Name	email
Code	email
Data Type	VARCHAR2(40)
Mandatory	No

V.1.20.2 Code preview of domain email

- The preview is empty because of the setting.
- Check the generation option.

V.1.20.3 Standard checks of domain email

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.20.4 Server validation rule of domain email

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.21 *Domain gestione*

V.1.21.1 Card of domain gestione

Name	Gestione
Code	gestione
Data Type	VARCHAR2(8)
Mandatory	No

V.1.21.2 Code preview of domain gestione

- The preview is empty because of the setting.
- Check the generation option.

V.1.21.3 Standard checks of domain gestione

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.21.4 Server validation rule of domain gestione

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.21.5 List of all dependencies of the domain gestione

Name	Code	Class Name
Gestione	gestione	Shortcut of domain
Gestione	gestione	Shortcut of domain
Gestione	gestione	Shortcut of domain
Gestione	gestione	Shortcut of domain

V.1.22 *Domain gruppolin*

V.1.22.1 Card of domain gruppolin

Name	GruppoLin
Code	gruppolin
Data Type	<Undefined>
Mandatory	No

V.1.22.2 Code preview of domain gruppolin

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.22.3 Standard checks of domain gruppolin

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	<ul style="list-style-type: none"> * Gruppo non gestito D Gruppo Tedesco I Gruppo Italiano L Gruppo Ladino

V.1.22.4 Server validation rule of domain gruppolin

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.22.5 List of business rules attached to the domain gruppolin

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.1.23 *Domain indirizzo*

V.1.23.1 Card of domain indirizzo

Name	Indirizzo
Code	indirizzo
Data Type	VARCHAR2(40)
Mandatory	No

V.1.23.2 Code preview of domain indirizzo

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.23.3 Standard checks of domain indirizzo

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.23.4 Server validation rule of domain indirizzo

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.24 *Domain mese*

V.1.24.1 Card of domain mese

Name	MESE
Code	mese
Data Type	<Undefined>

Mandatory	No
-----------	----

V.1.24.2 Code preview of domain mese

- The preview is empty because of the setting.
- Check the generation option.

V.1.24.3 Standard checks of domain mese

Minimum Value	1
Maximum Value	12
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.24.4 Server validation rule of domain mese

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.24.5 List of business rules attached to the domain mese

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM _REF_CODES	Definition

V.1.25 *Domain movimenti_contabili_input*

V.1.25.1 Card of domain movimenti_contabili_input

Name	MOVIMENTI_CONTABILI.INPUT
Code	movimenti_contabili_input
Data Type	VARCHAR2(1)
Mandatory	No

V.1.25.2 Code preview of domain movimenti_contabili_input

- The preview is empty because of the setting.
- Check the generation option.

V.1.25.3 Standard checks of domain movimenti_contabili_input

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	A Voce Accessoria B Variabile di Retribuzione C Voce di Calcolo D Variabile in Delibera M Variabile Individuale P Variabile gg.Pres./Ass. R Variabile di Pres./Ass. S Voce di Retribuzione

V.1.25.4 Server validation rule of domain movimenti_contabili_input
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.25.5 List of business rules attached to the domain movimenti_contabili_input

Name	Code	Rule Type
Domino INPUT	DOMINO_INPUT	Definition

V.1.25.6 List of all dependencies of the domain movimenti_contabili_input

Name	Code	Class Name
MOVIMENTI_CONTABILI.INPUT	movimenti_contabili_input	Shortcut of domain

V.1.26 Domain ni

V.1.26.1 Card of domain ni

Name	NI
Code	ni
Data Type	NUMBER(8)
Mandatory	No

V.1.26.2 Code preview of domain ni

- The preview is empty because of the setting.
- Check the generation option.

V.1.26.3 Standard checks of domain ni

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.26.4 Server validation rule of domain ni

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.26.5 List of all dependencies of the domain ni

Name	Code	Class Name
NI	ni	Shortcut of domain

V.1.27 Domain no

V.1.27.1 Card of domain no

Name	NO
Code	no
Data Type	<Undefined>
Mandatory	No

V.1.27.2 Code preview of domain no

- The preview is empty because of the setting.
- Check the generation option.

V.1.27.3 Standard checks of domain no

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	0 1	Negazione (N) Conferma (S)
----------------	--------	-------------------------------

V.1.27.4 Server validation rule of domain no

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.27.5 List of business rules attached to the domain no

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.1.28 *Domain nome***V.1.28.1 Card of domain nome**

Name	Nome
Code	nome
Data Type	VARCHAR2(40)
Mandatory	No

V.1.28.2 Code preview of domain nome

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.28.3 Standard checks of domain nome

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.28.4 Server validation rule of domain nome

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.29 *Domain nosi*

V.1.29.1 Card of domain nosi

Name	NOSI
Code	nosi
Data Type	<Undefined>
Mandatory	No

V.1.29.2 Code preview of domain nosi

- The preview is empty because of the setting.
- Check the generation option.

V.1.29.3 Standard checks of domain nosi

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	NO Negazione Si Conferma

V.1.29.4 Server validation rule of domain nosi

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.30 *Domain note*

V.1.30.1 Card of domain note

Name	Note
Code	note
Data Type	VARCHAR2(2000)
Mandatory	No

V.1.30.2 Code preview of domain note

- The preview is empty because of the setting.
- Check the generation option.

V.1.30.3 Standard checks of domain note

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.30.4 Server validation rule of domain note

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.30.5 List of all dependencies of the domain note

Name	Code	Class Name
Note	note	Shortcut of domain

V.1.31 *Domain note4000*

V.1.31.1 Card of domain note4000

Name	Note4000
Code	note4000
Data Type	VARCHAR2(2000)
Mandatory	No

V.1.31.2 Code preview of domain note4000

- The preview is empty because of the setting.
- Check the generation option.

V.1.31.3 Standard checks of domain note4000

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.1.31.4 Server validation rule of domain note4000

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.31.5 List of all dependencies of the domain note4000

Name	Code	Class Name
Note4000	note4000	Shortcut of domain

V.1.32 *Domain num_civico*

V.1.32.1 Card of domain num_civico

Name	num civico
Code	num_civico
Data Type	VARCHAR2(5)
Mandatory	No

V.1.32.2 Code preview of domain num_civico

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.32.3 Standard checks of domain num_civico

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.32.4 Server validation rule of domain num_civico

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.33 *Domain numero*

V.1.33.1 Card of domain numero

Name	Numero
Code	numero
Data Type	NUMBER(8)
Mandatory	No

V.1.33.2 Code preview of domain numero

- The preview is empty because of the setting.
- Check the generation option.

V.1.33.3 Standard checks of domain numero

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.33.4 Server validation rule of domain numero

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.33.5 List of all dependencies of the domain numero

Name	Code	Class Name
Numero	numero	Shortcut of domain

V.1.34 *Domain partita_iva*

V.1.34.1 Card of domain partita_iva

Name	partita iva
Code	partita_iva
Data Type	VARCHAR2(11)
Mandatory	No

V.1.34.2 Code preview of domain partita_iva

- The preview is empty because of the setting.
- Check the generation option.

V.1.34.3 Standard checks of domain partita_iva

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.34.4 Server validation rule of domain partita_iva

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.35 *Domain provincia*

V.1.35.1 Card of domain provincia

Name	provincia
Code	provincia
Data Type	NUMBER(3)
Mandatory	No

V.1.35.2 Code preview of domain provincia

- The preview is empty because of the setting.
- Check the generation option.

V.1.35.3 Standard checks of domain provincia

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.35.4 Server validation rule of domain provincia

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.36 *Domain rilevanza_giuridica*

V.1.36.1 Card of domain rilevanza_giuridica

Name	Rilevanza Giuridica
Code	rilevanza_giuridica
Data Type	<Undefined>
Mandatory	No

V.1.36.2 Code preview of domain rilevanza_giuridica

- The preview is empty because of the setting.
- Check the generation option.

V.1.36.3 Standard checks of domain rilevanza_giuridica

Minimum Value															
Maximum Value															
Default Value															
Unit															
Format															
Uppercase	No														
Lowercase	No														
Cannot Modify	No														
List of values	<table> <tr> <td>A</td> <td>Astensione</td> </tr> <tr> <td>D</td> <td>Documentazione</td> </tr> <tr> <td>E</td> <td>Incarico di Fatto</td> </tr> <tr> <td>I</td> <td>Incarico di Diritto</td> </tr> <tr> <td>P</td> <td>Presenza</td> </tr> <tr> <td>Q</td> <td>Inquadramento di Diritto</td> </tr> <tr> <td>S</td> <td>Inquadramento di Fatto</td> </tr> </table>	A	Astensione	D	Documentazione	E	Incarico di Fatto	I	Incarico di Diritto	P	Presenza	Q	Inquadramento di Diritto	S	Inquadramento di Fatto
A	Astensione														
D	Documentazione														
E	Incarico di Fatto														
I	Incarico di Diritto														
P	Presenza														
Q	Inquadramento di Diritto														
S	Inquadramento di Fatto														

V.1.36.4 Server validation rule of domain rilevanza_giuridica

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.36.5 List of business rules attached to the domain rilevanza_giuridica

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.1.37 *Domain sequenza*

V.1.37.1 Card of domain sequenza

Name	Sequenza
Code	sequenza
Data Type	NUMBER(6)
Mandatory	No

V.1.37.2 Code preview of domain sequenza

- The preview is empty because of the setting.
- Check the generation option.

V.1.37.3 Standard checks of domain sequenza

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.37.4 Server validation rule of domain sequenza

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.37.5 List of all dependencies of the domain sequenza

Name	Code	Class Name
Sequenza	sequenza	Shortcut of domain

V.1.38 *Domain sesso*

V.1.38.1 Card of domain sesso

Name	Sesso
Code	sesso
Data Type	VARCHAR2(1)
Mandatory	No

V.1.38.2 Code preview of domain sesso

- The preview is empty because of the setting.
- Check the generation option.

V.1.38.3 Standard checks of domain sesso

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	F Femmina M Maschio

V.1.38.4 Server validation rule of domain sesso

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.38.5 List of business rules attached to the domain sesso

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.1.39 Domain si

V.1.39.1 Card of domain si

Name	SI
Code	si
Data Type	<Undefined>
Mandatory	No

V.1.39.2 Code preview of domain si

- The preview is empty because of the setting.
- Check the generation option.

V.1.39.3 Standard checks of domain si

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	0 Negazione (N) 1 Conferma (S)

V.1.39.4 Server validation rule of domain si

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.39.5 List of business rules attached to the domain si

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.1.40 *Domain si_o_no*

V.1.40.1 Card of domain si_o_no

Name	SI o NO
Code	si_o_no
Data Type	VARCHAR2(2)
Mandatory	No

V.1.40.2 Code preview of domain si_o_no

- The preview is empty because of the setting.
- Check the generation option.

V.1.40.3 Standard checks of domain si_o_no

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.40.4 Server validation rule of domain si_o_no

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.40.5 List of all dependencies of the domain si_o_no

Name	Code	Class Name
SI o NO	si_o_no	Shortcut of domain

V.1.41 Domain sino

V.1.41.1 Card of domain sino

Name	SINO
Code	sino
Data Type	<Undefined>
Mandatory	No

V.1.41.2 Code preview of domain sino

-- The preview is empty because of the setting.

-- Check the generation option.

V.1.41.3 Standard checks of domain sino

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	0 Negazione (N) 1 Conferma (S)

V.1.41.4 Server validation rule of domain sino

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.41.5 List of business rules attached to the domain sino

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.1.42 *Domain telefono_fax*

V.1.42.1 Card of domain telefono_fax

Name	telefono_fax
Code	telefono_fax
Data Type	VARCHAR2(14)
Mandatory	No

V.1.42.2 Code preview of domain telefono_fax

- The preview is empty because of the setting.
- Check the generation option.

V.1.42.3 Standard checks of domain telefono_fax

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.42.4 Server validation rule of domain telefono_fax

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.43 *Domain tipo*

V.1.43.1 Card of domain tipo

Name	Tipo
Code	tipo
Data Type	VARCHAR2(1)
Mandatory	No

V.1.43.2 Code preview of domain tipo

- The preview is empty because of the setting.
- Check the generation option.

V.1.43.3 Standard checks of domain tipo

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.1.43.4 Server validation rule of domain tipo

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.43.5 List of all dependencies of the domain tipo

Name	Code	Class Name
Tipo	tipo	Shortcut of domain

V.1.44 *Domain vocabolo*

V.1.44.1 Card of domain vocabolo

Name	Vocabolo
Code	vocabolo
Data Type	<Undefined>
Mandatory	No

V.1.44.2 Code preview of domain vocabolo

- The preview is empty because of the setting.
- Check the generation option.

V.1.44.3 Standard checks of domain vocabolo

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	AL al ANNI anni ASSENZA Assenze dal Servizio

	CESSAZIONE Cessazione dal servizio per
	CHE che
	CON con
	CONTESTUALMENTE E contestualmente
	CON_QUAL Con Qualifica:
	DAL dal
	DECORRE a decorrere dal
	DEL del
	EM con libera professione extra-muraria
	ESECUTIVITA Esecutivita'
	FINO_A fino al
	GIORNI giorni
	IL il
	IN_QUALITA In qualita' di
	LA la
	LI li'
	LIT Lit.
	L_POS_FUN Posizione :
	L_PROFILo Profilo ...:
	L_RUOLO Ruolo:
	MATURA Maturazione il
	MESI mesi
	NASCITA_F nata a
	NASCITA_M nato a
	NUMERO n.
	OGGETTO OGGETTO:
	OGGI Tutt'oggi
	ORE ore
	PRESSO presso
	PRESTA e presta la propria attivita'
	PRESTATO e ha prestato la propria attivita'
	PROGR_ECON Le progressioni economiche in godimento erano le seguenti:
	QUALIFICA con qualifica
	QUALITA in qualita' di
	RESIDENZA residente in
	SCADENZA Scadenza il
	SER_NR Servizio non di ruolo per
	SER_R Servizio di ruolo per
	SIGNOR Sig.
	SIGNORA Sig.ra
	SOTTOLINEA -----
	SOTT_ECON -----
	SOTT_PROGR -----
	TD Tempo Definito
	TP Tempo Pieno

	TRATT_ECON	Trattamento Economico al
--	------------	--------------------------

V.1.44.4 Server validation rule of domain vocabolo

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.1.44.5 List of business rules attached to the domain vocabolo

Name	Code	Rule Type
Creazione dei Domini (PGM_REF_CODES)	CREAZIONE_DEI_DOMINI_PGM REF_CODES	Definition

V.2 References

V.2.1 References from Package Ambiente_Applicativo

V.2.1.1 List of references

Name	Code	Parent Table	Child Table
CASE_STTE	CASE_STTE	A_STATI_TERRITORI (Shortcut)	CATEGORIA_STATIESTERI
rv_domain = 'MAPPATURA_CODICI.CHIAVE' /*on Parent*/	MACO_RECO_CHIAVE	PEC_REF_CODES (Shortcut)	MAPPATURA_CODICI
rv_domain = 'MAPPATURA_CODICI.TABELLA' /*on parent*/	MACO_RECO_TAB	PEC_REF_CODES (Shortcut)	MAPPATURA_CODICI
rv_domain = 'RIFERIMENTO_ARCHIVIAZIONE.STATO' /*on Parent*/	RIAR_RECO	GIP_REF_CODES (Shortcut)	RIFERIMENTO_ARC HIVIAZIONE

V.2.1.2 Reference CASE_STTE

V.2.1.2.1 Card of reference CASE_STTE

Name	CASE_STTE
Code	CASE_STTE
Parent Table	A_STATI_TERRITORI (Shortcut)
Child Table	CATEGORIA_STATIESTERI

V.2.1.2.2 Code preview of reference CASE_STTE

- The preview is empty because of the setting.
- Check the generation option.

V.2.1.2.3 List of diagrams containing the reference CASE_STTE

Name	Code
Generale	GENERALE

V.2.1.2.4 List of reference joins of the reference CASE_STTE

Parent Table Column	Child Table Column
STATO_TERRITORIO	PROVINCIA_STATO

V.2.1.2.5 List of extended attributes of the reference CASE_STTE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.1.3 Reference MACO_RECO_CHIAVE***V.2.1.3.1 Card of reference MACO_RECO_CHIAVE***

Name	rv_domain = 'MAPPATURA_CODICI.CHIAVE' /*on Parent*/
Code	MACO_RECO_CHIAVE
Parent Table	PEC_REF_CODES (Shortcut)
Child Table	MAPPATURA_CODICI

V.2.1.3.2 Code preview of reference MACO_RECO_CHIAVE

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.1.3.3 List of diagrams containing the reference MACO_RECO_CHIAVE

Name	Code
Generale	GENERALE

V.2.1.3.4 List of reference joins of the reference MACO_RECO_CHIAVE

Parent Table Column	Child Table Column
RV_LOW_VALUE	CHIAVE

V.2.1.3.5 List of extended attributes of the reference MACO_RECO_CHIAVE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.1.4 Reference MACO_RECO_TAB***V.2.1.4.1 Card of reference MACO_RECO_TAB***

Name	rv_domain = 'MAPPATURA_CODICI.TABELLA' /*on parent*/
Code	MACO_RECO_TAB
Parent Table	PEC_REF_CODES (Shortcut)
Child Table	MAPPATURA_CODICI

V.2.1.4.2 Code preview of reference MACO_RECO_TAB

- The preview is empty because of the setting.
- Check the generation option.

V.2.1.4.3 List of diagrams containing the reference MACO_RECO_TAB

Name	Code
Generale	GENERALE

V.2.1.4.4 List of reference joins of the reference MACO_RECO_TAB

Parent Table Column	Child Table Column
RV_LOW_VALUE	TABELLA
RV_HIGH_VALUE	CHIAVE

V.2.1.4.5 List of extended attributes of the reference MACO_RECO_TAB

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.1.5 Reference RIAR_RECO***V.2.1.5.1 Card of reference RIAR_RECO***

Name	rv_domain = 'RIFERIMENTO_ARCHIVIAZIONE.STATO' /*on Parent*/
Code	RIAR_RECO
Parent Table	GIP_REF_CODES (Shortcut)
Child Table	RIFERIMENTO_ARCHIVIAZIONE

V.2.1.5.2 Code preview of reference RIAR_RECO

- The preview is empty because of the setting.
- Check the generation option.

V.2.1.5.3 List of diagrams containing the reference RIAR_RECO

Name	Code
Generale	GENERALE

V.2.1.5.4 List of reference joins of the reference RIAR_RECO

Parent Table Column	Child Table Column
RV_LOW_VALUE	STATO

V.2.1.5.5 List of extended attributes of the reference RIAR_RECO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2 References from Package Anagrafe_Matricolare

V.2.2.1 List of references

Name	Code	Parent Table	Child Table
ANAG_ANAG_NI	ANAG_ANAG_NI	ANAGRAFICI	ANAGRAFE_FAMILY ARI
ANAG_ANAG_NIF	ANAG_ANAG_NIF	ANAGRAFICI	ANAGRAFE_FAMILY ARI
ANAG_CAPR	ANAG_CAPR	CATEGORIE_PROTE TTE	ANAGRAFICI
ANAG COMU DOM	ANAG_COMU_DOM	A_COMUNI (Shortcut)	ANAGRAFICI
ANAG COMU NAS	ANAG_COMU_NAS	A_COMUNI (Shortcut)	ANAGRAFICI
ANAG COMU RES	ANAG_COMU_RES	A_COMUNI (Shortcut)	ANAGRAFICI
ANAG_IMMA	ANAG_IMMA	IMMAGINI (Shortcut)	ANAGRAFICI
rv_domain = 'SESSO' /*ON PARENT*/	ANAG_RECO_SESS O	PAM_REF_CODES (Shortcut)	ANAGRAFICI
ANAG_STCI	ANAG_STCI	STATI_CIVILI	ANAGRAFICI
ANAG_STTE	ANAG_STTE	A_STATI_TERRITOR I (Shortcut)	ANAGRAFICI
ANAG_TISO	ANAG_TISO	TIPI_SOGETTO	ANAGRAFICI
ANAG_TIST	ANAG_TIST	TITOLI_STUDIO	ANAGRAFICI
ANAG_TITI	ANAG_TITI	TIPI_TITOLO	ANAGRAFICI
ANFA_CONP	ANFA_CONP	CONDIZIONI_NON_ PROFESSIONALI	ANAGRAFE_FAMILY ARI
ANFA_PARE	ANFA_PARE	PARENTELE	ANAGRAFE_FAMILY ARI
rv_domain = 'NOSI' /*INTE parent*/	ANFA_RECO_INTE	PAM_REF_CODES (Shortcut)	ANAGRAFE_FAMILY ARI
rv_domain = 'NOSI' /*SEAF parent*/	ANFA_RECO_SEAF	PAM_REF_CODES (Shortcut)	ANAGRAFE_FAMILY ARI
CAPR_CAPR	CAPR_CAPR	CATEGORIE_PROTE TTE	CATEGORIE_PROTE TTE

rv_domain = 'CATEGORIE_PROTE ETTE.CATEGORIA' /*parent*/	CAPR_RECO_CATE	PAM_REF_CODES (Shortcut)	CATEGORIE_PROTE TTE
rv_domain = 'CLASSI_RAPPOR TO.DOTAZIONE' /*Parent*/	CLRA_PEGI_DOTAZ IONE	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'SINO' /*AMM Parent*/	CLRA_RECO_AMM	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.CAT_FISCALE' /*Parent*/	CLRA_RECO_CAT_F ISCALE	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.CAT_INAIL' /*Parent*/	CLRA_RECO_CAT_I NAIL	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.CONCORSO' /*Parent*/	CLRA_RECO_CONC ORSO	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'SINO' /*ENES Parent*/	CLRA_RECO_ENTE_ ESTERNO	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.GIURIDICO' /*Parent*/	CLRA_RECO_GIURI DICO	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.PRESENZA' /*Parent*/	CLRA_RECO_PRESE NZA	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.RETRIBUTIVO' /*Parent*/	CLRA_RECO_RETRI BUTIVO	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CLASSI_RAPPOR TO.VORTALE' /*Parent*/	CLRA_RECO_VORT ALE	PAM_REF_CODES (Shortcut)	CLASSI_RAPPORTO
rv_domain = 'CONDIZIONI_NON _PROFESSIONALI.I NABILE' /*Parent*/	CNPR_RECO_IN	PAM_REF_CODES (Shortcut)	CONDIZIONI_NON _PROFESSIONALI

DIPA_GEST	DIPA_GEST	GESTIONI (Shortcut)	DISABILI_PROSP_A_ZIENDA
DIPA_PROV	DIPA_PROV	A_PROVINCIE (Shortcut)	DISABILI_PROSP_A_ZIENDA
DIPI_DIPA	DIPI_DIPA	DISABILI_PROSP_A_ZIENDA	DISABILI_PROSP_IN_DIVIDUI
DIPI_RAIN	DIPI_RAIN	RAPPORTI_INDIVIDUALI	DISABILI_PROSP_IN_DIVIDUI
or Ente_pkg.get_deliber e('ENTE') = 'NO' /*GRRA_DELI on parent*/	GRRA_DELI	DELIBERE (Shortcut)	GRUPPI_RAPPORTO
rv_domain ='PARENTELE.CAR ICO_FIS' /*Parent*/	PARE_RECO_CF	PAM_REF_CODES (Shortcut)	PARENTELE
rv_domain ='PARENTELE.NUC LEO_FAM' /*Parent*/	PARE_RECO_NF	PAM_REF_CODES (Shortcut)	PARENTELE
RAIN_ANAG	RAIN_ANAG	ANAGRAFICI	RAPPORTI_INDIVIDUALI
RAIN_CLRA	RAIN_CLRA	CLASSI_RAPPORTO	RAPPORTI_INDIVIDUALI
RAIN_GRRA	RAIN_GRRA	GRUPPI_RAPPORTO	RAPPORTI_INDIVIDUALI
rv_domain = 'SINO' /*parent*/	STCI_RECO	PAM_REF_CODES (Shortcut)	STATI_CIVILI
rv_domain = 'TITOLI_STUDIO.C ONTO_ANNUALE' / /*Parent*/	TIST_RECO_CA	PAM_REF_CODES (Shortcut)	TITOLI_STUDIO
VADE_CLRA	VADE_CLRA	CLASSI_RAPPORTO	VALORI_DEFAULT

V.2.2.2 Reference ANAG_ANAG_NI

V.2.2.2.1 Card of reference ANAG_ANAG_NI

Name	ANAG_ANAG_NI
Code	ANAG_ANAG_NI
Parent Table	ANAGRAFICI
Child Table	ANAGRAFE_FAMILYARI

V.2.2.2.2 Code preview of reference ANAG_ANAG_NI

-- The preview is empty because of the setting.
-- Check the generation option.

V.2.2.2.3 List of diagrams containing the reference ANAG_ANAG_NI

Name	Code
Generale	GENERALE

V.2.2.2.4 List of reference joins of the reference ANAG_ANAG_NI

Parent Table Column	Child Table Column
NI	NI

V.2.2.2.5 List of all dependencies of the reference ANAG_ANAG_NI

Name	Code	Class Name
ANAG_ANAG_NI	ANAG_ANAG_NI	Shortcut of reference

V.2.2.2.6 List of extended attributes of the reference ANAG_ANAG_NI

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.3 Reference ANAG_ANAG_NIF

V.2.2.3.1 Card of reference ANAG_ANAG_NIF

Name	ANAG_ANAG_NIF
Code	ANAG_ANAG_NIF
Parent Table	ANAGRAFICI
Child Table	ANAGRAFE_FAMILIARI

V.2.2.3.2 Code preview of reference ANAG_ANAG_NIF

-- The preview is empty because of the setting.
-- Check the generation option.

V.2.2.3.3 List of diagrams containing the reference ANAG_ANAG_NIF

Name	Code
Generale	GENERALE

V.2.2.3.4 List of reference joins of the reference ANAG_ANAG_NIF

Parent Table Column	Child Table Column
NI	NI_FAMILIARE

V.2.2.3.5 List of extended attributes of the reference ANAG_ANAG_NIF

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.4 Reference ANAG_CAPR**V.2.2.4.1 Card of reference ANAG_CAPR**

Name	ANAG_CAPR
Code	ANAG_CAPR
Parent Table	CATEGORIE_PROTETTE
Child Table	ANAGRAFICI

V.2.2.4.2 Code preview of reference ANAG_CAPR

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.4.3 List of diagrams containing the reference ANAG_CAPR

Name	Code
Generale	GENERALE

V.2.2.4.4 List of reference joins of the reference ANAG_CAPR

Parent Table Column	Child Table Column
CODICE	CATEGORIA_PROTETTA

V.2.2.4.5 List of all dependencies of the reference ANAG_CAPR

Name	Code	Class Name
ANAG_CAPR	ANAG_CAPR	Shortcut of reference

V.2.2.4.6 List of extended attributes of the reference ANAG_CAPR

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.5 Reference ANAG_COMU_DOM

V.2.2.5.1 Card of reference ANAG_COMU_DOM

Name	ANAG COMU DOM
Code	ANAG_COMU_DOM
Parent Table	A_COMUNI (Shortcut)
Child Table	ANAGRAFICI

V.2.2.5.2 Code preview of reference ANAG_COMU_DOM

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.5.3 List of reference joins of the reference ANAG_COMU_DOM

Parent Table Column	Child Table Column
PROVINCIA_STATO	PROVINCIA_DOM
COMUNE	COMUNE_DOM

V.2.2.5.4 List of business rules attached to the reference ANAG_COMU_DOM

Name	Code	Rule Type
Relazioni su COMUNI (se è OK elimianre la BR)	RELAZIONI_SU_COMUNI_SE_E_ OK_ELIMIANRE_LA_BR	Definition

V.2.2.5.5 List of all dependencies of the reference ANAG_COMU_DOM

Name	Code	Class Name
ANAG COMU DOM	ANAG_COMU_DOM	Shortcut of reference

V.2.2.5.6 List of extended attributes of the reference ANAG_COMU_DOM

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)

V.2.2.6 Reference ANAG_COMU_NAS

V.2.2.6.1 Card of reference ANAG_COMU_NAS

Name	ANAG COMU NAS
Code	ANAG_COMU_NAS
Parent Table	A_COMUNI (Shortcut)
Child Table	ANAGRAFICI

V.2.2.6.2 Code preview of reference ANAG_COMU_NAS

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.6.3 List of reference joins of the reference ANAG_COMU_NAS

Parent Table Column	Child Table Column
PROVINCIA_STATO	PROVINCIA_NAS
COMUNE	COMUNE_NAS

V.2.2.6.4 List of business rules attached to the reference ANAG_COMU_NAS

Name	Code	Rule Type
Relazioni su COMUNI (se è OK elimianre la BR)	RELAZIONI_SU_COMUNI_SE_E_ OK_ELIMIANRE_LA_BR	Definition

V.2.2.6.5 List of all dependencies of the reference ANAG_COMU_NAS

Name	Code	Class Name
ANAG COMU NAS	ANAG_COMU_NAS	Shortcut of reference

V.2.2.6.6 List of extended attributes of the reference ANAG_COMU_NAS

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.7 Reference ANAG_COMU_RES

V.2.2.7.1 Card of reference ANAG_COMU_RES

Name	ANAG COMU RES
Code	ANAG_COMU_RES
Parent Table	A_COMUNI (Shortcut)
Child Table	ANAGRAFICI

V.2.2.7.2 Code preview of reference ANAG_COMU_RES

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.7.3 List of reference joins of the reference ANAG_COMU_RES

Parent Table Column	Child Table Column
PROVINCIA_STATO	PROVINCIA_RES
COMUNE	COMUNE_RES

V.2.2.7.4 List of business rules attached to the reference ANAG_COMU_RES

Name	Code	Rule Type
Relazioni su COMUNI (se è OK elimianre la BR)	RELAZIONI_SU_COMUNI_SE_E_ OK ELIMIANRE LA BR	Definition

V.2.2.7.5 List of all dependencies of the reference ANAG_COMU_RES

Name	Code	Class Name
ANAG COMU RES	ANAG_COMU_RES	Shortcut of reference

V.2.2.7.6 List of extended attributes of the reference ANAG_COMU_RES

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.8 Reference ANAG_IMMA

V.2.2.8.1 Card of reference ANAG_IMMA

Name	ANAG_IMMA
Code	ANAG_IMMA
Parent Table	IMMAGINI (Shortcut)
Child Table	ANAGRAFICI

V.2.2.8.2 Code preview of reference ANAG_IMMA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.8.3 List of diagrams containing the reference ANAG_IMMA

Name	Code
Generale	GENERALE

V.2.2.8.4 List of reference joins of the reference ANAG_IMMA

Parent Table Column	Child Table Column
SEQUENZA	ID_FOTO

V.2.2.8.5 List of extended attributes of the reference ANAG_IMMA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.9 Reference ANAG_RECO_SESSO

V.2.2.9.1 Card of reference ANAG_RECO_SESSO

Name	rv_domain = 'SESSO' /*ON PARENT*/
Code	ANAG RECO SESSO
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	ANAGRAFICI

V.2.2.9.2 Code preview of reference ANAG_RECO_SESSO

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.9.3 List of diagrams containing the reference ANAG_RECO_SESSO

Name	Code
Ref Codes	REF_CODES

V.2.2.9.4 List of reference joins of the reference ANAG_RECO_SESSO

Parent Table Column	Child Table Column
RV_LOW_VALUE	SESSO

V.2.2.9.5 List of extended attributes of the reference ANAG_RECO_SESSO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.10 Reference ANAG_STCI

V.2.2.10.1 Card of reference ANAG_STCI

Name	ANAG_STCI
Code	ANAG_STCI
Parent Table	STATI_CIVILI
Child Table	ANAGRAFICI

V.2.2.10.2 *Code preview of reference ANAG_STCI*

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.10.3 *List of diagrams containing the reference ANAG_STCI*

Name	Code
Generale	GENERALE

V.2.2.10.4 *List of reference joins of the reference ANAG_STCI*

Parent Table Column	Child Table Column
CODICE	STATO_CIVILE

V.2.2.10.5 *List of all dependencies of the reference ANAG_STCI*

Name	Code	Class Name
ANAG_STCI	ANAG_STCI	Shortcut of reference

V.2.2.10.6 *List of extended attributes of the reference ANAG_STCI*

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.11 Reference ANAG_STTE

V.2.2.11.1 *Card of reference ANAG_STTE*

Name	ANAG_STTE
Code	ANAG_STTE
Parent Table	A_STATI_TERRITORI (Shortcut)
Child Table	ANAGRAFICI

V.2.2.11.2 *Code preview of reference ANAG_STTE*

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.11.3 *List of reference joins of the reference ANAG_STTE*

Parent Table Column	Child Table Column
STATO_TERRITORIO	

V.2.2.11.4 List of extended attributes of the reference ANAG_STTE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.12 Reference ANAG_TISO

V.2.2.12.1 Card of reference ANAG_TISO

Name	ANAG_TISO
Code	ANAG_TISO
Parent Table	TIPI_SOGGETTO
Child Table	ANAGRAFICI

V.2.2.12.2 Code preview of reference ANAG_TISO

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.12.3 List of diagrams containing the reference ANAG_TISO

Name	Code
Generale	GENERALE

V.2.2.12.4 List of reference joins of the reference ANAG_TISO

Parent Table Column	Child Table Column
TIPO_SOGGETTO	TIPO_SOGGETTO

V.2.2.12.5 List of extended attributes of the reference ANAG_TISO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.13 Reference ANAG_TIST

V.2.2.13.1 Card of reference ANAG_TIST

Name	ANAG_TIST
Code	ANAG_TIST
Parent Table	TITOLI_STUDIO
Child Table	ANAGRAFICI

V.2.2.13.2 Code preview of reference ANAG_TIST

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.13.3 List of diagrams containing the reference ANAG_TIST

Name	Code
Generale	GENERALE

V.2.2.13.4 List of reference joins of the reference ANAG_TIST

Parent Table Column	Child Table Column
CODICE	TITOLO_STUDIO

V.2.2.13.5 List of all dependencies of the reference ANAG_TIST

Name	Code	Class Name
ANAG_TIST	ANAG_TIST	Shortcut of reference

V.2.2.13.6 List of extended attributes of the reference ANAG_TIST

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.14 Reference ANAG_TITI***V.2.2.14.1 Card of reference ANAG_TITI***

Name	ANAG_TITI
Code	ANAG_TITI
Parent Table	TIPI_TITOLO
Child Table	ANAGRAFICI

V.2.2.14.2 Code preview of reference ANAG_TITI

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.14.3 List of diagrams containing the reference ANAG_TITI

Name	Code
Generale	GENERALE

V.2.2.14.4 List of reference joins of the reference ANAG_TITI

Parent Table Column	Child Table Column
TITOLO	TITOLO

V.2.2.14.5 List of extended attributes of the reference ANAG_TITI

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.15 Reference ANFA_CONP**V.2.2.15.1 Card of reference ANFA_CONP**

Name	ANFA_CONP
Code	ANFA_CONP
Parent Table	CONDIZIONI_NON_PROFESSIONALI
Child Table	ANAGRAFE_FAMILIARI

V.2.2.15.2 Code preview of reference ANFA_CONP

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.15.3 List of diagrams containing the reference ANFA_CONP

Name	Code
Generale	GENERALE

V.2.2.15.4 List of reference joins of the reference ANFA_CONP

Parent Table Column	Child Table Column
CODICE	CONDIZIONE_PRO

V.2.2.15.5 List of extended attributes of the reference ANFA_CONP

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.16 Reference ANFA_PARE

V.2.2.16.1 Card of reference ANFA_PARE

Name	ANFA_PARE
Code	ANFA_PARE
Parent Table	PARENTELE
Child Table	ANAGRAFE_FAMILIARI

V.2.2.16.2 Code preview of reference ANFA_PARE

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.16.3 List of diagrams containing the reference ANFA_PARE

Name	Code
Generale	GENERALE

V.2.2.16.4 List of reference joins of the reference ANFA_PARE

Parent Table Column	Child Table Column
SEQUENZA	RELAZIONE

V.2.2.16.5 List of extended attributes of the reference ANFA_PARE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)

V.2.2.17 Reference ANFA_RECO_INTE

V.2.2.17.1 Card of reference ANFA_RECO_INTE

Name	rv_domain = 'NOSI' /*INTE parent*/
Code	ANFA_RECO_INTE
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	ANAGRAFE_FAMILIARI

V.2.2.17.2 Code preview of reference ANFA_RECO_INTE

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.17.3 List of diagrams containing the reference ANFA_RECO_INTE

Name	Code

Ref Codes	REF_CODES
-----------	-----------

V.2.2.17.4 List of reference joins of the reference ANFA_RECO_INTE

Parent Table Column	Child Table Column
RV_LOW_VALUE	INTESTATARO

V.2.2.17.5 List of extended attributes of the reference ANFA_RECO_INTE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.18 Reference ANFA_RECO_SEAF**V.2.2.18.1 Card of reference ANFA_RECO_SEAF**

Name	rv_domain = 'NOSI' /*SEAF parent*/
Code	ANFA_RECO_SEAF
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	ANAGRAFE_FAMILIARI

V.2.2.18.2 Code preview of reference ANFA_RECO_SEAF

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.18.3 List of diagrams containing the reference ANFA_RECO_SEAF

Name	Code
Ref Codes	REF_CODES

V.2.2.18.4 List of reference joins of the reference ANFA_RECO_SEAF

Parent Table Column	Child Table Column
RV_LOW_VALUE	SE_AFFIDO FIGLI

V.2.2.18.5 List of extended attributes of the reference ANFA_RECO_SEAF

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.19 Reference CAPR_CAPR

V.2.2.19.1 Card of reference CAPR_CAPR

Name	CAPR_CAPR
Code	CAPR_CAPR
Parent Table	CATEGORIE_PROTETTE
Child Table	CATEGORIE_PROTETTE

V.2.2.19.2 Code preview of reference CAPR_CAPR

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.19.3 List of diagrams containing the reference CAPR_CAPR

Name	Code
Generale	GENERALE

V.2.2.19.4 List of reference joins of the reference CAPR_CAPR

Parent Table Column	Child Table Column
CODICE	AREA_PROTETTA

V.2.2.19.5 List of all dependencies of the reference CAPR_CAPR

Name	Code	Class Name
CAPR_CAPR	CAPR_CAPR	Shortcut of reference

V.2.2.19.6 List of extended attributes of the reference CAPR_CAPR

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.20 Reference CAPR_RECO_CATE

V.2.2.20.1 Card of reference CAPR_RECO_CATE

Name	rv_domain = 'CATEGORIE_PROTETTE.CATEGORIA' /*parent*/
Code	CAPR_RECO_CATE
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CATEGORIE_PROTETTE

V.2.2.20.2 Code preview of reference CAPR_RECO_CATE

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.20.3 List of diagrams containing the reference CAPR_RECO_CATE

Name	Code
Ref Codes	REF_CODES

V.2.2.20.4 List of reference joins of the reference CAPR_RECO_CATE

Parent Table Column	Child Table Column
RV_LOW_VALUE	CATEGORIA

V.2.2.20.5 List of extended attributes of the reference CAPR_RECO_CATE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for Si4)

V.2.2.21 Reference CLRA_PEGI_DOTAZIONE**V.2.2.21.1 Card of reference CLRA_PEGI_DOTAZIONE**

Name	rv_domain = 'CLASSI_RAPPORTO.DOTAZIONE' /*Parent*/
Code	CLRA_PEGI_DOTAZIONE
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.21.2 Code preview of reference CLRA_PEGI_DOTAZIONE

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.21.3 List of diagrams containing the reference CLRA_PEGI_DOTAZIONE

Name	Code
Ref Codes	REF_CODES

V.2.2.21.4 List of reference joins of the reference CLRA_PEGI_DOTAZIONE

Parent Table Column	Child Table Column
RV_LOW_VALUE	DOTAZIONE

V.2.2.21.5 List of extended attributes of the reference CLRA_PEGI_DOTAZIONE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.22 Reference CLRA_RECO_AMM

V.2.2.22.1 *Card of reference CLRA_RECO_AMM*

Name	rv_domain = 'SINO' /*AMM Parent*/
Code	CLRA_RECO_AMM
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.22.2 *Code preview of reference CLRA_RECO_AMM*

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.22.3 *List of diagrams containing the reference CLRA_RECO_AMM*

Name	Code
Ref Codes	REF_CODES

V.2.2.22.4 *List of reference joins of the reference CLRA_RECO_AMM*

Parent Table Column	Child Table Column
RV_LOW_VALUE	AMMINISTRATORE

V.2.2.22.5 *List of extended attributes of the reference CLRA_RECO_AMM*

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.23 Reference CLRA_RECO_CAT_FISCALE

V.2.2.23.1 *Card of reference CLRA_RECO_CAT_FISCALE*

Name	rv_domain = 'CLASSI_RAPPORTO.CAT_FISCALE' /*Parent*/
Code	CLRA_RECO_CAT_FISCALE
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.23.2 *Code preview of reference CLRA_RECO_CAT_FISCALE*

-- The preview is empty because of the setting.
-- Check the generation option.

V.2.2.23.3 List of diagrams containing the reference CLRA_RECO_CAT_FISCALE

Name	Code
Ref Codes	REF_CODES

V.2.2.23.4 List of reference joins of the reference CLRA_RECO_CAT_FISCALE

Parent Table Column	Child Table Column
RV_LOW_VALUE	CAT_FISCALE

V.2.2.23.5 List of extended attributes of the reference CLRA_RECO_CAT_FISCALE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef	erred	ORACLE Version 8i2 (for Si4)

V.2.2.24 Reference CLRA_RECO_CAT_INAIL

V.2.2.24.1 Card of reference CLRA_RECO_CAT_INAIL

Name	rv_domain = 'CLASSI_RAPPORTO.CAT_INAIL' /*Parent*/
Code	CLRA_RECO_CAT_INAIL
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.24.2 Code preview of reference CLRA_RECO_CAT_INAIL

-- The preview is empty because of the setting.
-- Check the generation option.

V.2.2.24.3 List of diagrams containing the reference CLRA_RECO_CAT_INAIL

Name	Code
Ref Codes	REF_CODES

V.2.2.24.4 List of reference joins of the reference CLRA_RECO_CAT_INAIL

Parent Table Column	Child Table Column
RV_LOW_VALUE	CAT_INAIL

V.2.2.24.5 List of extended attributes of the reference CLRA_RECO_CAT_INAIL

Name	Data Type	Value	Target Name

ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
-------------------------	---------------------------	--	---------------------------------

V.2.2.25 Reference CLRA_RECO_CONCORSO

V.2.2.25.1 Card of reference CLRA_RECO_CONCORSO

Name	rv_domain = 'CLASSI_RAPPORTO.CONCORSO' /*Parent*/
Code	CLRA_RECO_CONCORSO
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.25.2 Code preview of reference CLRA_RECO_CONCORSO

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.25.3 List of diagrams containing the reference CLRA_RECO_CONCORSO

Name	Code
Ref Codes	REF_CODES

V.2.2.25.4 List of reference joins of the reference CLRA_RECO_CONCORSO

Parent Table Column	Child Table Column
RV_LOW_VALUE	CONCORSO

V.2.2.25.5 List of extended attributes of the reference CLRA_RECO_CONCORSO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.26 Reference CLRA_RECO_ENTE_ESTERNO

V.2.2.26.1 Card of reference CLRA_RECO_ENTE_ESTERNO

Name	rv_domain = 'SINO' /*ENES Parent*/
Code	CLRA_RECO_ENTE_ESTERNO
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.26.2 Code preview of reference CLRA_RECO_ENTE_ESTERNO

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.26.3 List of diagrams containing the reference CLRA_RECO_ENTE_ESTERNO

Name	Code
Ref Codes	REF_CODES

V.2.2.26.4 List of reference joins of the reference CLRA_RECO_ENTE_ESTERNO

Parent Table Column	Child Table Column
RV_LOW_VALUE	ENTE_ESTERNO

V.2.2.26.5 List of extended attributes of the reference CLRA_RECO_ENTE_ESTERNO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.27 Reference CLRA_RECO_GIURIDICO

V.2.2.27.1 Card of reference CLRA_RECO_GIURIDICO

Name	rv_domain = 'CLASSI_RAPPORTO.GIURIDICO' /*Parent*/
Code	CLRA_RECO_GIURIDICO
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.27.2 Code preview of reference CLRA_RECO_GIURIDICO

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.27.3 List of diagrams containing the reference CLRA_RECO_GIURIDICO

Name	Code
Ref Codes	REF_CODES

V.2.2.27.4 List of reference joins of the reference CLRA_RECO_GIURIDICO

Parent Table Column	Child Table Column
RV_LOW_VALUE	GIURIDICO

V.2.2.27.5 List of extended attributes of the reference CLRA_RECO_GIURIDICO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
--	-------	--	------

V.2.2.28 Reference CLRA_RECO_PRESENZA

V.2.2.28.1 Card of reference CLRA_RECO_PRESENZA

Name	rv_domain = 'CLASSI_RAPPORTO.PRESENZA' /*Parent*/
Code	CLRA_RECO_PRESENZA
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.28.2 Code preview of reference CLRA_RECO_PRESENZA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.28.3 List of diagrams containing the reference CLRA_RECO_PRESENZA

Name	Code
Ref Codes	REF_CODES

V.2.2.28.4 List of reference joins of the reference CLRA_RECO_PRESENZA

Parent Table Column	Child Table Column
RV_LOW_VALUE	PRESENZA

V.2.2.28.5 List of extended attributes of the reference CLRA_RECO_PRESENZA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.29 Reference CLRA_RECO_RETIBUTIVO

V.2.2.29.1 Card of reference CLRA_RECO_RETIBUTIVO

Name	rv_domain = 'CLASSI_RAPPORTO.RETIBUTIVO' /*Parent*/
Code	CLRA_RECO_RETIBUTIVO
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.29.2 Code preview of reference CLRA_RECO_RETIBUTIVO

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.29.3 List of diagrams containing the reference CLRA_RECO_RETIBUTIVO

Name	Code
Ref Codes	REF_CODES

V.2.2.29.4 List of reference joins of the reference CLRA_RECO_RETIBUTIVO

Parent Table Column	Child Table Column
RV_LOW_VALUE	RETIBUTIVO

V.2.2.29.5 List of extended attributes of the reference CLRA_RECO_RETIBUTIVO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.30 Reference CLRA_RECO_VORTALE**V.2.2.30.1 Card of reference CLRA_RECO_VORTALE**

Name	rv_domain = 'CLASSI_RAPPORTO.VORTALE' /*Parent*/
Code	CLRA_RECO_VORTALE
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CLASSI_RAPPORTO

V.2.2.30.2 Code preview of reference CLRA_RECO_VORTALE

-- The preview is empty because of the setting.

-- Check the generation option.

V.2.2.30.3 List of diagrams containing the reference CLRA_RECO_VORTALE

Name	Code
Ref Codes	REF_CODES

V.2.2.30.4 List of reference joins of the reference CLRA_RECO_VORTALE

Parent Table Column	Child Table Column
RV_LOW_VALUE	VORTALE

V.2.2.30.5 List of extended attributes of the reference CLRA_RECO_VORTALE

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.31 Reference CNPR_RECO_IN

V.2.2.31.1 Card of reference CNPR_RECO_IN

Name	rv_domain = 'CONDIZIONI_NON_PROFESSIONALI.INABILE' /*Parent*/
Code	CNPR_RECO_IN
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	CONDIZIONI_NON_PROFESSIONALI

V.2.2.31.2 Code preview of reference CNPR_RECO_IN

-- The preview is empty because of the setting.
-- Check the generation option.

V.2.2.31.3 List of diagrams containing the reference CNPR_RECO_IN

Name	Code
Ref Codes	REF_CODES

V.2.2.31.4 List of reference joins of the reference CNPR_RECO_IN

Parent Table Column	Child Table Column
RV_LOW_VALUE	INABILE

V.2.2.31.5 List of extended attributes of the reference CNPR_RECO_IN

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.32 Reference DIPA_GEST

V.2.2.32.1 Card of reference DIPA_GEST

Name	DIPA_GEST
Code	DIPA_GEST
Parent Table	GESTIONI (Shortcut)
Child Table	DISABILI_PROSP_AZIENDA

V.2.2.32.2 Code preview of reference DIPA_GEST

-- The preview is empty because of the setting.
-- Check the generation option.

V.2.2.32.3 List of diagrams containing the reference DIPA_GEST

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI

V.2.2.32.4 List of reference joins of the reference DIPA_GEST

Parent Table Column	Child Table Column
CODICE	GESTIONE

V.2.2.32.5 List of extended attributes of the reference DIPA_GEST

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.33 Reference DIPA_PROV**V.2.2.33.1 Card of reference DIPA_PROV**

Name	DIPA_PROV
Code	DIPA_PROV
Parent Table	A_PROVINCIE (Shortcut)
Child Table	DISABILI_PROSP_AZIENDA

V.2.2.33.2 Code preview of reference DIPA_PROV

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.33.3 List of diagrams containing the reference DIPA_PROV

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI

V.2.2.33.4 List of reference joins of the reference DIPA_PROV

Parent Table Column	Child Table Column
PROVINCIA	PROVINCIA

V.2.2.33.5 List of extended attributes of the reference DIPA_PROV

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.34 Reference DIPI_DIPA

V.2.2.34.1 Card of reference DIPI_DIPA

Name	DIPI_DIPA
Code	DIPI_DIPA
Parent Table	DISABILI_PROSP_AZIENDA
Child Table	DISABILI_PROSP_INDIVIDUI

V.2.2.34.2 Code preview of reference DIPI_DIPA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.34.3 List of diagrams containing the reference DIPI_DIPA

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI

V.2.2.34.4 List of reference joins of the reference DIPI_DIPA

Parent Table Column	Child Table Column
DIPA_ID	DIPA_ID

V.2.2.34.5 List of extended attributes of the reference DIPI_DIPA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)

V.2.2.35 Reference DIPI_RAIN

V.2.2.35.1 Card of reference DIPI_RAIN

Name	DIPI_RAIN
Code	DIPI_RAIN
Parent Table	RAPPORTI_INDIVIDUALI
Child Table	DISABILI_PROSP_INDIVIDUI

V.2.2.35.2 Code preview of reference DIPI_RAIN

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.35.3 List of diagrams containing the reference DIPI_RAIN

Name	Code

Denuncia_Disabili	DENUNCIA_DISABILI
-------------------	-------------------

V.2.2.35.4 List of reference joins of the reference DIPI_RAIN

Parent Table Column	Child Table Column
CI	CI

V.2.2.35.5 List of extended attributes of the reference DIPI_RAIN

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.36 Reference GRRA_DELI**V.2.2.36.1 Card of reference GRRA_DELI**

Name	or Ente_pkg.get_delibere('ENTE') = 'NO' /*GRRA_DELI on parent*/
Code	GRRA_DELI
Parent Table	DELIBERE (Shortcut)
Child Table	GRUPPI_RAPPORTO

V.2.2.36.2 Code preview of reference GRRA_DELI

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.36.3 List of diagrams containing the reference GRRA_DELI

Name	Code
Generale	GENERALE

V.2.2.36.4 List of reference joins of the reference GRRA_DELI

Parent Table Column	Child Table Column
SEDE	SEDE
ANNO	ANNO
NUMERO	NUMERO

V.2.2.36.5 List of all dependencies of the reference GRRA_DELI

Name	Code	Class Name
or Ente_pkg.get_delibere('ENTE') = 'NO' /*GRRA_DELI on parent*/	GRRA_DELI	Shortcut of reference

V.2.2.36.6 List of extended attributes of the reference GRRA_DELI

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.37 Reference PARE_RECO_CF**V.2.2.37.1 Card of reference PARE_RECO_CF**

Name	rv_domain ='PARENTELE.CARICO_FIS' /*Parent*/
Code	PARE_RECO_CF
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	PARENTELE

V.2.2.37.2 Code preview of reference PARE_RECO_CF

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.37.3 List of diagrams containing the reference PARE_RECO_CF

Name	Code
Ref Codes	REF_CODES

V.2.2.37.4 List of reference joins of the reference PARE_RECO_CF

Parent Table Column	Child Table Column
RV_LOW_VALUE	CARICO_FIS

V.2.2.37.5 List of extended attributes of the reference PARE_RECO_CF

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.38 Reference PARE_RECO_NF**V.2.2.38.1 Card of reference PARE_RECO_NF**

Name	rv_domain ='PARENTELE.NUCLEO_FAM' /*Parent*/
Code	PARE_RECO_NF
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	PARENTELE

V.2.2.38.2 Code preview of reference PARE_RECO_NF

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.38.3 List of diagrams containing the reference PARE_RECO_NF

Name	Code
Ref Codes	REF_CODES

V.2.2.38.4 List of reference joins of the reference PARE_RECO_NF

Parent Table Column	Child Table Column
RV_LOW_VALUE	NUCLEO_FAM

V.2.2.38.5 List of extended attributes of the reference PARE_RECO_NF

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for Si4)

V.2.2.39 Reference RAIN_ANAG**V.2.2.39.1 Card of reference RAIN_ANAG**

Name	RAIN_ANAG
Code	RAIN_ANAG
Parent Table	ANAGRAFICI
Child Table	RAPPORTI_INDIVIDUALI

V.2.2.39.2 Code preview of reference RAIN_ANAG

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.39.3 List of diagrams containing the reference RAIN_ANAG

Name	Code
Generale	GENERALE

V.2.2.39.4 List of reference joins of the reference RAIN_ANAG

Parent Table Column	Child Table Column
NI	NI
DAL	

V.2.2.39.5 List of business rules attached to the reference RAIN_ANAG

Name	Code	Rule Type
integrita_storica	INTEGRITA_STORICA	Definition
riferimento storico	RIFERIMENTO_STORICO	Definition

V.2.2.39.6 List of all dependencies of the reference RAIN_ANAG

Name	Code	Class Name
RAIN_ANAG	RAIN_ANAG	Shortcut of reference
RAIN_ANAG	RAIN_ANAG	Shortcut of reference
RAIN_ANAG	RAIN_ANAG	Shortcut of reference

V.2.2.39.7 List of extended attributes of the reference RAIN_ANAG

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.40 Reference RAIN_CLRA**V.2.2.40.1 Card of reference RAIN_CLRA**

Name	RAIN_CLRA
Code	RAIN_CLRA
Parent Table	CLASSI_RAPPORTO
Child Table	RAPPORTI_INDIVIDUALI

V.2.2.40.2 Code preview of reference RAIN_CLRA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.40.3 List of diagrams containing the reference RAIN_CLRA

Name	Code
Generale	GENERALE

V.2.2.40.4 List of reference joins of the reference RAIN_CLRA

Parent Table Column	Child Table Column
CODICE	RAPPORTO

V.2.2.40.5 List of all dependencies of the reference RAIN_CLRA

Name	Code	Class Name
RAIN_CLRA	RAIN_CLRA	Shortcut of reference

V.2.2.40.6 List of extended attributes of the reference RAIN_CLRA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.41 Reference RAIN_GRRA**V.2.2.41.1 Card of reference RAIN_GRRA**

Name	RAIN_GRRA
Code	RAIN_GRRA
Parent Table	GRUPPI_RAPPORTO
Child Table	RAPPORI_INDIVIDUALI

V.2.2.41.2 Code preview of reference RAIN_GRRA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.41.3 List of diagrams containing the reference RAIN_GRRA

Name	Code
Generale	GENERALE

V.2.2.41.4 List of reference joins of the reference RAIN_GRRA

Parent Table Column	Child Table Column
GRUPPO	GRUPPO

V.2.2.41.5 List of all dependencies of the reference RAIN_GRRA

Name	Code	Class Name
RAIN_GRRA	RAIN_GRRA	Shortcut of reference

V.2.2.41.6 List of extended attributes of the reference RAIN_GRRA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for

	erred		Si4)
--	-------	--	------

V.2.2.42 Reference STCI_RECO

V.2.2.42.1 Card of reference STCI_RECO

Name	rv_domain = 'SINO' /*parent*/
Code	STCI_RECO
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	STATI_CIVILI

V.2.2.42.2 Code preview of reference STCI_RECO

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.42.3 List of diagrams containing the reference STCI_RECO

Name	Code
Ref Codes	REF_CODES

V.2.2.42.4 List of reference joins of the reference STCI_RECO

Parent Table Column	Child Table Column
RV_LOW_VALUE	PRESENZA_CONIUGE

V.2.2.42.5 List of extended attributes of the reference STCI_RECO

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.43 Reference TIST_RECO_CA

V.2.2.43.1 Card of reference TIST_RECO_CA

Name	rv_domain = 'TITOLI_STUDIO.CONTO_ANNUALE' /*Parent*/
Code	TIST_RECO_CA
Parent Table	PAM_REF_CODES (Shortcut)
Child Table	TITOLI_STUDIO

V.2.2.43.2 Code preview of reference TIST_RECO_CA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.43.3 List of diagrams containing the reference TIST_RECO_CA

Name	Code
Ref Codes	REF_CODES

V.2.2.43.4 List of reference joins of the reference TIST_RECO_CA

Parent Table Column	Child Table Column
RV_LOW_VALUE	CONTO_ANNUALE

V.2.2.43.5 List of extended attributes of the reference TIST_RECO_CA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.2.2.44 Reference VADE_CLRA**V.2.2.44.1 Card of reference VADE_CLRA**

Name	VADE_CLRA
Code	VADE_CLRA
Parent Table	CLASSI_RAPPORTO
Child Table	VALORI_DEFAULT

V.2.2.44.2 Code preview of reference VADE_CLRA

- The preview is empty because of the setting.
- Check the generation option.

V.2.2.44.3 List of diagrams containing the reference VADE_CLRA

Name	Code
Generale	GENERALE

V.2.2.44.4 List of reference joins of the reference VADE_CLRA

Parent Table Column	Child Table Column
CODICE	RAPPORTO

V.2.2.44.5 List of extended attributes of the reference VADE_CLRA

Name	Data Type	Value	Target Name
ExtReferenceDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

V.3 Sequences

V.3.1 Sequences from Package Ambiente_Applicativo

V.3.1.1 List of sequences

Name	Code
FILV_SQ	FILV_SQ
IMAGESEQ	IMAGESEQ
LOADER_SQ	LOADER_SQ

V.3.1.2 Sequence FILV_SQ

V.3.1.2.1 Card of sequence FILV_SQ

Name	FILV_SQ
Code	FILV_SQ
Comment	

V.3.1.2.2 Options of sequence FILV_SQ

increment by 1
start with 1
nocache

V.3.1.2.3 Code preview of sequence FILV_SQ

```
create sequence FILV_SQ
increment by 1
start with 1
nocache;
```

V.3.1.2.4 List of all dependencies of the sequence FILV_SQ

Name	Code	Class Name
FILV_ID	FILV_ID	Column

V.3.1.3 Sequence IMAGESEQ

V.3.1.3.1 Card of sequence IMAGESEQ

Name	IMAGESEQ
Code	IMAGESEQ
Comment	

V.3.1.3.2 Options of sequence IMAGESEQ

increment by 1
 start with 1
 maxvalue 99999999999999999999999999999999
 minvalue 1
 nocycle
 nocache
 noorder

V.3.1.3.3 Code preview of sequence IMAGESEQ

```
create sequence IMAGESEQ
increment by 1
start with 1
maxvalue 99999999999999999999999999999999
minvalue 1
nocycle
nocache
noorder;
```

V.3.1.3.4 List of all dependencies of the sequence IMAGESEQ

Name	Code	Class Name
SEQUENZA	SEQUENZA	Column

V.3.1.4 Sequence LOADER_SQ***V.3.1.4.1 Card of sequence LOADER_SQ***

Name	LOADER_SQ
Code	LOADER_SQ
Comment	

V.3.1.4.2 Options of sequence LOADER_SQ

increment by 1
 start with 1
 nocache

V.3.1.4.3 Code preview of sequence LOADER_SQ

```
create sequence LOADER_SQ
increment by 1
start with 1
nocache;
```

V.3.1.4.4 List of all dependencies of the sequence LOADER_SQ

Name	Code	Class Name
LOADER_ID	LOADER_ID	Column

V.3.2 Sequences from Package Anagrafe_Matricolare**V.3.2.1 List of sequences**

Name	Code
difa_sq	DIFA_SQ
INDI_SQ	INDI_SQ
INMO_SQ	INMO_SQ
RDFA_SQ	RDFA_SQ

V.3.2.2 Sequence DIFA_SQ***V.3.2.2.1 Card of sequence DIFA_SQ***

Name	difa_sq
Code	DIFA_SQ
Comment	

V.3.2.2.2 Options of sequence DIFA_SQ

start with 1

minvalue 1

nocache

V.3.2.2.3 Code preview of sequence DIFA_SQ

create sequence DIFA_SQ

start with 1

minvalue 1

nocache;

V.3.2.2.4 List of all dependencies of the sequence DIFA_SQ

Name	Code	Class Name
DIFA_ID	DIFA_ID	Column

V.3.2.3 Sequence INDI_SQ***V.3.2.3.1 Card of sequence INDI_SQ***

Name	INDI_SQ
------	---------

Code	INDI_SQ
Comment	

V.3.2.3.2 Options of sequence INDI_SQ

increment by 1
 start with 1
 maxvalue 99999999
 minvalue 1
 nocycle
 nocache
 noorder

V.3.2.3.3 Code preview of sequence INDI_SQ

```

create sequence INDI_SQ
increment by 1
start with 1
maxvalue 99999999
minvalue 1
nocycle
nocache
noorder;
  
```

V.3.2.3.4 List of all dependencies of the sequence INDI_SQ

Name	Code	Class Name
CI	CI	Column
NI	NI	Column

V.3.2.4 Sequence INMO_SQ

V.3.2.4.1 Card of sequence INMO_SQ

Name	INMO_SQ
Code	INMO_SQ
Comment	

V.3.2.4.2 Options of sequence INMO_SQ

increment by 1
 start with 1
 maxvalue 9999999999
 minvalue 1
 nocycle
 nocache

noorder

V.3.2.4.3 Code preview of sequence INMO_SQ

create sequence INMO_SQ

increment by 1

start with 1

maxvalue 9999999999

minvalue 1

nocycle

nocache

noorder;

V.3.2.4.4 List of all dependencies of the sequence INMO_SQ

Name	Code	Class Name
PROGRESSIVO	PROGRESSIVO	Column

V.3.2.5 Sequence RDFA_SQ

V.3.2.5.1 Card of sequence RDFA_SQ

Name	RDFA_SQ
Code	RDFA_SQ
Comment	

V.3.2.5.2 Options of sequence RDFA_SQ

start with 1

minvalue 1

nocache

V.3.2.5.3 Code preview of sequence RDFA_SQ

create sequence RDFA_SQ

start with 1

minvalue 1

nocache;

V.3.2.5.4 List of all dependencies of the sequence RDFA_SQ

Name	Code	Class Name
RDFA_ID	RDFA_ID	Column

V.4 Tables

V.4.1 Tables from Package Ambiente_Applicativo

V.4.1.1 List of tables

Name	Code
ALLEGATI XML	ALLEGATI XML
APPOGGIO_ERRORI GP4	APPOGGIO_ERRORI GP4
CARICA FILE XML	CARICA FILE XML
Categoria Stati Esteri	CATEGORIA STATI ESTERI
DEF FILE XSL	DEF FILE XSL
FILTRI_LISTE VALORI	FILTRI_LISTE VALORI
Gp4 Personalizzazioni	GP4_PERSONALIZZAZIONI
Immagini	IMMAGINI
LOADER	LOADER
MAPPATURA CODICI	MAPPATURA CODICI
PRENOTAZIONI ELABORAZIONI	PRENOTAZIONI ELABORAZIONI
PRODUZ FILE TESTO	PRODUZ FILE TESTO
PRODUZ FILE XML	PRODUZ FILE XML
Riferimento Archiviazione	RIFERIMENTO ARCHIVIAZIONE
SIA_DEFAULT_CONSTRAINTS	SIA_DEFAULT_CONSTRAINTS
SIA DEFAULT CONSTRAINTS COL	SIA DEFAULT CONSTRAINTS COL
SIA DEFAULT INDICI	SIA DEFAULT INDICI
SIA DEFAULT INDICI COL	SIA DEFAULT INDICI COL
STAMPE ELABORAZIONI	STAMPE ELABORAZIONI
Temp Long	TEMP_LONG

V.4.1.2 List of table columns

Name	Code
SEQUENZA	SEQUENZA
IMAGE	IMAGE
DISLOCAZIONE_IMAGE	DISLOCAZIONE_IMAGE
CLIENTE	CLIENTE
NODO	NODO
SI	SI
PROCEDURA	PROCEDURA
TIPO	TIPO
VOCE_MENU	VOCE_MENU
NOTE	NOTE
RIAR_ID	RIAR_ID
ANNO	ANNO
STATO	STATO

MODULO	MODULO
TABLE NAME	TABLE NAME
INDEX NAME	INDEX NAME
UNIQUENESS	UNIQUENESS
TABLE NAME	TABLE NAME
INDEX NAME	INDEX NAME
COLUMN NAME	COLUMN NAME
COLUMN POSITION	COLUMN POSITION
PRENOTAZIONE	PRENOTAZIONE
PROGRESSIVO	PROGRESSIVO
CI	CI
RILEVANZA	RILEVANZA
DAL	DAL
DESCRIZIONE	DESCRIZIONE
TERMINALE	TERMINALE
CONSTRAINT_NAME	CONSTRAINT_NAME
CONSTRAINT_TYPE	CONSTRAINT_TYPE
TABLE_NAME	TABLE_NAME
R_CONSTRAINT_NAME	R_CONSTRAINT_NAME
INDEX_NAME	INDEX_NAME
CONSTRAINT_NAME	CONSTRAINT_NAME
TABLE_NAME	TABLE_NAME
COLUMN_NAME	COLUMN_NAME
POSITION	POSITION
NO_PRENOTAZIONE	NO_PRENOTAZIONE
ID_ELABORAZIONE	ID_ELABORAZIONE
ID_XSL	ID_XSL
TESTO	TESTO
NOTE	NOTE
ID_XSL	ID_XSL
ID_XML	ID_XML
TESTO_ORIG	TESTO_ORIG
TESTO	TESTO
TESTO_BLOB	TESTO_BLOB
NOTE	NOTE
FLAG	FLAG
CHIAVE	CHIAVE
DATA_AGG	DATA_AGG
UTENTE	UTENTE
NO_STAMPA	NO_STAMPA
ID_ELABORAZIONE	ID_ELABORAZIONE
PROVINCIA_STATO	PROVINCIA_STATO
CITTADINANZA	CITTADINANZA
CODICE	CODICE
CHIAVE	CHIAVE

TABELLA	TABELLA
CODICE_DB	CODICE_DB
CODICE	CODICE
APER_ID	APER_ID
CI	CI
ERRORE	ERRORE
BLOCCANTE	BLOCCANTE
FASE	FASE
NOTE	NOTE
NO_PRENOTAZIONE	NO_PRENOTAZIONE
FILENAME	FILENAME
VOCE_MENU	VOCE_MENU
TESTO	TESTO
NOTE	NOTE
UTENTE	UTENTE
DATA_AGG	DATA_AGG
AXML_ID	AXML_ID
NOME	NOME
ALLEGATO	ALLEGATO
FILV_ID	FILV_ID
FILTRO	FILTRO
CODICE_1	CODICE_1
CODICE_2	CODICE_2
ID_XML	ID_XML
CHIAVE	CHIAVE
NOTE	NOTE
TESTO	TESTO
DATA_AGG	DATA_AGG
UTENTE_AGG	UTENTE_AGG
DATA_ELAB	DATA_ELAB
UTENTE_ELAB	UTENTE_ELAB
LOADER_ID	LOADER_ID
VOCE_MENU	VOCE_MENU
CTL_FILE	CTL_FILE
DAT_FILE	DAT_FILE
LOG_FILE	LOG_FILE
BAD_FILE	BAD_FILE
UTENTE	UTENTE
DATA_AGG	DATA_AGG
NOME_DAT_FILE	NOME_DAT_FILE

V.4.1.3 List of table keys

Name	Code	Table
Key_1	KEY_1	IMMAGINI

Key_1	KEY_1	RIFERIMENTO_ARCHIVIAZIONE
PREL_PK	PREL_PK	PRENOTAZIONI_ELABORAZIONI
Key_1	KEY_1	DEF_FILE_XSL
Key_1	KEY_1	PRODUZ_FILE_XML
STEL_PK	STEL_PK	STAMPE_ELABORAZIONI
Key_1	KEY_1	CATEGORIA_STATI_ESTERI
Key_1	KEY_1	MAPPATURA_CODICI
Key_1	KEY_1	APPOGGIO_ERRORI_GP4
PTXT_PK	PTXT_PK	PRODUZ_FILE_TESTO
Key_1	KEY_1	ALLEGATI_XML
FILV_PK	FILV_PK	FILTRI_LISTE_VALORI
CXML_PK	CXML_PK	CARICA_FILE_XML
LOAD_PK	LOAD_PK	LOADER

V.4.1.4 List of table indexes

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key	Table
IMMA_PK	IMMA_PK	X		X			IMMAGINI
PERS_IK	PERS_IK						GP4_PERSONA_LIZZAZIONI
RIAR_PK	RIAR_PK	X		X			RIFERIMENTO_ARCHIVIAZIONE
DXSL_PK	DXSL_PK	X		X			DEF_FILE_XSL
PXML_PK	PXML_PK	X		X			PRODUZ_FILE_XML
PXML_IK	PXML_IK						PRODUZ_FILE_XML
CASE_PK	CASE_PK	X		X			CATEGORIA_STATI_ESTERI
CASE_UK	CASE_UK	X					CATEGORIA_STATI_ESTERI
MACO_PK	MACO_PK	X		X			MAPPATURA_CODICI
AXML_UK	AXML_UK	X					ALLEGATI_XML
FILV_PK	FILV_PK	X		X			FILTRI_LISTE_VALORI
FILV_UK	FILV_UK	X					FILTRI_LISTE_VALORI
LOAD_UK	LOAD_UK	X					LOADER

V.4.1.5 Table ALLEGATI_XML

V.4.1.5.1 Card of table ALLEGATI_XML

Name	ALLEGATI_XML
Code	ALLEGATI_XML
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.5.2 Check constraint name of table ALLEGATI_XML

ALLEGATI_XML_CT

V.4.1.5.3 Server validation rule of table ALLEGATI_XML

%RULES%

V.4.1.5.4 Code preview of table ALLEGATI_XML

```
/*=====
/* Table: ALLEGATI_XML */ */
/*=====*/
create table ALLEGATI_XML (
    AXML_ID      NUMBER          not null,
    NOME         VARCHAR2(100),
    ALLEGATO     CLOB
);

alter table ALLEGATI_XML
    add constraint AXML_PK primary key (AXML_ID);

/*=====
/* Index: AXML_UK */ */
/*=====*/
create unique index AXML_UK on ALLEGATI_XML (
    NOME ASC
);
```

V.4.1.5.5 List of diagrams containing the table ALLEGATI_XML

Name	Code
Generale	GENERALE

V.4.1.5.6 List of extended attributes of the table ALLEGATI_XML

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for

			Si4)
--	--	--	------

V.4.1.5.7 List of columns of the table ALLEGATI_XML

Name	Code
Axml_ID	Axml_ID
NOME	NOME
ALLEGATO	ALLEGATO

V.4.1.5.8 Column AXML_ID of the table ALLEGATI_XML**V.4.1.5.8.1 Card of the column AXML_ID of the table ALLEGATI_XML**

Name	Axml_ID
Code	Axml_ID
Data Type	NUMBER
Mandatory	Yes

V.4.1.5.8.2 Check constraint name of the column AXML_ID of the table ALLEGATI_XML

ALLEGATI_XML_AXML_ID_CC

V.4.1.5.8.3 Check of the column AXML_ID of the table ALLEGATI_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.5.8.4 Server validation rule of the column AXML_ID of the table ALLEGATI_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.5.8.5 List of all dependencies of the table column AXML_ID

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.1.5.8.6 List of extended attributes of the table column AXML_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.5.9 Column NOME of the table ALLEGATI_XML

V.4.1.5.9.1 Card of the column NOME of the table ALLEGATI_XML

Name	NOME
Code	NOME
Data Type	VARCHAR2(100)
Mandatory	No

V.4.1.5.9.2 Check constraint name of the column NOME of the table ALLEGATI_XML

ALLEGATI_XML_NOME_CC

V.4.1.5.9.3 Check of the column NOME of the table ALLEGATI_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.5.9.4 Server validation rule of the column NOME of the table ALLEGATI_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.5.9.5 List of all dependencies of the table column NOME

Name	Code	Class Name
NOME	NOME	Index Column

V.4.1.5.9.6 List of extended attributes of the table column NOME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.5.10 Column ALLEGATO of the table ALLEGATI_XML

V.4.1.5.10.1 Card of the column ALLEGATO of the table ALLEGATI_XML

Name	ALLEGATO
Code	ALLEGATO
Data Type	CLOB
Mandatory	No

V.4.1.5.10.2 Check constraint name of the column ALLEGATO of the table ALLEGATI_XML

ALLEGATI_XML_ALLEGATO_CC

V.4.1.5.10.3 Check of the column ALLEGATO of the table ALLEGATI_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.5.10.4 Server validation rule of the column ALLEGATO of the table ALLEGATI_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.5.10.5 List of extended attributes of the table column ALLEGATO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.5.11 List of keys of the table ALLEGATI_XML

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.5.12 Key KEY_1 of the table ALLEGATI_XML

V.4.1.5.12.1 Card of the key KEY_1 of the table ALLEGATI_XML

Name	Key_1
Code	KEY_1

Table	ALLEGATI_XML
-------	--------------

V.4.1.5.12.2 Code preview of the key KEY_1 of the table ALLEGATI_XML

```
alter table ALLEGATI_XML
add constraint AXML_PK primary key (AXML_ID);
```

V.4.1.5.12.3 List of columns of the table key KEY_1

Name	Code
AXML_ID	AXML_ID

V.4.1.5.13 List of indexes of the table ALLEGATI_XML

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
AXML_UK	AXML_UK	X				

V.4.1.5.14 Index AXML_UK of the table ALLEGATI_XML**V.4.1.5.14.1 Card of the index AXML_UK of the table ALLEGATI_XML**

Name	AXML_UK
Code	AXML_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ALLEGATI_XML

V.4.1.5.14.2 Code preview of the index AXML_UK of the table ALLEGATI_XML

```
/*=====
/* Index: AXML_UK */=====
create unique index AXML_UK on ALLEGATI_XML (
    NOME ASC
);
```

V.4.1.5.14.3 List of index columns of the index AXML_UK

Name	Code	Sort
NOME	NOME	Ascending

V.4.1.5.15 List of triggers of the table ALLEGATI_XML

Name	Code
allegati_xml_tiu	ALLEGATI_XML_TIU

V.4.1.5.16 Trigger ALLEGATI_XML_TIU of the table ALLEGATI_XML**V.4.1.5.16.1 Card of the trigger ALLEGATI_XML_TIU of the table ALLEGATI_XML**

Name	allegati_xml_tiu
Code	ALLEGATI_XML_TIU
Generate	Yes
Table	ALLEGATI_XML
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.5.16.2 Code preview of the trigger ALLEGATI_XML_TIU of the table ALLEGATI_XML

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.6 Table APPoggio_Errori_GP4**V.4.1.6.1 Card of table APPoggio_Errori_GP4**

Name	APPoggio_Errori_GP4
Code	APPoggio_Errori_GP4
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.6.2 Check constraint name of table APPoggio_Errori_GP4

APPoggio_Errori_GP4_CT

V.4.1.6.3 Server validation rule of table APPoggio_Errori_GP4

%RULES%

V.4.1.6.4 Begin script of table APPoggio_Errori_GP4

```
/*
 * 14/02/2011 - Aggiunto no_prenotazione per A42220 */
/*=====*/
```

V.4.1.6.5 Code preview of table APPoggio_Errori_GP4

```
/*
 * Table: APPoggio_Errori_GP4 */
/*=====*/
/* */
```

```
/* 14/02/2011 - Aggiunto no_prenotazione per A42220      */
/*=====
create table APPoggio_ERROri_GP4 (
    APER_ID      NUMBER(10)          not null,
    CI           NUMBER(8)           not null,
    ERRORE       VARCHAR2(6),
    BLOCCANTE    VARCHAR2(2),
    FASE         VARCHAR2(5),
    NOTE         VARCHAR2(4000),
    NO_PRENOTAZIONE  NUMBER(6)
);
```

comment on table APPoggio_ERROri_GP4 is
 'Tabella di appoggio utilizzata per la memorizzazione temporanea dei codici di errore di una determinata fase';

```
alter table APPoggio_ERROri_GP4
  add constraint APER_PK primary key (APER_ID);
```

V.4.1.6.6 List of diagrams containing the table APPoggio_ERROri_GP4

Name	Code
Generale	GENERALE

V.4.1.6.7 List of extended attributes of the table APPoggio_ERROri_GP4

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.6.8 List of columns of the table APPoggio_ERROri_GP4

Name	Code
APER_ID	APER_ID
CI	CI
ERRORE	ERRORE
BLOCCANTE	BLOCCANTE
FASE	FASE
NOTE	NOTE
NO_PRENOTAZIONE	NO_PRENOTAZIONE

V.4.1.6.9 Column APER_ID of the table APPoggio_ERROri_GP4

V.4.1.6.9.1 Card of the column APER_ID of the table APPoggio_ERROri_GP4

Name	APER_ID
Code	APER_ID
Data Type	NUMBER(10)
Mandatory	Yes

V.4.1.6.9.2 Check constraint name of the column APER_ID of the table APPoggio_Errori_GP4
APPOGGIO_ERRO_APER_ID_CC

V.4.1.6.9.3 Check of the column APER_ID of the table APPoggio_Errori_GP4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.9.4 Server validation rule of the column APER_ID of the table APPoggio_Errori_GP4
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.9.5 List of all dependencies of the table column APER_ID

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.1.6.9.6 List of extended attributes of the table column APER_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.10 Column CI of the table APPoggio_Errori_GP4

V.4.1.6.10.1 Card of the column CI of the table APPoggio_Errori_GP4

Name	CI
Code	CI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.1.6.10.2 Check constraint name of the column CI of the table APPoggio_Errori_GP4

APPOGGIO_ERRO_CI_CC

V.4.1.6.10.3 Check of the column CI of the table APPoggio_Errori_GP4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.10.4 Server validation rule of the column CI of the table APPoggio_Errori_GP4

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.10.5 List of extended attributes of the table column CI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.11 Column ERRORE of the table APPoggio_Errori_GP4**V.4.1.6.11.1 Card of the column ERRORE of the table APPoggio_Errori_GP4**

Name	ERRORE
Code	ERRORE
Data Type	VARCHAR2(6)
Mandatory	No

V.4.1.6.11.2 Check constraint name of the column ERRORE of the table APPoggio_Errori_GP4

APPOGGIO_ERRO_ERRORE_CC

V.4.1.6.11.3 Check of the column ERRORE of the table APPoggio_Errori_GP4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.11.4 Server validation rule of the column ERRORE of the table APPoggio_Errori_GP4
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.11.5 List of extended attributes of the table column ERRORE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.12 Column BLOCCANTE of the table APPoggio_Errori_GP4

V.4.1.6.12.1 Card of the column BLOCCANTE of the table APPoggio_Errori_GP4

Name	BLOCCANTE
Code	BLOCCANTE
Data Type	VARCHAR2(2)
Mandatory	No

V.4.1.6.12.2 Check constraint name of the column BLOCCANTE of the table APPoggio_Errori_GP4

APPOGGIO_ERRO_BLOCCANTE_CC

V.4.1.6.12.3 Check of the column BLOCCANTE of the table APPoggio_Errori_GP4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.12.4 Server validation rule of the column BLOCCANTE of the table APPoggio_Errori_GP4
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.12.5 List of extended attributes of the table column BLOCCANTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.13 Column FASE of the table APPoggio_Errori_Gp4

V.4.1.6.13.1 Card of the column FASE of the table APPoggio_Errori_Gp4

Name	FASE
Code	FASE
Data Type	VARCHAR2(5)
Mandatory	No

V.4.1.6.13.2 Check constraint name of the column FASE of the table APPoggio_Errori_Gp4

APPOGGIO_ERRO_FASE_CC

V.4.1.6.13.3 Check of the column FASE of the table APPoggio_Errori_Gp4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.13.4 Server validation rule of the column FASE of the table APPoggio_Errori_Gp4

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.13.5 List of extended attributes of the table column FASE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.14 Column NOTE of the table APPoggio_Errori_Gp4

V.4.1.6.14.1 Card of the column NOTE of the table APPoggio_Errori_Gp4

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.1.6.14.2 Check constraint name of the column NOTE of the table APPOGGIO_ERRORI_GP4
APPOGGIO_ERRO_NOTE_CC

V.4.1.6.14.3 Check of the column NOTE of the table APPOGGIO_ERRORI_GP4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.14.4 Server validation rule of the column NOTE of the table APPOGGIO_ERRORI_GP4
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.14.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.15 Column NO_PRENOTAZIONE of the table APPOGGIO_ERRORI_GP4

V.4.1.6.15.1 Card of the column NO_PRENOTAZIONE of the table APPOGGIO_ERRORI_GP4

Name	NO_PRENOTAZIONE
Code	NO_PRENOTAZIONE
Data Type	NUMBER(6)
Mandatory	No

V.4.1.6.15.2 Check constraint name of the column NO_PRENOTAZIONE of the table APPOGGIO_ERRORI_GP4
APPOGGIO_ERRO_NO_PRENOTAZIO_CC

V.4.1.6.15.3 Check of the column NO_PRENOTAZIONE of the table APPOGGIO_ERRORI_GP4

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.6.15.4 Server validation rule of the column NO_PRENOTAZIONE of the table APPOGGIO_ERRORI_GP4

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.6.15.5 List of extended attributes of the table column NO_PRENOTAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.6.16 List of keys of the table APPOGGIO_ERRORI_GP4

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.6.17 Key KEY_1 of the table APPOGGIO_ERRORI_GP4**V.4.1.6.17.1 Card of the key KEY_1 of the table APPOGGIO_ERRORI_GP4**

Name	Key_1
Code	KEY_1
Table	APPOGGIO_ERRORI_GP4

V.4.1.6.17.2 Code preview of the key KEY_1 of the table APPOGGIO_ERRORI_GP4

```
alter table APPOGGIO_ERRORI_GP4
add constraint APER_PK primary key (APER_ID);
```

V.4.1.6.17.3 List of columns of the table key KEY_1

Name	Code
APER_ID	APER_ID

V.4.1.6.18 List of triggers of the table APPoggio_ERRORI_GP4

Name	Code
appoggio_errori_gp4_tiu	APPOGGIO_ERRORI_GP4_TIU

V.4.1.6.19 Trigger APPoggio_ERRORI_GP4_TIU of the table APPoggio_ERRORI_GP4**V.4.1.6.19.1 Card of the trigger APPoggio_ERRORI_GP4_TIU of the table APPoggio_ERRORI_GP4**

Name	appoggio_errori_gp4_tiu
Code	APPOGGIO_ERRORI_GP4_TIU
Generate	Yes
Table	APPoggio_ERRORI_GP4
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.1.6.19.2 Code preview of the trigger APPoggio_ERRORI_GP4_TIU of the table APPoggio_ERRORI_GP4

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.7 Table CARICA_FILE_XML**V.4.1.7.1 Card of table CARICA_FILE_XML**

Name	CARICA_FILE_XML
Code	CARICA_FILE_XML
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.7.2 Check constraint name of table CARICA_FILE_XML

CARICA_FILE_XML_CT

V.4.1.7.3 Server validation rule of table CARICA_FILE_XML

%RULES%

V.4.1.7.4 Code preview of table CARICA_FILE_XML

```
/*=====
/* Table: CARICA_FILE_XML */ */
create table CARICA_FILE_XML (
    ID_XML      VARCHAR2(50)      not null,
```

```

CHIAVE      VARCHAR2(10),
NOTE        VARCHAR2(4000),
TESTO        BLOB,
DATA_AGG     DATE,
UTENTE_AGG   VARCHAR2(8),
DATA_ELAB    DATE,
UTENTE_ELAB  VARCHAR2(8)
);

```

```

alter table CARICA_FILE_XML
add constraint CXML_PK primary key (ID_XML);

```

V.4.1.7.5 List of diagrams containing the table *CARICA_FILE_XML*

Name	Code
Generale	GENERALE

V.4.1.7.6 List of extended attributes of the table *CARICA_FILE_XML*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.7.7 List of columns of the table *CARICA_FILE_XML*

Name	Code
ID_XML	ID_XML
CHIAVE	CHIAVE
NOTE	NOTE
TESTO	TESTO
DATA_AGG	DATA_AGG
UTENTE_AGG	UTENTE_AGG
DATA_ELAB	DATA_ELAB
UTENTE_ELAB	UTENTE_ELAB

V.4.1.7.8 Column *ID_XML* of the table *CARICA_FILE_XML*

V.4.1.7.8.1 Card of the column *ID_XML* of the table *CARICA_FILE_XML*

Name	ID_XML
Code	ID_XML
Data Type	VARCHAR2(50)
Mandatory	Yes

V.4.1.7.8.2 Check constraint name of the column ID_XML of the table CARICA_FILE_XML

CARICA_FILE_X_ID_XML_CC

V.4.1.7.8.3 Check of the column ID_XML of the table CARICA_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.8.4 Server validation rule of the column ID_XML of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.8.5 List of all dependencies of the table column ID_XML

Name	Code	Class Name
CXML_PK	CXML_PK	Key

V.4.1.7.8.6 List of extended attributes of the table column ID_XML

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.9 Column CHIAVE of the table CARICA_FILE_XML**V.4.1.7.9.1 Card of the column CHIAVE of the table CARICA_FILE_XML**

Name	CHIAVE
Code	CHIAVE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.1.7.9.2 Check constraint name of the column CHIAVE of the table CARICA_FILE_XML

CARICA_FILE_X_CHIAVE_CC

V.4.1.7.9.3 Check of the column CHIAVE of the table CARICA_FILE_XML

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.9.4 Server validation rule of the column CHIAVE of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.9.5 List of extended attributes of the table column CHIAVE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.10 Column NOTE of the table CARICA_FILE_XML**V.4.1.7.10.1 Card of the column NOTE of the table CARICA_FILE_XML**

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.1.7.10.2 Check constraint name of the column NOTE of the table CARICA_FILE_XML

CARICA_FILE_X_NOTE_CC

V.4.1.7.10.3 Check of the column NOTE of the table CARICA_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.10.4 Server validation rule of the column NOTE of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.10.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.11 Column TESTO of the table CARICA_FILE_XML**V.4.1.7.11.1 Card of the column TESTO of the table CARICA_FILE_XML**

Name	TESTO
Code	TESTO
Data Type	BLOB
Mandatory	No

V.4.1.7.11.2 Check constraint name of the column TESTO of the table CARICA_FILE_XML

CARICA_FILE_X_TESTO_CC

V.4.1.7.11.3 Check of the column TESTO of the table CARICA_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.11.4 Server validation rule of the column TESTO of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.11.5 List of extended attributes of the table column TESTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.12 Column DATA_ AGG of the table CARICA_FILE_XML

V.4.1.7.12.1 Card of the column DATA_ AGG of the table CARICA_FILE_XML

Name	DATA_ AGG
Code	DATA_ AGG
Data Type	DATE
Mandatory	No

V.4.1.7.12.2 Check constraint name of the column DATA_ AGG of the table CARICA_FILE_XML

CARICAFILE_X_DATA_ AGG_CC

V.4.1.7.12.3 Check of the column DATA_ AGG of the table CARICA_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.12.4 Server validation rule of the column DATA_ AGG of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.12.5 List of extended attributes of the table column DATA_ AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.13 Column UTENTE_ AGG of the table CARICA_FILE_XML

V.4.1.7.13.1 Card of the column UTENTE_ AGG of the table CARICA_FILE_XML

Name	UTENTE_ AGG
Code	UTENTE_ AGG
Data Type	VARCHAR2(8)
Mandatory	No

V.4.1.7.13.2 Check constraint name of the column UTENTE_ AGG of the table CARICA_FILE_XML

CARICA_FILE_X_UTENTE_ AGG_CC**V.4.1.7.13.3 Check of the column UTENTE_ AGG of the table CARICA_FILE_XML**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.13.4 Server validation rule of the column UTENTE_ AGG of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.13.5 List of extended attributes of the table column UTENTE_ AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.14 Column DATA_ELAB of the table CARICA_FILE_XML**V.4.1.7.14.1 Card of the column DATA_ELAB of the table CARICA_FILE_XML**

Name	DATA_ELAB
Code	DATA_ELAB
Data Type	DATE
Mandatory	No

V.4.1.7.14.2 Check constraint name of the column DATA_ELAB of the table CARICA_FILE_XML

CARICA_FILE_X_DATA_ELAB_CC

V.4.1.7.14.3 Check of the column DATA_ELAB of the table CARICA_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.1.7.14.4 Server validation rule of the column DATA_ELAB of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.14.5 List of extended attributes of the table column DATA_ELAB

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.7.15 Column UTENTE_ELAB of the table CARICA_FILE_XML**V.4.1.7.15.1 Card of the column UTENTE_ELAB of the table CARICA_FILE_XML**

Name	UTENTE_ELAB
Code	UTENTE_ELAB
Data Type	VARCHAR2(8)
Mandatory	No

V.4.1.7.15.2 Check constraint name of the column UTENTE_ELAB of the table CARICA_FILE_XML

CARICAFILE_X_UTENTE_ELAB_CC

V.4.1.7.15.3 Check of the column UTENTE_ELAB of the table CARICA_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.7.15.4 Server validation rule of the column UTENTE_ELAB of the table CARICA_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.7.15.5 List of extended attributes of the table column UTENTE_ELAB

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

ExtNotNullConstraintName	erred (String)		Si4) ORACLE Version 8i2 (for Si4)
--------------------------	-------------------	--	---

V.4.1.7.16 List of keys of the table CARICA_FILE_XML

Name	Code	Primary
CXML_PK	CXML_PK	X

V.4.1.7.17 Key CXML_PK of the table CARICA_FILE_XML**V.4.1.7.17.1 Card of the key CXML_PK of the table CARICA_FILE_XML**

Name	CXML_PK
Code	CXML_PK
Table	CARICA_FILE_XML

V.4.1.7.17.2 Code preview of the key CXML_PK of the table CARICA_FILE_XML

```
alter table CARICA_FILE_XML
add constraint CXML_PK primary key (ID_XML);
```

V.4.1.7.17.3 List of columns of the table key CXML_PK

Name	Code
ID XML	ID XML

V.4.1.7.18 List of triggers of the table CARICA_FILE_XML

Name	Code
carica_file_xml_tiu	CARICA_FILE_XML_TIU

V.4.1.7.19 Trigger CARICA_FILE_XML_TIU of the table CARICA_FILE_XML**V.4.1.7.19.1 Card of the trigger CARICA_FILE_XML_TIU of the table CARICA_FILE_XML**

Name	carica_file_xml_tiu
Code	CARICA_FILE_XML_TIU
Generate	Yes
Table	CARICA_FILE_XML
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.7.19.2 Code preview of the trigger CARICA_FILE_XML_TIU of the table CARICA_FILE_XML

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.8 Table CATEGORIA_STATIESTERI

V.4.1.8.1 Card of table CATEGORIA_STATIESTERI

Name	Categoria Stati Esteri
Code	CATEGORIA_STATIESTERI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.8.2 Check constraint name of table CATEGORIA_STATIESTERI

CATEGORIA_STATIESTERI_CT

V.4.1.8.3 Server validation rule of table CATEGORIA_STATIESTERI

%RULES%

V.4.1.8.4 Code preview of table CATEGORIA_STATIESTERI

```
/*=====
/* Table: CATEGORIA_STATIESTERI */
/*=====*/
create table CATEGORIA_STATIESTERI (
    PROVINCIA_STATO    NUMBER(3)          not null,
    CITTADINANZA      VARCHAR2(3),
    CODICE            VARCHAR2(3)
);
```

comment on table CATEGORIA_STATIESTERI is
'CASE - Categoria Fiscale per Stati Esteri';

```
alter table CATEGORIA_STATIESTERI
add constraint CASE_PK primary key (PROVINCIA_STATO);
```

```
/*=====
/* Index: CASE_UK */
/*=====*/
create unique index CASE_UK on CATEGORIA_STATIESTERI (
    CITTADINANZA ASC
);
```

V.4.1.8.5 List of diagrams containing the table CATEGORIA_STATIESTERI

Name	Code
Generale	GENERALE

V.4.1.8.6 List of outgoing references of the table CATEGORIA_STATIESTERI

Name	Code	Foreign Key Columns
CASE_STTE	CASE_STTE	PROVINCIA_STATO

V.4.1.8.7 List of all dependencies of the table CATEGORIA_STATIESTERI

Name	Code	Class Name
CASE_STTE	CASE_STTE	Reference

V.4.1.8.8 List of extended attributes of the table CATEGORIA_STATIESTERI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.8.9 List of columns of the table CATEGORIA_STATIESTERI

Name	Code
PROVINCIA_STATO	PROVINCIA_STATO
CITTADINANZA	CITTADINANZA
CODICE	CODICE

V.4.1.8.10 Column PROVINCIA_STATO of the table CATEGORIA_STATIESTERI**V.4.1.8.10.1 Card of the column PROVINCIA_STATO of the table CATEGORIA_STATIESTERI**

Name	PROVINCIA_STATO
Code	PROVINCIA_STATO
Data Type	NUMBER(3)
Mandatory	Yes

V.4.1.8.10.2 Check constraint name of the column PROVINCIA_STATO of the table**CATEGORIA_STATIESTERI****CATEGORIA_STA_PROVINCIA_STA_CC****V.4.1.8.10.3 Check of the column PROVINCIA_STATO of the table CATEGORIA_STATIESTERI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

**V.4.1.8.10.4 Server validation rule of the column PROVINCIA_STATO of the table
CATEGORIA_STATI_ESTERI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.8.10.5 List of all dependencies of the table column PROVINCIA_STATO

Name	Code	Class Name
Key_1	KEY_1	Key
PROVINCIA_STATO	PROVINCIA_STATO	Index Column
?	?	Reference Join

V.4.1.8.10.6 List of extended attributes of the table column PROVINCIA_STATO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.8.11 Column CITTADINANZA of the table CATEGORIA_STATI_ESTERI

V.4.1.8.11.1 Card of the column CITTADINANZA of the table CATEGORIA_STATI_ESTERI

Name	CITTADINANZA
Code	CITTADINANZA
Data Type	VARCHAR2(3)
Mandatory	No

**V.4.1.8.11.2 Check constraint name of the column CITTADINANZA of the table
CATEGORIA_STATI_ESTERI**

CATEGORIA_STA_CITTADINANZA_CC

V.4.1.8.11.3 Check of the column CITTADINANZA of the table CATEGORIA_STATI_ESTERI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.1.8.11.4 Server validation rule of the column CITTADINANZA of the table CATEGORIA_STATI_ESTERI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.8.11.5 List of all dependencies of the table column CITTADINANZA

Name	Code	Class Name
CITTADINANZA	CITTADINANZA	Index Column

V.4.1.8.11.6 List of extended attributes of the table column CITTADINANZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.8.12 Column CODICE of the table CATEGORIA_STATI_ESTERI

V.4.1.8.12.1 Card of the column CODICE of the table CATEGORIA_STATI_ESTERI

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(3)
Mandatory	No

V.4.1.8.12.2 Check constraint name of the column CODICE of the table CATEGORIA_STATI_ESTERI
CATEGORIA_STA_CODICE_CC

V.4.1.8.12.3 Check of the column CODICE of the table CATEGORIA_STATI_ESTERI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.8.12.4 Server validation rule of the column CODICE of the table CATEGORIA_STATI_ESTERI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.8.12.5 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.8.13 List of keys of the table CATEGORIA_STATI_ESTERI

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.8.14 Key KEY_1 of the table CATEGORIA_STATI_ESTERI

V.4.1.8.14.1 Card of the key KEY_1 of the table CATEGORIA_STATI_ESTERI

Name	Key_1
Code	KEY_1
Table	CATEGORIA_STATI_ESTERI

V.4.1.8.14.2 Code preview of the key KEY_1 of the table CATEGORIA_STATI_ESTERI

```
alter table CATEGORIA_STATI_ESTERI
add constraint CASE_PK primary key (PROVINCIA_STATO);
```

V.4.1.8.14.3 List of columns of the table key KEY_1

Name	Code
PROVINCIA_STATO	PROVINCIA_STATO

V.4.1.8.14.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
CASE_PK	CASE_PK	Index

V.4.1.8.15 List of indexes of the table CATEGORIA_STATI_ESTERI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
CASE_PK	CASE_PK	X		X		
CASE_UK	CASE_UK	X				

V.4.1.8.16 Index CASE_PK of the table CATEGORIA_STATIESTERI**V.4.1.8.16.1 Card of the index CASE_PK of the table CATEGORIA_STATIESTERI**

Name	CASE_PK
Code	CASE_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	CATEGORIA_STATIESTERI

V.4.1.8.16.2 Code preview of the index CASE_PK of the table CATEGORIA_STATIESTERI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.1.8.16.3 List of index columns of the index CASE_PK

Name	Code	Sort
PROVINCIA_STATO	PROVINCIA_STATO	Ascending

V.4.1.8.17 Index CASE_UK of the table CATEGORIA_STATIESTERI**V.4.1.8.17.1 Card of the index CASE_UK of the table CATEGORIA_STATIESTERI**

Name	CASE_UK
Code	CASE_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	CATEGORIA_STATIESTERI

V.4.1.8.17.2 Code preview of the index CASE_UK of the table CATEGORIA_STATIESTERI

```
/*=====
/* Index: CASE_UK */
/*=====
create unique index CASE_UK on CATEGORIA_STATIESTERI (
    CITTADINANZA ASC
);
```

V.4.1.8.17.3 List of index columns of the index CASE_UK

Name	Code	Sort
CITTADINANZA	CITTADINANZA	Ascending

V.4.1.8.18 List of triggers of the table CATEGORIA_STATI_ESTERI

Name	Code
categoria_stati_esteri_tiu	CATEGORIA_STATI_ESTERI_TIU
categoria_stati_esteri_tmb	CATEGORIA_STATI_ESTERI_TMB

V.4.1.8.19 Trigger CATEGORIA_STATI_ESTERI_TIU of the table CATEGORIA_STATI_ESTERI

V.4.1.8.19.1 Card of the trigger CATEGORIA_STATI_ESTERI_TIU of the table CATEGORIA_STATI_ESTERI

Name	categoria_stati_esteri_tiu
Code	CATEGORIA_STATI_ESTERI_TIU
Generate	Yes
Table	CATEGORIA_STATI_ESTERI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.8.19.2 Code preview of the trigger CATEGORIA_STATI_ESTERI_TIU of the table CATEGORIA_STATI_ESTERI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.8.20 Trigger CATEGORIA_STATI_ESTERI_TMB of the table CATEGORIA_STATI_ESTERI

V.4.1.8.20.1 Card of the trigger CATEGORIA_STATI_ESTERI_TMB of the table CATEGORIA_STATI_ESTERI

Name	categoria_stati_esteri_tmb
Code	CATEGORIA_STATI_ESTERI_TMB
Generate	Yes
Table	CATEGORIA_STATI_ESTERI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.1.8.20.2 Code preview of the trigger CATEGORIA_STATI_ESTERI_TMB of the table CATEGORIA_STATI_ESTERI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.9 Table DEF_FILE_XSL

V.4.1.9.1 Card of table DEF_FILE_XSL

Name	DEF_FILE_XSL
Code	DEF_FILE_XSL
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.9.2 Check constraint name of table DEF_FILE_XSL

DEF_FILE_XSL_CT

V.4.1.9.3 Server validation rule of table DEF_FILE_XSL

%RULES%

V.4.1.9.4 Code preview of table DEF_FILE_XSL

```
/*=====
/* Table: DEF_FILE_XSL */
/*=====*/
create table DEF_FILE_XSL (
    ID_XSL      VARCHAR2(50)          not null,
    TESTO       CLOB,
    NOTE        VARCHAR2(4000)
);
```

comment on table DEF_FILE_XSL is
'DXSL - Tabella di Transito per sorgenti XSL su DB';

```
alter table DEF_FILE_XSL
add constraint DXSL_PK primary key (ID_XSL);
```

V.4.1.9.5 List of diagrams containing the table DEF_FILE_XSL

Name	Code
Generale	GENERALE

V.4.1.9.6 List of extended attributes of the table DEF_FILE_XSL

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.9.7 List of columns of the table DEF_FILE_XSL

Name	Code

ID_XSL	ID_XSL
TESTO	TESTO
NOTE	NOTE

V.4.1.9.8 Column ID_XSL of the table DEF_FILE_XSL

V.4.1.9.8.1 Card of the column ID_XSL of the table DEF_FILE_XSL

Name	ID_XSL
Code	ID_XSL
Data Type	VARCHAR2(50)
Mandatory	Yes

V.4.1.9.8.2 Check constraint name of the column ID_XSL of the table DEF_FILE_XSL

DEF_FILE_XSL_ID_XSL_CC

V.4.1.9.8.3 Check of the column ID_XSL of the table DEF_FILE_XSL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.9.8.4 Server validation rule of the column ID_XSL of the table DEF_FILE_XSL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.9.8.5 List of all dependencies of the table column ID_XSL

Name	Code	Class Name
ID_XSL	ID_XSL	Index Column
Key_1	KEY_1	Key

V.4.1.9.8.6 List of extended attributes of the table column ID_XSL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.9.9 Column TESTO of the table DEF_FILE_XSL**V.4.1.9.9.1 Card of the column TESTO of the table DEF_FILE_XSL**

Name	TESTO
Code	TESTO
Data Type	CLOB
Mandatory	No

V.4.1.9.9.2 Check constraint name of the column TESTO of the table DEF_FILE_XSL

DEF_FILE_XSL_TESTO_CC

V.4.1.9.9.3 Check of the column TESTO of the table DEF_FILE_XSL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.9.9.4 Server validation rule of the column TESTO of the table DEF_FILE_XSL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.9.9.5 List of extended attributes of the table column TESTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.9.10 Column NOTE of the table DEF_FILE_XSL**V.4.1.9.10.1 Card of the column NOTE of the table DEF_FILE_XSL**

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.1.9.10.2 Check constraint name of the column NOTE of the table DEF_FILE_XSL

DEF_FILE_XSL_NOTE_CC

V.4.1.9.10.3 Check of the column NOTE of the table DEF_FILE_XSL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.9.10.4 Server validation rule of the column NOTE of the table DEF_FILE_XSL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.9.10.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.9.11 List of keys of the table DEF_FILE_XSL

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.9.12 Key KEY_1 of the table DEF_FILE_XSL**V.4.1.9.12.1 Card of the key KEY_1 of the table DEF_FILE_XSL**

Name	Key_1
Code	KEY_1
Table	DEF_FILE_XSL

V.4.1.9.12.2 Code preview of the key KEY_1 of the table DEF_FILE_XSL

```
alter table DEF_FILE_XSL
add constraint DXSL_PK primary key (ID_XSL);
```

V.4.1.9.12.3 List of columns of the table key KEY_1

Name	Code

ID_XSL	ID_XSL
--------	--------

V.4.1.9.12.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
DXSL_PK	DXSL_PK	Index

V.4.1.9.13 List of indexes of the table DEF_FILE_XSL

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
DXSL_PK	DXSL_PK	X		X		

V.4.1.9.14 Index DXSL_PK of the table DEF_FILE_XSL**V.4.1.9.14.1 Card of the index DXSL_PK of the table DEF_FILE_XSL**

Name	DXSL_PK
Code	DXSL_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	DEF_FILE_XSL

V.4.1.9.14.2 Code preview of the index DXSL_PK of the table DEF_FILE_XSL

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.1.9.14.3 List of index columns of the index DXSL_PK

Name	Code	Sort
ID_XSL	ID_XSL	Ascending

V.4.1.9.15 List of triggers of the table DEF_FILE_XSL

Name	Code
def_file_xsl_tiu	DEF_FILE_XSL_TIU

V.4.1.9.16 Trigger DEF_FILE_XSL_TIU of the table DEF_FILE_XSL**V.4.1.9.16.1 Card of the trigger DEF_FILE_XSL_TIU of the table DEF_FILE_XSL**

Name	def_file_xsl_tiu
------	------------------

Code	DEF_FILE_XSL_TIU
Generate	Yes
Table	DEF_FILE_XSL
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.9.16.2 Code preview of the trigger DEF_FILE_XSL_TIU of the table DEF_FILE_XSL

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.10 Table FILTRI_LISTE_VALORI

V.4.1.10.1 Card of table FILTRI_LISTE_VALORI

Name	FILTRI_LISTE_VALORI
Code	FILTRI_LISTE_VALORI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.10.2 Check constraint name of table FILTRI_LISTE_VALORI

FILTRI_LISTE_VALORI_CT

V.4.1.10.3 Server validation rule of table FILTRI_LISTE_VALORI

%RULES%

V.4.1.10.4 Code preview of table FILTRI_LISTE_VALORI

```
/*
/* Table: FILTRI_LISTE_VALORI */
create table FILTRI_LISTE_VALORI (
    FILV_ID      NUMBER(6)          not null,
    FILTRO       number(2)          not null,
    CODICE_1     VARCHAR2(10),
    CODICE_2     VARCHAR2(10)
);

alter table FILTRI_LISTE_VALORI
add constraint FILV_PK primary key (FILV_ID);

/*
/* Index: FILV_UK */
create unique index FILV_UK on FILTRI_LISTE_VALORI (
    FILTRO ASC,
    CODICE_1 ASC,
```

CODICE_2 ASC
);

V.4.1.10.5 List of diagrams containing the table FILTRI_LISTE_VALORI

Name	Code
Generale	GENERALE

V.4.1.10.6 List of extended attributes of the table FILTRI_LISTE_VALORI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.10.7 List of columns of the table FILTRI_LISTE_VALORI

Name	Code
FILV_ID	FILV_ID
FILTRO	FILTRO
CODICE_1	CODICE_1
CODICE_2	CODICE_2

V.4.1.10.8 Column FILV_ID of the table FILTRI_LISTE_VALORI

V.4.1.10.8.1 Card of the column FILV_ID of the table FILTRI_LISTE_VALORI

Name	FILV_ID
Code	FILV_ID
Data Type	NUMBER(6)
Mandatory	Yes

V.4.1.10.8.2 Check constraint name of the column FILV_ID of the table FILTRI_LISTE_VALORI

FILTRI_LISTE__FILV_ID_CC

V.4.1.10.8.3 Check of the column FILV_ID of the table FILTRI_LISTE_VALORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.10.8.4 Server validation rule of the column FILV_ID of the table FILTRI_LISTE_VALORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.10.8.5 List of all dependencies of the table column FILV_ID

Name	Code	Class Name
FILV_ID	FILV_ID	Index Column
FILV_PK	FILV_PK	Key

V.4.1.10.8.6 List of extended attributes of the table column FILV_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.10.9 Column FILTRO of the table FILTRI_LISTE_VALORI**V.4.1.10.9.1 Card of the column FILTRO of the table FILTRI_LISTE_VALORI**

Name	FILTRO
Code	FILTRO
Data Type	number(2)
Mandatory	Yes

V.4.1.10.9.2 Check constraint name of the column FILTRO of the table FILTRI_LISTE_VALORI

FILTRI_LISTE__FILTRO_CC

V.4.1.10.9.3 Check of the column FILTRO of the table FILTRI_LISTE_VALORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.10.9.4 Server validation rule of the column FILTRO of the table FILTRI_LISTE_VALORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.10.9.5 List of all dependencies of the table column FILTRO

Name	Code	Class Name
FILTRO	FILTRO	Index Column

V.4.1.10.9.6 List of extended attributes of the table column FILTRO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.10.10 Column CODICE_1 of the table FILTRI_LISTE_VALORI**V.4.1.10.10.1 Card of the column CODICE_1 of the table FILTRI_LISTE_VALORI**

Name	CODICE_1
Code	CODICE_1
Data Type	VARCHAR2(10)
Mandatory	No

**V.4.1.10.10.2 Check constraint name of the column CODICE_1 of the table FILTRI_LISTE_VALORI
FILTRI_LISTE_CODICE_1_CC****V.4.1.10.10.3 Check of the column CODICE_1 of the table FILTRI_LISTE_VALORI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.10.10.4 Server validation rule of the column CODICE_1 of the table FILTRI_LISTE_VALORI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.1.10.10.5 List of all dependencies of the table column CODICE_1**

Name	Code	Class Name
CODICE_1	CODICE_1	Index Column

V.4.1.10.10.6 List of extended attributes of the table column CODICE_1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.10.11 Column CODICE_2 of the table FILTRI_LISTE_VALORI**V.4.1.10.11.1 Card of the column CODICE_2 of the table FILTRI_LISTE_VALORI**

Name	CODICE_2
Code	CODICE_2
Data Type	VARCHAR2(10)
Mandatory	No

**V.4.1.10.11.2 Check constraint name of the column CODICE_2 of the table FILTRI_LISTE_VALORI
FILTRI_LISTE__CODICE_2_CC****V.4.1.10.11.3 Check of the column CODICE_2 of the table FILTRI_LISTE_VALORI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.10.11.4 Server validation rule of the column CODICE_2 of the table FILTRI_LISTE_VALORI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.1.10.11.5 List of all dependencies of the table column CODICE_2**

Name	Code	Class Name
CODICE_2	CODICE_2	Index Column

V.4.1.10.11.6 List of extended attributes of the table column CODICE_2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.1.10.12 List of keys of the table FILTRI_LISTE_VALORI

Name	Code	Primary
FILV_PK	FILV_PK	X

V.4.1.10.13 Key FILV_PK of the table FILTRI_LISTE_VALORI**V.4.1.10.13.1 Card of the key FILV_PK of the table FILTRI_LISTE_VALORI**

Name	FILV_PK
Code	FILV_PK
Table	FILTRI_LISTE_VALORI

V.4.1.10.13.2 Code preview of the key FILV_PK of the table FILTRI_LISTE_VALORI

```
alter table FILTRI_LISTE_VALORI
add constraint FILV_PK primary key (FILV_ID);
```

V.4.1.10.13.3 List of columns of the table key FILV_PK

Name	Code
FILV_ID	FILV_ID

V.4.1.10.13.4 List of all dependencies of the table key FILV_PK

Name	Code	Class Name
FILV_PK	FILV_PK	Index

V.4.1.10.14 List of indexes of the table FILTRI_LISTE_VALORI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
FILV_PK	FILV_PK	X		X		
FILV_UK	FILV_UK	X				

V.4.1.10.15 Index FILV_PK of the table FILTRI_LISTE_VALORI**V.4.1.10.15.1 Card of the index FILV_PK of the table FILTRI_LISTE_VALORI**

Name	FILV_PK
Code	FILV_PK
Unique	Yes
Cluster	No

Primary	Yes
Foreign Key	No
Alternate Key	No
Table	FILTRI_LISTE_VALORI

V.4.1.10.15.2 Code preview of the index FILV_PK of the table FILTRI_LISTE_VALORI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.10.15.3 List of index columns of the index FILV_PK

Name	Code	Sort
FILV_ID	FILV_ID	Ascending

V.4.1.10.16 Index FILV_UK of the table FILTRI_LISTE_VALORI**V.4.1.10.16.1 Card of the index FILV_UK of the table FILTRI_LISTE_VALORI**

Name	FILV_UK
Code	FILV_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	FILTRI_LISTE_VALORI

V.4.1.10.16.2 Code preview of the index FILV_UK of the table FILTRI_LISTE_VALORI

```
=====
/* Index: FILV_UK */=====
create unique index FILV_UK on FILTRI_LISTE_VALORI (
    FILTRO ASC,
    CODICE_1 ASC,
    CODICE_2 ASC
);
```

V.4.1.10.16.3 List of index columns of the index FILV_UK

Name	Code	Sort
FILTRO	FILTRO	Ascending
CODICE_1	CODICE_1	Ascending
CODICE_2	CODICE_2	Ascending

V.4.1.10.17 List of triggers of the table FILTRI_LISTE_VALORI

Name	Code
filtri_liste_valori_tiu	FILTRI_LISTE_VALORI_TIU

V.4.1.10.18 Trigger FILTRI_LISTE_VALORI_TIU of the table FILTRI_LISTE_VALORI**V.4.1.10.18.1 Card of the trigger FILTRI_LISTE_VALORI_TIU of the table FILTRI_LISTE_VALORI**

Name	filtri_liste_valori_tiu
Code	FILTRI_LISTE_VALORI_TIU
Generate	Yes
Table	FILTRI_LISTE_VALORI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.10.18.2 Code preview of the trigger FILTRI_LISTE_VALORI_TIU of the table FILTRI_LISTE_VALORI

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.11 Table GP4_PERSONALIZZAZIONI**V.4.1.11.1 Card of table GP4_PERSONALIZZAZIONI**

Name	Gp4 Personalizzazioni
Code	GP4_PERSONALIZZAZIONI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.11.2 Check constraint name of table GP4_PERSONALIZZAZIONI

GP4_PERSONALIZZAZIONI_CT

V.4.1.11.3 Server validation rule of table GP4_PERSONALIZZAZIONI

%RULES%

V.4.1.11.4 Code preview of table GP4_PERSONALIZZAZIONI

```
/*
=====
/* Table: GP4_PERSONALIZZAZIONI */=====
create table GP4_PERSONALIZZAZIONI (
    CLIENTE      VARCHAR2(10)      not null,
    NODO         VARCHAR2(10),
    SI           VARCHAR2(6),
    PROCEDURA    VARCHAR2(6),
```

```

TIPO          VARCHAR2(1)           not null,
VOCE_MENU    VARCHAR2(8)          not null,
NOTE         VARCHAR2(30)

);

```

comment on table GP4_PERSONALIZZAZIONI is
'PERS - Personalizzazione delle Voci del Menu applicativo';

```

/*=====
/* Index: PERS_IK
/*=====
create index PERS_IK on GP4_PERSONALIZZAZIONI (
  CLIENTE ASC
);

```

V.4.1.11.5 List of diagrams containing the table GP4_PERSONALIZZAZIONI

Name	Code
Generale	GENERALE

V.4.1.11.6 List of extended attributes of the table GP4_PERSONALIZZAZIONI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.11.7 List of columns of the table GP4_PERSONALIZZAZIONI

Name	Code
CLIENTE	CLIENTE
NODO	NODO
SI	SI
PROCEDURA	PROCEDURA
TIPO	TIPO
VOCE MENU	VOCE MENU
NOTE	NOTE

V.4.1.11.8 Column CLIENTE of the table GP4_PERSONALIZZAZIONI

V.4.1.11.8.1 Card of the column CLIENTE of the table GP4_PERSONALIZZAZIONI

Name	CLIENTE
Code	CLIENTE
Data Type	VARCHAR2(10)
Mandatory	Yes

**V.4.1.11.8.2 Check constraint name of the column CLIENTE of the table GP4_PERSONALIZZAZIONI
GP4_PERSONALI_CLIENTE_CC**

V.4.1.11.8.3 Check of the column CLIENTE of the table GP4_PERSONALIZZAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.11.8.4 Server validation rule of the column CLIENTE of the table GP4_PERSONALIZZAZIONI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.1.11.8.5 List of all dependencies of the table column CLIENTE

Name	Code	Class Name
CLIENTE	CLIENTE	Index Column

V.4.1.11.8.6 List of extended attributes of the table column CLIENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.11.9 Column NODO of the table GP4_PERSONALIZZAZIONI

V.4.1.11.9.1 Card of the column NODO of the table GP4_PERSONALIZZAZIONI

Name	NODO
Code	NODO
Data Type	VARCHAR2(10)
Mandatory	No

**V.4.1.11.9.2 Check constraint name of the column NODO of the table GP4_PERSONALIZZAZIONI
GP4_PERSONALI_NODO_CC**

V.4.1.11.9.3 Check of the column NODO of the table GP4_PERSONALIZZAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.11.9.4 Server validation rule of the column NODO of the table GP4_PERSONALIZZAZIONI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.11.9.5 List of extended attributes of the table column NODO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.11.10 Column SI of the table GP4_PERSONALIZZAZIONI**V.4.1.11.10.1 Card of the column SI of the table GP4_PERSONALIZZAZIONI**

Name	SI
Code	SI
Data Type	VARCHAR2(6)
Mandatory	No

V.4.1.11.10.2 Check constraint name of the column SI of the table GP4_PERSONALIZZAZIONI

GP4_PERSONALI_SI_CC

V.4.1.11.10.3 Check of the column SI of the table GP4_PERSONALIZZAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.11.10.4 Server validation rule of the column SI of the table GP4_PERSONALIZZAZIONI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.11.10.5 List of extended attributes of the table column SI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.11.11 Column PROCEDURA of the table GP4_PERSONALIZZAZIONI**V.4.1.11.11.1Card of the column PROCEDURA of the table GP4_PERSONALIZZAZIONI**

Name	PROCEDURA
Code	PROCEDURA
Data Type	VARCHAR2(6)
Mandatory	No

**V.4.1.11.11.2Check constraint name of the column PROCEDURA of the table
GP4_PERSONALIZZAZIONI**

GP4_PERSONALI_PROCEDURA_CC

V.4.1.11.11.3Check of the column PROCEDURA of the table GP4_PERSONALIZZAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.11.11.4Server validation rule of the column PROCEDURA of the table
GP4_PERSONALIZZAZIONI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.11.11.5List of extended attributes of the table column PROCEDURA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

ExtNotNullConstraintName	erred		Si4) ORACLE Version 8i2 (for Si4)
--------------------------	-------	--	--------------------------------------

V.4.1.11.12 Column TIPO of the table GP4_PERSONALIZZAZIONI**V.4.1.11.12.1 Card of the column TIPO of the table GP4_PERSONALIZZAZIONI**

Name	TIPO
Code	TIPO
Data Type	VARCHAR2(1)
Mandatory	Yes

**V.4.1.11.12.2 Check constraint name of the column TIPO of the table GP4_PERSONALIZZAZIONI
GP4_PERSONALI_TIPO_CC****V.4.1.11.12.3 Check of the column TIPO of the table GP4_PERSONALIZZAZIONI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.11.12.4 Server validation rule of the column TIPO of the table GP4_PERSONALIZZAZIONI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.1.11.12.5 List of extended attributes of the table column TIPO**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.11.13 Column VOCE_MENU of the table GP4_PERSONALIZZAZIONI**V.4.1.11.13.1 Card of the column VOCE_MENU of the table GP4_PERSONALIZZAZIONI**

Name	VOCE_MENU
Code	VOCE_MENU

Data Type	VARCHAR2(8)
Mandatory	Yes

V.4.1.11.13.2 Check constraint name of the column VOCE_MENU of the table**GP4_PERSONALIZZAZIONI****GP4_PERSONALI_VOCE_MENU_CC****V.4.1.11.13.3 Check of the column VOCE_MENU of the table GP4_PERSONALIZZAZIONI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.11.13.4 Server validation rule of the column VOCE_MENU of the table**GP4_PERSONALIZZAZIONI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.11.13.5 List of extended attributes of the table column VOCE_MENU

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.11.14 Column NOTE of the table GP4_PERSONALIZZAZIONI**V.4.1.11.14.1 Card of the column NOTE of the table GP4_PERSONALIZZAZIONI**

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.11.14.2 Check constraint name of the column NOTE of the table GP4_PERSONALIZZAZIONI**GP4_PERSONALI_NOTE_CC****V.4.1.11.14.3 Check of the column NOTE of the table GP4_PERSONALIZZAZIONI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.11.14.4 Server validation rule of the column NOTE of the table GP4_PERSONALIZZAZIONI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.11.14.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.11.15 List of indexes of the table GP4_PERSONALIZZAZIONI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PERS_IK	PERS_IK					

V.4.1.11.16 Index PERS_IK of the table GP4_PERSONALIZZAZIONI

V.4.1.11.16.1 Card of the index PERS_IK of the table GP4_PERSONALIZZAZIONI

Name	PERS_IK
Code	PERS_IK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	GP4_PERSONALIZZAZIONI

V.4.1.11.16.2 Code preview of the index PERS_IK of the table GP4_PERSONALIZZAZIONI

```
/*=====
/* Index: PERS_IK
/*=====*/
```

```
create index PERS_IK on GP4_PERSONALIZZAZIONI (
    CLIENTE ASC
);
```

V.4.1.11.16.3 List of index columns of the index PERS_IK

Name	Code	Sort
CLIENTE	CLIENTE	Ascending

V.4.1.12 Table IMMAGINI

V.4.1.12.1 Card of table IMMAGINI

Name	Immagini
Code	IMMAGINI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.12.2 Check constraint name of table IMMAGINI

IMMAGINI_CT

V.4.1.12.3 Server validation rule of table IMMAGINI

%RULES%

V.4.1.12.4 Code preview of table IMMAGINI

```
/*=====
/* Table: IMMAGINI
/*=====
create table IMMAGINI (
    SEQUENZA      NUMBER          not null,
    IMAGE         BLOB,
    DISLOCAZIONE_IMAGE VARCHAR2(200)
);
```

comment on table IMMAGINI is
'IMMA - Archivio Immagini';

alter table IMMAGINI
add constraint IMMA_PK primary key (SEQUENZA);

V.4.1.12.5 List of incoming references of the table IMMAGINI

Name	Code
ANAG_IMMA	ANAG_IMMA

V.4.1.12.6 List of all dependencies of the table IMMAGINI

Name	Code	Class Name
ANAG_IMMA	ANAG_IMMA	Reference
Immagini	IMMAGINI	Shortcut of table

V.4.1.12.7 List of extended attributes of the table IMMAGINI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.12.8 List of columns of the table IMMAGINI

Name	Code
SEQUENZA	SEQUENZA
IMAGE	IMAGE
DISLOCAZIONE_IMAGE	DISLOCAZIONE_IMAGE

V.4.1.12.9 Column SEQUENZA of the table IMMAGINI**V.4.1.12.9.1 Card of the column SEQUENZA of the table IMMAGINI**

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER
Mandatory	Yes

V.4.1.12.9.2 Check constraint name of the column SEQUENZA of the table IMMAGINI

IMMAGINISEQUENZA_CC

V.4.1.12.9.3 Check of the column SEQUENZA of the table IMMAGINI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.12.9.4 Server validation rule of the column SEQUENZA of the table IMMAGINI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.12.9.5 List of all dependencies of the table column SEQUENZA

Name	Code	Class Name
Key_1	KEY_1	Key
SEQUENZA	SEQUENZA	Index Column
?	?	Reference Join

V.4.1.12.9.6 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.12.10 Column IMAGE of the table IMMAGINI

V.4.1.12.10.1 Card of the column IMAGE of the table IMMAGINI

Name	IMAGE
Code	IMAGE
Data Type	BLOB
Mandatory	No

V.4.1.12.10.2 Check constraint name of the column IMAGE of the table IMMAGINI

IMMAGINI_IMAGE_CC

V.4.1.12.10.3 Check of the column IMAGE of the table IMMAGINI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.12.10.4 Server validation rule of the column IMAGE of the table IMMAGINI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.12.10.5 List of extended attributes of the table column IMAGE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.12.11 Column **DISLOCAZIONE_IMAGE** of the table IMMAGINI

V.4.1.12.11.1 Card of the column **DISLOCAZIONE_IMAGE** of the table IMMAGINI

Name	DISLOCAZIONE_IMAGE
Code	DISLOCAZIONE IMAGE
Data Type	VARCHAR2(200)
Mandatory	No

V.4.1.12.11.2 Check constraint name of the column **DISLOCAZIONE_IMAGE** of the table IMMAGINI IMMAGINI_DISLOCAZIONE_CC

V.4.1.12.11.3 Check of the column **DISLOCAZIONE_IMAGE** of the table IMMAGINI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.12.11.4 Server validation rule of the column **DISLOCAZIONE_IMAGE** of the table IMMAGINI %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.12.11.5 List of extended attributes of the table column **DISLOCAZIONE_IMAGE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.12.12 List of keys of the table IMMAGINI

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.12.13 Key KEY_1 of the table IMMAGINI

V.4.1.12.13.1 Card of the key KEY_1 of the table IMMAGINI

Name	Key_1
Code	KEY_1
Table	IMMAGINI

V.4.1.12.13.2 Code preview of the key KEY_1 of the table IMMAGINI

```
alter table IMMAGINI
add constraint IMMA_PK primary key (SEQUENZA);
```

V.4.1.12.13.3 List of columns of the table key KEY_1

Name	Code
SEQUENZA	SEQUENZA

V.4.1.12.13.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_IMMA	ANAG_IMMA	Reference
IMMA_PK	IMMA_PK	Index

V.4.1.12.14 List of indexes of the table IMMAGINI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
IMMA_PK	IMMA_PK	X		X		

V.4.1.12.15 Index IMMA_PK of the table IMMAGINI

V.4.1.12.15.1 Card of the index IMMA_PK of the table IMMAGINI

Name	IMMA_PK
Code	IMMA_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	IMMAGINI

V.4.1.12.15.2 Code preview of the index IMMA_PK of the table IMMAGINI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.12.15.3 List of index columns of the index IMMA_PK

Name	Code	Sort
SEQUENZA	SEQUENZA	Ascending

V.4.1.12.16 List of triggers of the table IMMAGINI

Name	Code
immagini_tiu	IMMAGINI_TIU

V.4.1.12.17 Trigger IMMAGINI_TIU of the table IMMAGINI**V.4.1.12.17.1 Card of the trigger IMMAGINI_TIU of the table IMMAGINI**

Name	immagini_tiu
Code	IMMAGINI_TIU
Generate	Yes
Table	IMMAGINI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.12.17.2 Code preview of the trigger IMMAGINI_TIU of the table IMMAGINI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.13 Table LOADER**V.4.1.13.1 Card of table LOADER**

Name	LOADER
Code	LOADER
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.13.2 Check constraint name of table LOADER

LOADER_CT

V.4.1.13.3 Server validation rule of table LOADER

%RULES%

V.4.1.13.4 Code preview of table LOADER

```
/*
/* Table: LOADER */
create table LOADER (
    LOADER_ID      NUMBER(6)          not null,
    VOCE_MENU      VARCHAR2(8)        not null,
    CTL_FILE       CLOB,
    DAT_FILE       BLOB,
    LOG_FILE       CLOB,
    BAD_FILE       CLOB,
    UTENTE         VARCHAR2(8),
    DATA_AGG       DATE,
    NOME_DAT_FILE VARCHAR2(200)
);
```

```
alter table LOADER
    add constraint LOAD_PK primary key (LOADER_ID);
```

```
/*
/* Index: LOAD_UK */
create unique index LOAD_UK on LOADER (
    VOCE_MENU ASC
);
```

V.4.1.13.5 List of diagrams containing the table LOADER

Name	Code
Generale	GENERALE

V.4.1.13.6 List of extended attributes of the table LOADER

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.13.7 List of columns of the table LOADER

Name	Code
LOADER_ID	LOADER_ID
VOCE_MENU	VOCE_MENU
CTL_FILE	CTL_FILE
DAT_FILE	DAT_FILE
LOG_FILE	LOG_FILE
BAD_FILE	BAD_FILE

UTENTE	UTENTE
DATA_AGG	DATA_AGG
NOME_DAT_FILE	NOME_DAT_FILE

V.4.1.13.8 Column **LOADER_ID** of the table **LOADER**

V.4.1.13.8.1 Card of the column **LOADER_ID** of the table **LOADER**

Name	LOADER_ID
Code	LOADER_ID
Data Type	NUMBER(6)
Mandatory	Yes

V.4.1.13.8.2 Check constraint name of the column **LOADER_ID** of the table **LOADER**

LOADER_LOADER_ID_CC

V.4.1.13.8.3 Check of the column **LOADER_ID** of the table **LOADER**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.8.4 Server validation rule of the column **LOADER_ID** of the table **LOADER**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.8.5 List of all dependencies of the table column **LOADER_ID**

Name	Code	Class Name
LOAD_PK	LOAD_PK	Key

V.4.1.13.8.6 List of extended attributes of the table column **LOADER_ID**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.9 Column VOCE_MENU of the table LOADER

V.4.1.13.9.1 Card of the column VOCE_MENU of the table LOADER

Name	VOCE_MENU
Code	VOCE_MENU
Data Type	VARCHAR2(8)
Mandatory	Yes

V.4.1.13.9.2 Check constraint name of the column VOCE_MENU of the table LOADER

LOADER_VOCE_MENU_CC

V.4.1.13.9.3 Check of the column VOCE_MENU of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.9.4 Server validation rule of the column VOCE_MENU of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.9.5 List of all dependencies of the table column VOCE_MENU

Name	Code	Class Name
VOCE MENU	VOCE_MENU	Index Column

V.4.1.13.9.6 List of extended attributes of the table column VOCE_MENU

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.10 Column CTL_FILE of the table LOADER

V.4.1.13.10.1 Card of the column CTL_FILE of the table LOADER

Name	CTL_FILE
Code	CTL_FILE

Data Type	CLOB
Mandatory	No

**V.4.1.13.10.2 Check constraint name of the column CTL_FILE of the table LOADER
LOADER_CTL_FILE_CC**

V.4.1.13.10.3 Check of the column CTL_FILE of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.13.10.4 Server validation rule of the column CTL_FILE of the table LOADER
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.1.13.10.5 List of extended attributes of the table column CTL_FILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.11 Column DAT_FILE of the table LOADER

V.4.1.13.11.1 Card of the column DAT_FILE of the table LOADER

Name	DAT_FILE
Code	DAT_FILE
Data Type	BLOB
Mandatory	No

**V.4.1.13.11.2 Check constraint name of the column DAT_FILE of the table LOADER
LOADER_DAT_FILE_CC**

V.4.1.13.11.3 Check of the column DAT_FILE of the table LOADER

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.11.4 Server validation rule of the column DAT_FILE of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.11.5 List of extended attributes of the table column DAT_FILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.12 Column LOG_FILE of the table LOADER**V.4.1.13.12.1 Card of the column LOG_FILE of the table LOADER**

Name	LOG_FILE
Code	LOG_FILE
Data Type	CLOB
Mandatory	No

V.4.1.13.12.2 Check constraint name of the column LOG_FILE of the table LOADER

LOADER_LOG_FILE_CC

V.4.1.13.12.3 Check of the column LOG_FILE of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.12.4 Server validation rule of the column LOG_FILE of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.12.5 List of extended attributes of the table column LOG_FILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.13 Column BAD_FILE of the table LOADER

V.4.1.13.13.1 Card of the column BAD_FILE of the table LOADER

Name	BAD_FILE
Code	BAD_FILE
Data Type	CLOB
Mandatory	No

V.4.1.13.13.2 Check constraint name of the column BAD_FILE of the table LOADER

LOADER_BAD_FILE_CC

V.4.1.13.13.3 Check of the column BAD_FILE of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.13.4 Server validation rule of the column BAD_FILE of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.13.5 List of extended attributes of the table column BAD_FILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.14 Column UTENTE of the table LOADER**V.4.1.13.14.1 Card of the column UTENTE of the table LOADER**

Name	UTENTE
Code	UTENTE
Data Type	VARCHAR2(8)
Mandatory	No

V.4.1.13.14.2 Check constraint name of the column UTENTE of the table LOADER

LOADER_UTENTE_CC

V.4.1.13.14.3 Check of the column UTENTE of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.14.4 Server validation rule of the column UTENTE of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.14.5 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.15 Column DATA_AGG of the table LOADER**V.4.1.13.15.1 Card of the column DATA_AGG of the table LOADER**

Name	DATA_AGG
Code	DATA_AGG
Data Type	DATE
Mandatory	No

V.4.1.13.15.2 Check constraint name of the column DATA_AGG of the table LOADER

LOADER_DATA_ AGG_CC

V.4.1.13.15.3 Check of the column DATA_ AGG of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.13.15.4 Server validation rule of the column DATA_ AGG of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.15.5 List of extended attributes of the table column DATA_ AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.16 Column NOME_ DAT_ FILE of the table LOADER**V.4.1.13.16.1 Card of the column NOME_ DAT_ FILE of the table LOADER**

Name	NOME_DAT_FILE
Code	NOME_DAT_FILE
Data Type	VARCHAR2(200)
Mandatory	No

V.4.1.13.16.2 Check constraint name of the column NOME_ DAT_ FILE of the table LOADER

LOADER_NOME_DAT_FILE_CC

V.4.1.13.16.3 Check of the column NOME_ DAT_ FILE of the table LOADER

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.1.13.16.4 Server validation rule of the column NOME_DAT_FILE of the table LOADER

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.13.16.5 List of extended attributes of the table column NOME_DAT_FILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.13.17 List of keys of the table LOADER

Name	Code	Primary
LOAD_PK	LOAD_PK	X

V.4.1.13.18 Key LOAD_PK of the table LOADER**V.4.1.13.18.1 Card of the key LOAD_PK of the table LOADER**

Name	LOAD_PK
Code	LOAD_PK
Table	LOADER

V.4.1.13.18.2 Code preview of the key LOAD_PK of the table LOADER

alter table LOADER

add constraint LOAD_PK primary key (LOADER_ID);

V.4.1.13.18.3 List of columns of the table key LOAD_PK

Name	Code
LOADER_ID	LOADER_ID

V.4.1.13.19 List of indexes of the table LOADER

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
LOAD_UK	LOAD_UK	X				

V.4.1.13.20 Index LOAD_UK of the table LOADER

V.4.1.13.20.1 Card of the index LOAD_UK of the table LOADER

Name	LOAD_UK
Code	LOAD_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	LOADER

V.4.1.13.20.2 Code preview of the index LOAD_UK of the table LOADER

```
/*=====
/* Index: LOAD_UK */ */
=====*/
create unique index LOAD_UK on LOADER (
    VOCE_MENU ASC
);
```

V.4.1.13.20.3 List of index columns of the index LOAD_UK

Name	Code	Sort
VOCE_MENU	VOCE_MENU	Ascending

V.4.1.13.21 List of triggers of the table LOADER

Name	Code
loader_tiu	LOADER_TIU

V.4.1.13.22 Trigger LOADER_TIU of the table LOADER**V.4.1.13.22.1 Card of the trigger LOADER_TIU of the table LOADER**

Name	loader_tiu
Code	LOADER_TIU
Generate	Yes
Table	LOADER
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.13.22.2 Code preview of the trigger LOADER_TIU of the table LOADER

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.14 Table MAPPATURA_CODICI

V.4.1.14.1 Card of table MAPPATURA_CODICI

Name	MAPPATURA_CODICI
Code	MAPPATURA_CODICI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.14.2 Check constraint name of table MAPPATURA_CODICI

MAPPATURA_CODICI_CT

V.4.1.14.3 Server validation rule of table MAPPATURA_CODICI

%RULES%

V.4.1.14.4 Code preview of table MAPPATURA_CODICI

```
/*=====
/* Table: MAPPATURA_CODICI */
/*=====*/
create table MAPPATURA_CODICI (
    CHIAVE      VARCHAR2(20)          not null,
    TABELLA     VARCHAR2(30)          not null,
    CODICE_DB   VARCHAR2(20)          not null,
    CODICE      VARCHAR2(20)
);
alter table MAPPATURA_CODICI
add constraint MACO_PK primary key (CHIAVE, TABELLA, CODICE_DB);
```

V.4.1.14.5 List of diagrams containing the table MAPPATURA_CODICI

Name	Code
Generale	GENERALE

V.4.1.14.6 List of outgoing references of the table MAPPATURA_CODICI

Name	Code	Foreign Key Columns
rv_domain = 'MAPPATURA_CODICI.C HIAVE' /*on Parent*/	MACO_RECO_CHIAVE	CHIAVE
rv_domain = 'MAPPATURA_CODICI.T ABELLA' /*on parent*/	MACO_RECO_TAB	TABELLA; CHIAVE

V.4.1.14.7 List of all dependencies of the table MAPPATURA_CODICI

Name	Code	Class Name
rv_domain = 'MAPPATURA_CODICI.CHIAVE' /*on Parent*/	MACO_RECO_CHIAVE	Reference
rv_domain = 'MAPPATURA_CODICI.TABELLA' /*on parent*/	MACO_RECO_TAB	Reference

V.4.1.14.8 *List of extended attributes of the table MAPPATURA_CODICI*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.14.9 *List of columns of the table MAPPATURA_CODICI*

Name	Code
CHIAVE	CHIAVE
TABELLA	TABELLA
CODICE_DB	CODICE_DB
CODICE	CODICE

V.4.1.14.10 *Column CHIAVE of the table MAPPATURA_CODICI*

V.4.1.14.10.1 Card of the column CHIAVE of the table MAPPATURA_CODICI

Name	CHIAVE
Code	CHIAVE
Data Type	VARCHAR2(20)
Mandatory	Yes

V.4.1.14.10.2 Check constraint name of the column CHIAVE of the table MAPPATURA_CODICI

MAPPATURA_COD_CHIAVE_CC

V.4.1.14.10.3 Check of the column CHIAVE of the table MAPPATURA_CODICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.14.10.4 Server validation rule of the column CHIAVE of the table MAPPATURA_CODICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.14.10.5 List of all dependencies of the table column CHIAVE

Name	Code	Class Name
CHIAVE	CHIAVE	Index Column
Key_1	KEY_1	Key
?	?	Reference Join
?	?	Reference Join

V.4.1.14.10.6 List of extended attributes of the table column CHIAVE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.14.11 Column TABELLA of the table MAPPATURA_CODICI**V.4.1.14.11.1 Card of the column TABELLA of the table MAPPATURA_CODICI**

Name	TABELLA
Code	TABELLA
Data Type	VARCHAR2(30)
Mandatory	Yes

V.4.1.14.11.2 Check constraint name of the column TABELLA of the table MAPPATURA_CODICI

MAPPATURA_COD_TABELLA_CC

V.4.1.14.11.3 Check of the column TABELLA of the table MAPPATURA_CODICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.14.11.4 Server validation rule of the column TABELLA of the table MAPPATURA_CODICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.14.11.5 List of all dependencies of the table column TABELLA

Name	Code	Class Name
Key_1	KEY_1	Key
?	?	Reference Join
TABELLA	TABELLA	Index Column

V.4.1.14.11.6 List of extended attributes of the table column TABELLA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.14.12 Column CODICE_DB of the table MAPPATURA_CODICI**V.4.1.14.12.1 Card of the column CODICE_DB of the table MAPPATURA_CODICI**

Name	CODICE_DB
Code	CODICE_DB
Data Type	VARCHAR2(20)
Mandatory	Yes

V.4.1.14.12.2 Check constraint name of the column CODICE_DB of the table MAPPATURA_CODICI

MAPPATURA_COD_CODICE_DB_CC

V.4.1.14.12.3 Check of the column CODICE_DB of the table MAPPATURA_CODICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.14.12.4 Server validation rule of the column CODICE_DB of the table MAPPATURA_CODICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.14.12.5 List of all dependencies of the table column CODICE_DB

Name	Code	Class Name
CODICE_DB	CODICE_DB	Index Column
Key_1	KEY_1	Key

V.4.1.14.12.6 List of extended attributes of the table column CODICE_DB

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.14.13 Column CODICE of the table MAPPATURA_CODICI**V.4.1.14.13.1 Card of the column CODICE of the table MAPPATURA_CODICI**

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(20)
Mandatory	No

**V.4.1.14.13.2 Check constraint name of the column CODICE of the table MAPPATURA_CODICI
MAPPATURA_COD_CODICE_CC****V.4.1.14.13.3 Check of the column CODICE of the table MAPPATURA_CODICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.14.13.4 Server validation rule of the column CODICE of the table MAPPATURA_CODICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.1.14.13.5 List of extended attributes of the table column CODICE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.1.14.14 List of keys of the table MAPPATURA_CODICI

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.14.15 Key KEY_1 of the table MAPPATURA_CODICI**V.4.1.14.15.1 Card of the key KEY_1 of the table MAPPATURA_CODICI**

Name	Key_1
Code	KEY_1
Table	MAPPATURA_CODICI

V.4.1.14.15.2 Code preview of the key KEY_1 of the table MAPPATURA_CODICI

```
alter table MAPPATURA_CODICI
add constraint MACO_PK primary key (CHIAVE, TABELLA, CODICE_DB);
```

V.4.1.14.15.3 List of columns of the table key KEY_1

Name	Code
CHIAVE	CHIAVE
TABELLA	TABELLA
CODICE_DB	CODICE_DB

V.4.1.14.15.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
MACO_PK	MACO_PK	Index

V.4.1.14.16 List of indexes of the table MAPPATURA_CODICI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
MACO_PK	MACO_PK	X		X		

V.4.1.14.17 Index MACO_PK of the table MAPPATURA_CODICI**V.4.1.14.17.1 Card of the index MACO_PK of the table MAPPATURA_CODICI**

Name	MACO_PK
Code	MACO_PK

Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	MAPPATURA_CODICI

V.4.1.14.17.2 Code preview of the index MACO_PK of the table MAPPATURA_CODICI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.1.14.17.3 List of index columns of the index MACO_PK

Name	Code	Sort
CHIAVE	CHIAVE	Ascending
TABELLA	TABELLA	Ascending
CODICE_DB	CODICE_DB	Ascending

V.4.1.14.18 List of triggers of the table MAPPATURA_CODICI

Name	Code
mappatura_codici_tc	MAPPATURA_CODICI_TC
mappatura_codici_tiu	MAPPATURA_CODICI_TIU
mappatura_codici_tmb	MAPPATURA_CODICI_TMB

V.4.1.14.19 Trigger MAPPATURA_CODICI_TC of the table MAPPATURA_CODICI**V.4.1.14.19.1 Card of the trigger MAPPATURA_CODICI_TC of the table MAPPATURA_CODICI**

Name	mappatura_codici_tc
Code	MAPPATURA_CODICI_TC
Generate	Yes
Table	MAPPATURA_CODICI
Trigger Template	CustomPostEvent (From DBMS)
User-Defined SQL	No

V.4.1.14.19.2 Code preview of the trigger MAPPATURA_CODICI_TC of the table MAPPATURA_CODICI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.1.14.20 Trigger MAPPATURA_CODICI_TIU of the table MAPPATURA_CODICI**V.4.1.14.20.1 Card of the trigger MAPPATURA_CODICI_TIU of the table MAPPATURA_CODICI**

Name	mappatura_codici_tiu
Code	MAPPATURA_CODICI_TIU
Generate	Yes
Table	MAPPATURA_CODICI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.1.14.20.2 Code preview of the trigger MAPPATURA_CODICI_TIU of the table MAPPATURA_CODICI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.14.21 Trigger MAPPATURA_CODICI_TMB of the table MAPPATURA_CODICI

V.4.1.14.21.1 Card of the trigger MAPPATURA_CODICI_TMB of the table MAPPATURA_CODICI

Name	mappatura_codici_tmb
Code	MAPPATURA_CODICI_TMB
Generate	Yes
Table	MAPPATURA_CODICI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.1.14.21.2 Code preview of the trigger MAPPATURA_CODICI_TMB of the table MAPPATURA_CODICI

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.15 Table PRENOTAZIONI_ELABORAZIONI

V.4.1.15.1 Card of table PRENOTAZIONI_ELABORAZIONI

Name	PRENOTAZIONI_ELABORAZIONI
Code	PRENOTAZIONI_ELABORAZIONI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.15.2 Check constraint name of table PRENOTAZIONI_ELABORAZIONI

PRENOTAZIONI_ELABORAZIONI_CT

V.4.1.15.3 Server validation rule of table PRENOTAZIONI_ELABORAZIONI

%RULES%

V.4.1.15.4 Code preview of table PRENOTAZIONI_ELABORAZIONI

```
/*=====*/
```

```
/* Table: PRENOTAZIONI_ELABORAZIONI */  
/*-----*/  
create table PRENOTAZIONI_ELABORAZIONI (   
    NO_PRENOTAZIONE    NUMBER(6)          not null,  
    ID_ELABORAZIONE    NUMBER(10)  
);
```

comment on table PRENOTAZIONI_ELABORAZIONI is
'Predisposta per nuovo applicativo GPS';

```
alter table PRENOTAZIONI_ELABORAZIONI  
add constraint PREL_PK primary key (NO_PRENOTAZIONE);
```

V.4.1.15.5 List of diagrams containing the table PRENOTAZIONI_ELABORAZIONI

Name	Code
Generale	GENERALE

V.4.1.15.6 List of extended attributes of the table PRENOTAZIONI_ELABORAZIONI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.15.7 List of columns of the table PRENOTAZIONI_ELABORAZIONI

Name	Code
NO_PRENOTAZIONE	NO_PRENOTAZIONE
ID_ELABORAZIONE	ID_ELABORAZIONE

V.4.1.15.8 Column NO_PRENOTAZIONE of the table PRENOTAZIONI_ELABORAZIONI

V.4.1.15.8.1 Card of the column NO_PRENOTAZIONE of the table PRENOTAZIONI_ELABORAZIONI

Name	NO_PRENOTAZIONE
Code	NO_PRENOTAZIONE
Data Type	NUMBER(6)
Mandatory	Yes

V.4.1.15.8.2 Check constraint name of the column NO_PRENOTAZIONE of the table PRENOTAZIONI_ELABORAZIONI

PRENOTAZIONI_NO_PRENOTAZIO_CC

V.4.1.15.8.3 Check of the column NO_PRENOTAZIONE of the table PRENOTAZIONI_ELABORAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.15.8.4 Server validation rule of the column NO_PRENOTAZIONE of the table PRENOTAZIONI_ELABORAZIONI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.15.8.5 List of all dependencies of the table column NO_PRENOTAZIONE

Name	Code	Class Name
PREL_PK	PREL_PK	Key

V.4.1.15.8.6 List of extended attributes of the table column NO_PRENOTAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.15.9 Column ID_ELABORAZIONE of the table PRENOTAZIONI_ELABORAZIONI

V.4.1.15.9.1 Card of the column ID_ELABORAZIONE of the table PRENOTAZIONI_ELABORAZIONI

Name	ID_ELABORAZIONE
Code	ID_ELABORAZIONE
Data Type	NUMBER(10)
Mandatory	No

V.4.1.15.9.2 Check constraint name of the column ID_ELABORAZIONE of the table PRENOTAZIONI_ELABORAZIONI

PRENOTAZIONI_ID_ELABORAZIO_CC

V.4.1.15.9.3 Check of the column ID_ELABORAZIONE of the table PRENOTAZIONI_ELABORAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.15.9.4 Server validation rule of the column ID_ELABORAZIONE of the table PRENOTAZIONI_ELABORAZIONI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.15.9.5 List of extended attributes of the table column ID_ELABORAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.15.10 List of keys of the table PRENOTAZIONI_ELABORAZIONI

Name	Code	Primary
PREL_PK	PREL_PK	X

V.4.1.15.11 Key PREL_PK of the table PRENOTAZIONI_ELABORAZIONI

V.4.1.15.11.1 Card of the key PREL_PK of the table PRENOTAZIONI_ELABORAZIONI

Name	PREL_PK
Code	PREL_PK
Table	PRENOTAZIONI_ELABORAZIONI

V.4.1.15.11.2 Code preview of the key PREL_PK of the table PRENOTAZIONI_ELABORAZIONI

```
alter table PRENOTAZIONI_ELABORAZIONI
add constraint PREL_PK primary key (NO_PRENOTAZIONE);
```

V.4.1.15.11.3 List of columns of the table key PREL_PK

Name	Code
NO_PRENOTAZIONE	NO_PRENOTAZIONE

V.4.1.15.12 List of triggers of the table PRENOTAZIONI_ELABORAZIONI

Name	Code
prenotazioni_elaborazioni_tiu	PRENOTAZIONI_ELABORAZIONI_TIU

V.4.1.15.13 Trigger PRENOTAZIONI_ELABORAZIONI_TIU of the table PRENOTAZIONI_ELABORAZIONI**V.4.1.15.13.1 Card of the trigger PRENOTAZIONI_ELABORAZIONI_TIU of the table PRENOTAZIONI_ELABORAZIONI**

Name	prenotazioni_elaborazioni_tiu
Code	PRENOTAZIONI_ELABORAZIONI_TIU
Generate	Yes
Table	PRENOTAZIONI_ELABORAZIONI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.15.13.2 Code preview of the trigger PRENOTAZIONI_ELABORAZIONI_TIU of the table PRENOTAZIONI_ELABORAZIONI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.1.16 Table PRODUZ_FILE_TESTO**V.4.1.16.1 Card of table PRODUZ_FILE_TESTO**

Name	PRODUZ_FILE_TESTO
Code	PRODUZ_FILE_TESTO
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.16.2 Check constraint name of table PRODUZ_FILE_TESTO

PRODUZ_FILE_TESTO_CT

V.4.1.16.3 Server validation rule of table PRODUZ_FILE_TESTO

%RULES%

V.4.1.16.4 Code preview of table PRODUZ_FILE_TESTO

```
/*=====
/* Table: PRODUZ_FILE_TESTO */ */
/*=====*/
create table PRODUZ_FILE_TESTO (
    FILENAME      VARCHAR2(2000)      not null,
    VOCE_MENU     VARCHAR2(200),
```

```

TESTO      CLOB,
NOTE       VARCHAR2(4000),
UTENTE    VARCHAR2(8),
DATA_AGG   DATE
);

```

comment on table PRODUZ_FILE_TESTO is
'PTXT - Tabella per salvataggio file di Testo emessi dall'applicativo';

```

alter table PRODUZ_FILE_TESTO
add constraint PTXT_PK primary key (FILENAME);

```

V.4.1.16.5 List of diagrams containing the table PRODUZ_FILE_TESTO

Name	Code
Generale	GENERALE

V.4.1.16.6 List of all dependencies of the table PRODUZ_FILE_TESTO

Name	Code	Class Name
VISTA_PRODUZ_FILE_TESTO	VISTA_PRODUZ_FILE_TESTO	View

V.4.1.16.7 List of extended attributes of the table PRODUZ_FILE_TESTO

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.16.8 List of columns of the table PRODUZ_FILE_TESTO

Name	Code
FILENAME	FILENAME
VOCE MENU	VOCE MENU
TESTO	TESTO
NOTE	NOTE
UTENTE	UTENTE
DATA_AGG	DATA_AGG

V.4.1.16.9 Column FILENAME of the table PRODUZ_FILE_TESTO

V.4.1.16.9.1 Card of the column FILENAME of the table PRODUZ_FILE_TESTO

Name	FILENAME
Code	FILENAME
Data Type	VARCHAR2(2000)

Mandatory	Yes
-----------	-----

**V.4.1.16.9.2 Check constraint name of the column FILENAME of the table PRODUZ_FILE_TESTO
PRODUZ_FILE_T_FILENAME_CC**

V.4.1.16.9.3 Check of the column FILENAME of the table PRODUZ_FILE_TESTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.16.9.4 Server validation rule of the column FILENAME of the table PRODUZ_FILE_TESTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.1.16.9.5 List of all dependencies of the table column FILENAME

Name	Code	Class Name
Filename	FILENAME	View Column
PTXT_PK	PTXT_PK	Key

V.4.1.16.9.6 List of extended attributes of the table column FILENAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.16.10 Column VOCE_MENU of the table PRODUZ_FILE_TESTO

V.4.1.16.10.1 Card of the column VOCE_MENU of the table PRODUZ_FILE_TESTO

Name	VOCE_MENU
Code	VOCE_MENU
Data Type	VARCHAR2(200)
Mandatory	No

V.4.1.16.10.2 Check constraint name of the column VOCE_MENU of the table PRODUZ_FILE_TESTO

PRODUZ_FILE_T_VOCE_MENU_CC

V.4.1.16.10.3 Check of the column VOCE_MENU of the table PRODUZ_FILE_TESTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.16.10.4 Server validation rule of the column VOCE_MENU of the table PRODUZ_FILE_TESTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.1.16.10.5 List of all dependencies of the table column VOCE_MENU**

Name	Code	Class Name
Voce Menu	VOCE_MENU	View Column

V.4.1.16.10.6 List of extended attributes of the table column VOCE_MENU

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.16.11 Column TESTO of the table PRODUZ_FILE_TESTO**V.4.1.16.11.1 Card of the column TESTO of the table PRODUZ_FILE_TESTO**

Name	TESTO
Code	TESTO
Data Type	CLOB
Mandatory	No

V.4.1.16.11.2 Check constraint name of the column TESTO of the table PRODUZ_FILE_TESTO

PRODUZ_FILE_T_TESTO_CC

V.4.1.16.11.3 Check of the column TESTO of the table PRODUZ_FILE_TESTO

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.16.11.4 Server validation rule of the column TESTO of the table PRODUZ_FILE_TESTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.16.11.5 List of all dependencies of the table column TESTO

Name	Code	Class Name
Testo	TESTO	View Column

V.4.1.16.11.6 List of extended attributes of the table column TESTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.16.12 Column NOTE of the table PRODUZ_FILE_TESTO

V.4.1.16.12.1 Card of the column NOTE of the table PRODUZ_FILE_TESTO

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.1.16.12.2 Check constraint name of the column NOTE of the table PRODUZ_FILE_TESTO

PRODUZ_FILE_T_NOTE_CC

V.4.1.16.12.3 Check of the column NOTE of the table PRODUZ_FILE_TESTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.1.16.12.4 Server validation rule of the column NOTE of the table PRODUZ_FILE_TESTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.16.12.5 List of all dependencies of the table column NOTE

Name	Code	Class Name
Note	NOTE	View Column

V.4.1.16.12.6 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.16.13 Column UTENTE of the table PRODUZ_FILE_TESTO**V.4.1.16.13.1 Card of the column UTENTE of the table PRODUZ_FILE_TESTO**

Name	UTENTE
Code	UTENTE
Data Type	VARCHAR2(8)
Mandatory	No

V.4.1.16.13.2 Check constraint name of the column UTENTE of the table PRODUZ_FILE_TESTO

PRODUZ_FILE_T_UTENTE_CC

V.4.1.16.13.3 Check of the column UTENTE of the table PRODUZ_FILE_TESTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.16.13.4 Server validation rule of the column UTENTE of the table PRODUZ_FILE_TESTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.16.13.5 List of all dependencies of the table column UTENTE

Name	Code	Class Name
Utente	UTENTE	View Column

V.4.1.16.13.6 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.16.14 Column DATA_AGG of the table PRODUZ_FILE_TESTO

V.4.1.16.14.1 Card of the column DATA_AGG of the table PRODUZ_FILE_TESTO

Name	DATA_AGG
Code	DATA_AGG
Data Type	DATE
Mandatory	No

V.4.1.16.14.2 Check constraint name of the column DATA_AGG of the table PRODUZ_FILE_TESTO PRODUZ_FILE_T_DATA_AGG_CC

V.4.1.16.14.3 Check of the column DATA_AGG of the table PRODUZ_FILE_TESTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.16.14.4 Server validation rule of the column DATA_AGG of the table PRODUZ_FILE_TESTO %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.16.14.5 List of all dependencies of the table column DATA_AGG

Name	Code	Class Name
Data Agg	DATA_AGG	View Column

V.4.1.16.14.6 List of extended attributes of the table column DATA_AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.16.15 List of keys of the table PRODUZ_FILE_TESTO

Name	Code	Primary
PTXT_PK	PTXT_PK	X

V.4.1.16.16 Key PTXT_PK of the table PRODUZ_FILE_TESTO**V.4.1.16.16.1 Card of the key PTXT_PK of the table PRODUZ_FILE_TESTO**

Name	PTXT_PK
Code	PTXT_PK
Table	PRODUZ_FILE_TESTO

V.4.1.16.16.2 Code preview of the key PTXT_PK of the table PRODUZ_FILE_TESTO

```
alter table PRODUZ_FILE_TESTO
add constraint PTXT_PK primary key (FILENAME);
```

V.4.1.16.16.3 List of columns of the table key PTXT_PK

Name	Code
FILENAME	FILENAME

V.4.1.16.17 List of triggers of the table PRODUZ_FILE_TESTO

Name	Code
produz_file_testo_tiu	PRODUZ_FILE_TESTO_TIU

V.4.1.16.18 Trigger PRODUZ_FILE_TESTO_TIU of the table PRODUZ_FILE_TESTO**V.4.1.16.18.1 Card of the trigger PRODUZ_FILE_TESTO_TIU of the table PRODUZ_FILE_TESTO**

Name	produz_file_testo_tiu
Code	PRODUZ_FILE_TESTO_TIU
Generate	Yes
Table	PRODUZ_FILE_TESTO

Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.16.18.2 Code preview of the trigger PRODUZ_FILE_TESTO_TIU of the table PRODUZ_FILE_TESTO

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.17 Table PRODUZ_FILE_XML

V.4.1.17.1 Card of table PRODUZ_FILE_XML

Name	PRODUZ_FILE_XML
Code	PRODUZ_FILE_XML
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.17.2 Check constraint name of table PRODUZ_FILE_XML

PRODUZ_FILE_XML_CT

V.4.1.17.3 Server validation rule of table PRODUZ_FILE_XML

%RULES%

V.4.1.17.4 Code preview of table PRODUZ_FILE_XML

```
/*=====
/* Table: PRODUZ_FILE_XML */
/*=====*/
create table PRODUZ_FILE_XML (
    ID_XSL      VARCHAR2(50)          not null,
    ID_XML      VARCHAR2(50)          not null,
    TESTO_ORIG   CLOB,
    TESTO        CLOB,
    TESTO_BLOB   BLOB,
    NOTE         VARCHAR2(4000),
    FLAG         VARCHAR2(1),
    CHIAVE       VARCHAR2(50),
    DATA_AGG     DATE,
    UTENTE       VARCHAR2(8)
);
```

comment on table PRODUZ_FILE_XML is
'PXML - Tabella di Transito per produzione file XML da DB';

```
alter table PRODUZ_FILE_XML
add constraint PXML_PK primary key (ID_XSL, ID_XML);
```

```
/*
/* Index: PXML_IK */
create index PXML_IK on PRODUZ_FILE_XML (
    CHIAVE ASC
);
```

V.4.1.17.5 List of diagrams containing the table **PRODUZ_FILE_XML**

Name	Code
Generale	GENERALE

V.4.1.17.6 List of extended attributes of the table **PRODUZ_FILE_XML**

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.17.7 List of columns of the table **PRODUZ_FILE_XML**

Name	Code
ID_XSL	ID_XSL
ID_XML	ID_XML
TESTO_ORIG	TESTO_ORIG
TESTO	TESTO
TESTO_BLOB	TESTO_BLOB
NOTE	NOTE
FLAG	FLAG
CHIAVE	CHIAVE
DATA_AGG	DATA_AGG
UTENTE	UTENTE

V.4.1.17.8 Column **ID_XSL** of the table **PRODUZ_FILE_XML**

V.4.1.17.8.1 Card of the column **ID_XSL** of the table **PRODUZ_FILE_XML**

Name	ID_XSL
Code	ID_XSL
Data Type	VARCHAR2(50)
Mandatory	Yes

V.4.1.17.8.2 Check constraint name of the column **ID_XSL** of the table **PRODUZ_FILE_XML**

PRODUZ_FILE_X_ID_XSL_CC

V.4.1.17.8.3 Check of the column ID_XSL of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.8.4 Server validation rule of the column ID_XSL of the table PRODUZ_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.8.5 List of all dependencies of the table column ID_XSL

Name	Code	Class Name
ID_XSL	ID_XSL	Index Column
Key_1	KEY_1	Key

V.4.1.17.8.6 List of extended attributes of the table column ID_XSL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.9 Column ID_XML of the table PRODUZ_FILE_XML**V.4.1.17.9.1 Card of the column ID_XML of the table PRODUZ_FILE_XML**

Name	ID_XML
Code	ID_XML
Data Type	VARCHAR2(50)
Mandatory	Yes

V.4.1.17.9.2 Check constraint name of the column ID_XML of the table PRODUZ_FILE_XML

PRODUZ_FILE_X_ID_XML_CC

V.4.1.17.9.3 Check of the column ID_XML of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.9.4 Server validation rule of the column ID_XML of the table PRODUZ_FILE_XML
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.9.5 List of all dependencies of the table column ID_XML

Name	Code	Class Name
ID_XML	ID_XML	Index Column
Key_1	KEY_1	Key

V.4.1.17.9.6 List of extended attributes of the table column ID_XML

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.10 Column TESTO_ORIG of the table PRODUZ_FILE_XML

V.4.1.17.10.1 Card of the column TESTO_ORIG of the table PRODUZ_FILE_XML

Name	TESTO_ORIG
Code	TESTO_ORIG
Data Type	CLOB
Mandatory	No

V.4.1.17.10.2 Check constraint name of the column TESTO_ORIG of the table PRODUZ_FILE_XML
PRODUZ_FILE_X_TESTO_ORIG_CC

V.4.1.17.10.3 Check of the column TESTO_ORIG of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.1.17.10.4 Server validation rule of the column TESTO_ORIG of the table PRODUZ_FILE_XML
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.10.5 List of extended attributes of the table column TESTO_ORIG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.11 Column TESTO of the table PRODUZ_FILE_XML

V.4.1.17.11.1 Card of the column TESTO of the table PRODUZ_FILE_XML

Name	TESTO
Code	TESTO
Data Type	CLOB
Mandatory	No

V.4.1.17.11.2 Check constraint name of the column TESTO of the table PRODUZ_FILE_XML
PRODUZ_FILE_X_TESTO_CC

V.4.1.17.11.3 Check of the column TESTO of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.11.4 Server validation rule of the column TESTO of the table PRODUZ_FILE_XML
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.11.5 List of extended attributes of the table column TESTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

ExtNotNullConstraintName	erred (String)		Si4) ORACLE Version 8i2 (for Si4)
--------------------------	-------------------	--	--------------------------------------

V.4.1.17.12 Column TESTO_BLOB of the table PRODUZ_FILE_XML**V.4.1.17.12.1 Card of the column TESTO_BLOB of the table PRODUZ_FILE_XML**

Name	TESTO_BLOB
Code	TESTO_BLOB
Data Type	BLOB
Mandatory	No

**V.4.1.17.12.2 Check constraint name of the column TESTO_BLOB of the table PRODUZ_FILE_XML
PRODUZ_FILE_X_TESTO_BLOB_CC****V.4.1.17.12.3 Check of the column TESTO_BLOB of the table PRODUZ_FILE_XML**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.17.12.4 Server validation rule of the column TESTO_BLOB of the table PRODUZ_FILE_XML
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.1.17.12.5 List of extended attributes of the table column TESTO_BLOB**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.13 Column NOTE of the table PRODUZ_FILE_XML**V.4.1.17.13.1 Card of the column NOTE of the table PRODUZ_FILE_XML**

Name	NOTE
Code	NOTE

Data Type	VARCHAR2(4000)
Mandatory	No

V.4.1.17.13.2 Check constraint name of the column NOTE of the table PRODUZ_FILE_XML

PRODUZ_FILE_X_NOTE_CC

V.4.1.17.13.3 Check of the column NOTE of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.13.4 Server validation rule of the column NOTE of the table PRODUZ_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.13.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.14 Column FLAG of the table PRODUZ_FILE_XML**V.4.1.17.14.1 Card of the column FLAG of the table PRODUZ_FILE_XML**

Name	FLAG
Code	FLAG
Data Type	VARCHAR2(1)
Mandatory	No

V.4.1.17.14.2 Check constraint name of the column FLAG of the table PRODUZ_FILE_XML

PRODUZ_FILE_X_FLAG_CC

V.4.1.17.14.3 Check of the column FLAG of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.14.4 Server validation rule of the column FLAG of the table PRODUZ_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.14.5 List of extended attributes of the table column FLAG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.15 Column CHIAVE of the table PRODUZ_FILE_XML**V.4.1.17.15.1 Card of the column CHIAVE of the table PRODUZ_FILE_XML**

Name	CHIAVE
Code	CHIAVE
Data Type	VARCHAR2(50)
Mandatory	No

V.4.1.17.15.2 Check constraint name of the column CHIAVE of the table PRODUZ_FILE_XML

PRODUZ_FILE_X_CHIAVE_CC

V.4.1.17.15.3 Check of the column CHIAVE of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.15.4 Server validation rule of the column CHIAVE of the table PRODUZ_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.15.5 List of all dependencies of the table column CHIAVE

Name	Code	Class Name
CHIAVE	CHIAVE	Index Column

V.4.1.17.15.6 List of extended attributes of the table column CHIAVE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.16 Column DATA_AGG of the table PRODUZ_FILE_XML

V.4.1.17.16.1 Card of the column DATA_AGG of the table PRODUZ_FILE_XML

Name	DATA_AGG
Code	DATA_AGG
Data Type	DATE
Mandatory	No

V.4.1.17.16.2 Check constraint name of the column DATA_AGG of the table PRODUZ_FILE_XML

PRODUZ_FILE_X_DATA_AGG_CC

V.4.1.17.16.3 Check of the column DATA_AGG of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.16.4 Server validation rule of the column DATA_AGG of the table PRODUZ_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.16.5 List of extended attributes of the table column DATA_AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

ExtNotNullConstraintName	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.17 Column UTENTE of the table PRODUZ_FILE_XML

V.4.1.17.17.1 Card of the column UTENTE of the table PRODUZ_FILE_XML

Name	UTENTE
Code	UTENTE
Data Type	VARCHAR2(8)
Mandatory	No

V.4.1.17.17.2 Check constraint name of the column UTENTE of the table PRODUZ_FILE_XML

PRODUZ_FILE_X_UTENTE_CC

V.4.1.17.17.3 Check of the column UTENTE of the table PRODUZ_FILE_XML

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.17.17.4 Server validation rule of the column UTENTE of the table PRODUZ_FILE_XML

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.17.17.5 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.17.18 List of keys of the table PRODUZ_FILE_XML

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.17.19 Key KEY_1 of the table PRODUZ_FILE_XML**V.4.1.17.19.1 Card of the key KEY_1 of the table PRODUZ_FILE_XML**

Name	Key_1
Code	KEY_1
Table	PRODUZ_FILE_XML

V.4.1.17.19.2 Code preview of the key KEY_1 of the table PRODUZ_FILE_XML

```
alter table PRODUZ_FILE_XML
add constraint PXML_PK primary key (ID_XSL, ID_XML);
```

V.4.1.17.19.3 List of columns of the table key KEY_1

Name	Code
ID_XSL	ID_XSL
ID_XML	ID_XML

V.4.1.17.19.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PXML_PK	PXML_PK	Index

V.4.1.17.20 List of indexes of the table PRODUZ_FILE_XML

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PXML_PK	PXML_PK	X		X		
PXML_IK	PXML_IK					

V.4.1.17.21 Index PXML_PK of the table PRODUZ_FILE_XML**V.4.1.17.21.1 Card of the index PXML_PK of the table PRODUZ_FILE_XML**

Name	PXML_PK
Code	PXML_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PRODUZ_FILE_XML

V.4.1.17.21.2 Code preview of the index PXML_PK of the table PRODUZ_FILE_XML

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.17.21.3 List of index columns of the index PXML_PK

Name	Code	Sort
ID_XSL	ID_XSL	Ascending
ID_XML	ID_XML	Ascending

V.4.1.17.22 Index PXML_IK of the table PRODUZ_FILE_XML

V.4.1.17.22.1 Card of the index PXML_IK of the table PRODUZ_FILE_XML

Name	PXML_IK
Code	PXML_IK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	PRODUZ_FILE_XML

V.4.1.17.22.2 Code preview of the index PXML_IK of the table PRODUZ_FILE_XML

```
/*=====
/* Index: PXML_IK                               */
/*=====*/
create index PXML_IK on PRODUZ_FILE_XML (
    CHIAVE ASC
);
```

V.4.1.17.22.3 List of index columns of the index PXML_IK

Name	Code	Sort
CHIAVE	CHIAVE	Ascending

V.4.1.17.23 List of triggers of the table PRODUZ_FILE_XML

Name	Code
produz_file_xml_tiu	PRODUZ_FILE_XML_TIU

V.4.1.17.24 Trigger PRODUZ_FILE_XML_TIU of the table PRODUZ_FILE_XML

V.4.1.17.24.1 Card of the trigger PRODUZ_FILE_XML_TIU of the table PRODUZ_FILE_XML

Name	produz_file_xml_tiu
------	---------------------

Code	PRODUZ_FILE_XML_TIU
Generate	Yes
Table	PRODUZ_FILE_XML
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.17.24.2 Code preview of the trigger PRODUZ_FILE_XML_TIU of the table PRODUZ_FILE_XML

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.18 Table RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.1 Card of table RIFERIMENTO_ARCHIVIAZIONE

Name	Riferimento Archiviazione
Code	RIFERIMENTO_ARCHIVIAZIONE
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.18.2 Check constraint name of table RIFERIMENTO_ARCHIVIAZIONE
RIFERIMENTO_ARCHIVIAZIONE_CT

V.4.1.18.3 Server validation rule of table RIFERIMENTO_ARCHIVIAZIONE

%RULES%

V.4.1.18.4 Code preview of table RIFERIMENTO_ARCHIVIAZIONE

```
/*=====
/* Table: RIFERIMENTO_ARCHIVIAZIONE          */
/*=====*/
create table RIFERIMENTO_ARCHIVIAZIONE (
    RIAR_ID      VARCHAR2(4)           not null,
    ANNO         NUMBER(4)            not null,
    STATO        VARCHAR2(1),
    MODULO       VARCHAR2(4)
);
```

comment on table RIFERIMENTO_ARCHIVIAZIONE is
'RIAR - Dati identificativi della fase di Archiviazione';

alter table RIFERIMENTO_ARCHIVIAZIONE
add constraint RIAR_PK primary key (RIAR_ID);

V.4.1.18.5 List of diagrams containing the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code
Generale	GENERALE

V.4.1.18.6 List of outgoing references of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code	Foreign Key Columns
rv_domain = 'RIFERIMENTO_ARCHIVIAZIONE.STATO' /*on Parent*/	RIAR_RECO	STATO

V.4.1.18.7 List of all dependencies of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code	Class Name
rv_domain = 'RIFERIMENTO_ARCHIVIAZIONE.STATO' /*on Parent*/	RIAR_RECO	Reference

V.4.1.18.8 List of extended attributes of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.18.9 List of columns of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code
RIAR_ID	RIAR_ID
ANNO	ANNO
STATO	STATO
MODULO	MODULO

V.4.1.18.10 Column RIAR_ID of the table RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.10.1 Card of the column RIAR_ID of the table RIFERIMENTO_ARCHIVIAZIONE

Name	RIAR_ID
Code	RIAR_ID
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.1.18.10.2 Check constraint name of the column RIAR_ID of the table

RIFERIMENTO_ARCHIVIAZIONE

RIFERIMENTO_A_RIAR_ID_CC

V.4.1.18.10.3 Check of the column RIAR_ID of the table RIFERIMENTO_ARCHIVIAZIONE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.18.10.4 Server validation rule of the column RIAR_ID of the table RIFERIMENTO_ARCHIVIAZIONE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.18.10.5 List of all dependencies of the table column RIAR_ID

Name	Code	Class Name
Key_1	KEY_1	Key
RIAR_ID	RIAR_ID	Index Column

V.4.1.18.10.6 List of extended attributes of the table column RIAR_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.18.11 Column ANNO of the table RIFERIMENTO_ARCHIVIAZIONE**V.4.1.18.11.1 Card of the column ANNO of the table RIFERIMENTO_ARCHIVIAZIONE**

Name	ANNO
Code	ANNO
Data Type	NUMBER(4)
Mandatory	Yes

V.4.1.18.11.2 Check constraint name of the column ANNO of the table RIFERIMENTO_ARCHIVIAZIONE

RIFERIMENTO_A_ANNO_CC

V.4.1.18.11.3 Check of the column ANNO of the table RIFERIMENTO_ARCHIVIAZIONE

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.18.11.4 Server validation rule of the column ANNO of the table**RIFERIMENTO_ARCHIVIAZIONE**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.18.11.5 List of extended attributes of the table column ANNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.18.12 Column STATO of the table RIFERIMENTO_ARCHIVIAZIONE**V.4.1.18.12.1 Card of the column STATO of the table RIFERIMENTO_ARCHIVIAZIONE**

Name	STATO
Code	STATO
Data Type	VARCHAR2(1)
Mandatory	No

V.4.1.18.12.2 Check constraint name of the column STATO of the table**RIFERIMENTO_ARCHIVIAZIONE****RIFERIMENTO_A_STATO_CC****V.4.1.18.12.3 Check of the column STATO of the table RIFERIMENTO_ARCHIVIAZIONE**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.18.12.4 Server validation rule of the column STATO of the table
RIFERIMENTO_ARCHIVIAZIONE**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.18.12.5 List of all dependencies of the table column STATO

Name	Code	Class Name
?	?	Reference Join

V.4.1.18.12.6 List of extended attributes of the table column STATO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.18.13 Column MODULO of the table RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.13.1 Card of the column MODULO of the table RIFERIMENTO_ARCHIVIAZIONE

Name	MODULO
Code	MODULO
Data Type	VARCHAR2(4)
Mandatory	No

**V.4.1.18.13.2 Check constraint name of the column MODULO of the table
RIFERIMENTO_ARCHIVIAZIONE**

RIFERIMENTO_A_MODULO_CC

V.4.1.18.13.3 Check of the column MODULO of the table RIFERIMENTO_ARCHIVIAZIONE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.18.13.4 Server validation rule of the column MODULO of the table
RIFERIMENTO_ARCHIVIAZIONE**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.18.13.5 List of extended attributes of the table column MODULO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.18.14 List of keys of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code	Primary
Key_1	KEY_1	X

V.4.1.18.15 Key KEY_1 of the table RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.15.1 Card of the key KEY_1 of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Key_1
Code	KEY_1
Table	RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.15.2 Code preview of the key KEY_1 of the table RIFERIMENTO_ARCHIVIAZIONE

```
alter table RIFERIMENTO_ARCHIVIAZIONE
add constraint RIAR_PK primary key (RIAR_ID);
```

V.4.1.18.15.3 List of columns of the table key KEY_1

Name	Code
RIAR_ID	RIAR_ID

V.4.1.18.15.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
RIAR_PK	RIAR_PK	Index

V.4.1.18.16 List of indexes of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
RIAR_PK	RIAR_PK	X		X		

V.4.1.18.17 Index RIAR_PK of the table RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.17.1 Card of the index RIAR_PK of the table RIFERIMENTO_ARCHIVIAZIONE

Name	RIAR_PK
Code	RIAR_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.17.2 Code preview of the index RIAR_PK of the table RIFERIMENTO_ARCHIVIAZIONE

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.18.17.3 List of index columns of the index RIAR_PK

Name	Code	Sort
RIAR_ID	RIAR_ID	Ascending

V.4.1.18.18 List of triggers of the table RIFERIMENTO_ARCHIVIAZIONE

Name	Code
riferimento_archiviazione_tiu	RIFERIMENTO_ARCHIVIAZIONE TIU
riferimento_archiviazione_tmb	RIFERIMENTO_ARCHIVIAZIONE TMB

V.4.1.18.19 Trigger RIFERIMENTO_ARCHIVIAZIONE_TIU of the table RIFERIMENTO_ARCHIVIAZIONE**V.4.1.18.19.1 Card of the trigger RIFERIMENTO_ARCHIVIAZIONE_TIU of the table RIFERIMENTO_ARCHIVIAZIONE**

Name	riferimento_archiviazione_tiu
Code	RIFERIMENTO_ARCHIVIAZIONE TIU
Generate	Yes
Table	RIFERIMENTO_ARCHIVIAZIONE
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.1.18.19.2 Code preview of the trigger RIFERIMENTO_ARCHIVIAZIONE_TIU of the table RIFERIMENTO_ARCHIVIAZIONE

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.18.20 Trigger RIFERIMENTO_ARCHIVIAZIONE_TMB of the table RIFERIMENTO_ARCHIVIAZIONE

V.4.1.18.20.1 Card of the trigger RIFERIMENTO_ARCHIVIAZIONE_TMB of the table RIFERIMENTO_ARCHIVIAZIONE

Name	riferimento_archiviazione_tmb
Code	RIFERIMENTO_ARCHIVIAZIONE_TMB
Generate	Yes
Table	RIFERIMENTO_ARCHIVIAZIONE
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.1.18.20.2 Code preview of the trigger RIFERIMENTO_ARCHIVIAZIONE_TMB of the table RIFERIMENTO_ARCHIVIAZIONE

- The preview is empty because of the setting.
- Check the generation option.

V.4.1.19 Table SIA_DEFAULT_CONSTRAINTS

V.4.1.19.1 Card of table SIA_DEFAULT_CONSTRAINTS

Name	SIA_DEFAULT_CONSTRAINTS
Code	SIA_DEFAULT_CONSTRAINTS
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.19.2 Check constraint name of table SIA_DEFAULT_CONSTRAINTS

SIA_DEFAULT_CONSTRAINTS_CT

V.4.1.19.3 Server validation rule of table SIA_DEFAULT_CONSTRAINTS

%RULES%

V.4.1.19.4 Code preview of table SIA_DEFAULT_CONSTRAINTS

```
/*
* Table: SIA_DEFAULT_CONSTRAINTS */
create table SIA_DEFAULT_CONSTRAINTS (
    CONSTRAINT_NAME  VARCHAR2(30),
    CONSTRAINT_TYPE  VARCHAR2(1),
    TABLE_NAME       VARCHAR2(30),
    R_CONSTRAINT_NAME VARCHAR2(30),
    INDEX_NAME       VARCHAR2(30)
);
```

V.4.1.19.5 List of diagrams containing the table SIA_DEFAULT_CONSTRAINTS

Name	Code
Generale	GENERALE

V.4.1.19.6 List of extended attributes of the table SIA_DEFAULT_CONSTRAINTS

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.19.7 List of columns of the table SIA_DEFAULT_CONSTRAINTS

Name	Code
CONSTRAINT_NAME	CONSTRAINT_NAME
CONSTRAINT_TYPE	CONSTRAINT_TYPE
TABLE_NAME	TABLE_NAME
R_CONSTRAINT_NAME	R_CONSTRAINT_NAME
INDEX_NAME	INDEX_NAME

V.4.1.19.8 Column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS**V.4.1.19.8.1 Card of the column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS**

Name	CONSTRAINT_NAME
Code	CONSTRAINT_NAME
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.1.19.8.2 Check constraint name of the column CONSTRAINT_NAME of the table
SIA_DEFAULT_CONSTRAINTS**

SIA_DEFAULT_C_CONSTRAINT_NA_CC

V.4.1.19.8.3 Check of the column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.19.8.4 Server validation rule of the column CONSTRAINT_NAME of the table
SIA_DEFAULT_CONSTRAINTS**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.19.8.5 List of extended attributes of the table column CONSTRAINT_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.19.9 Column CONSTRAINT_TYPE of the table SIA_DEFAULT_CONSTRAINTS

V.4.1.19.9.1 Card of the column CONSTRAINT_TYPE of the table SIA_DEFAULT_CONSTRAINTS

Name	CONSTRAINT_TYPE
Code	CONSTRAINT_TYPE
Data Type	VARCHAR2(1)
Mandatory	No

**V.4.1.19.9.2 Check constraint name of the column CONSTRAINT_TYPE of the table
SIA_DEFAULT_CONSTRAINTS**

SIA_DEFAULT_C_CONSTRAINT_TY_CC

V.4.1.19.9.3 Check of the column CONSTRAINT_TYPE of the table SIA_DEFAULT_CONSTRAINTS

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.19.9.4 Server validation rule of the column CONSTRAINT_TYPE of the table
SIA_DEFAULT_CONSTRAINTS**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.19.9.5 List of extended attributes of the table column CONSTRAINT_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.1.19.10 Column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS

V.4.1.19.10.1 Card of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS

Name	TABLE_NAME
Code	TABLE_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.19.10.2 Check constraint name of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS

SIA_DEFAULT_C_TABLE_NAME_CC

V.4.1.19.10.3 Check of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.19.10.4 Server validation rule of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.19.10.5 List of extended attributes of the table column TABLE_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.19.11 Column R_CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS

V.4.1.19.11.1 Card of the column R_CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS

Name	R_CONSTRAINT_NAME
Code	R_CONSTRAINT_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.19.11.2 Check constraint name of the column R_CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS
SIA_DEFAULT_C_R_CONSTRAINT_CC

V.4.1.19.11.3 Check of the column R_CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.19.11.4 Server validation rule of the column R_CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.19.11.5 List of extended attributes of the table column R_CONSTRAINT_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.19.12 Column INDEX_NAME of the table SIA_DEFAULT_CONSTRAINTS

V.4.1.19.12.1 Card of the column INDEX_NAME of the table SIA_DEFAULT_CONSTRAINTS

Name	INDEX_NAME
Code	INDEX_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.19.12.2 Check constraint name of the column INDEX_NAME of the table SIA_DEFAULT_CONSTRAINTS

SIA_DEFAULT_C_INDEX_NAME_CC**V.4.1.19.12.3 Check of the column INDEX_NAME of the table SIA_DEFAULT_CONSTRAINTS**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.19.12.4 Server validation rule of the column INDEX_NAME of the table SIA_DEFAULT_CONSTRAINTS

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.19.12.5 List of extended attributes of the table column INDEX_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.20 Table SIA_DEFAULT_CONSTRAINTS_COL**V.4.1.20.1 Card of table SIA_DEFAULT_CONSTRAINTS_COL**

Name	SIA_DEFAULT_CONSTRAINTS_COL
Code	SIA_DEFAULT_CONSTRAINTS_COL
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.20.2 Check constraint name of table SIA_DEFAULT_CONSTRAINTS_COL

SIA_DEFAULT_CONSTRAINTS_COL_CT

V.4.1.20.3 Server validation rule of table SIA_DEFAULT_CONSTRAINTS_COL

%RULES%

V.4.1.20.4 Code preview of table SIA_DEFAULT_CONSTRAINTS_COL

```
/*=====
/* Table: SIA_DEFAULT_CONSTRAINTS_COL */
/*=====*/
create table SIA_DEFAULT_CONSTRAINTS_COL (

```

```

CONSTRAINT_NAME  VARCHAR2(30),
TABLE_NAME       VARCHAR2(30),
COLUMN_NAME      VARCHAR2(4000),
POSITION         NUMBER
);

```

V.4.1.20.5 List of diagrams containing the table SIA_DEFAULT_CONSTRAINTS_COL

Name	Code
Generale	GENERALE

V.4.1.20.6 List of extended attributes of the table SIA_DEFAULT_CONSTRAINTS_COL

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.20.7 List of columns of the table SIA_DEFAULT_CONSTRAINTS_COL

Name	Code
CONSTRAINT_NAME	CONSTRAINT_NAME
TABLE_NAME	TABLE_NAME
COLUMN_NAME	COLUMN_NAME
POSITION	POSITION

V.4.1.20.8 Column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

V.4.1.20.8.1 Card of the column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

Name	CONSTRAINT_NAME
Code	CONSTRAINT_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.20.8.2 Check constraint name of the column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

SIA_DEFAULT_C_CONSTRAINT_NA_CC

V.4.1.20.8.3 Check of the column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.20.8.4 Server validation rule of the column CONSTRAINT_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.20.8.5 List of extended attributes of the table column CONSTRAINT_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.20.9 Column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

V.4.1.20.9.1 Card of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

Name	TABLE_NAME
Code	TABLE_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.20.9.2 Check constraint name of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

SIA_DEFAULT_C_TABLE_NAME_CC

V.4.1.20.9.3 Check of the column TABLE_NAME of the table SIA_DEFAULT_CONSTRAINTS_COL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.20.9.4 Server validation rule of the column TABLE_NAME of the table
SIA_DEFAULT_CONSTRAINTS_COL**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.20.9.5 List of extended attributes of the table column TABLE_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

**V.4.1.20.10 Column COLUMN_NAME of the table
SIA_DEFAULT_CONSTRAINTS_COL**

**V.4.1.20.10.1 Card of the column COLUMN_NAME of the table
SIA_DEFAULT_CONSTRAINTS_COL**

Name	COLUMN_NAME
Code	COLUMN_NAME
Data Type	VARCHAR2(4000)
Mandatory	No

**V.4.1.20.10.2 Check constraint name of the column COLUMN_NAME of the table
SIA_DEFAULT_CONSTRAINTS_COL**

SIA_DEFAULT_C_COLUMN_NAME_CC

**V.4.1.20.10.3 Check of the column COLUMN_NAME of the table
SIA_DEFAULT_CONSTRAINTS_COL**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.20.10.4 Server validation rule of the column COLUMN_NAME of the table
SIA_DEFAULT_CONSTRAINTS_COL**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.20.10.5 List of extended attributes of the table column COLUMN_NAME

Name	Data Type	Value	Target Name

ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.20.11 Column **POSITION** of the table **SIA_DEFAULT_CONSTRAINTS_COL**

V.4.1.20.11.1 Card of the column POSITION of the table SIA_DEFAULT_CONSTRAINTS_COL

Name	POSITION
Code	POSITION
Data Type	NUMBER
Mandatory	No

V.4.1.20.11.2 Check constraint name of the column POSITION of the table **SIA_DEFAULT_CONSTRAINTS_COL**

SIA_DEFAULT_C_POSITION_CC

V.4.1.20.11.3 Check of the column POSITION of the table SIA_DEFAULT_CONSTRAINTS_COL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.20.11.4 Server validation rule of the column POSITION of the table **SIA_DEFAULT_CONSTRAINTS_COL**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.20.11.5 List of extended attributes of the table column POSITION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.21 Table SIA_DEFAULT_INDICI

V.4.1.21.1 Card of table SIA_DEFAULT_INDICI

Name	SIA_DEFAULT_INDICI
Code	SIA_DEFAULT_INDICI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.21.2 Check constraint name of table SIA_DEFAULT_INDICI

SIA_DEFAULT_INDICI_CT

V.4.1.21.3 Server validation rule of table SIA_DEFAULT_INDICI

%RULES%

V.4.1.21.4 Code preview of table SIA_DEFAULT_INDICI

```
/*
 * Table: SIA_DEFAULT_INDICI
 */
create table SIA_DEFAULT_INDICI (
    TABLE_NAME      VARCHAR2(30),
    INDEX_NAME      VARCHAR2(30),
    UNIQUENESS      VARCHAR2(9)
);
```

V.4.1.21.5 List of diagrams containing the table SIA_DEFAULT_INDICI

Name	Code
Generale	GENERALE

V.4.1.21.6 List of extended attributes of the table SIA_DEFAULT_INDICI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.21.7 List of columns of the table SIA_DEFAULT_INDICI

Name	Code
TABLE_NAME	TABLE_NAME
INDEX_NAME	INDEX_NAME
UNIQUENESS	UNIQUENESS

V.4.1.21.8 Column TABLE_NAME of the table SIA_DEFAULT_INDICI

V.4.1.21.8.1 Card of the column TABLE_NAME of the table SIA_DEFAULT_INDICI

Name	TABLE_NAME
Code	TABLE_NAME
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.1.21.8.2 Check constraint name of the column TABLE_NAME of the table SIA_DEFAULT_INDICI
SIA_DEFAULT_I_TABLE_NAME_CC****V.4.1.21.8.3 Check of the column TABLE_NAME of the table SIA_DEFAULT_INDICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.21.8.4 Server validation rule of the column TABLE_NAME of the table SIA_DEFAULT_INDICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.1.21.8.5 List of extended attributes of the table column TABLE_NAME**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.21.9 Column INDEX_NAME of the table SIA_DEFAULT_INDICI**V.4.1.21.9.1 Card of the column INDEX_NAME of the table SIA_DEFAULT_INDICI**

Name	INDEX_NAME
Code	INDEX_NAME
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.1.21.9.2 Check constraint name of the column INDEX_NAME of the table SIA_DEFAULT_INDICI
SIA_DEFAULT_I_INDEX_NAME_CC**

V.4.1.21.9.3 Check of the column INDEX_NAME of the table SIA_DEFAULT_INDICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.21.9.4 Server validation rule of the column INDEX_NAME of the table SIA_DEFAULT_INDICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.21.9.5 List of extended attributes of the table column INDEX_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.21.10 Column UNIQUENESS of the table SIA_DEFAULT_INDICI**V.4.1.21.10.1 Card of the column UNIQUENESS of the table SIA_DEFAULT_INDICI**

Name	UNIQUENESS
Code	UNIQUENESS
Data Type	VARCHAR2(9)
Mandatory	No

V.4.1.21.10.2 Check constraint name of the column UNIQUENESS of the table SIA_DEFAULT_INDICI

SIA_DEFAULT_I_UNIQUENESS_CC

V.4.1.21.10.3 Check of the column UNIQUENESS of the table SIA_DEFAULT_INDICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.21.10.4 Server validation rule of the column UNIQUENESS of the table SIA_DEFAULT_INDICI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.21.10.5 List of extended attributes of the table column UNIQUENESS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.22 Table SIA_DEFAULT_INDICI_COL

V.4.1.22.1 Card of table SIA_DEFAULT_INDICI_COL

Name	SIA_DEFAULT_INDICI_COL
Code	SIA_DEFAULT_INDICI_COL
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.22.2 Check constraint name of table SIA_DEFAULT_INDICI_COL

SIA_DEFAULT_INDICI_COL_CT

V.4.1.22.3 Server validation rule of table SIA_DEFAULT_INDICI_COL

%RULES%

V.4.1.22.4 Code preview of table SIA_DEFAULT_INDICI_COL

```
/*=====
/* Table: SIA_DEFAULT_INDICI_COL */
/*=====*/
create table SIA_DEFAULT_INDICI_COL (
  TABLE_NAME      VARCHAR2(30),
  INDEX_NAME      VARCHAR2(30),
  COLUMN_NAME     VARCHAR2(4000),
  COLUMN_POSITION NUMBER
);
```

V.4.1.22.5 List of diagrams containing the table SIA_DEFAULT_INDICI_COL

Name	Code
Generale	GENERALE

V.4.1.22.6 List of extended attributes of the table SIA_DEFAULT_INDICI_COL

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.22.7 List of columns of the table SIA_DEFAULT_INDICI_COL

Name	Code
TABLE_NAME	TABLE_NAME
INDEX_NAME	INDEX_NAME
COLUMN_NAME	COLUMN_NAME
COLUMN_POSITION	COLUMN_POSITION

V.4.1.22.8 Column TABLE_NAME of the table SIA_DEFAULT_INDICI_COL

V.4.1.22.8.1 Card of the column TABLE_NAME of the table SIA_DEFAULT_INDICI_COL

Name	TABLE_NAME
Code	TABLE_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.22.8.2 Check constraint name of the column TABLE_NAME of the table SIA_DEFAULT_INDICI_COL

SIA_DEFAULT_I_TABLE_NAME_CC

V.4.1.22.8.3 Check of the column TABLE_NAME of the table SIA_DEFAULT_INDICI_COL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.22.8.4 Server validation rule of the column TABLE_NAME of the table SIA_DEFAULT_INDICI_COL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.22.8.5 List of extended attributes of the table column TABLE_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.22.9 Column INDEX_NAME of the table SIA_DEFAULT_INDICI_COL

V.4.1.22.9.1 Card of the column INDEX_NAME of the table SIA_DEFAULT_INDICI_COL

Name	INDEX_NAME
Code	INDEX_NAME
Data Type	VARCHAR2(30)
Mandatory	No

V.4.1.22.9.2 Check constraint name of the column INDEX_NAME of the table SIA_DEFAULT_INDICI_COL

SIA_DEFAULT_I_INDEX_NAME_CC

V.4.1.22.9.3 Check of the column INDEX_NAME of the table SIA_DEFAULT_INDICI_COL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.22.9.4 Server validation rule of the column INDEX_NAME of the table SIA_DEFAULT_INDICI_COL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.22.9.5 List of extended attributes of the table column INDEX_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef	erred	ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.22.10 Column COLUMN_NAME of the table SIA_DEFAULT_INDICI_COL

V.4.1.22.10.1 Card of the column COLUMN_NAME of the table SIA_DEFAULT_INDICI_COL

Name	COLUMN_NAME
Code	COLUMN_NAME
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.1.22.10.2 Check constraint name of the column COLUMN_NAME of the table**SIA_DEFAULT_INDICI_COL**

SIA_DEFAULT_I_COLUMN_NAME_CC

V.4.1.22.10.3 Check of the column COLUMN_NAME of the table SIA_DEFAULT_INDICI_COL

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.22.10.4 Server validation rule of the column COLUMN_NAME of the table**SIA_DEFAULT_INDICI_COL**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.22.10.5 List of extended attributes of the table column COLUMN_NAME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.22.11 Column COLUMN_POSITION of the table SIA_DEFAULT_INDICI_COL**V.4.1.22.11.1 Card of the column COLUMN_POSITION of the table SIA_DEFAULT_INDICI_COL**

Name	COLUMN_POSITION
Code	COLUMN_POSITION
Data Type	NUMBER
Mandatory	No

V.4.1.22.11.2 Check constraint name of the column COLUMN_POSITION of the table**SIA_DEFAULT_INDICI_COL**

SIA_DEFAULT_I_COLUMN_POSITI_CC**V.4.1.22.11.3 Check of the column COLUMN_POSITION of the table SIA_DEFAULT_INDICI_COL**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.22.11.4 Server validation rule of the column COLUMN_POSITION of the table SIA_DEFAULT_INDICI_COL

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.22.11.5 List of extended attributes of the table column COLUMN_POSITION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.23 Table STAMPE_ELABORAZIONI**V.4.1.23.1 Card of table STAMPE_ELABORAZIONI**

Name	STAMPE_ELABORAZIONI
Code	STAMPE_ELABORAZIONI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.23.2 Check constraint name of table STAMPE_ELABORAZIONI

STAMPE_ELABORAZIONI_CT

V.4.1.23.3 Server validation rule of table STAMPE_ELABORAZIONI

%RULES%

V.4.1.23.4 Code preview of table STAMPE_ELABORAZIONI

```
/*=====
/* Table: STAMPE_ELABORAZIONI */ 
/*=====*/
create table STAMPE_ELABORAZIONI (

```

```

NO_STAMPA      NUMBER(5)          not null,
ID_ELABORAZIONE  NUMBER(10)
);

```

comment on table STAMPE_ELABORAZIONI is
'Predisposta per nuovo applicativo GPS';

```

alter table STAMPE_ELABORAZIONI
  add constraint STEL_PK primary key (NO_STAMPA);

```

V.4.1.23.5 List of diagrams containing the table STAMPE_ELABORAZIONI

Name	Code
Generale	GENERALE

V.4.1.23.6 List of extended attributes of the table STAMPE_ELABORAZIONI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.23.7 List of columns of the table STAMPE_ELABORAZIONI

Name	Code
NO_STAMPA	NO_STAMPA
ID_ELABORAZIONE	ID_ELABORAZIONE

V.4.1.23.8 Column NO_STAMPA of the table STAMPE_ELABORAZIONI

V.4.1.23.8.1 Card of the column NO_STAMPA of the table STAMPE_ELABORAZIONI

Name	NO_STAMPA
Code	NO_STAMPA
Data Type	NUMBER(5)
Mandatory	Yes

V.4.1.23.8.2 Check constraint name of the column NO_STAMPA of the table STAMPE_ELABORAZIONI

STAMPE_ELABOR_NO_STAMPA_CC

V.4.1.23.8.3 Check of the column NO_STAMPA of the table STAMPE_ELABORAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.23.8.4 Server validation rule of the column NO_STAMPA of the table STAMPE_ELABORAZIONI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.23.8.5 List of all dependencies of the table column NO_STAMPA

Name	Code	Class Name
STEL_PK	STEL_PK	Key

V.4.1.23.8.6 List of extended attributes of the table column NO_STAMPA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.23.9 Column ID_ELABORAZIONE of the table STAMPE_ELABORAZIONI

V.4.1.23.9.1 Card of the column ID_ELABORAZIONE of the table STAMPE_ELABORAZIONI

Name	ID_ELABORAZIONE
Code	ID_ELABORAZIONE
Data Type	NUMBER(10)
Mandatory	No

V.4.1.23.9.2 Check constraint name of the column ID_ELABORAZIONE of the table STAMPE_ELABORAZIONI

STAMPE_ELABOR_ID_ELABORAZIO_CC

V.4.1.23.9.3 Check of the column ID_ELABORAZIONE of the table STAMPE_ELABORAZIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.1.23.9.4 Server validation rule of the column ID_ELABORAZIONE of the table STAMPE_ELABORAZIONI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.23.9.5 List of extended attributes of the table column ID_ELABORAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.23.10 List of keys of the table STAMPE_ELABORAZIONI

Name	Code	Primary
STEL_PK	STEL_PK	X

V.4.1.23.11 Key STEL_PK of the table STAMPE_ELABORAZIONI

V.4.1.23.11.1 Card of the key STEL_PK of the table STAMPE_ELABORAZIONI

Name	STEL_PK
Code	STEL_PK
Table	STAMPE_ELABORAZIONI

V.4.1.23.11.2 Code preview of the key STEL_PK of the table STAMPE_ELABORAZIONI

```
alter table STAMPE_ELABORAZIONI
add constraint STEL_PK primary key (NO_STAMPA);
```

V.4.1.23.11.3 List of columns of the table key STEL_PK

Name	Code
NO_STAMPA	NO_STAMPA

V.4.1.23.12 List of triggers of the table STAMPE_ELABORAZIONI

Name	Code
stampe_elaborazioni_tiu	STAMPE_ELABORAZIONI TIU

V.4.1.23.13 Trigger STAMPE_ELABORAZIONI_TIU of the table STAMPE_ELABORAZIONI

**V.4.1.23.13.1 Card of the trigger STAMPE_ELABORAZIONI TIU of the table
STAMPE_ELABORAZIONI**

Name	stampe_elaborazioni_tiu
Code	STAMPE_ELABORAZIONI_TIU
Generate	Yes
Table	STAMPE_ELABORAZIONI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

**V.4.1.23.13.2 Code preview of the trigger STAMPE_ELABORAZIONI TIU of the table
STAMPE_ELABORAZIONI**

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.1.24 Table TEMP_LONG

V.4.1.24.1 Card of table TEMP_LONG

Name	Temp Long
Code	TEMP_LONG
DBMS	ORACLE Version 8i2 (for Si4)

V.4.1.24.2 Check constraint name of table TEMP_LONG

TEMP_LONG_CT

V.4.1.24.3 Server validation rule of table TEMP_LONG

%RULES%

V.4.1.24.4 Code preview of table TEMP_LONG

```
/*=====
/* Table: TEMP_LONG */=====
create table TEMP_LONG (
    PRENOTAZIONE    NUMBER(6)          not null,
    PROGRESSIVO     NUMBER(4)          not null,
    CI              NUMBER(8)          not null,
    RILEVANZA       VARCHAR2(1)        not null,
    DAL             DATE              not null,
    DESCRIZIONE     VARCHAR2(250),
    TERMINALE       VARCHAR2(10)
);
```

comment on table TEMP_LONG is

'TELO - Tavola temporanea per la determinazione delle singole righe delle note giuridiche prelevate dai campi long
';

V.4.1.24.5 List of diagrams containing the table TEMP_LONG

Name	Code
Generale	GENERALE

V.4.1.24.6 List of extended attributes of the table TEMP_LONG

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.1.24.7 List of columns of the table TEMP_LONG

Name	Code
PRENOTAZIONE	PRENOTAZIONE
PROGRESSIVO	PROGRESSIVO
CI	CI
RILEVANZA	RILEVANZA
DAL	DAL
DESCRIZIONE	DESCRIZIONE
TERMINALE	TERMINALE

V.4.1.24.8 Column PRENOTAZIONE of the table TEMP_LONG

V.4.1.24.8.1 Card of the column PRENOTAZIONE of the table TEMP_LONG

Name	PRENOTAZIONE
Code	PRENOTAZIONE
Data Type	NUMBER(6)
Mandatory	Yes

V.4.1.24.8.2 Check constraint name of the column PRENOTAZIONE of the table TEMP_LONG

TEMP_LONG_PRENOTAZIONE_CC

V.4.1.24.8.3 Check of the column PRENOTAZIONE of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.24.8.4 Server validation rule of the column PRENOTAZIONE of the table TEMP_LONG

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.24.8.5 List of extended attributes of the table column PRENOTAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.24.9 Column PROGRESSIVO of the table TEMP_LONG**V.4.1.24.9.1 Card of the column PROGRESSIVO of the table TEMP_LONG**

Name	PROGRESSIVO
Code	PROGRESSIVO
Data Type	NUMBER(4)
Mandatory	Yes

V.4.1.24.9.2 Check constraint name of the column PROGRESSIVO of the table TEMP_LONG

TEMP_LONG_PROGRESSIVO_CC

V.4.1.24.9.3 Check of the column PROGRESSIVO of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.24.9.4 Server validation rule of the column PROGRESSIVO of the table TEMP_LONG

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.24.9.5 List of extended attributes of the table column PROGRESSIVO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.24.10 Column CI of the table TEMP_LONG

V.4.1.24.10.1 Card of the column CI of the table TEMP_LONG

Name	CI
Code	CI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.1.24.10.2 Check constraint name of the column CI of the table TEMP_LONG

TEMP_LONG_CI_CC

V.4.1.24.10.3 Check of the column CI of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.24.10.4 Server validation rule of the column CI of the table TEMP_LONG

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.24.10.5 List of extended attributes of the table column CI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.24.11 Column RILEVANZA of the table TEMP_LONG

V.4.1.24.11.1 Card of the column RILEVANZA of the table TEMP_LONG

Name	RILEVANZA
Code	RILEVANZA
Data Type	VARCHAR2(1)
Mandatory	Yes

**V.4.1.24.11.2 Check constraint name of the column RILEVANZA of the table TEMP_LONG
TEMP_LONG_RILEVANZA_CC**

V.4.1.24.11.3 Check of the column RILEVANZA of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.1.24.11.4 Server validation rule of the column RILEVANZA of the table TEMP_LONG
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.1.24.11.5 List of extended attributes of the table column RILEVANZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.24.12 Column DAL of the table TEMP_LONG

V.4.1.24.12.1 Card of the column DAL of the table TEMP_LONG

Name	DAL
Code	DAL
Data Type	DATE
Mandatory	Yes

**V.4.1.24.12.2 Check constraint name of the column DAL of the table TEMP_LONG
TEMP_LONG_DAL_CC**

V.4.1.24.12.3 Check of the column DAL of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.24.12.4 Server validation rule of the column DAL of the table TEMP_LONG

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.24.12.5 List of extended attributes of the table column DAL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.24.13 Column DESCRIZIONE of the table TEMP_LONG**V.4.1.24.13.1 Card of the column DESCRIZIONE of the table TEMP_LONG**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(250)
Mandatory	No

V.4.1.24.13.2 Check constraint name of the column DESCRIZIONE of the table TEMP_LONG

TEMP_LONG_DESCRIZIONE_CC

V.4.1.24.13.3 Check of the column DESCRIZIONE of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.24.13.4 Server validation rule of the column DESCRIZIONE of the table TEMP_LONG

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.24.13.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.1.24.14 Column TERMINALE of the table TEMP_LONG**V.4.1.24.14.1 Card of the column TERMINALE of the table TEMP_LONG**

Name	TERMINALE
Code	TERMINALE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.1.24.14.2 Check constraint name of the column TERMINALE of the table TEMP_LONG

TEMP_LONG_TERMINALE_CC

V.4.1.24.14.3 Check of the column TERMINALE of the table TEMP_LONG

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.1.24.14.4 Server validation rule of the column TERMINALE of the table TEMP_LONG

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.1.24.14.5 List of extended attributes of the table column TERMINALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2 Tables from Package Ambiente_Sistema

V.4.2.1 List of tables

Name	Code
A_Competicenze	A_COMPETENZE
A_Comuni	A_COMUNI
A_Provincie	A_PROVINCIE
A_Regioni	A_REGIONI
A_Stati_Territori	A_STATI_TERRITORI
GRUPPI_LINGUISTICI	GRUPPI_LINGUISTICI

V.4.2.2 List of table columns

Name	Code
STATO_TERRITORIO	STATO_TERRITORIO
DENOMINAZIONE	DENOMINAZIONE
DENOMINAZIONE_AL1	DENOMINAZIONE_AL1
DENOMINAZIONE_AL2	DENOMINAZIONE_AL2
SIGLA	SIGLA
DESC_CITTADINANZA	DESC_CITTADINANZA
DESC_CITTADINANZA_AL1	DESC_CITTADINANZA_AL1
DESC_CITTADINANZA_AL2	DESC_CITTADINANZA_AL2
RAGGRUPPAMENTO	RAGGRUPPAMENTO
STATO_APPARTENENZA	STATO_APPARTENENZA
REGIONE	REGIONE
PROVINCIA	PROVINCIA
Provincia_Stato	PROVINCIA_STATO
Comune	COMUNE
UTENTE	UTENTE
OGGETTO	OGGETTO
AMBIENTE	AMBIENTE
ENTE	ENTE
COMPETENZA	COMPETENZA
GRUPPO	GRUPPO
SEQUENZA	SEQUENZA
GRUPPO_AL	GRUPPO_AL
DESCRIZIONE	DESCRIZIONE

V.4.2.3 List of table keys

Name	Code	Table
Key_1	KEY_1	A_STATI_TERRITORI
Key_1	KEY_1	A_REGIONI
Key_1	KEY_1	A_PROVINCIE

Key_1	KEY_1	A_COMUNI
Key_1	KEY_1	A_COMPETENZE

V.4.2.4 Table A_COMPETENZE

V.4.2.4.1 Card of table A_COMPETENZE

Name	A_Competicenze
Code	A_COMPETENZE
DBMS	ORACLE Version 8i2 (for Si4)

V.4.2.4.2 Check constraint name of table A_COMPETENZE

A_COMPETENZE_CT

V.4.2.4.3 Server validation rule of table A_COMPETENZE

%RULES%

V.4.2.4.4 Begin script of table A_COMPETENZE

```
CREATE TABLE A_COMPETENZE (
    UTENTE    VARCHAR2(8) NOT NULL,
    OGGETTO   VARCHAR2(30) NOT NULL,
    AMBIENTE  VARCHAR2(8) NOT NULL,
    ENTE      VARCHAR2(4) NOT NULL,
    COMPETENZA VARCHAR2(20) NOT NULL);
```

V.4.2.4.5 Code preview of table A_COMPETENZE

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.2.4.6 List of diagrams containing the table A_COMPETENZE

Name	Code
Generale	GENERALE

V.4.2.4.7 List of all dependencies of the table A_COMPETENZE

Name	Code	Class Name
A_Competicenze	A_COMPETENZE	Shortcut of table
A_Competicenze	A_COMPETENZE	Shortcut of table

V.4.2.4.8 List of extended attributes of the table A_COMPETENZE

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for

			Si4)
--	--	--	------

V.4.2.4.9 List of columns of the table A_COMPETENZE

Name	Code
UTENTE	UTENTE
OGGETTO	OGGETTO
AMBIENTE	AMBIENTE
ENTE	ENTE
COMPETENZA	COMPETENZA

V.4.2.4.10 Column UTENTE of the table A_COMPETENZE**V.4.2.4.10.1 Card of the column UTENTE of the table A_COMPETENZE**

Name	UTENTE
Code	UTENTE
Data Type	VARCHAR2(8)
Mandatory	Yes

V.4.2.4.10.2 Check constraint name of the column UTENTE of the table A_COMPETENZE

A_COMPETENZE_UTENTE_CC

V.4.2.4.10.3 Check of the column UTENTE of the table A_COMPETENZE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.4.10.4 Server validation rule of the column UTENTE of the table A_COMPETENZE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.4.10.5 List of all dependencies of the table column UTENTE

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.2.4.10.6 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.4.11 *Column OGGETTO of the table A_COMPETENZE*

V.4.2.4.11.1 Card of the column OGGETTO of the table A_COMPETENZE

Name	OGGETTO
Code	OGGETTO
Data Type	VARCHAR2(30)
Mandatory	Yes

V.4.2.4.11.2 Check constraint name of the column OGGETTO of the table A_COMPETENZE

A_COMPETENZE_OGGETTO_CC

V.4.2.4.11.3 Check of the column OGGETTO of the table A_COMPETENZE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.4.11.4 Server validation rule of the column OGGETTO of the table A_COMPETENZE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.4.11.5 List of all dependencies of the table column OGGETTO

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.2.4.11.6 List of extended attributes of the table column OGGETTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.4.12 Column AMBIENTE of the table A_COMPETENZE

V.4.2.4.12.1 Card of the column AMBIENTE of the table A_COMPETENZE

Name	AMBIENTE
Code	AMBIENTE
Data Type	VARCHAR2(8)
Mandatory	Yes

V.4.2.4.12.2 Check constraint name of the column AMBIENTE of the table A_COMPETENZE

A_COMPETENZE_AMBIENTE_CC

V.4.2.4.12.3 Check of the column AMBIENTE of the table A_COMPETENZE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.4.12.4 Server validation rule of the column AMBIENTE of the table A_COMPETENZE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.4.12.5 List of all dependencies of the table column AMBIENTE

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.2.4.12.6 List of extended attributes of the table column AMBIENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.4.13 Column ENTE of the table A_COMPETENZE

V.4.2.4.13.1 Card of the column ENTE of the table A_COMPETENZE

Name	ENTE
Code	ENTE
Data Type	VARCHAR2(4)
Mandatory	Yes

**V.4.2.4.13.2 Check constraint name of the column ENTE of the table A_COMPETENZE
A_COMPETENZE_ENTE_CC**

V.4.2.4.13.3 Check of the column ENTE of the table A_COMPETENZE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.2.4.13.4 Server validation rule of the column ENTE of the table A_COMPETENZE
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.2.4.13.5 List of all dependencies of the table column ENTE

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.2.4.13.6 List of extended attributes of the table column ENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.4.14 Column COMPETENZA of the table A_COMPETENZE

V.4.2.4.14.1 Card of the column COMPETENZA of the table A_COMPETENZE

Name	COMPETENZA
Code	COMPETENZA
Data Type	VARCHAR2(20)
Mandatory	Yes

V.4.2.4.14.2 Check constraint name of the column COMPETENZA of the table A_COMPETENZE
A_COMPETENZE_COMPETENZA_CC

V.4.2.4.14.3 Check of the column COMPETENZA of the table A_COMPETENZE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.4.14.4 Server validation rule of the column COMPETENZA of the table A_COMPETENZE
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.4.14.5 List of all dependencies of the table column COMPETENZA

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.2.4.14.6 List of extended attributes of the table column COMPETENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.4.15 List of keys of the table A_COMPETENZE

Name	Code	Primary
Key_1	KEY_1	X

V.4.2.4.16 Key KEY_1 of the table A_COMPETENZE

V.4.2.4.16.1 Card of the key KEY_1 of the table A_COMPETENZE

Name	Key_1
Code	KEY_1
Table	A_COMPETENZE

V.4.2.4.16.2 Code preview of the key KEY_1 of the table A_COMPETENZE

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.2.4.16.3 List of columns of the table key KEY_1

Name	Code
UTENTE	UTENTE
OGGETTO	OGGETTO
AMBIENTE	AMBIENTE
ENTE	ENTE
COMPETENZA	COMPETENZA

V.4.2.5 Table A_COMUNI

V.4.2.5.1 Card of table A_COMUNI

Name	A_Comuni
Code	A_COMUNI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.2.5.2 Check constraint name of table A_COMUNI

A_COMUNI_CT

V.4.2.5.3 Server validation rule of table A_COMUNI

%RULES%

V.4.2.5.4 Begin script of table A_COMUNI

```
CREATE TABLE A_COMUNI (
    PROVINCIA_STATO      NUMBER (3) NOT NULL,
    COMUNE                NUMBER (3) NOT NULL,
    DENOMINAZIONE         VARCHAR2 (40),
    DENOMINAZIONE_AL1     VARCHAR2 (40),
    DENOMINAZIONE_AL2     VARCHAR2 (40),
    DENOMINAZIONE_BREVE   VARCHAR2 (16),
    DENOMINAZIONE_BREVE_AL1 VARCHAR2 (16),
    DENOMINAZIONE_BREVE_AL2 VARCHAR2 (16),
    CAPOLUOGO_PROVINCIA VARCHAR2 (1),
    CAP                  NUMBER (5),
    PROVINCIA_TRIBUNALE  NUMBER (3),
    COMUNE_TRIBUNALE     NUMBER (3),
    PROVINCIA_DISTRETTO  NUMBER (3),
    COMUNE_DISTRETTO     NUMBER (3),
    DATA_SOPPRESSIONE    DATE,
    PROVINCIA_FUSIONE    NUMBER (3),
    COMUNE_FUSIONE        NUMBER (3),
```

```
SIGLA_CFIIS      VARCHAR2(4),
CONSOLATO       NUMBER(5),
TIPO_CONSOLATO  NUMBER(2));
```

```
CREATE INDEX COMU_CONS_FK ON
"A00U".A_COMUNI(CONSOLATO)
; 
```

```
CREATE INDEX COMU_DENO ON
"A00U".A_COMUNI(DENOMINAZIONE)
; 
```

```
CREATE INDEX COMU_DISTR_FK ON
"A00U".A_COMUNI(PROVINCIA_DISTRETTO, COMUNE_DISTRETTO)
; 
```

```
CREATE INDEX COMU_FUS_FK ON
"A00U".A_COMUNI(PROVINCIA_FUSIONE, COMUNE_FUSIONE)
; 
```

```
CREATE UNIQUE INDEX COMU_PK ON
"A00U".A_COMUNI(PROVINCIA_STATO, COMUNE)
; 
```

```
CREATE INDEX COMU_TRIB_FK ON
"A00U".A_COMUNI(PROVINCIA_TRIBUNALE, COMUNE_TRIBUNALE)
; 
```

V.4.2.5.5 Code preview of table A_COMUNI

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.5.6 List of diagrams containing the table A_COMUNI

Name	Code
Generale	GENERALE

V.4.2.5.7 List of incoming references of the table A_COMUNI

Name	Code
ANAG COMU DOM	ANAG_COMU_DOM
ANAG COMU NAS	ANAG_COMU_NAS
ANAG COMU RES	ANAG_COMU_RES

V.4.2.5.8 List of all dependencies of the table A_COMUNI

Name	Code	Class Name
A_Comuni	A_COMUNI	Shortcut of table
A_Comuni	A_COMUNI	Shortcut of table
A_Comuni	A_COMUNI	Shortcut of table
A_Comuni	A_COMUNI	Shortcut of table
A_Comuni	A_COMUNI	Shortcut of table
A_Comuni	A_COMUNI	Shortcut of table
ANAG COMU DOM	ANAG_COMU_DOM	Reference
ANAG COMU NAS	ANAG_COMU_NAS	Reference
ANAG COMU RES	ANAG_COMU_RES	Reference

V.4.2.5.9 List of extended attributes of the table A_COMUNI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.2.5.10 List of columns of the table A_COMUNI

Name	Code
Provincia Stato	PROVINCIA_STATO
Comune	COMUNE

V.4.2.5.11 Column PROVINCIA_STATO of the table A_COMUNI**V.4.2.5.11.1 Card of the column PROVINCIA_STATO of the table A_COMUNI**

Name	Provincia Stato
Code	PROVINCIA_STATO
Data Type	NUMBER(3)
Mandatory	Yes

V.4.2.5.11.2 Check constraint name of the column PROVINCIA_STATO of the table A_COMUNI

A_COMUNI_PROVINCIA_STA_CC

V.4.2.5.11.3 Check of the column PROVINCIA_STATO of the table A_COMUNI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.4.2.5.11.4 Server validation rule of the column PROVINCIA_STATO of the table A_COMUNI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.5.11.5 List of all dependencies of the table column PROVINCIA_STATO

Name	Code	Class Name
Key_1	KEY_1	Key
?	?	Reference Join
?	?	Reference Join
?	?	Reference Join

V.4.2.5.11.6 List of extended attributes of the table column PROVINCIA_STATO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.5.12 Column COMUNE of the table A_COMUNI

V.4.2.5.12.1 Card of the column COMUNE of the table A_COMUNI

Name	Comune
Code	COMUNE
Data Type	NUMBER(3)
Mandatory	Yes

V.4.2.5.12.2 Check constraint name of the column COMUNE of the table A_COMUNI

A_COMUNI_COMUNE_CC

V.4.2.5.12.3 Check of the column COMUNE of the table A_COMUNI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.2.5.12.4 Server validation rule of the column COMUNE of the table A_COMUNI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.5.12.5 List of all dependencies of the table column COMUNE

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
?	?	Reference Join
Key_1	KEY_1	Key

V.4.2.5.12.6 List of extended attributes of the table column COMUNE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.5.13 List of keys of the table A_COMUNI

Name	Code	Primary
Key_1	KEY_1	X

V.4.2.5.14 Key KEY_1 of the table A_COMUNI**V.4.2.5.14.1 Card of the key KEY_1 of the table A_COMUNI**

Name	Key_1
Code	KEY_1
Table	A_COMUNI

V.4.2.5.14.2 Code preview of the key KEY_1 of the table A_COMUNI

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.5.14.3 List of columns of the table key KEY_1

Name	Code
Provincia Stato	PROVINCIA_STATO
Comune	COMUNE

V.4.2.5.14.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG COMU DOM	ANAG_COMU_DOM	Reference
ANAG COMU NAS	ANAG_COMU_NAS	Reference
ANAG COMU RES	ANAG_COMU_RES	Reference

V.4.2.6 Table A_PROVINCIE***V.4.2.6.1 Card of table A_PROVINCIE***

Name	A_Provincie
Code	A_PROVINCIE
DBMS	ORACLE Version 8i2 (for Si4)

V.4.2.6.2 Check constraint name of table A_PROVINCIE

A_PROVINCIE_CT

V.4.2.6.3 Server validation rule of table A_PROVINCIE

%RULES%

V.4.2.6.4 Begin script of table A_PROVINCIE

```
CREATE TABLE A_PROVINCIE (
    PROVINCIA      NUMBER (3) NOT NULL,
    DENOMINAZIONE  VARCHAR2 (40),
    DENOMINAZIONE_AL1 VARCHAR2 (40),
    DENOMINAZIONE_AL2 VARCHAR2 (40),
    REGIONE       NUMBER (3) NOT NULL,
    SIGLA         VARCHAR2 (2) NOT NULL );
```

```
CREATE UNIQUE INDEX PROV_PK ON
    "A00U".A_PROVINCIE(PROVINCIA)
    ;
```

V.4.2.6.5 Code preview of table A_PROVINCIE

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.6.6 List of diagrams containing the table A_PROVINCIE

Name	Code
Generale	GENERALE

V.4.2.6.7 List of incoming references of the table A_PROVINCIE

Name	Code
DIPA_PROV	DIPA_PROV

V.4.2.6.8 List of all dependencies of the table A_PROVINCIE

Name	Code	Class Name
A_Provincie	A_PROVINCIE	Shortcut of table
A_Provincie	A_PROVINCIE	Shortcut of table
DIPA_PROV	DIPA_PROV	Reference

V.4.2.6.9 List of extended attributes of the table A_PROVINCIE

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.2.6.10 List of columns of the table A_PROVINCIE

Name	Code
PROVINCIA	PROVINCIA

V.4.2.6.11 Column PROVINCIA of the table A_PROVINCIE***V.4.2.6.11.1 Card of the column PROVINCIA of the table A_PROVINCIE***

Name	PROVINCIA
Code	PROVINCIA
Data Type	NUMBER(3)
Mandatory	Yes

V.4.2.6.11.2 Check constraint name of the column PROVINCIA of the table A_PROVINCIE

A_PROVINCIE_PROVINCIA_CC

V.4.2.6.11.3 Check of the column PROVINCIA of the table A_PROVINCIE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.2.6.11.4 Server validation rule of the column PROVINCIA of the table A_PROVINCIE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.6.11.5 List of all dependencies of the table column PROVINCIA

Name	Code	Class Name
Key_1	KEY_1	Key
?	?	Reference Join

V.4.2.6.11.6 List of extended attributes of the table column PROVINCIA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.6.12 List of keys of the table A_PROVINCIE

Name	Code	Primary
Key_1	KEY_1	X

V.4.2.6.13 Key KEY_1 of the table A_PROVINCIE**V.4.2.6.13.1 Card of the key KEY_1 of the table A_PROVINCIE**

Name	Key_1
Code	KEY_1
Table	A_PROVINCIE

V.4.2.6.13.2 Code preview of the key KEY_1 of the table A_PROVINCIE

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.6.13.3 List of columns of the table key KEY_1

Name	Code
PROVINCIA	PROVINCIA

V.4.2.6.13.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
DIPA_PROV	DIPA_PROV	Reference

V.4.2.7 Table A_REGIONI

V.4.2.7.1 Card of table A_REGIONI

Name	A_Regioni
Code	A_REGIONI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.2.7.2 Check constraint name of table A_REGIONI

A_REGIONI_CT

V.4.2.7.3 Server validation rule of table A_REGIONI

%RULES%

V.4.2.7.4 Begin script of table A_REGIONI

```
CREATE TABLE A_REGIONI (
  REGIONE      NUMBER (3) NOT NULL,
  DENOMINAZIONE  VARCHAR2 (40),
  DENOMINAZIONE_AL1 VARCHAR2 (40),
  DENOMINAZIONE_AL2 VARCHAR2 (40));
```

```
CREATE UNIQUE INDEX REGI_PK ON
  "A00U".A_REGIONI(REGIONE)
;
```

V.4.2.7.5 Code preview of table A_REGIONI

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.2.7.6 List of diagrams containing the table A_REGIONI

Name	Code
Generale	GENERALE

V.4.2.7.7 List of all dependencies of the table A_REGIONI

Name	Code	Class Name
A_Regioni	A_REGIONI	Shortcut of table

V.4.2.7.8 List of extended attributes of the table A_REGIONI

Name	Data Type	Value	Target Name

ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)
--------------	------------------	--	------------------------------

V.4.2.7.9 List of columns of the table A_REGIONI

Name	Code
REGIONE	REGIONE

V.4.2.7.10 Column REGIONE of the table A_REGIONI**V.4.2.7.10.1 Card of the column REGIONE of the table A_REGIONI**

Name	REGIONE
Code	REGIONE
Data Type	NUMBER(3)
Mandatory	Yes

V.4.2.7.10.2 Check constraint name of the column REGIONE of the table A_REGIONI

A_REGIONI_REGIONE_CC

V.4.2.7.10.3 Check of the column REGIONE of the table A_REGIONI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.7.10.4 Server validation rule of the column REGIONE of the table A_REGIONI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.7.10.5 List of all dependencies of the table column REGIONE

Name	Code	Class Name
Key_1	KEY_1	Key

V.4.2.7.10.6 List of extended attributes of the table column REGIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.2.7.11 List of keys of the table A_REGIONI

Name	Code	Primary
Key_1	KEY_1	X

V.4.2.7.12 Key KEY_1 of the table A_REGIONI**V.4.2.7.12.1 Card of the key KEY_1 of the table A_REGIONI**

Name	Key_1
Code	KEY_1
Table	A_REGIONI

V.4.2.7.12.2 Code preview of the key KEY_1 of the table A_REGIONI

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.7.12.3 List of columns of the table key KEY_1

Name	Code
REGIONE	REGIONE

V.4.2.8 Table A_STATI_TERRITORI**V.4.2.8.1 Card of table A_STATI_TERRITORI**

Name	A_Stati_Territori
Code	A_STATI_TERRITORI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.2.8.2 Check constraint name of table A_STATI_TERRITORI

A_STATI_TERRITORI_CT

V.4.2.8.3 Server validation rule of table A_STATI_TERRITORI

%RULES%

V.4.2.8.4 Code preview of table A_STATI_TERRITORI

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.8.5 List of incoming references of the table A_STATI_TERRITORI

Name	Code
ANAG_STTE	ANAG_STTE
CASE_STTE	CASE_STTE

V.4.2.8.6 List of all dependencies of the table A_STATI_TERRITORI

Name	Code	Class Name
A_Stati_Territori	A_STATI_TERRITORI	Shortcut of table
A_Stati_Territori	A_STATI_TERRITORI	Shortcut of table
A_Stati_Territori	A_STATI_TERRITORI	Shortcut of table
ANAG_STTE	ANAG_STTE	Reference
CASE_STTE	CASE_STTE	Reference

V.4.2.8.7 List of extended attributes of the table A_STATI_TERRITORI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.2.8.8 List of columns of the table A_STATI_TERRITORI

Name	Code
STATO_TERRITORIO	STATO_TERRITORIO
DENOMINAZIONE	DENOMINAZIONE
DENOMINAZIONE_AL1	DENOMINAZIONE_AL1
DENOMINAZIONE_AL2	DENOMINAZIONE_AL2
SIGLA	SIGLA
DESC_CITTADINANZA	DESC_CITTADINANZA
DESC_CITTADINANZA_AL1	DESC_CITTADINANZA_AL1
DESC_CITTADINANZA_AL2	DESC_CITTADINANZA_AL2
RAGGRUPPAMENTO	RAGGRUPPAMENTO
STATO_APPARTENENZA	STATO_APPARTENENZA

V.4.2.8.9 Column STATO_TERRITORIO of the table A_STATI_TERRITORI**V.4.2.8.9.1 Card of the column STATO_TERRITORIO of the table A_STATI_TERRITORI**

Name	STATO_TERRITORIO
Code	STATO_TERRITORIO
Data Type	NUMBER(3)
Mandatory	Yes

V.4.2.8.9.2 Check constraint name of the column STATO_TERRITORIO of the table A_STATI_TERRITORI

A_STATI_TERRI_STATO_TERRITO_CC

V.4.2.8.9.3 Check of the column STATO_TERRITORIO of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.9.4 Server validation rule of the column STATO_TERRITORIO of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.9.5 List of all dependencies of the table column STATO_TERRITORIO

Name	Code	Class Name
Key_1	KEY_1	Key
?	?	Reference Join
?	?	Reference Join

V.4.2.8.9.6 List of extended attributes of the table column STATO_TERRITORIO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.10 Column DENOMINAZIONE of the table A_STATI_TERRITORI

V.4.2.8.10.1 Card of the column DENOMINAZIONE of the table A_STATI_TERRITORI

Name	DENOMINAZIONE
Code	DENOMINAZIONE
Data Type	VARCHAR2(40)
Mandatory	No

V.4.2.8.10.2 Check constraint name of the column DENOMINAZIONE of the table A_STATI_TERRITORI

A_STATI_TERRI_DENOMINAZIONE_CC

V.4.2.8.10.3 Check of the column DENOMINAZIONE of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.10.4 Server validation rule of the column DENOMINAZIONE of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.10.5 List of extended attributes of the table column DENOMINAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.11 Column DENOMINAZIONE_AL1 of the table A_STATI_TERRITORI**V.4.2.8.11.1 Card of the column DENOMINAZIONE_AL1 of the table A_STATI_TERRITORI**

Name	DENOMINAZIONE_AL1
Code	DENOMINAZIONE_AL1
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.2.8.11.2 Check constraint name of the column DENOMINAZIONE_AL1 of the table
A_STATI_TERRITORI**

A_STATI_TERRI_DENOMINAZIONE_CC

V.4.2.8.11.3 Check of the column DENOMINAZIONE_AL1 of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.2.8.11.4 Server validation rule of the column DENOMINAZIONE_AL1 of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.11.5 List of extended attributes of the table column DENOMINAZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.12 Column DENOMINAZIONE_AL2 of the table A_STATI_TERRITORI

V.4.2.8.12.1 Card of the column DENOMINAZIONE_AL2 of the table A_STATI_TERRITORI

Name	DENOMINAZIONE_AL2
Code	DENOMINAZIONE_AL2
Data Type	VARCHAR2(40)
Mandatory	No

V.4.2.8.12.2 Check constraint name of the column DENOMINAZIONE_AL2 of the table A_STATI_TERRITORI

A_STATI_TERRI_DENOMINAZIONE_CC

V.4.2.8.12.3 Check of the column DENOMINAZIONE_AL2 of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.12.4 Server validation rule of the column DENOMINAZIONE_AL2 of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.12.5 List of extended attributes of the table column DENOMINAZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.13 Column **SIGLA** of the table **A_STATI_TERRITORI**

V.4.2.8.13.1 Card of the column **SIGLA** of the table **A_STATI_TERRITORI**

Name	SIGLA
Code	SIGLA
Data Type	VARCHAR2(5)
Mandatory	No

V.4.2.8.13.2 Check constraint name of the column **SIGLA** of the table **A_STATI_TERRITORI**

A_STATI_TERRI_SIGLA_CC

V.4.2.8.13.3 Check of the column **SIGLA** of the table **A_STATI_TERRITORI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.13.4 Server validation rule of the column **SIGLA** of the table **A_STATI_TERRITORI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.13.5 List of extended attributes of the table column **SIGLA**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.14 Column **DESC_CITTADINANZA** of the table **A_STATI_TERRITORI**

V.4.2.8.14.1 Card of the column **DESC_CITTADINANZA** of the table **A_STATI_TERRITORI**

Name	DESC_CITTADINANZA
Code	DESC_CITTADINANZA
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.2.8.14.2 Check constraint name of the column DESC_CITTADINANZA of the table
A_STATI_TERRITORI**

A_STATI_TERRI_DESC_CITTADIN_CC

V.4.2.8.14.3 Check of the column DESC_CITTADINANZA of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.2.8.14.4 Server validation rule of the column DESC_CITTADINANZA of the table
A_STATI_TERRITORI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.14.5 List of extended attributes of the table column DESC_CITTADINANZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.15 Column DESC_CITTADINANZA_AL1 of the table A_STATI_TERRITORI

V.4.2.8.15.1 Card of the column DESC_CITTADINANZA_AL1 of the table A_STATI_TERRITORI

Name	DESC_CITTADINANZA_AL1
Code	DESC_CITTADINANZA_AL1
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.2.8.15.2 Check constraint name of the column DESC_CITTADINANZA_AL1 of the table
A_STATI_TERRITORI**

A_STATI_TERRI_DESC_CITTADIN_CC**V.4.2.8.15.3 Check of the column DESC_CITTADINANZA_AL1 of the table A_STATI_TERRITORI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.15.4 Server validation rule of the column DESC_CITTADINANZA_AL1 of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.15.5 List of extended attributes of the table column DESC_CITTADINANZA_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.16 Column DESC_CITTADINANZA_AL2 of the table A_STATI_TERRITORI**V.4.2.8.16.1 Card of the column DESC_CITTADINANZA_AL2 of the table A_STATI_TERRITORI**

Name	DESC_CITTADINANZA_AL2
Code	DESC_CITTADINANZA_AL2
Data Type	VARCHAR2(40)
Mandatory	No

V.4.2.8.16.2 Check constraint name of the column DESC_CITTADINANZA_AL2 of the table A_STATI_TERRITORI

A_STATI_TERRI_DESC_CITTADIN_CC

V.4.2.8.16.3 Check of the column DESC_CITTADINANZA_AL2 of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.16.4 Server validation rule of the column DESC_CITTADINANZA_AL2 of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.16.5 List of extended attributes of the table column DESC_CITTADINANZA_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.17 Column RAGGRUPPAMENTO of the table A_STATI_TERRITORI

V.4.2.8.17.1 Card of the column RAGGRUPPAMENTO of the table A_STATI_TERRITORI

Name	RAGGRUPPAMENTO
Code	RAGGRUPPAMENTO
Data Type	NUMBER(2)
Mandatory	No

V.4.2.8.17.2 Check constraint name of the column RAGGRUPPAMENTO of the table A_STATI_TERRITORI

A_STATI_TERRI_RAGGRUPPAMENT_CC

V.4.2.8.17.3 Check of the column RAGGRUPPAMENTO of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.17.4 Server validation rule of the column RAGGRUPPAMENTO of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.17.5 List of extended attributes of the table column RAGGRUPPAMENTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.18 Column STATO_APPARTENENZA of the table A_STATI_TERRITORI

V.4.2.8.18.1 Card of the column STATO_APPARTENENZA of the table A_STATI_TERRITORI

Name	STATO_APPARTENENZA
Code	STATO_APPARTENENZA
Data Type	NUMBER(3)
Mandatory	No

V.4.2.8.18.2 Check constraint name of the column STATO_APPARTENENZA of the table A_STATI_TERRITORI

A_STATI_TERRI_STATO_APPARTE_CC

V.4.2.8.18.3 Check of the column STATO_APPARTENENZA of the table A_STATI_TERRITORI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.8.18.4 Server validation rule of the column STATO_APPARTENENZA of the table A_STATI_TERRITORI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.8.18.5 List of extended attributes of the table column STATO_APPARTENENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.8.19 List of keys of the table A_STATI_TERRITORI

Name	Code	Primary
Key_1	KEY_1	X

V.4.2.8.20 Key KEY_1 of the table A_STATI_TERRITORI**V.4.2.8.20.1 Card of the key KEY_1 of the table A_STATI_TERRITORI**

Name	Key_1
Code	KEY_1
Table	A_STATI_TERRITORI

V.4.2.8.20.2 Code preview of the key KEY_1 of the table A_STATI_TERRITORI

- The preview is empty because of the setting.
- Check the generation option.

V.4.2.8.20.3 List of columns of the table key KEY_1

Name	Code
STATO_TERRITORIO	STATO_TERRITORIO

V.4.2.8.20.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_STTE	ANAG_STTE	Reference
CASE_STTE	CASE_STTE	Reference

V.4.2.9 Table GRUPPI_LINGUISTICI**V.4.2.9.1 Card of table GRUPPI_LINGUISTICI**

Name	GRUPPI_LINGUISTICI
Code	GRUPPI_LINGUISTICI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.2.9.2 Check constraint name of table GRUPPI_LINGUISTICI

GRUPPI_LINGUISTICI_CT

V.4.2.9.3 Server validation rule of table GRUPPI_LINGUISTICI

%RULES%

V.4.2.9.4 Code preview of table GRUPPI_LINGUISTICI

-- The preview is empty because of the setting.
 -- Check the generation option.

V.4.2.9.5 List of diagrams containing the table GRUPPI_LINGUISTICI

Name	Code
Generale	GENERALE

V.4.2.9.6 List of all dependencies of the table GRUPPI_LINGUISTICI

Name	Code	Class Name
GRUPPI_LINGUISTICI	GRUPPI_LINGUISTICI	Shortcut of table

V.4.2.9.7 List of extended attributes of the table GRUPPI_LINGUISTICI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.2.9.8 List of columns of the table GRUPPI_LINGUISTICI

Name	Code
GRUPPO	GRUPPO
SEQUENZA	SEQUENZA
GRUPPO_AL	GRUPPO_AL
DESCRIZIONE	DESCRIZIONE

V.4.2.9.9 Column GRUPPO of the table GRUPPI_LINGUISTICI

V.4.2.9.9.1 Card of the column GRUPPO of the table GRUPPI_LINGUISTICI

Name	GRUPPO
Code	GRUPPO
Data Type	VARCHAR2(1)
Mandatory	Yes

V.4.2.9.9.2 Check constraint name of the column GRUPPO of the table GRUPPI_LINGUISTICI

GRUPPI_LINGUI_GRUPPO_CC

V.4.2.9.9.3 Check of the column GRUPPO of the table GRUPPI_LINGUISTICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.9.9.4 Server validation rule of the column GRUPPO of the table GRUPPI_LINGUISTICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.9.9.5 List of extended attributes of the table column GRUPPO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.9.10 Column SEQUENZA of the table GRUPPI_LINGUISTICI

V.4.2.9.10.1 Card of the column SEQUENZA of the table GRUPPI_LINGUISTICI

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(2)
Mandatory	Yes

V.4.2.9.10.2 Check constraint name of the column SEQUENZA of the table GRUPPI_LINGUISTICI GRUPPI_LINGUI_SEQUENZA_CC

V.4.2.9.10.3 Check of the column SEQUENZA of the table GRUPPI_LINGUISTICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.9.10.4 Server validation rule of the column SEQUENZA of the table GRUPPI_LINGUISTICI %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.9.10.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.9.11 Column **GRUPPO_AL** of the table **GRUPPI_LINGUISTICI**

V.4.2.9.11.1 Card of the column **GRUPPO_AL** of the table **GRUPPI_LINGUISTICI**

Name	GRUPPO_AL
Code	GRUPPO_AL
Data Type	VARCHAR2(1)
Mandatory	Yes

V.4.2.9.11.2 Check constraint name of the column **GRUPPO_AL** of the table **GRUPPI_LINGUISTICI** GRUPPI_LINGUI_GRUPPO_AL_CC

V.4.2.9.11.3 Check of the column **GRUPPO_AL** of the table **GRUPPI_LINGUISTICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.2.9.11.4 Server validation rule of the column **GRUPPO_AL** of the table **GRUPPI_LINGUISTICI** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.2.9.11.5 List of extended attributes of the table column **GRUPPO_AL**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.2.9.12 Column **DESCRIZIONE** of the table **GRUPPI_LINGUISTICI**

V.4.2.9.12.1 Card of the column **DESCRIZIONE** of the table **GRUPPI_LINGUISTICI**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.2.9.12.2 Check constraint name of the column DESCRIZIONE of the table GRUPPI_LINGUISTICI
GRUPPI_LINGUI_DESCRIZIONE_CC**

V.4.2.9.12.3 Check of the column DESCRIZIONE of the table GRUPPI_LINGUISTICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.2.9.12.4 Server validation rule of the column DESCRIZIONE of the table GRUPPI_LINGUISTICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.2.9.12.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3 Tables from Package Anagrafe_Matricolare

V.4.3.1 List of tables

Name	Code
ANAGRAFE_FAMILIARI	ANAGRAFE_FAMILIARI
Anagrafici	ANAGRAFICI
Categorie_Protette	CATEGORIE_PROTETTE
Categorie_Protette2	CATEGORIE_PROTETTE_NEW
Classi_Rapporto	CLASSI_RAPPORTO
Condizioni_non_Professionali	CONDIZIONI_NON_PROFESIONALI
DICHIARAZIONI_FAMILIARI	DICHIARAZIONI_FAMILIARI
DISABILI_PROSP_AZIENDA	DISABILI_PROSP_AZIENDA
DISABILI_PROSP_INDIVIDUI	DISABILI_PROSP_INDIVIDUI

Gruppi Rapporto	GRUPPI_RAPPORTO
Individui Modificati	INDIVIDUI_MODIFICATI
Parentele	PARENTELE
Rapporti Individuali	RAPPORTI INDIVIDUALI
RIGHE DICHIARAZIONE FAMILIARI	RIGHE DICHIARAZIONE FAMILIARI
Stati Civili	STATI_CIVILI
Tipi Soggetto	TIPI_SOGGETTO
Tipi Titolo	TIPI_TITOLO
Titoli Studio	TITOLI_STUDIO
VALORI_DEFAULT	VALORI_DEFAULT

V.4.3.2 List of table columns

Name	Code
Tipo Soggetto	TIPO_SOGGETTO
Descrizione	DESCRIZIONE
Descrizione_all	DESCRIZIONE_AL1
Descrizione_al2	DESCRIZIONE_AL2
GRUPPO	GRUPPO
RILEVANZA	RILEVANZA
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
DAL	DAL
AL	AL
NOTE	NOTE
NOTE_AL1	NOTE_AL1
NOTE_AL2	NOTE_AL2
OGGETTO	OGGETTO
OGGETTO_AL1	OGGETTO_AL1
OGGETTO_AL2	OGGETTO_AL2
SEDE	SEDE
ANNO	ANNO
NUMERO	NUMERO
CAT_FISCALE	CAT_FISCALE
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
DES_ABB	DES_ABB
SEQUENZA	SEQUENZA
NUCLEO_FAM	NUCLEO_FAM
CARICO_FIS	CARICO_FIS
COD_PREVIDENZA	COD_PREVIDENZA
CODICE	CODICE

DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
MAX_CARICO_FAM	MAX_CARICO_FAM
MAX_CARICO_FIS	MAX_CARICO_FIS
INABILE	INABILE
CI	CI
COGNOME	COGNOME
NOME	NOME
NI	NI
DATA_NAS	DATA_NAS
RAPPORTO	RAPPORTO
CC	CC
DAL	DAL
AL	AL
GRUPPO	GRUPPO
NOTE	NOTE
AMBIENTE	AMBIENTE
TIPO_NI	TIPO_NI
FASCICOLO	FASCICOLO
TELEFONO_UFFICIO	TELEFONO_UFFICIO
FAX_UFFICIO	FAX_UFFICIO
E_MAIL	E_MAIL
INDIRIZZO_REC	INDIRIZZO_REC
INDIRIZZO_REC_AL1	INDIRIZZO_REC_AL1
INDIRIZZO_REC_AL2	INDIRIZZO_REC_AL2
PROVINCIA_REC	PROVINCIA_REC
COMUNE_REC	COMUNE_REC
CAP_REC	CAP_REC
TEL_REC	TEL_REC
FAX_REC	FAX_REC
MAIL_CEDOLINO	MAIL_CEDOLINO
AZIENDA_ID	AZIENDA_ID
NUMERO_ID_ESTERNO	NUMERO_ID_ESTERNO
CODICE_GRUPPO_ESTERNO	CODICE_GRUPPO_ESTERNO
MATRICOLA_ASSUNZIONE	MATRICOLA_ASSUNZIONE
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
CAT_FISCALE	CAT_FISCALE
CONTO_ANNUALE	CONTO_ANNUALE
CENTRI_IMPIEGO	CENTRI_IMPIEGO

NI	NI
Cognome	COGNOME
Nome	NOME
Sesso	SESSO
Data Nas	DATA_NAS
Provincia Nas	PROVINCIA_NAS
Comune Nas	COMUNE_NAS
Luogo Nas	LUOGO_NAS
Dal	DAL
Al	AL
Codice Fiscale	CODICE_FISCALE
Cittadinanza	CITTADINANZA
Indirizzo Res	INDIRIZZO_RES
Indirizzo Res A11	INDIRIZZO_RES_AL1
Indirizzo Res A12	INDIRIZZO_RES_AL2
Provincia Res	PROVINCIA_RES
Comune Res	COMUNE_RES
Cap Res	CAP_RES
Tel Res	TEL_RES
Presso	PRESSO
Indirizzo Dom	INDIRIZZO_DOM
Indirizzo Dom A11	INDIRIZZO_DOM_AL1
Indirizzo Dom A12	INDIRIZZO_DOM_AL2
Provincia Dom	PROVINCIA_DOM
Comune Dom	COMUNE_DOM
Cap Dom	CAP_DOM
Tel Dom	TEL_DOM
Stato Civile	STATO_CIVILE
Cognome Coniuge	COGNOME_CONIUGE
Titolo Studio	TITOLO_STUDIO
Titolo	TITOLO
Categoria Protetta	CATEGORIA_PROTETTA
Gruppo Ling	GRUPPO_LING
Partita Iva	PARTITA_IVA
Tessera San	TESSERA_SAN
Numero Usl	NUMERO_USL
Provincia Usl	PROVINCIA_USL
Numero_usl_doc	NUMERO_USL_DOC
Provincia_usl_doc	PROVINCIA_USL_DOC
Tipo Doc	TIPO_DOC
Numero Doc	NUMERO_DOC
Provincia Doc	PROVINCIA_DOC
Comune Doc	COMUNE_DOC
Note	NOTE
Codice Fiscale Estero	CODICE_FISCALE_ESTERO

Fax Res	FAX RES
Fax Dom	FAX DOM
Ambiente Prop	AMBIENTE_PROP
Telefono Ufficio	TELEFONO_UFFICIO
Fax Ufficio	FAX_UFFICIO
E Mail	E_MAIL
Denominazione	DENOMINAZIONE
Denominazione AL1	DENOMINAZIONE_AL1
Denominazione AL2	DENOMINAZIONE_AL2
Competenza Esclusiva	COMPETENZA_ESCLUSIVA
Flag Trg	FLAG TRG
Stato CEE	STATO_CEE
Tipo Soggetto	TIPO_SOGGETTO
Fine Validita	FINE_VALIDITA
id_foto	ID_FOTO
Gruppo Ling Pref	GRUPPO_LING_PREF
Perc Invalidita	PERC_INVALIDITA
Cellulare	CELLULARE
Provincia Pro	PROVINCIA_PRO
Comune Pro	COMUNE_PRO
Utente	UTENTE
Data Agg	DATA_AGG
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
CAT_FISCALE	CAT_FISCALE
PRESENZA_CONIUGE	PRESENZA_CONIUGE
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
RETRIBUTIVO	RETRIBUTIVO
PRESENZA	PRESENZA
GIURIDICO	GIURIDICO
CONCORSO	CONCORSO
CAT_FISCALE	CAT_FISCALE
CAT_INAIL	CAT_INAIL
VORTALE	VORTALE
DOTAZIONE	DOTAZIONE
TIPO_COMPENSO	TIPO_COMPENSO
TIPO_COMPENSO_AL1	TIPO_COMPENSO_AL1
TIPO_COMPENSO_AL2	TIPO_COMPENSO_AL2

COMPONENTE	COMPONENTE
CENTRI_IMPIEGO	CENTRI_IMPIEGO
AMMINISTRATORE	AMMINISTRATORE
ENTE ESTERNO	ENTE ESTERNO
COMANDO	COMANDO
CAT_PREVIDENZIALE	CAT_PREVIDENZIALE
CATEGORIA_MEDICO	CATEGORIA_MEDICO
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
AREA PROTETTA	AREA PROTETTA
CATEGORIA	CATEGORIA
PERC_LEGGE	PERC_LEGGE
Titolo	TITOLO
Descrizione	DESCRIZIONE
Descrizione_al1	DESCRIZIONE_AL1
Descrizione_al2	DESCRIZIONE_AL2
NI	NI
PROGRESSIVO	PROGRESSIVO
TABELLA	TABELLA
RILEVANZA	RILEVANZA
DAL	DAL
AL	AL
OPERAZIONE	OPERAZIONE
SINDACATO	SINDACATO
CI	CI
UTENTE	UTENTE
DATA_AGG	DATA_AGG
DIPA_ID	DIPA_ID
ANNO	ANNO
GESTIONE	GESTIONE
PROVINCIA	PROVINCIA
NUM_LAVORATORI_FORZA	NUM_LAVORATORI_FORZA
DIRIGENTI	DIRIGENTI
LAV_PART_TIME	LAV_PART_TIME
LAV_TERMINE	LAV_TERMINE
LAV_CFL	LAV_CFL
LAV_DISABILI	LAV_DISABILI
LAV_CAT_PROTETTE	LAV_CAT_PROTETTE
LAV_TELELEVORO	LAV_TELELEVORO
LAV_ESTERO	LAV_ESTERO
LAV_LSU	LAV_LSU
LAV_CENTRALINISTI	LAV_CENTRALINISTI

PART_TIME_RIPROPOZIONATI	PART_TIME_RIPROPOZIONATI
BASE_COMPUTO	BASE_COMPUTO
DATA_INVIO	DATA_INVIO
PROTOCOLLO	PROTOCOLLO
DIPA_ID	DIPA_ID
CI	CI
TIPOLOGIA_CONTRATTUALE	TIPOLOGIA_CONTRATTUALE
DATA_FINE_RAPPORTO	DATA_FINE_RAPPORTO
QUALIFICA_ISTAT	QUALIFICA_ISTAT
TIPO_ASSUNZIONE	TIPO_ASSUNZIONE
CATEGORIA_SOGETTO	CATEGORIA_SOGETTO
CATEGORIA_ASSUNZIONE	CATEGORIA_ASSUNZIONE
DATA_INIZIO_RAPPORTO	DATA_INIZIO_RAPPORTO
PART_TIME	PART_TIME
ORE CONTRATTUALI	ORE CONTRATTUALI
ORE_LAVORATE	ORE_LAVORATE
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
AREA_PROTETTA	AREA_PROTETTA
CATEGORIA	CATEGORIA
ENTITA	ENTITA
COLONNA	COLONNA
RAPPORTO	RAPPORTO
VALORE_DEFAULT	VALORE_DEFAULT
MODIFICABILE	MODIFICABILE
NON_VISIBILE	NON_VISIBILE
NI	NI
NI_FAMILIARE	NI_FAMILIARE
DAL	DAL
AL	AL
RELAZIONE	RELAZIONE
CONDIZIONE_PRO	CONDIZIONE_PRO
SE_AFFIDO FIGLI	SE_AFFIDO FIGLI
INTESTATARIO	INTESTATARIO
ORIGINE	ORIGINE
DATA_INGRESSO_FAMIGLIA	DATA_INGRESSO_FAMIGLIA
UTENTE	UTENTE
DATA_AGG	DATA_AGG
DIFA_ID	DIFA_ID
NI	NI
ANNO	ANNO
DAL	DAL

TIPO	TIPO
ASSENZA CONIUGE	ASSENZA CONIUGE
REDDITO_FAMILIARE	REDDITO FAMILIARE
TABELLA_INPS	TABELLA INPS
REDDITO_FAMILIARE_AUT	REDDITO_FAMILIARE_AUT
RDFA_ID	RDFA_ID
DIFA_ID	DIFA_ID
NI_FAMILIARE	NI_FAMILIARE
CARICO	CARICO
PERCENTUALE	PERCENTUALE
INABILE	INABILE

V.4.3.3 List of table keys

Name	Code	Table
Key_1	KEY_1	TIPI_SOGETTO
Key_1	KEY_1	GRUPPI_RAPPORTO
Key_1	KEY_1	PARENTELE
PARE	PARE	PARENTELE
Key_1	KEY_1	CONDIZIONI_NON_PROFESIONALI
Key_1	KEY_1	RAPPORTI_INDIVIDUALI
Key_1	KEY_1	TITOLI_STUDIO
Key_1	KEY_1	ANAGRAFICI
Key_1	KEY_1	STATI_CIVILI
Key_1	KEY_1	CLASSI_RAPPORTO
Key_1	KEY_1	CATEGORIE_PROTETTE
Key_1	KEY_1	TIPI_TITOLO
Key_1	KEY_1	INDIVIDUI_MODIFICATI
Key_1	KEY_1	DISABILI_PROSP_AZIENDA
Key_1	KEY_1	DISABILI_PROSP_INDIVIDI
VADE_PK	VADE_PK	VALORI_DEFAULT
ANFA_PK	ANFA_PK	ANAGRAFE_FAMILIARI
DIFA_PK	DIFA_PK	DICHIARAZIONI_FAMILIA
RDFA_PK	RDFA_PK	RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.4 List of table indexes

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key	Table
TISO_PK	TISO_PK	X		X			TIPI_SOGETT

						O
GRRA_PK	GRRA_PK	X		X		GRUPPI_RAPP ORTO
GRRA_DELI_FK	GRRA_DELI_FK					GRUPPI_RAPP ORTO
PARE_PK	PARE_PK	X		X		PARENTELE
PARE_UK	PARE_UK	X			X	PARENTELE
CONP_PK	CONP_PK	X		X		CONDIZIONI_NON_PROFESS IONALI
RAIN_PK	RAIN_PK	X		X		RAPPORTI_IN DIVIDUALI
RAIN_CLRA_FK	RAIN_CLRA_FK				X	RAPPORTI_IN DIVIDUALI
RAIN_GRRA_FK	RAIN_GRRA_FK				X	RAPPORTI_IN DIVIDUALI
RAIN_IK	RAIN_IK					RAPPORTI_IN DIVIDUALI
RAIN_IK2	RAIN_IK2					RAPPORTI_IN DIVIDUALI
RAIN_INDI_FK	RAIN_INDI_FK				X	RAPPORTI_IN DIVIDUALI
TIST_PK	TIST_PK	X		X		TITOLI_STUDI O
ANAG_PK	ANAG_PK	X		X		ANAGRAFICI
ANAG_CAPR_FK	ANAG_CAPR_FK				X	ANAGRAFICI
ANAG_GRLI_FK	ANAG_GRLI_FK					ANAGRAFICI
ANAG_IK	ANAG_IK					ANAGRAFICI
ANAG_IK2	ANAG_IK2					ANAGRAFICI
ANAG_INDI_FK	ANAG_INDI_FK					ANAGRAFICI
ANAG_STCI_FK	ANAG_STCI_FK				X	ANAGRAFICI
ANAG_TIST_FK	ANAG_TIST_FK				X	ANAGRAFICI
STCI_PK	STCI_PK	X		X		STATI_CIVILI
CLRA_PK	CLRA_PK	X		X		CLASSI_RAPP ORTO
CAPR_PK	CAPR_PK	X		X		CATEGORIE_P ROTELLE
CAPR_CAPR_FK	CAPR_CAPR_FK				X	CATEGORIE_P ROTELLE
TITI_PK	TITI_PK	X		X		TIPI_TITOLO

INMO_PK	INMO_PK	X		X			INDIVIDUI_M ODIFICATI
DIPA_PK	DIPA_PK	X		X			DISABILI_PRO SP AZIENDA
DIPA_UK	DIPA_UK	X					DISABILI_PRO SP AZIENDA
DIPI_PK	DIPI_PK	X		X			DISABILI_PRO SP INDIVIDUI
VADE_PK	VADE_PK	X		X			VALORI_DEFULT
ANFA_PK	ANFA_PK	X		X			ANAGRAFE_F AMILIARI
ANFA_INDI_F K	ANFA_INDI_F K						ANAGRAFE_F AMILIARI
ANFA_INDI_F K1	ANFA_INDI_F K1						ANAGRAFE_F AMILIARI
ANFA_CONP_ FK	ANFA_CONP_F K						ANAGRAFE_F AMILIARI
ANFA_PARE_ FK	ANFA_PARE_F K						ANAGRAFE_F AMILIARI
DIFA_INDI_F K	DIFA_INDI_FK						DICHIARAZIO NI FAMILIARI
DIFA_UK	DIFA_UK	X					DICHIARAZIO NI FAMILIARI
RDFA_UK	RDFA_UK	X					RIGHE_DICI ARAZIONE_FA MILIARI

V.4.3.5 Table ANAGRAFE_FAMILYARI

V.4.3.5.1 Card of table ANAGRAFE_FAMILYARI

Name	ANAGRAFE_FAMILYARI
Code	ANAGRAFE_FAMILYARI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.5.2 Check constraint name of table ANAGRAFE_FAMILYARI

ANAGRAFE_FAMILYARI_CT

V.4.3.5.3 Server validation rule of table ANAGRAFE_FAMILYARI

%RULES%

V.4.3.5.4 Begin script of table ANAGRAFE_FAMILYARI

/* 01/06/2012 - MS - Aggiunto campo se_affido_figli (A48394) */

```
/* 17/09/2012 - MS - A49142 */  
/* Aggiunto campo data_ingresso_famiglia */  
/*=====*/
```

V.4.3.5.5 Code preview of table ANAGRAFE_FAMILIARI

```
/*=====*/  
/* Table: ANAGRAFE_FAMILIARI */  
/*=====*/  
/* 01/06/2012 - MS - Aggiunto campo se_affido_figli (A48394) */  
/* 17/09/2012 - MS - A49142 */  
/* Aggiunto campo data_ingresso_famiglia */  
/*=====*/  
  
create table ANAGRAFE_FAMILIARI (  
    NI           NUMBER(8)          not null,  
    NI_FAMILIARE NUMBER(8)          not null,  
    DAL          DATE              not null,  
    AL           DATE,  
    RELAZIONE    NUMBER(3)          not null,  
    CONDIZIONE_PRO VARCHAR2(4),  
    SE_AFFIDO_FIGLI VARCHAR2(2)      default 'NO' not null,  
    INTESTATARO  VARCHAR2(2)          default 'NO' not null,  
    ORIGINE      VARCHAR2(30),  
    DATA_INGRESSO_FAMIGLIA DATE,  
    UTENTE       VARCHAR2(8),  
    DATA_AGG     DATE  
);
```

comment on table ANAGRAFE_FAMILIARI is
'ANFA - Dati anagrafici dei familiari dell'"individuo';

comment on column ANAGRAFE_FAMILIARI.DAL is
'Decorrenza del Rapporto';

comment on column ANAGRAFE_FAMILIARI.AL is
'Termine del Rapporto';

comment on column ANAGRAFE_FAMILIARI.RELAZIONE is
'Codice della Relazione di Parentela';

comment on column ANAGRAFE_FAMILIARI.CONDIZIONE_PRO is
'Codice della Condizione Professionale';

alter table ANAGRAFE_FAMILIARI
add constraint ANFA_PK primary key (NI, NI_FAMILIARE, DAL);

```
/*=====*/
```

```

/* Index: ANFA_INDI_FK */  

/*=====*/  

create index ANFA_INDI_FK on ANAGRAFE_FAMILIARI (  

    NI ASC  

);  
  

/*=====*/  

/* Index: ANFA_INDI_FK1 */  

/*=====*/  

create index ANFA_INDI_FK1 on ANAGRAFE_FAMILIARI (  

    NI_FAMILIARE ASC  

);  
  

/*=====*/  

/* Index: ANFA_CONP_FK */  

/*=====*/  

create index ANFA_CONP_FK on ANAGRAFE_FAMILIARI (  

    CONDIZIONE_PRO ASC  

);  
  

/*=====*/  

/* Index: ANFA_PARE_FK */  

/*=====*/  

create index ANFA_PARE_FK on ANAGRAFE_FAMILIARI (  

    RELAZIONE ASC  

);

```

V.4.3.5.6 List of diagrams containing the table ANAGRAFE_FAMILIARI

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.5.7 List of outgoing references of the table ANAGRAFE_FAMILIARI

Name	Code	Foreign Key Columns
ANAG_ANAG_NI	ANAG_ANAG_NI	NI
ANAG_ANAG_NIF	ANAG_ANAG_NIF	NI_FAMILIARE
ANFA_CONP	ANFA_CONP	CONDIZIONE_PRO
ANFA_PARE	ANFA_PARE	RELAZIONE
rv_domain = 'NOSI'	ANFA_RECO_INTE	INTESTATARO
/*INTE parent*/		
rv_domain = 'NOSI'		
/*SEAF parent*/	ANFA_RECO_SEAF	SE_AFFIDO_FIGLI

V.4.3.5.8 List of all dependencies of the table ANAGRAFE_FAMILIARI

Name	Code	Class Name
ANAGRAFE_FAMILIARI	ANAGRAFE_FAMILIARI	Shortcut of table
ANAG_ANAG_NI	ANAG_ANAG_NI	Reference
ANAG_ANAG_NIF	ANAG_ANAG_NIF	Reference
ANFA_CONP	ANFA_CONP	Reference
ANFA_PARE	ANFA_PARE	Reference
rv_domain = 'NOSI' /*INTE parent*/	ANFA_RECO_INTE	Reference
rv_domain = 'NOSI' /*SEAF parent*/	ANFA_RECO_SEAF	Reference

V.4.3.5.9 List of extended attributes of the table ANAGRAFE_FAMILIARI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.5.10 List of columns of the table ANAGRAFE_FAMILIARI

Name	Code
NI	NI
NI_FAMILIARE	NI_FAMILIARE
DAL	DAL
AL	AL
RELAZIONE	RELAZIONE
CONDIZIONE_PRO	CONDIZIONE_PRO
SE_AFFIDO_FIGLI	SE_AFFIDO_FIGLI
INTESTATARIO	INTESTATARIO
ORIGINE	ORIGINE
DATA_INGRESSO_FAMIGLIA	DATA_INGRESSO_FAMIGLIA
UTENTE	UTENTE
DATA_AGG	DATA_AGG

V.4.3.5.11 Column NI of the table ANAGRAFE_FAMILIARI**V.4.3.5.11.1 Card of the column NI of the table ANAGRAFE_FAMILIARI**

Name	NI
Code	NI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.3.5.11.2 Check constraint name of the column NI of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_NI_CC

V.4.3.5.11.3 Check of the column NI of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.11.4 Server validation rule of the column NI of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.11.5 List of all dependencies of the table column NI

Name	Code	Class Name
ANFA_PK	ANFA_PK	Key
NI	NI	Index Column
Ni	NI	View Column
NI	NI	Index Column
?	?	Reference Join

V.4.3.5.11.6 List of extended attributes of the table column NI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.12 Column NI_FAMILIARE of the table ANAGRAFE_FAMILIARI**V.4.3.5.12.1 Card of the column NI_FAMILIARE of the table ANAGRAFE_FAMILIARI**

Name	NI_FAMILIARE
Code	NI_FAMILIARE
Data Type	NUMBER(8)
Mandatory	Yes

V.4.3.5.12.2 Check constraint name of the column NI_FAMILIARE of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_NI_FAMILIARE_CC

V.4.3.5.12.3 Check of the column NI_FAMILIARE of the table ANAGRAFE_FAMILYARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.12.4 Server validation rule of the column NI_FAMILIARE of the table ANAGRAFE_FAMILYARI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.12.5 List of all dependencies of the table column NI_FAMILIARE

Name	Code	Class Name
ANFA_PK	ANFA_PK	Key
?	?	Reference Join
NI_FAMILIARE	NI_FAMILIARE	Index Column
Ni Familiare	NI_FAMILIARE	View Column
NI_FAMILIARE	NI_FAMILIARE	Index Column

V.4.3.5.12.6 List of extended attributes of the table column NI_FAMILIARE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.13 Column DAL of the table ANAGRAFE_FAMILYARI**V.4.3.5.13.1 Card of the column DAL of the table ANAGRAFE_FAMILYARI**

Name	DAL
Code	DAL
Data Type	DATE
Mandatory	Yes

V.4.3.5.13.2 Check constraint name of the column DAL of the table ANAGRAFE_FAMILYARI

ANAGRAFE_FAMILYI_DAL_CC

V.4.3.5.13.3 Check of the column DAL of the table ANAGRAFE_FAMILYARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.13.4 Server validation rule of the column DAL of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.13.5 List of all dependencies of the table column DAL

Name	Code	Class Name
ANFA_PK	ANFA_PK	Key
DAL	DAL	Index Column
Dal	DAL	View Column

V.4.3.5.13.6 List of extended attributes of the table column DAL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.14 Column AL of the table ANAGRAFE_FAMILIARI**V.4.3.5.14.1 Card of the column AL of the table ANAGRAFE_FAMILIARI**

Name	AL
Code	AL
Data Type	DATE
Mandatory	No

V.4.3.5.14.2 Check constraint name of the column AL of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_AL_CC

V.4.3.5.14.3 Check of the column AL of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.14.4 Server validation rule of the column AL of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.14.5 List of all dependencies of the table column AL

Name	Code	Class Name
Al	AL	View Column

V.4.3.5.14.6 List of extended attributes of the table column AL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.15 Column RELAZIONE of the table ANAGRAFE_FAMILIARI**V.4.3.5.15.1 Card of the column RELAZIONE of the table ANAGRAFE_FAMILIARI**

Name	RELAZIONE
Code	RELAZIONE
Data Type	NUMBER(3)
Mandatory	Yes

V.4.3.5.15.2 Check constraint name of the column RELAZIONE of the table ANAGRAFE_FAMILIARI
ANAGRAFE_FAMI_RELAZIONE_CC**V.4.3.5.15.3 Check of the column RELAZIONE of the table ANAGRAFE_FAMILIARI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.3.5.15.4 Server validation rule of the column RELAZIONE of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.15.5 List of all dependencies of the table column RELAZIONE

Name	Code	Class Name
RELAZIONE	RELAZIONE	Index Column
Relazione	RELAZIONE	View Column
?	?	Reference Join

V.4.3.5.15.6 List of extended attributes of the table column RELAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.16 Column CONDIZIONE_PRO of the table ANAGRAFE_FAMILIARI**V.4.3.5.16.1 Card of the column CONDIZIONE_PRO of the table ANAGRAFE_FAMILIARI**

Name	CONDIZIONE_PRO
Code	CONDIZIONE_PRO
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.5.16.2 Check constraint name of the column CONDIZIONE_PRO of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_CONDIZIONE_PR_CC

V.4.3.5.16.3 Check of the column CONDIZIONE_PRO of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.5.16.4 Server validation rule of the column CONDIZIONE_PRO of the table
ANAGRAFE_FAMILIARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.16.5 List of all dependencies of the table column CONDIZIONE_PRO

Name	Code	Class Name
?	?	Reference Join
CONDIZIONE PRO	CONDIZIONE PRO	Index Column
Condizione Pro	CONDIZIONE PRO	View Column

V.4.3.5.16.6 List of extended attributes of the table column CONDIZIONE_PRO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.17 Column SE_AFFIDO FIGLI of the table ANAGRAFE_FAMILIARI

V.4.3.5.17.1 Card of the column SE_AFFIDO FIGLI of the table ANAGRAFE_FAMILIARI

Name	SE_AFFIDO FIGLI
Code	SE_AFFIDO FIGLI
Data Type	VARCHAR2(2)
Mandatory	Yes

**V.4.3.5.17.2 Check constraint name of the column SE_AFFIDO FIGLI of the table
ANAGRAFE_FAMILIARI**

ANAGRAFE_FAMI_SE_AFFIDO FIG_CC

V.4.3.5.17.3 Check of the column SE_AFFIDO FIGLI of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	'NO'
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.5.17.4 Server validation rule of the column SE_AFFIDO FIGLI of the table
ANAGRAFE_FAMILIARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.17.5 List of all dependencies of the table column SE_AFFIDO_FIGLI

Name	Code	Class Name
?	?	Reference Join

V.4.3.5.17.6 List of extended attributes of the table column SE_AFFIDO_FIGLI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.18 Column INTESTATARO of the table ANAGRAFE_FAMILIARI

V.4.3.5.18.1 Card of the column INTESTATARO of the table ANAGRAFE_FAMILIARI

Name	INTESTATARO
Code	INTESTATARO
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.5.18.2 Check constraint name of the column INTESTATARO of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_INTESTATARO_CC

V.4.3.5.18.3 Check of the column INTESTATARO of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	'NO'
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.18.4 Server validation rule of the column INTESTATARO of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.18.5 List of all dependencies of the table column INTESTATARO

Name	Code	Class Name

?	?	Reference Join
Se Affido Figli	SE_AFFIDO_FIGLI	View Column

V.4.3.5.18.6 List of extended attributes of the table column INTESTATARO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.19 Column ORIGINE of the table ANAGRAFE_FAMILIARI**V.4.3.5.19.1 Card of the column ORIGINE of the table ANAGRAFE_FAMILIARI**

Name	ORIGINE
Code	ORIGINE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.5.19.2 Check constraint name of the column ORIGINE of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_ORIGINE_CC

V.4.3.5.19.3 Check of the column ORIGINE of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.19.4 Server validation rule of the column ORIGINE of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.19.5 List of all dependencies of the table column ORIGINE

Name	Code	Class Name
Data Ingresso Famiglia	DATA_INGRESSO_FAMIGLIA	View Column

V.4.3.5.19.6 List of extended attributes of the table column ORIGINE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.5.20 Column DATA_INGRESSO_FAMIGLIA of the table
ANAGRAFE_FAMILIARI**

V.4.3.5.20.1 Card of the column DATA_INGRESSO_FAMIGLIA of the table ANAGRAFE_FAMILIARI

Name	DATA_INGRESSO_FAMIGLIA
Code	DATA_INGRESSO_FAMIGLIA
Data Type	DATE
Mandatory	No

**V.4.3.5.20.2 Check constraint name of the column DATA_INGRESSO_FAMIGLIA of the table
ANAGRAFE_FAMILIARI**

ANAGRAFE_FAMI_DATA_INGRESSO_CC

V.4.3.5.20.3 Check of the column DATA_INGRESSO_FAMIGLIA of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.5.20.4 Server validation rule of the column DATA_INGRESSO_FAMIGLIA of the table
ANAGRAFE_FAMILIARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.20.5 List of extended attributes of the table column DATA_INGRESSO_FAMIGLIA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.21 Column UTENTE of the table ANAGRAFE_FAMILIARI

V.4.3.5.21.1 Card of the column UTENTE of the table ANAGRAFE_FAMILIARI

Name	UTENTE
Code	UTENTE
Data Type	VARCHAR2(8)
Mandatory	No

V.4.3.5.21.2 Check constraint name of the column UTENTE of the table ANAGRAFE_FAMILIARI

ANAGRAFE_FAMI_UTENTE_CC

V.4.3.5.21.3 Check of the column UTENTE of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.5.21.4 Server validation rule of the column UTENTE of the table ANAGRAFE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.5.21.5 List of all dependencies of the table column UTENTE

Name	Code	Class Name
Intestatario	INTESTATARO	View Column

V.4.3.5.21.6 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.22 Column DATA_AGG of the table ANAGRAFE_FAMILIARI

V.4.3.5.22.1 Card of the column DATA_AGG of the table ANAGRAFE_FAMILIARI

Name	DATA_AGG
Code	DATA_AGG

Data Type	DATE
Mandatory	No

**V.4.3.5.22.2 Check constraint name of the column DATA_ AGG of the table ANAGRAFE_FAMILIARI
ANAGRAFE_FAMI_DATA_ AGG_CC**

V.4.3.5.22.3 Check of the column DATA_ AGG of the table ANAGRAFE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.5.22.4 Server validation rule of the column DATA_ AGG of the table ANAGRAFE_FAMILIARI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.5.22.5 List of extended attributes of the table column DATA_ AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.5.23 List of keys of the table ANAGRAFE_FAMILIARI

Name	Code	Primary
ANFA_PK	ANFA_PK	X

V.4.3.5.24 Key ANFA_PK of the table ANAGRAFE_FAMILIARI

V.4.3.5.24.1 Card of the key ANFA_PK of the table ANAGRAFE_FAMILIARI

Name	ANFA_PK
Code	ANFA_PK
Table	ANAGRAFE_FAMILIARI

V.4.3.5.24.2 Code preview of the key ANFA_PK of the table ANAGRAFE_FAMILIARI

alter table ANAGRAFE_FAMILIARI

add constraint ANFA_PK primary key (NI, NI_FAMILIARE, DAL);

V.4.3.5.24.3 List of columns of the table key ANFA_PK

Name	Code
NI	NI
NI_FAMILIARE	NI_FAMILIARE
DAL	DAL

V.4.3.5.24.4 List of all dependencies of the table key ANFA_PK

Name	Code	Class Name
ANFA_PK	ANFA_PK	Index

V.4.3.5.25 List of indexes of the table ANAGRAFE_FAMILIARI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
ANFA_PK	ANFA_PK	X		X		
ANFA_INDI_FK	ANFA_INDI_FK					
ANFA_INDI_FK1	ANFA_INDI_FK1					
ANFA_CONP_FK	ANFA_CONP_FK					
ANFA_PARE_FK	ANFA_PARE_FK					

V.4.3.5.26 Index ANFA_PK of the table ANAGRAFE_FAMILIARI

V.4.3.5.26.1 Card of the index ANFA_PK of the table ANAGRAFE_FAMILIARI

Name	ANFA_PK
Code	ANFA_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	ANAGRAFE_FAMILIARI

V.4.3.5.26.2 Code preview of the index ANFA_PK of the table ANAGRAFE_FAMILIARI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.5.26.3 List of index columns of the index ANFA_PK

Name	Code	Sort
NI	NI	Ascending
NI_FAMILIARE	NI_FAMILIARE	Ascending
DAL	DAL	Ascending

V.4.3.5.27 Index ANFA_INDI_FK of the table ANAGRAFE_FAMILIARI**V.4.3.5.27.1 Card of the index ANFA_INDI_FK of the table ANAGRAFE_FAMILIARI**

Name	ANFA_INDI_FK
Code	ANFA_INDI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFE_FAMILIARI

V.4.3.5.27.2 Code preview of the index ANFA_INDI_FK of the table ANAGRAFE_FAMILIARI

```
/*
=====
/* Index: ANFA_INDI_FK */ */
=====
create index ANFA_INDI_FK on ANAGRAFE_FAMILIARI (
    NI ASC
);
```

V.4.3.5.27.3 List of index columns of the index ANFA_INDI_FK

Name	Code	Sort
NI	NI	Ascending

V.4.3.5.28 Index ANFA_INDI_FK1 of the table ANAGRAFE_FAMILIARI**V.4.3.5.28.1 Card of the index ANFA_INDI_FK1 of the table ANAGRAFE_FAMILIARI**

Name	ANFA_INDI_FK1
Code	ANFA_INDI_FK1
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFE_FAMILIARI

V.4.3.5.28.2 Code preview of the index ANFA_INDI_FK1 of the table ANAGRAFE_FAMILIARI

```
/*
* Index: ANFA_INDI_FK1
*/
create index ANFA_INDI_FK1 on ANAGRAFE_FAMILIARI (
    NI_FAMILIARE ASC
);
```

V.4.3.5.28.3 List of index columns of the index ANFA_INDI_FK1

Name	Code	Sort
NI_FAMILIARE	NI_FAMILIARE	Ascending

V.4.3.5.29 Index ANFA_CONP_FK of the table ANAGRAFE_FAMILIARI**V.4.3.5.29.1 Card of the index ANFA_CONP_FK of the table ANAGRAFE_FAMILIARI**

Name	ANFA_CONP_FK
Code	ANFA_CONP_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFE_FAMILIARI

V.4.3.5.29.2 Code preview of the index ANFA_CONP_FK of the table ANAGRAFE_FAMILIARI

```
/*
* Index: ANFA_CONP_FK
*/
create index ANFA_CONP_FK on ANAGRAFE_FAMILIARI (
    CONDIZIONE_PRO ASC
);
```

V.4.3.5.29.3 List of index columns of the index ANFA_CONP_FK

Name	Code	Sort
CONDIZIONE_PRO	CONDIZIONE_PRO	Ascending

V.4.3.5.30 Index ANFA_PARE_FK of the table ANAGRAFE_FAMILIARI**V.4.3.5.30.1 Card of the index ANFA_PARE_FK of the table ANAGRAFE_FAMILIARI**

Name	ANFA_PARE_FK
Code	ANFA_PARE_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFE_FAMILIARI

V.4.3.5.30.2 Code preview of the index ANFA_PARE_FK of the table ANAGRAFE_FAMILIARI

```
/*=====
/* Index: ANFA_PARE_FK                               */
/*================================================*/
create index ANFA_PARE_FK on ANAGRAFE_FAMILIARI (
    RELAZIONE ASC
);
```

V.4.3.5.30.3 List of index columns of the index ANFA_PARE_FK

Name	Code	Sort
RELAZIONE	RELAZIONE	Ascending

V.4.3.5.31 List of triggers of the table ANAGRAFE_FAMILIARI

Name	Code
anagrafe_familiari_tc	ANAGRAFE_FAMILIARI_TC
anagrafe_familiari_tiu	ANAGRAFE_FAMILIARI_TIU
anagrafe_familiari_tmb	ANAGRAFE_FAMILIARI_TMB

V.4.3.5.32 Trigger ANAGRAFE_FAMILIARI_TC of the table ANAGRAFE_FAMILIARI**V.4.3.5.32.1 Card of the trigger ANAGRAFE_FAMILIARI_TC of the table ANAGRAFE_FAMILIARI**

Name	anagrafe_familiari_tc
Code	ANAGRAFE_FAMILIARI_TC
Generate	Yes
Table	ANAGRAFE_FAMILIARI
Trigger Template	CustomPostEvent (From DBMS)
User-Defined SQL	No

V.4.3.5.32.2 Code preview of the trigger ANAGRAFE_FAMILIARI_TC of the table ANAGRAFE_FAMILIARI

-- The preview is empty because of the setting.

-- Check the generation option.

**V.4.3.5.33 Trigger ANAGRAFE_FAMILIARI_TIU of the table
ANAGRAFE_FAMILIARI**

V.4.3.5.33.1 Card of the trigger ANAGRAFE_FAMILIARI_TIU of the table ANAGRAFE_FAMILIARI

Name	anagrafe familiari tiu
Code	ANAGRAFE_FAMILIARI_TIU
Generate	Yes
Table	ANAGRAFE_FAMILIARI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

**V.4.3.5.33.2 Code preview of the trigger ANAGRAFE_FAMILIARI_TIU of the table
ANAGRAFE_FAMILIARI**

-- The preview is empty because of the setting.
-- Check the generation option.

**V.4.3.5.34 Trigger ANAGRAFE_FAMILIARI_TMB of the table
ANAGRAFE_FAMILIARI**

V.4.3.5.34.1 Card of the trigger ANAGRAFE_FAMILIARI_TMB of the table ANAGRAFE_FAMILIARI

Name	anagrafe_familiari_tmb
Code	ANAGRAFE_FAMILIARI_TMB
Generate	Yes
Table	ANAGRAFE_FAMILIARI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

**V.4.3.5.34.2 Code preview of the trigger ANAGRAFE_FAMILIARI_TMB of the table
ANAGRAFE_FAMILIARI**

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.6 Table ANAGRAFICI

V.4.3.6.1 Card of table ANAGRAFICI

Name	Anagrafici
Code	ANAGRAFICI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.6.2 Check constraint name of table ANAGRAFICI

ANAGRAFICI_CT***V.4.3.6.3 Server validation rule of table ANAGRAFICI***

%RULES%

V.4.3.6.4 Begin script of table ANAGRAFICI

```
/*
*          */
/*      - A36248      */
/*      - A36990      */
/*      - A44396      */
/* 27/01/2014 - MS - Aggiunto campo per F3715      */
/*=====*/

```

V.4.3.6.5 Code preview of table ANAGRAFICI

```
/*
*=====
* Table: ANAGRAFICI      */
*=====
/*
*          */
/*      - A36248      */
/*      - A36990      */
/*      - A44396      */
/* 27/01/2014 - MS - Aggiunto campo per F3715      */
/*=====*/

```

```
create table ANAGRAFICI (
    NI           NUMBER(8)          not null,
    COGNOME     VARCHAR2(240)       not null,
    NOME         VARCHAR2(40),
    SESSO        VARCHAR2(1),
    DATA_NAS    DATE,
    PROVINCIA_NAS NUMBER(3),
    COMUNE_NAS   NUMBER(3),
    LUOGO_NAS    VARCHAR2(30),
    DAL          DATE              not null,
    AL           DATE,
    CODICE_FISCALE VARCHAR2(16),
    CITTADINANZA VARCHAR2(3),
    INDIRIZZO_RES  VARCHAR2(40),
    INDIRIZZO_RES_AL1 VARCHAR2(40),
    INDIRIZZO_RES_AL2  VARCHAR2(40),
    PROVINCIA_RES NUMBER(3),
    COMUNE_RES   NUMBER(3),
    CAP_RES      VARCHAR2(5),
    TEL_RES      VARCHAR2(14),
    PRESSO       VARCHAR2(40),
    INDIRIZZO_DOM  VARCHAR2(40),
    INDIRIZZO_DOM_AL1 VARCHAR2(40),
```

```
INDIRIZZO_DOM_AL2  VARCHAR2(40),
PROVINCIA_DOM      NUMBER(3),
COMUNE_DOM        NUMBER(3),
CAP_DOM           VARCHAR2(5),
TEL_DOM           VARCHAR2(14),
STATO_CIVILE       VARCHAR2(4),
COGNOME_CONIUGE   VARCHAR2(36),
TITOLO_STUDIO     VARCHAR2(8),
TITOLO             VARCHAR2(20),
CATEGORIA_PROTETTA VARCHAR2(4),
GRUPPO_LING        VARCHAR2(1)          default 'T',
PARTITA_IVA        VARCHAR2(11),
TESSERA_SAN        VARCHAR2(10),
NUMERO_USL         VARCHAR2(40),
PROVINCIA_USL      VARCHAR2(3),
NUMERO_USL_DOC    VARCHAR2(40),
PROVINCIA_USL_DOC  VARCHAR2(3),
TIPO_DOC           VARCHAR2(4),
NUMERO_DOC         VARCHAR2(16),
PROVINCIA_DOC      NUMBER(3),
COMUNE_DOC         NUMBER(3),
NOTE               VARCHAR2(4000),
CODICE_FISCALE_ESTERO VARCHAR2(40),
FAX_RES            VARCHAR2(14),
FAX_DOM            VARCHAR2(14),
AMBIENTE_PROP      VARCHAR2(8),
TELEFONO_UFFICIO   VARCHAR2(14),
FAX_UFFICIO        VARCHAR2(14),
E_MAIL             VARCHAR2(2000),
DENOMINAZIONE      VARCHAR2(240),
DENOMINAZIONE_AL1  VARCHAR2(240),
DENOMINAZIONE_AL2  VARCHAR2(240),
COMPETENZA_ESCLUSIVA VARCHAR2(1),
FLAG_TRG           VARCHAR2(1),
STATO_CEE          VARCHAR2(2),
TIPO_SOGGETTO      VARCHAR2(4),
FINE_VALIDITA     DATE,
ID_FOTO            NUMBER,
GRUPPO_LING_PREF  VARCHAR2(1)          default 'T',
PERC_INVALIDITA   NUMBER(5,2),
CELLULARE          VARCHAR2(14),
PROVINCIA_PRO      NUMBER(3),
COMUNE_PRO         NUMBER(3),
UTENTE             VARCHAR2(8),
DATA_AGG           DATE
);
```

comment on table ANAGRAFICI is
'ANAG - Anagrafe storica del personale';

comment on column ANAGRAFICI.NI is
'Il numero di identificazione individuale è assegnato automaticamente al momento della conferma della registrazione e da tale momento diviene immodificabile.';

comment on column ANAGRAFICI.COGNOME is
'Cognome dell'"individuo anagrafico o denominazione dell'"ente o del soggetto da registrare in anagrafe e nome della persona fisica da registrare in anagrafe. Se il nome non è indicato , la registrazione si considera relativa a persona fisica; invece, se indicato, le informazioni anagrafiche di nascita sono da inserire obbligatoriamente.Il cognome e nome inseriti sono verificati sulla base anagrafica esistente; nel caso questi siano già presenti è emesso un elenco degli omonimi indicati anche per numero individuale, data di nascita e codice fiscale; ciò consente la selezione dell'"individuo richiesto.In caso di selezione di uno degli individui elencati, tutte le informazioni anagrafiche precedenti sono duplicate per predisporre una variazione della data di validità che dovrà essere indicata.';

comment on column ANAGRAFICI.SESSO is
'Informazione obbligatoria nel caso la registrazione identifichi una persona fisica.';

comment on column ANAGRAFICI.LUOGO_NAS is
'Nel caso in cui si registri una persona fisica, i dati di nascita divengono obbligatori. L"informazione inerente al luogo di nascita consente l"indicazione del comune italiano di nascita o dello Stato estero; in quest'ultimo caso, nel campo comune di nascita andrà indicato lo stato estero. Questo permette la corretta certificazione di servizio dei dipendenti, anche nel caso in cui, l"archivio comuni non prevedesse il comune estero da indicare.';

comment on column ANAGRAFICI.DAL is
'L'anagrafe individuale è conservata per periodi di inizio e fine validità. L"ultima registrazione storica, relativa ad un singolo numero individuale, non riporta mai la data di fine validità indicando la situazione attualmente in essere. Nel caso in cui la data di inizio validità non sia indicata, sulla prima registrazione viene replicata la data di nascita.In caso di selezione di uno degli individui elencati tutte le informazioni anagrafiche precedenti sono duplicate per predisporre una variazione dalla data di validità che dovrà essere indicata';

comment on column ANAGRAFICI.CODICE_FISCALE is
'Codice fiscale di persona fisica o codice fiscale numerico in caso di soggetto fiscale che non corrisponda a persona fisica. Il codice fiscale è autodeterminato in fase di caricamento e controllato sulla base delle informazioni anagrafiche fornite. In caso di esigenza di registrazione dell'"individuo quando l"informazione sul codice fiscale non e' ancora disponibile, in deroga all"obbligatorietà del dato e al controllo di correttezza del contenuto è possibile introdurre provvisoriamente "XXXXXXXXXXXXXXXXXX".';

comment on column ANAGRAFICI.CITTADINANZA is
'Sigla libera che identifica lo stato estero cui corrisponde la Nazionalità del soggetto anagrafico';

comment on column ANAGRAFICI.INDIRIZZO_RES is
'Indirizzo e comune di residenza del soggetto inserito.';

comment on column ANAGRAFICI.INDIRIZZO_DOM is
'Il primo campo consente l'inserimento dei dati identificativi dell'intestatario dell'abitazione presso il quale è domiciliato l'individuo anagrafico ovvero notizie supplementari per una più precisa identificazione del domicilio';

comment on column ANAGRAFICI.STATO_CIVILE is
'Le codifiche relative allo Stato Civile non sono obbligatorie ma utili per l'attivazione di automatismi o di produzione di elaborati in fase Economica-Contabile.';

comment on column ANAGRAFICI.COGNOME_CONIUGE is
'Cognome del coniuge dell'individuo registrato in anagrafe, da introdurre qualora si ritenga opportuno gestirne l'informazione.';

comment on column ANAGRAFICI.TITOLO_STUDIO is
'Le codifiche relative allo Stato Civile e al Titolo di Studio non sono obbligatorie, ma utili per l'attivazione di automatismi o di produzione di elaborati in fase Economica-Contabile. A livello anagrafico l'informazione riguardante il titolo di studio può essere limitato alla sola identificazione del livello di scolarità, oppure alla codifica ministeriale o fiscale dell'informazione sul grado di istruzione. Informazioni più precise, anche riguardanti più lauree o successive specializzazioni, potranno essere codificate come documentazione a corredo del Fascicolo Personale nella gestione Giuridica.';

comment on column ANAGRAFICI.TITOLO is
'Titolo accademico da preporre al cognome dell'individuo in caso di emissione di documenti ufficiali o corrispondenza. Nel caso non sia indicato sarà disposto a "Sig." o "Sig.ra" oppure "Spett.le" in caso non ci si riferisca a persona fisica.';

comment on column ANAGRAFICI.CATEGORIA_PROTETTA is
'Categoria o area sociale di appartenenza per valutazioni giuridiche inerenti alla pianta organica o di normativa contrattuale.';

comment on column ANAGRAFICI.GRUPPO_LING is
'Gruppo linguistico di appartenenza per la gestione bilinguistica nelle applicazioni che la prevedono.';

comment on column ANAGRAFICI.PARTITA_IVA is
'Partita Iva del soggetto.';

comment on column ANAGRAFICI.TESSERA_SAN is
'Numero della Tessera Sanitaria';

comment on column ANAGRAFICI.NUMERO_USL is
'Numero A.S.L. presso cui l'individuo e' iscritto come assistenza sanitaria.';

comment on column ANAGRAFICI.PROVINCIA_USL is
'Sigla della provincia di appartenenza dell"A.S.L. presso la quale l"individuo e` iscritto come assistenza sanitaria.';

comment on column ANAGRAFICI.TIPO_DOC is
'Documento Tipo di Documento di riconoscimento identità personale. Eventuale tipologia di documento di identità personale con la quale si desidera registrare l"individuo.';

comment on column ANAGRAFICI.NUMERO_DOC is
'Numero del Documento di identità personale';

comment on column ANAGRAFICI.PROVINCIA_DOC is
'Provincia di rilascio del Documento';

comment on column ANAGRAFICI.COMUNE_DOC is
'Comune di rilascio del Documento';

comment on column ANAGRAFICI.NOTE is
'Eventuali note associate al soggetto inserito.';

comment on column ANAGRAFICI.CODICE_FISCALE_ESTERO is
'Eventuale codice fiscale estero del soggetto.';

```
alter table ANAGRAFICI
  add constraint ANAG_PK primary key (NI, DAL);
```

```
/*=====
/* Index: ANAG_CAPR_FK                               */
/*=====*/
create index ANAG_CAPR_FK on ANAGRAFICI (
  CATEGORIA_PROTETTA ASC
);

/*=====
/* Index: ANAG_GRLI_FK                               */
/*=====*/
create index ANAG_GRLI_FK on ANAGRAFICI (
  GRUPPO_LING ASC
);

/*=====
/* Index: ANAG_IK                                    */
/*=====*/
create index ANAG_IK on ANAGRAFICI (
  COGNOME ASC,
  NOME ASC,
```

```

NI ASC,
DAL ASC
);

/*=====
/* Index: ANAG_IK2
*/
=====*/
create index ANAG_IK2 on ANAGRAFICI (
    CODICE_FISCALE ASC
);

/*=====
/* Index: ANAG_INDI_FK
*/
=====*/
create index ANAG_INDI_FK on ANAGRAFICI (
    NI ASC
);

/*=====
/* Index: ANAG_STCI_FK
*/
=====*/
create index ANAG_STCI_FK on ANAGRAFICI (
    STATO_CIVILE ASC
);

/*=====
/* Index: ANAG_TIST_FK
*/
=====*/
create index ANAG_TIST_FK on ANAGRAFICI (
    TITOLO_STUDIO ASC
);

```

V.4.3.6.6 List of diagrams containing the table ANAGRAFICI

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.6.7 List of incoming references of the table ANAGRAFICI

Name	Code
ANAG_ANAG_NI	ANAG_ANAG_NI
ANAG_ANAG_NIF	ANAG_ANAG_NIF
RAIN_ANAG	RAIN_ANAG

V.4.3.6.8 List of outgoing references of the table ANAGRAFICI

Name	Code	Foreign Key Columns
ANAG_CAPR	ANAG_CAPR	CATEGORIA_PROTETTA
ANAG_COMU_DOM	ANAG_COMU_DOM	PROVINCIA_DOM;
ANAG_COMU_NAS	ANAG_COMU_NAS	COMUNE_DOM
ANAG_COMU_RES	ANAG_COMU_RES	PROVINCIA_NAS; COMUNE_NAS
ANAG_IMMA	ANAG_IMMA	PROVINCIA_RES; COMUNE_RES
rv_domain = 'SESSO' /*ON PARENT*/	ANAG_RECO_SESSO	ID_FOTO SESSO
ANAG_STCI	ANAG_STCI	STATO_CIVILE
ANAG_STTE	ANAG_STTE	
ANAG_TISO	ANAG_TISO	TIPO_SOGGETTO
ANAG_TIST	ANAG_TIST	TITOLO_STUDIO
ANAG_TITI	ANAG_TITI	TITOLO

V.4.3.6.9 List of all dependencies of the table ANAGRAFICI

Name	Code	Class Name
Anagrafici	ANAGRAFICI	Shortcut of table
Anagrafici	ANAGRAFICI	Shortcut of table
Anagrafici	ANAGRAFICI	Shortcut of table
Anagrafici	ANAGRAFICI	Shortcut of table
ANAG_ANAG_NI	ANAG_ANAG_NI	Reference
ANAG_ANAG_NIF	ANAG_ANAG_NIF	Reference
ANAG_CAPR	ANAG_CAPR	Reference
ANAG_COMU_DOM	ANAG_COMU_DOM	Reference
ANAG_COMU_NAS	ANAG_COMU_NAS	Reference
ANAG_COMU_RES	ANAG_COMU_RES	Reference
ANAG_IMMA	ANAG_IMMA	Reference
rv_domain = 'SESSO' /*ON PARENT*/	ANAG_RECO_SESSO	Reference
ANAG_STCI	ANAG_STCI	Reference
ANAG_STTE	ANAG_STTE	Reference
ANAG_TISO	ANAG_TISO	Reference
ANAG_TIST	ANAG_TIST	Reference
ANAG_TITI	ANAG_TITI	Reference
ANAGRAFE	ANAGRAFE	View
INDIVIDUI	INDIVIDUI	View
RAIN_ANAG	RAIN_ANAG	Reference
VISTA_ANAGRAFICI	VISTA_ANAGRAFICI	View

V.4.3.6.10 List of extended attributes of the table ANAGRAFICI

Name	Data Type	Value	Target Name

ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)
--------------	------------------	--	------------------------------

V.4.3.6.11 List of columns of the table ANAGRAFICI

Name	Code
NI	NI
Cognome	COGNOME
Nome	NOME
Sesso	SESSO
Data Nas	DATA_NAS
Provincia Nas	PROVINCIA_NAS
Comune Nas	COMUNE_NAS
Luogo Nas	LUOGO_NAS
Dal	DAL
Al	AL
Codice Fiscale	CODICE_FISCALE
Cittadinanza	CITTADINANZA
Indirizzo Res	INDIRIZZO_RES
Indirizzo Res Al1	INDIRIZZO_RES_AL1
Indirizzo Res Al2	INDIRIZZO_RES_AL2
Provincia Res	PROVINCIA_RES
Comune Res	COMUNE_RES
Cap Res	CAP_RES
Tel Res	TEL_RES
Presso	PRESSO
Indirizzo Dom	INDIRIZZO_DOM
Indirizzo Dom Al1	INDIRIZZO_DOM_AL1
Indirizzo Dom Al2	INDIRIZZO_DOM_AL2
Provincia Dom	PROVINCIA_DOM
Comune Dom	COMUNE_DOM
Cap Dom	CAP_DOM
Tel Dom	TEL_DOM
Stato Civile	STATO_CIVILE
Cognome Coniuge	COGNOME_CONIUGE
Titolo Studio	TITOLO_STUDIO
Titolo	TITOLO
Categoria Protetta	CATEGORIA_PROTETTA
Gruppo Ling	GRUPPO_LING
Partita Iva	PARTITA_IVA
Tessera San	TESSERA_SAN
Numero Usl	NUMERO_USL
Provincia Usl	PROVINCIA_USL
Numero usl doc	NUMERO_USL_DOC
Provincia_usl_doc	PROVINCIA_USL_DOC

Tipo Doc	TIPO_DOC
Numero Doc	NUMERO_DOC
Provincia Doc	PROVINCIA_DOC
Comune Doc	COMUNE_DOC
Note	NOTE
Codice Fiscale Estero	CODICE_FISCALE_ESTERO
Fax Res	FAX_RES
Fax Dom	FAX_DOM
Ambiente Prop	AMBIENTE_PROP
Telefono Ufficio	TELEFONO_UFFICIO
Fax Ufficio	FAX_UFFICIO
E Mail	E_MAIL
Denominazione	DENOMINAZIONE
Denominazione Al1	DENOMINAZIONE_AL1
Denominazione Al2	DENOMINAZIONE_AL2
Competenza Esclusiva	COMPETENZA_ESCLUSIVA
Flag Trg	FLAG_TRG
Stato CEE	STATO_CEE
Tipo Soggetto	TIPO_SOGGETTO
Fine Validita	FINE_VALIDITA
id_foto	ID_FOTO
Gruppo Ling Pref	GRUPPO_LING_PREF
Perc Invalidita	PERC_INVALIDITA
Cellulare	CELLULARE
Provincia Pro	PROVINCIA_PRO
Comune Pro	COMUNE_PRO
Utente	UTENTE
Data Agg	DATA_AGG

V.4.3.6.12 *Column NI of the table ANAGRAFICI*

V.4.3.6.12.1 Card of the column NI of the table ANAGRAFICI

Name	NI
Code	NI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.3.6.12.2 Check constraint name of the column NI of the table ANAGRAFICI

ANAGRAFICI_NI_CC

V.4.3.6.12.3 Check of the column NI of the table ANAGRAFICI

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.12.4 Server validation rule of the column NI of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.12.5 List of all dependencies of the table column NI

Name	Code	Class Name
Key_1	KEY_1	Key
NI	NI	Index Column
NI	NI	Index Column
NI	NI	Index Column
?	?	Reference Join
?	?	Reference Join
?	?	Reference Join

V.4.3.6.12.6 List of extended attributes of the table column NI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.13 Column COGNOME of the table ANAGRAFICI**V.4.3.6.13.1 Card of the column COGNOME of the table ANAGRAFICI**

Name	Cognome
Code	COGNOME
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.3.6.13.2 Check constraint name of the column COGNOME of the table ANAGRAFICI

ANAGRAFICI_COGNOME_CC

V.4.3.6.13.3 Check of the column COGNOME of the table ANAGRAFICI

Minimum Value

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.13.4 Server validation rule of the column COGNOME of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.13.5 List of all dependencies of the table column COGNOME

Name	Code	Class Name
Cognome	COGNOME	Index Column
Cognome	COGNOME	View Column

V.4.3.6.13.6 List of extended attributes of the table column COGNOME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.14 Column NOME of the table ANAGRAFICI**V.4.3.6.14.1 Card of the column NOME of the table ANAGRAFICI**

Name	Nome
Code	NOME
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.6.14.2 Check constraint name of the column NOME of the table ANAGRAFICI

ANAGRAFICI_NOME_CC

V.4.3.6.14.3 Check of the column NOME of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.14.4 Server validation rule of the column NOME of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.14.5 List of all dependencies of the table column NOME

Name	Code	Class Name
Nome	NOME	Index Column
Nome	NOME	View Column

V.4.3.6.14.6 List of extended attributes of the table column NOME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.15 Column SESSO of the table ANAGRAFICI**V.4.3.6.15.1 Card of the column SESSO of the table ANAGRAFICI**

Name	Sesso
Code	SESSO
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.6.15.2 Check constraint name of the column SESSO of the table ANAGRAFICI

ANAGRAFICI_SESSO_CC

V.4.3.6.15.3 Check of the column SESSO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.15.4 Server validation rule of the column SESSO of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.15.5 List of all dependencies of the table column SESSO

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.15.6 List of extended attributes of the table column SESSO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.16 Column DATA_NAS of the table ANAGRAFICI**V.4.3.6.16.1 Card of the column DATA_NAS of the table ANAGRAFICI**

Name	Data Nas
Code	DATA_NAS
Data Type	DATE
Mandatory	No

V.4.3.6.16.2 Check constraint name of the column DATA_NAS of the table ANAGRAFICI

ANAGRAFICI_DATA_NAS_CC

V.4.3.6.16.3 Check of the column DATA_NAS of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.16.4 Server validation rule of the column DATA_NAS of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.16.5 List of all dependencies of the table column DATA_NAS

Name	Code	Class Name
Data Nas	DATA_NAS	View Column

V.4.3.6.16.6 List of extended attributes of the table column DATA_NAS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.17 Column PROVINCIA_NAS of the table ANAGRAFICI**V.4.3.6.17.1 Card of the column PROVINCIA_NAS of the table ANAGRAFICI**

Name	Provincia Nas
Code	PROVINCIA_NAS
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.17.2 Check constraint name of the column PROVINCIA_NAS of the table ANAGRAFICI

ANAGRAFICI_PROVINCIA_NAS_CC

V.4.3.6.17.3 Check of the column PROVINCIA_NAS of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.17.4 Server validation rule of the column PROVINCIA_NAS of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.17.5 List of all dependencies of the table column PROVINCIA_NAS

Name	Code	Class Name
Provincia Nas	PROVINCIA_NAS	View Column
?	?	Reference Join

V.4.3.6.17.6 List of extended attributes of the table column PROVINCIA_NAS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.18 Column COMUNE_NAS of the table ANAGRAFICI**V.4.3.6.18.1 Card of the column COMUNE_NAS of the table ANAGRAFICI**

Name	Comune Nas
Code	COMUNE_NAS
Data Type	NUMBER(3)
Mandatory	No

**V.4.3.6.18.2 Check constraint name of the column COMUNE_NAS of the table ANAGRAFICI
ANAGRAFICI_COMUNE_NAS_CC****V.4.3.6.18.3 Check of the column COMUNE_NAS of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.18.4 Server validation rule of the column COMUNE_NAS of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.6.18.5 List of all dependencies of the table column COMUNE_NAS**

Name	Code	Class Name
?	?	Reference Join
Comune Nas	COMUNE_NAS	View Column

V.4.3.6.18.6 List of extended attributes of the table column COMUNE_NAS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.6.19 Column LUOGO_NAS of the table ANAGRAFICI

V.4.3.6.19.1 Card of the column LUOGO_NAS of the table ANAGRAFICI

Name	Luogo Nas
Code	LUOGO_NAS
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.6.19.2 Check constraint name of the column LUOGO_NAS of the table ANAGRAFICI

ANAGRAFICI_LUOGO_NAS_CC

V.4.3.6.19.3 Check of the column LUOGO_NAS of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.19.4 Server validation rule of the column LUOGO_NAS of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.19.5 List of extended attributes of the table column LUOGO_NAS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.20 Column DAL of the table ANAGRAFICI

V.4.3.6.20.1 Card of the column DAL of the table ANAGRAFICI

Name	Dal
Code	DAL
Data Type	DATE

Mandatory	Yes
-----------	-----

V.4.3.6.20.2 Check constraint name of the column DAL of the table ANAGRAFICI

ANAGRAFICI_DAL_CC

V.4.3.6.20.3 Check of the column DAL of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.20.4 Server validation rule of the column DAL of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.20.5 List of all dependencies of the table column DAL

Name	Code	Class Name
Dal	DAL	Index Column
Dal	DAL	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.6.20.6 List of extended attributes of the table column DAL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.21 Column AL of the table ANAGRAFICI**V.4.3.6.21.1 Card of the column AL of the table ANAGRAFICI**

Name	Al
Code	AL
Data Type	DATE
Mandatory	No

V.4.3.6.21.2 Check constraint name of the column AL of the table ANAGRAFICI

ANAGRAFICI_AL_CC

V.4.3.6.21.3 Check of the column AL of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.21.4 Server validation rule of the column AL of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.21.5 List of extended attributes of the table column AL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.22 Column CODICE_FISCALE of the table ANAGRAFICI**V.4.3.6.22.1 Card of the column CODICE_FISCALE of the table ANAGRAFICI**

Name	Codice Fiscale
Code	CODICE_FISCALE
Data Type	VARCHAR2(16)
Mandatory	No

V.4.3.6.22.2 Check constraint name of the column CODICE_FISCALE of the table ANAGRAFICI

ANAGRAFICI_CODICE_FISCAL_CC

V.4.3.6.22.3 Check of the column CODICE_FISCALE of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.22.4 Server validation rule of the column CODICE_FISCALE of the table ANAGRAFICI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.22.5 List of all dependencies of the table column CODICE_FISCALE

Name	Code	Class Name
Codice Fiscale	CODICE_FISCALE	Index Column
Codice Fiscale	CODICE_FISCALE	View Column

V.4.3.6.22.6 List of extended attributes of the table column CODICE_FISCALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.23 Column CITTADINANZA of the table ANAGRAFICI

V.4.3.6.23.1 Card of the column CITTADINANZA of the table ANAGRAFICI

Name	Cittadinanza
Code	CITTADINANZA
Data Type	VARCHAR2(3)
Mandatory	No

V.4.3.6.23.2 Check constraint name of the column CITTADINANZA of the table ANAGRAFICI
 ANAGRAFICI_CITTADINANZA_CC

V.4.3.6.23.3 Check of the column CITTADINANZA of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.23.4 Server validation rule of the column CITTADINANZA of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.23.5 List of extended attributes of the table column CITTADINANZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.24 Column INDIRIZZO_RES of the table ANAGRAFICI**V.4.3.6.24.1 Card of the column INDIRIZZO_RES of the table ANAGRAFICI**

Name	Indirizzo Res
Code	INDIRIZZO_RES
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.6.24.2 Check constraint name of the column INDIRIZZO_RES of the table ANAGRAFICI

ANAGRAFICI_INDIRIZZO_RES_CC

V.4.3.6.24.3 Check of the column INDIRIZZO_RES of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.24.4 Server validation rule of the column INDIRIZZO_RES of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.24.5 List of extended attributes of the table column INDIRIZZO_RES

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.25 Column INDIRIZZO_RES_AL1 of the table ANAGRAFICI**V.4.3.6.25.1 Card of the column INDIRIZZO_RES_AL1 of the table ANAGRAFICI**

Name	Indirizzo Res Al1
Code	INDIRIZZO_RES_AL1
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.3.6.25.2 Check constraint name of the column INDIRIZZO_RES_AL1 of the table ANAGRAFICI
ANAGRAFICI_INDIRIZZO_RES_CC****V.4.3.6.25.3 Check of the column INDIRIZZO_RES_AL1 of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.25.4 Server validation rule of the column INDIRIZZO_RES_AL1 of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.6.25.5 List of extended attributes of the table column INDIRIZZO_RES_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.26 Column INDIRIZZO_RES_AL2 of the table ANAGRAFICI**V.4.3.6.26.1 Card of the column INDIRIZZO_RES_AL2 of the table ANAGRAFICI**

Name	Indirizzo Res Al2
Code	INDIRIZZO_RES_AL2
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.6.26.2 Check constraint name of the column INDIRIZZO_RES_AL2 of the table ANAGRAFICI

ANAGRAFICI_INDIRIZZO_RES_CC**V.4.3.6.26.3 Check of the column INDIRIZZO_RES_AL2 of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.26.4 Server validation rule of the column INDIRIZZO_RES_AL2 of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.26.5 List of extended attributes of the table column INDIRIZZO_RES_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.27 Column PROVINCIA_RES of the table ANAGRAFICI**V.4.3.6.27.1 Card of the column PROVINCIA_RES of the table ANAGRAFICI**

Name	Provincia Res
Code	PROVINCIA_RES
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.27.2 Check constraint name of the column PROVINCIA_RES of the table ANAGRAFICI

ANAGRAFICI_PROVINCIA_RES_CC

V.4.3.6.27.3 Check of the column PROVINCIA_RES of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.6.27.4 Server validation rule of the column PROVINCIA_RES of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.27.5 List of all dependencies of the table column PROVINCIA_RES

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.27.6 List of extended attributes of the table column PROVINCIA_RES

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.28 Column COMUNE_RES of the table ANAGRAFICI**V.4.3.6.28.1 Card of the column COMUNE_RES of the table ANAGRAFICI**

Name	Comune Res
Code	COMUNE RES
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.28.2 Check constraint name of the column COMUNE_RES of the table ANAGRAFICI

ANAGRAFICI_COMUNE_RES_CC

V.4.3.6.28.3 Check of the column COMUNE_RES of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.28.4 Server validation rule of the column COMUNE_RES of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.28.5 List of all dependencies of the table column COMUNE_RES

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.28.6 List of extended attributes of the table column COMUNE_RES

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.29 Column CAP_RES of the table ANAGRAFICI

V.4.3.6.29.1 Card of the column CAP_RES of the table ANAGRAFICI

Name	Cap Res
Code	CAP_RES
Data Type	VARCHAR2(5)
Mandatory	No

V.4.3.6.29.2 Check constraint name of the column CAP_RES of the table ANAGRAFICI

ANAGRAFICI_CAP_RES_CC

V.4.3.6.29.3 Check of the column CAP_RES of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.29.4 Server validation rule of the column CAP_RES of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.29.5 List of extended attributes of the table column CAP_RES

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

ExtNotNullConstraintName	erred		Si4) ORACLE Version 8i2 (for Si4)
--------------------------	-------	--	--------------------------------------

V.4.3.6.30 Column *TEL_RES* of the table *ANAGRAFICI*

V.4.3.6.30.1 Card of the column *TEL_RES* of the table *ANAGRAFICI*

Name	Tel Res
Code	TEL_RES
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.30.2 Check constraint name of the column *TEL_RES* of the table *ANAGRAFICI*

ANAGRAFICI_TEL_RES_CC

V.4.3.6.30.3 Check of the column *TEL_RES* of the table *ANAGRAFICI*

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.30.4 Server validation rule of the column *TEL_RES* of the table *ANAGRAFICI*

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.30.5 List of extended attributes of the table column *TEL_RES*

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.31 Column *PRESSO* of the table *ANAGRAFICI*

V.4.3.6.31.1 Card of the column *PRESSO* of the table *ANAGRAFICI*

Name	Presso
Code	PRESSO

Data Type	VARCHAR2(40)
Mandatory	No

**V.4.3.6.31.2 Check constraint name of the column PRESSO of the table ANAGRAFICI
ANAGRAFICI_PRESSO_CC**

V.4.3.6.31.3 Check of the column PRESSO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.31.4 Server validation rule of the column PRESSO of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.31.5 List of extended attributes of the table column PRESSO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.32 Column INDIRIZZO_DOM of the table ANAGRAFICI

V.4.3.6.32.1 Card of the column INDIRIZZO_DOM of the table ANAGRAFICI

Name	Indirizzo Dom
Code	INDIRIZZO_DOM
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.3.6.32.2 Check constraint name of the column INDIRIZZO_DOM of the table ANAGRAFICI
ANAGRAFICI_INDIRIZZO_DOM_CC**

V.4.3.6.32.3 Check of the column INDIRIZZO_DOM of the table ANAGRAFICI

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.32.4 Server validation rule of the column INDIRIZZO_DOM of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.32.5 List of extended attributes of the table column INDIRIZZO_DOM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.33 Column INDIRIZZO_DOM_AL1 of the table ANAGRAFICI**V.4.3.6.33.1 Card of the column INDIRIZZO_DOM_AL1 of the table ANAGRAFICI**

Name	Indirizzo Dom A11
Code	INDIRIZZO_DOM_AL1
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.3.6.33.2 Check constraint name of the column INDIRIZZO_DOM_AL1 of the table ANAGRAFICI
ANAGRAFICI_INDIRIZZO_DOM_CC****V.4.3.6.33.3 Check of the column INDIRIZZO_DOM_AL1 of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.33.4 Server validation rule of the column INDIRIZZO_DOM_AL1 of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.33.5 List of extended attributes of the table column INDIRIZZO_DOM_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.34 Column INDIRIZZO_DOM_AL2 of the table ANAGRAFICI

V.4.3.6.34.1 Card of the column INDIRIZZO_DOM_AL2 of the table ANAGRAFICI

Name	Indirizzo Dom Al2
Code	INDIRIZZO_DOM_AL2
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.6.34.2 Check constraint name of the column INDIRIZZO_DOM_AL2 of the table ANAGRAFICI ANAGRAFICI_INDIRIZZO_DOM_CC

V.4.3.6.34.3 Check of the column INDIRIZZO_DOM_AL2 of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.34.4 Server validation rule of the column INDIRIZZO_DOM_AL2 of the table ANAGRAFICI %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.34.5 List of extended attributes of the table column INDIRIZZO_DOM_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.35 Column ***PROVINCIA_DOM*** of the table ***ANAGRAFICI***

V.4.3.6.35.1 Card of the column ***PROVINCIA_DOM*** of the table ***ANAGRAFICI***

Name	Provincia Dom
Code	PROVINCIA_DOM
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.35.2 Check constraint name of the column ***PROVINCIA_DOM*** of the table ***ANAGRAFICI***

ANAGRAFICI_PROVINCIA_DOM_CC

V.4.3.6.35.3 Check of the column ***PROVINCIA_DOM*** of the table ***ANAGRAFICI***

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.35.4 Server validation rule of the column ***PROVINCIA_DOM*** of the table ***ANAGRAFICI***

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.35.5 List of all dependencies of the table column ***PROVINCIA_DOM***

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.35.6 List of extended attributes of the table column ***PROVINCIA_DOM***

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.36 Column ***COMUNE_DOM*** of the table ***ANAGRAFICI***

V.4.3.6.36.1 Card of the column ***COMUNE_DOM*** of the table ***ANAGRAFICI***

Name	Comune Dom
Code	COMUNE_DOM

Data Type	NUMBER(3)
Mandatory	No

**V.4.3.6.36.2 Check constraint name of the column COMUNE_DOM of the table ANAGRAFICI
ANAGRAFICI_COMUNE_DOM_CC**

V.4.3.6.36.3 Check of the column COMUNE_DOM of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.36.4 Server validation rule of the column COMUNE_DOM of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.36.5 List of all dependencies of the table column COMUNE_DOM

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.36.6 List of extended attributes of the table column COMUNE_DOM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.37 Column CAP_DOM of the table ANAGRAFICI

V.4.3.6.37.1 Card of the column CAP_DOM of the table ANAGRAFICI

Name	Cap Dom
Code	CAP_DOM
Data Type	VARCHAR2(5)
Mandatory	No

V.4.3.6.37.2 Check constraint name of the column CAP_DOM of the table ANAGRAFICI

ANAGRAFICI_CAP_DOM_CC**V.4.3.6.37.3 Check of the column CAP_DOM of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.37.4 Server validation rule of the column CAP_DOM of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.37.5 List of extended attributes of the table column CAP_DOM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.38 Column TEL_DOM of the table ANAGRAFICI**V.4.3.6.38.1 Card of the column TEL_DOM of the table ANAGRAFICI**

Name	Tel Dom
Code	TEL_DOM
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.38.2 Check constraint name of the column TEL_DOM of the table ANAGRAFICI

ANAGRAFICI_TEL_DOM_CC

V.4.3.6.38.3 Check of the column TEL_DOM of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.6.38.4 Server validation rule of the column TEL_DOM of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.38.5 List of extended attributes of the table column TEL_DOM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.39 Column STATO_CIVILE of the table ANAGRAFICI**V.4.3.6.39.1 Card of the column STATO_CIVILE of the table ANAGRAFICI**

Name	Stato Civile
Code	STATO_CIVILE
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.6.39.2 Check constraint name of the column STATO_CIVILE of the table ANAGRAFICI

ANAGRAFICI_STATO_CIVILE_CC

V.4.3.6.39.3 Check of the column STATO_CIVILE of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.39.4 Server validation rule of the column STATO_CIVILE of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.39.5 List of all dependencies of the table column STATO_CIVILE

Name	Code	Class Name
?	?	Reference Join

Stato Civile	STATO_CIVILE	Index Column
--------------	--------------	--------------

V.4.3.6.39.6 List of extended attributes of the table column STATO_CIVILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.40 Column COGNOME_CONIUGE of the table ANAGRAFICI**V.4.3.6.40.1 Card of the column COGNOME_CONIUGE of the table ANAGRAFICI**

Name	Cognome Coniuge
Code	COGNOME CONIUGE
Data Type	VARCHAR2(36)
Mandatory	No

**V.4.3.6.40.2 Check constraint name of the column COGNOME_CONIUGE of the table ANAGRAFICI
ANAGRAFICI_COGNOME_CONIU_CC****V.4.3.6.40.3 Check of the column COGNOME_CONIUGE of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.40.4 Server validation rule of the column COGNOME_CONIUGE of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.6.40.5 List of extended attributes of the table column COGNOME_CONIUGE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.41 Column **TITOLO_STUDIO** of the table **ANAGRAFICI**

V.4.3.6.41.1 Card of the column **TITOLO_STUDIO** of the table **ANAGRAFICI**

Name	Titolo Studio
Code	TITOLO_STUDIO
Data Type	VARCHAR2(8)
Mandatory	No

V.4.3.6.41.2 Check constraint name of the column **TITOLO_STUDIO** of the table **ANAGRAFICI** ANAGRAFICI_TITOLO_STUDIO_CC

V.4.3.6.41.3 Check of the column **TITOLO_STUDIO** of the table **ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.41.4 Server validation rule of the column **TITOLO_STUDIO** of the table **ANAGRAFICI** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.41.5 List of all dependencies of the table column **TITOLO_STUDIO**

Name	Code	Class Name
?	?	Reference Join
Titolo Studio	TITOLO_STUDIO	Index Column

V.4.3.6.41.6 List of extended attributes of the table column **TITOLO_STUDIO**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.42 Column **TITOLO** of the table **ANAGRAFICI**

V.4.3.6.42.1 Card of the column **TITOLO** of the table **ANAGRAFICI**

Name	Titolo
------	--------

Code	TITOLO
Data Type	VARCHAR2(20)
Mandatory	No

V.4.3.6.42.2 Check constraint name of the column TITOLO of the table ANAGRAFICI

ANAGRAFICI_TITOLO_CC

V.4.3.6.42.3 Check of the column TITOLO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.42.4 Server validation rule of the column TITOLO of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.42.5 List of all dependencies of the table column TITOLO

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.42.6 List of extended attributes of the table column TITOLO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.43 Column CATEGORIA_PROTETTA of the table ANAGRAFICI**V.4.3.6.43.1 Card of the column CATEGORIA_PROTETTA of the table ANAGRAFICI**

Name	Categoria Protetta
Code	CATEGORIA_PROTETTA
Data Type	VARCHAR2(4)
Mandatory	No

**V.4.3.6.43.2 Check constraint name of the column CATEGORIA_PROTETTA of the table ANAGRAFICI
ANAGRAFICI_CATEGORIA_PRO_CC**

V.4.3.6.43.3 Check of the column CATEGORIA_PROTETTA of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.43.4 Server validation rule of the column CATEGORIA_PROTETTA of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.43.5 List of all dependencies of the table column CATEGORIA_PROTETTA

Name	Code	Class Name
Categoria Protetta	CATEGORIA_PROTETTA	Index Column
?	?	Reference Join

V.4.3.6.43.6 List of extended attributes of the table column CATEGORIA_PROTETTA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.44 Column GRUPPO_LING of the table ANAGRAFICI

V.4.3.6.44.1 Card of the column GRUPPO_LING of the table ANAGRAFICI

Name	Gruppo Ling
Code	GRUPPO_LING
Data Type	VARCHAR2(1)
Mandatory	No

**V.4.3.6.44.2 Check constraint name of the column GRUPPO_LING of the table ANAGRAFICI
ANAGRAFICI_GRUPPO_LING_CC**

V.4.3.6.44.3 Check of the column GRUPPO_LING of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	I
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.44.4 Server validation rule of the column GRUPPO_LING of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.44.5 List of all dependencies of the table column GRUPPO_LING

Name	Code	Class Name
Gruppo Ling	GRUPPO_LING	Index Column

V.4.3.6.44.6 List of extended attributes of the table column GRUPPO_LING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.45 Column PARTITA_IVA of the table ANAGRAFICI**V.4.3.6.45.1 Card of the column PARTITA_IVA of the table ANAGRAFICI**

Name	Partita Iva
Code	PARTITA_IVA
Data Type	VARCHAR2(11)
Mandatory	No

V.4.3.6.45.2 Check constraint name of the column PARTITA_IVA of the table ANAGRAFICI

ANAGRAFICI_PARTITA_IVA_CC

V.4.3.6.45.3 Check of the column PARTITA_IVA of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.45.4 Server validation rule of the column PARTITA_IVA of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.45.5 List of extended attributes of the table column PARTITA_IVA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.46 Column TESSERA_SAN of the table ANAGRAFICI**V.4.3.6.46.1 Card of the column TESSERA_SAN of the table ANAGRAFICI**

Name	Tessera San
Code	TESSERA_SAN
Data Type	VARCHAR2(10)
Mandatory	No

V.4.3.6.46.2 Check constraint name of the column TESSERA_SAN of the table ANAGRAFICI

ANAGRAFICI_TESSERA_SAN_CC

V.4.3.6.46.3 Check of the column TESSERA_SAN of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.46.4 Server validation rule of the column TESSERA_SAN of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.46.5 List of extended attributes of the table column TESSERA_SAN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.47 Column **NUMERO_USL** of the table **ANAGRAFICI**

V.4.3.6.47.1 Card of the column **NUMERO_USL** of the table **ANAGRAFICI**

Name	Numero Usl
Code	NUMERO_USL
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.6.47.2 Check constraint name of the column **NUMERO_USL** of the table **ANAGRAFICI**

ANAGRAFICI_NUMERO_USL_CC

V.4.3.6.47.3 Check of the column **NUMERO_USL** of the table **ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.47.4 Server validation rule of the column **NUMERO_USL** of the table **ANAGRAFICI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.47.5 List of extended attributes of the table column **NUMERO_USL**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.48 Column **PROVINCIA_USL** of the table **ANAGRAFICI**

V.4.3.6.48.1 Card of the column **PROVINCIA_USL** of the table **ANAGRAFICI**

Name	Provincia Usl
Code	PROVINCIA_USL
Data Type	VARCHAR2(3)
Mandatory	No

**V.4.3.6.48.2 Check constraint name of the column PROVINCIA_USL of the table ANAGRAFICI
ANAGRAFICI_PROVINCIA_USL_CC**

V.4.3.6.48.3 Check of the column PROVINCIA_USL of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.48.4 Server validation rule of the column PROVINCIA_USL of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.48.5 List of extended attributes of the table column PROVINCIA_USL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.49 Column NUMERO_USL_DOC of the table ANAGRAFICI

V.4.3.6.49.1 Card of the column NUMERO_USL_DOC of the table ANAGRAFICI

Name	Numero_usl_doc
Code	NUMERO_USL_DOC
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.3.6.49.2 Check constraint name of the column NUMERO_USL_DOC of the table ANAGRAFICI
ANAGRAFICI_NUMERO_USL_DO_CC**

V.4.3.6.49.3 Check of the column NUMERO_USL_DOC of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.49.4 Server validation rule of the column NUMERO_USL_DOC of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.49.5 List of extended attributes of the table column NUMERO_USL_DOC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.50 Column PROVINCIA_USL_DOC of the table ANAGRAFICI

V.4.3.6.50.1 Card of the column PROVINCIA_USL_DOC of the table ANAGRAFICI

Name	Provincia_usl_doc
Code	PROVINCIA_USL_DOC
Data Type	VARCHAR2(3)
Mandatory	No

V.4.3.6.50.2 Check constraint name of the column PROVINCIA_USL_DOC of the table ANAGRAFICI
ANAGRAFICI_PROVINCIA_USL_CC

V.4.3.6.50.3 Check of the column PROVINCIA_USL_DOC of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.50.4 Server validation rule of the column PROVINCIA_USL_DOC of the table ANAGRAFICI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.50.5 List of extended attributes of the table column PROVINCIA_USL_DOC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.51 Column TIPO_DOC of the table ANAGRAFICI

V.4.3.6.51.1 Card of the column TIPO_DOC of the table ANAGRAFICI

Name	Tipo Doc
Code	TIPO_DOC
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.6.51.2 Check constraint name of the column TIPO_DOC of the table ANAGRAFICI

ANAGRAFICI_TIPO_DOC_CC

V.4.3.6.51.3 Check of the column TIPO_DOC of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.51.4 Server validation rule of the column TIPO_DOC of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.51.5 List of extended attributes of the table column TIPO_DOC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.52 Column NUMERO_DOC of the table ANAGRAFICI

V.4.3.6.52.1 Card of the column NUMERO_DOC of the table ANAGRAFICI

Name	Numero Doc
Code	NUMERO_DOC
Data Type	VARCHAR2(16)
Mandatory	No

V.4.3.6.52.2 Check constraint name of the column NUMERO_DOC of the table ANAGRAFICI

ANAGRAFICI_NUMERO_DOC_CC

V.4.3.6.52.3 Check of the column NUMERO_DOC of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.52.4 Server validation rule of the column NUMERO_DOC of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.52.5 List of extended attributes of the table column NUMERO_DOC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.53 Column PROVINCIA_DOC of the table ANAGRAFICI

V.4.3.6.53.1 Card of the column PROVINCIA_DOC of the table ANAGRAFICI

Name	Provincia Doc
Code	PROVINCIA_DOC
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.53.2 Check constraint name of the column PROVINCIA_DOC of the table ANAGRAFICI

ANAGRAFICI_PROVINCIA_DOC_CC**V.4.3.6.53.3 Check of the column PROVINCIA_DOC of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.53.4 Server validation rule of the column PROVINCIA_DOC of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.53.5 List of extended attributes of the table column PROVINCIA_DOC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.54 Column COMUNE_DOC of the table ANAGRAFICI**V.4.3.6.54.1 Card of the column COMUNE_DOC of the table ANAGRAFICI**

Name	Comune Doc
Code	COMUNE_DOC
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.54.2 Check constraint name of the column COMUNE_DOC of the table ANAGRAFICI

ANAGRAFICI_COMUNE_DOC_CC

V.4.3.6.54.3 Check of the column COMUNE_DOC of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.6.54.4 Server validation rule of the column COMUNE_DOC of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.54.5 List of extended attributes of the table column COMUNE_DOC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.55 Column NOTE of the table ANAGRAFICI**V.4.3.6.55.1 Card of the column NOTE of the table ANAGRAFICI**

Name	Note
Code	NOTE
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.3.6.55.2 Check constraint name of the column NOTE of the table ANAGRAFICI

ANAGRAFICI_NOTE_CC

V.4.3.6.55.3 Check of the column NOTE of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.55.4 Server validation rule of the column NOTE of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.55.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.56 Column **CODICE_FISCALE_ESTERO** of the table **ANAGRAFICI**

V.4.3.6.56.1 Card of the column **CODICE_FISCALE_ESTERO** of the table **ANAGRAFICI**

Name	Codice Fiscale Estero
Code	CODICE_FISCALE_ESTERO
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.6.56.2 Check constraint name of the column **CODICE_FISCALE_ESTERO** of the table **ANAGRAFICI**

ANAGRAFICI_CODICE_FISCAL_CC

V.4.3.6.56.3 Check of the column **CODICE_FISCALE_ESTERO** of the table **ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.56.4 Server validation rule of the column **CODICE_FISCALE_ESTERO** of the table **ANAGRAFICI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.56.5 List of extended attributes of the table column **CODICE_FISCALE_ESTERO**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefinition		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.57 Column **FAX_RES** of the table **ANAGRAFICI**

V.4.3.6.57.1 Card of the column **FAX_RES** of the table **ANAGRAFICI**

Name	Fax Res
Code	FAX_RES
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.57.2 Check constraint name of the column FAX_RES of the table ANAGRAFICI

ANAGRAFICI_FAX_RES_CC

V.4.3.6.57.3 Check of the column FAX_RES of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.57.4 Server validation rule of the column FAX_RES of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.57.5 List of extended attributes of the table column FAX_RES

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.58 Column FAX_DOM of the table ANAGRAFICI**V.4.3.6.58.1 Card of the column FAX_DOM of the table ANAGRAFICI**

Name	Fax Dom
Code	FAX_DOM
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.58.2 Check constraint name of the column FAX_DOM of the table ANAGRAFICI

ANAGRAFICI_FAX_DOM_CC

V.4.3.6.58.3 Check of the column FAX_DOM of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.58.4 Server validation rule of the column FAX_DOM of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.58.5 List of extended attributes of the table column FAX_DOM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.59 Column AMBIENTE_PROP of the table ANAGRAFICI**V.4.3.6.59.1 Card of the column AMBIENTE_PROP of the table ANAGRAFICI**

Name	Ambiente Prop
Code	AMBIENTE_PROP
Data Type	VARCHAR2(8)
Mandatory	No

V.4.3.6.59.2 Check constraint name of the column AMBIENTE_PROP of the table ANAGRAFICI

ANAGRAFICI_AMBIENTE_PROP_CC

V.4.3.6.59.3 Check of the column AMBIENTE_PROP of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.59.4 Server validation rule of the column AMBIENTE_PROP of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.59.5 List of extended attributes of the table column AMBIENTE_PROP

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.60 Column TELEFONO_UFFICIO of the table ANAGRAFICI**V.4.3.6.60.1 Card of the column TELEFONO_UFFICIO of the table ANAGRAFICI**

Name	Telefono Ufficio
Code	TELEFONO_UFFICIO
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.60.2 Check constraint name of the column TELEFONO_UFFICIO of the table ANAGRAFICI

ANAGRAFICI_TELEFONO_UFFI_CC

V.4.3.6.60.3 Check of the column TELEFONO_UFFICIO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.60.4 Server validation rule of the column TELEFONO_UFFICIO of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.60.5 List of extended attributes of the table column TELEFONO_UFFICIO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.61 Column FAX_UFFICIO of the table ANAGRAFICI**V.4.3.6.61.1 Card of the column FAX_UFFICIO of the table ANAGRAFICI**

Name	Fax Ufficio
Code	FAX_UFFICIO
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.61.2 Check constraint name of the column FAX_UFFICIO of the table ANAGRAFICI

ANAGRAFICI_FAX_UFFICIO_CC

V.4.3.6.61.3 Check of the column FAX_UFFICIO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.61.4 Server validation rule of the column FAX_UFFICIO of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.61.5 List of extended attributes of the table column FAX_UFFICIO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.62 Column E_MAIL of the table ANAGRAFICI**V.4.3.6.62.1 Card of the column E_MAIL of the table ANAGRAFICI**

Name	E Mail
Code	E_MAIL
Data Type	VARCHAR2(2000)
Mandatory	No

V.4.3.6.62.2 Check constraint name of the column E_MAIL of the table ANAGRAFICI

ANAGRAFICI_E_MAIL_CC**V.4.3.6.62.3 Check of the column E_MAIL of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.62.4 Server validation rule of the column E_MAIL of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.62.5 List of extended attributes of the table column E_MAIL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.63 Column DENOMINAZIONE of the table ANAGRAFICI**V.4.3.6.63.1 Card of the column DENOMINAZIONE of the table ANAGRAFICI**

Name	Denominazione
Code	DENOMINAZIONE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.3.6.63.2 Check constraint name of the column DENOMINAZIONE of the table ANAGRAFICI

ANAGRAFICI_DENOMINAZIONE_CC

V.4.3.6.63.3 Check of the column DENOMINAZIONE of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.6.63.4 Server validation rule of the column DENOMINAZIONE of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.63.5 List of extended attributes of the table column DENOMINAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.64 Column DENOMINAZIONE_AL1 of the table ANAGRAFICI**V.4.3.6.64.1 Card of the column DENOMINAZIONE_AL1 of the table ANAGRAFICI**

Name	Denominazione AL1
Code	DENOMINAZIONE_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.3.6.64.2 Check constraint name of the column DENOMINAZIONE_AL1 of the table ANAGRAFICI
ANAGRAFICI_DENOMINAZIONE_CC**V.4.3.6.64.3 Check of the column DENOMINAZIONE_AL1 of the table ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.64.4 Server validation rule of the column DENOMINAZIONE_AL1 of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.6.64.5 List of extended attributes of the table column DENOMINAZIONE_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

ExtNotNullConstraintName	erred		Si4) ORACLE Version 8i2 (for Si4)
--------------------------	-------	--	--------------------------------------

V.4.3.6.65 Column **DENOMINAZIONE_AL2** of the table **ANAGRAFICI**

V.4.3.6.65.1 Card of the column **DENOMINAZIONE_AL2** of the table **ANAGRAFICI**

Name	Denominazione AL2
Code	DENOMINAZIONE_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.3.6.65.2 Check constraint name of the column **DENOMINAZIONE_AL2** of the table **ANAGRAFICI** **ANAGRAFICI_DENOMINAZIONE_CC**

V.4.3.6.65.3 Check of the column **DENOMINAZIONE_AL2** of the table **ANAGRAFICI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.65.4 Server validation rule of the column **DENOMINAZIONE_AL2** of the table **ANAGRAFICI** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.65.5 List of extended attributes of the table column **DENOMINAZIONE_AL2**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.66 Column **COMPETENZA_ESCLUSIVA** of the table **ANAGRAFICI**

V.4.3.6.66.1 Card of the column **COMPETENZA_ESCLUSIVA** of the table **ANAGRAFICI**

Name	Competenza Esclusiva
Code	COMPETENZA_ESCLUSIVA

Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.6.66.2 Check constraint name of the column COMPETENZA_ESCLUSIVA of the table ANAGRAFICI

ANAGRAFICI_COMPETENZA_ES_CC

V.4.3.6.66.3 Check of the column COMPETENZA_ESCLUSIVA of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.66.4 Server validation rule of the column COMPETENZA_ESCLUSIVA of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.66.5 List of extended attributes of the table column COMPETENZA_ESCLUSIVA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.67 Column FLAG_TRG of the table ANAGRAFICI

V.4.3.6.67.1 Card of the column FLAG_TRG of the table ANAGRAFICI

Name	Flag Trg
Code	FLAG_TRG
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.6.67.2 Check constraint name of the column FLAG_TRG of the table ANAGRAFICI

ANAGRAFICI_FLAG_TRG_CC

V.4.3.6.67.3 Check of the column FLAG_TRG of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.67.4 Server validation rule of the column FLAG_TRG of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.67.5 List of extended attributes of the table column FLAG_TRG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.68 Column STATO_CEE of the table ANAGRAFICI**V.4.3.6.68.1 Card of the column STATO_CEE of the table ANAGRAFICI**

Name	Stato CEE
Code	STATO_CEE
Data Type	VARCHAR2(2)
Mandatory	No

V.4.3.6.68.2 Check constraint name of the column STATO_CEE of the table ANAGRAFICI

ANAGRAFICI_STATO_CEE_CC

V.4.3.6.68.3 Check of the column STATO_CEE of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.68.4 Server validation rule of the column STATO_CEE of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.68.5 List of extended attributes of the table column STATO_CEE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.69 Column TIPO_SOGGETTO of the table ANAGRAFICI**V.4.3.6.69.1 Card of the column TIPO_SOGGETTO of the table ANAGRAFICI**

Name	Tipo Soggetto
Code	TIPO_SOGGETTO
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.6.69.2 Check constraint name of the column TIPO_SOGGETTO of the table ANAGRAFICI

ANAGRAFICI_TIPO_SOGGETTO_CC

V.4.3.6.69.3 Check of the column TIPO_SOGGETTO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.69.4 Server validation rule of the column TIPO_SOGGETTO of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.69.5 List of all dependencies of the table column TIPO_SOGGETTO

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.69.6 List of extended attributes of the table column TIPO_SOGGETTO

Name	Data Type	Value	Target Name

ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.70 *Column FINE_VALIDITA of the table ANAGRAFICI*

V.4.3.6.70.1 Card of the column FINE_VALIDITA of the table ANAGRAFICI

Name	Fine Validita
Code	FINE_VALIDITA
Data Type	DATE
Mandatory	No

V.4.3.6.70.2 Check constraint name of the column FINE_VALIDITA of the table ANAGRAFICI

ANAGRAFICI_FINE_VALIDITA_CC

V.4.3.6.70.3 Check of the column FINE_VALIDITA of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.70.4 Server validation rule of the column FINE_VALIDITA of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.70.5 List of extended attributes of the table column FINE_VALIDITA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.71 *Column ID_FOTO of the table ANAGRAFICI*

V.4.3.6.71.1 Card of the column ID_FOTO of the table ANAGRAFICI

Name	id_foto
------	---------

Code	ID_FOTO
Data Type	NUMBER
Mandatory	No

**V.4.3.6.71.2 Check constraint name of the column ID_FOTO of the table ANAGRAFICI
ANAGRAFICI_ID_FOTO_CC**

V.4.3.6.71.3 Check of the column ID_FOTO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.71.4 Server validation rule of the column ID_FOTO of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.71.5 List of all dependencies of the table column ID_FOTO

Name	Code	Class Name
?	?	Reference Join

V.4.3.6.71.6 List of extended attributes of the table column ID_FOTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.72 Column GRUPPO_LING_PREF of the table ANAGRAFICI

V.4.3.6.72.1 Card of the column GRUPPO_LING_PREF of the table ANAGRAFICI

Name	Gruppo_Ling_Pref
Code	GRUPPO_LING_PREF
Data Type	VARCHAR2(1)
Mandatory	No

**V.4.3.6.72.2 Check constraint name of the column GRUPPO_LING_PREF of the table ANAGRAFICI
ANAGRAFICI_GRUPPO_LING_P_CC**

V.4.3.6.72.3 Check of the column GRUPPO_LING_PREF of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	I
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.72.4 Server validation rule of the column GRUPPO_LING_PREF of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.72.5 List of extended attributes of the table column GRUPPO_LING_PREF

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.73 Column PERC_INVALIDITA of the table ANAGRAFICI

V.4.3.6.73.1 Card of the column PERC_INVALIDITA of the table ANAGRAFICI

Name	Perc Invalidita
Code	PERC_INVALIDITA
Data Type	NUMBER(5,2)
Mandatory	No

**V.4.3.6.73.2 Check constraint name of the column PERC_INVALIDITA of the table ANAGRAFICI
ANAGRAFICI_PERC_INVALIDI_CC**

V.4.3.6.73.3 Check of the column PERC_INVALIDITA of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.73.4 Server validation rule of the column PERC_INVALIDITA of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.73.5 List of extended attributes of the table column PERC_INVALIDITA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.74 Column CELLULARE of the table ANAGRAFICI

V.4.3.6.74.1 Card of the column CELLULARE of the table ANAGRAFICI

Name	Cellulare
Code	CELLULARE
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.6.74.2 Check constraint name of the column CELLULARE of the table ANAGRAFICI
ANAGRAFICI_CELLULARE_CC

V.4.3.6.74.3 Check of the column CELLULARE of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.74.4 Server validation rule of the column CELLULARE of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.74.5 List of extended attributes of the table column CELLULARE

Name	Data Type	Value	Target Name

ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.75 Column **PROVINCIA_PRO** of the table **ANAGRAFICI**

V.4.3.6.75.1 Card of the column PROVINCIA_PRO of the table ANAGRAFICI

Name	Provincia Pro
Code	PROVINCIA_PRO
Data Type	NUMBER(3)
Mandatory	No

V.4.3.6.75.2 Check constraint name of the column PROVINCIA_PRO of the table ANAGRAFICI

ANAGRAFICI_PROVINCIA_PRO_CC

V.4.3.6.75.3 Check of the column PROVINCIA_PRO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.75.4 Server validation rule of the column PROVINCIA_PRO of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.75.5 List of extended attributes of the table column PROVINCIA_PRO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.76 Column **COMUNE_PRO** of the table **ANAGRAFICI**

V.4.3.6.76.1 Card of the column COMUNE_PRO of the table ANAGRAFICI

Name	Comune Pro
------	------------

Code	COMUNE_PRO
Data Type	NUMBER(3)
Mandatory	No

**V.4.3.6.76.2 Check constraint name of the column COMUNE_PRO of the table ANAGRAFICI
ANAGRAFICI_COMUNE_PRO_CC**

V.4.3.6.76.3 Check of the column COMUNE_PRO of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.6.76.4 Server validation rule of the column COMUNE_PRO of the table ANAGRAFICI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.6.76.5 List of extended attributes of the table column COMUNE_PRO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.77 Column UTENTE of the table ANAGRAFICI

V.4.3.6.77.1 Card of the column UTENTE of the table ANAGRAFICI

Name	Utente
Code	UTENTE
Data Type	VARCHAR2(8)
Mandatory	No

**V.4.3.6.77.2 Check constraint name of the column UTENTE of the table ANAGRAFICI
ANAGRAFICI_UTENTE_CC**

V.4.3.6.77.3 Check of the column UTENTE of the table ANAGRAFICI

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.77.4 Server validation rule of the column UTENTE of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.77.5 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.78 Column DATA_AGG of the table ANAGRAFICI**V.4.3.6.78.1 Card of the column DATA_AGG of the table ANAGRAFICI**

Name	Data Agg
Code	DATA_AGG
Data Type	DATE
Mandatory	No

V.4.3.6.78.2 Check constraint name of the column DATA_AGG of the table ANAGRAFICI

ANAGRAFICI_DATA_AGG_CC

V.4.3.6.78.3 Check of the column DATA_AGG of the table ANAGRAFICI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.6.78.4 Server validation rule of the column DATA_AGG of the table ANAGRAFICI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.6.78.5 List of extended attributes of the table column DATA_AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.6.79 List of keys of the table ANAGRAFICI

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.6.80 Key KEY_1 of the table ANAGRAFICI**V.4.3.6.80.1 Card of the key KEY_1 of the table ANAGRAFICI**

Name	Key_1
Code	KEY_1
Table	ANAGRAFICI

V.4.3.6.80.2 Code preview of the key KEY_1 of the table ANAGRAFICI

```
alter table ANAGRAFICI
add constraint ANAG_PK primary key (NI, DAL);
```

V.4.3.6.80.3 List of columns of the table key KEY_1

Name	Code
NI	NI
Dal	DAL

V.4.3.6.80.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_PK	ANAG_PK	Index
RAIN_ANAG	RAIN_ANAG	Reference

V.4.3.6.81 List of indexes of the table ANAGRAFICI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
ANAG_PK	ANAG_PK	X		X		

ANAG_CAPR_FK	ANAG_CAPR_FK				X	
ANAG_GRLI_FK	ANAG_GRLI_FK					
ANAG_IK	ANAG_IK					
ANAG_IK2	ANAG_IK2					
ANAG_INDI_FK	ANAG_INDI_FK					
ANAG_STCI_FK	ANAG_STCI_FK				X	
ANAG_TIST_FK	ANAG_TIST_FK				X	

V.4.3.6.82 Index ANAG_PK of the table ANAGRAFICI

V.4.3.6.82.1 Card of the index ANAG_PK of the table ANAGRAFICI

Name	ANAG_PK
Code	ANAG_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.82.2 Code preview of the index ANAG_PK of the table ANAGRAFICI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.6.82.3 List of index columns of the index ANAG_PK

Name	Code	Sort
NI	NI	Ascending
Dal	DAL	Ascending

V.4.3.6.83 Index ANAG_CAPR_FK of the table ANAGRAFICI

V.4.3.6.83.1 Card of the index ANAG_CAPR_FK of the table ANAGRAFICI

Name	ANAG_CAPR_FK
Code	ANAG_CAPR_FK
Unique	No
Cluster	No
Primary	No

Foreign Key	Yes
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.83.2 Code preview of the index ANAG_CAPR_FK of the table ANAGRAFICI

```
/*=====
/* Index: ANAG_CAPR_FK                               */
/*=====*/
create index ANAG_CAPR_FK on ANAGRAFICI (
    CATEGORIA_PROTETTA ASC
);
```

V.4.3.6.83.3 List of index columns of the index ANAG_CAPR_FK

Name	Code	Sort
Categoria Protetta	CATEGORIA_PROTETTA	Ascending

V.4.3.6.84 Index ANAG_GRLI_FK of the table ANAGRAFICI**V.4.3.6.84.1 Card of the index ANAG_GRLI_FK of the table ANAGRAFICI**

Name	ANAG_GRLI_FK
Code	ANAG_GRLI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.84.2 Code preview of the index ANAG_GRLI_FK of the table ANAGRAFICI

```
/*=====
/* Index: ANAG_GRLI_FK                               */
/*=====*/
create index ANAG_GRLI_FK on ANAGRAFICI (
    GRUPPO_LING ASC
);
```

V.4.3.6.84.3 List of index columns of the index ANAG_GRLI_FK

Name	Code	Sort
Gruppo Ling	GRUPPO_LING	Ascending

V.4.3.6.85 Index ANAG_IK of the table ANAGRAFICI**V.4.3.6.85.1 Card of the index ANAG_IK of the table ANAGRAFICI**

Name	ANAG_IK
Code	ANAG_IK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.85.2 Code preview of the index ANAG_IK of the table ANAGRAFICI

```
/*
 * Index: ANAG_IK
 */
create index ANAG_IK on ANAGRAFICI (
    COGNOME ASC,
    NOME ASC,
    NI ASC,
    DAL ASC
);
```

V.4.3.6.85.3 List of index columns of the index ANAG_IK

Name	Code	Sort
Cognome	COGNOME	Ascending
Nome	NOME	Ascending
NI	NI	Ascending
Dal	DAL	Ascending

V.4.3.6.86 Index ANAG_IK2 of the table ANAGRAFICI**V.4.3.6.86.1 Card of the index ANAG_IK2 of the table ANAGRAFICI**

Name	ANAG_IK2
Code	ANAG_IK2
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.86.2 Code preview of the index ANAG_IK2 of the table ANAGRAFICI

```
/*=====
/* Index: ANAG_IK2 */ */
/*=====*/
create index ANAG_IK2 on ANAGRAFICI (
    CODICE_FISCALE ASC
);
```

V.4.3.6.86.3 List of index columns of the index ANAG_IK2

Name	Code	Sort
Codice Fiscale	CODICE_FISCALE	Ascending

V.4.3.6.87 Index ANAG_INDI_FK of the table ANAGRAFICI**V.4.3.6.87.1 Card of the index ANAG_INDI_FK of the table ANAGRAFICI**

Name	ANAG_INDI_FK
Code	ANAG_INDI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.87.2 Code preview of the index ANAG_INDI_FK of the table ANAGRAFICI

```
/*=====
/* Index: ANAG_INDI_FK */ */
/*=====*/
create index ANAG_INDI_FK on ANAGRAFICI (
    NI ASC
);
```

V.4.3.6.87.3 List of index columns of the index ANAG_INDI_FK

Name	Code	Sort
NI	NI	Ascending

V.4.3.6.88 Index ANAG_STCI_FK of the table ANAGRAFICI**V.4.3.6.88.1 Card of the index ANAG_STCI_FK of the table ANAGRAFICI**

Name	ANAG_STCI_FK
------	--------------

Code	ANAG_STCI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	Yes
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.88.2 Code preview of the index ANAG_STCI_FK of the table ANAGRAFICI

```
/*=====
/* Index: ANAG_STCI_FK */=====
create index ANAG_STCI_FK on ANAGRAFICI (
    STATO_CIVILE ASC
);
```

V.4.3.6.88.3 List of index columns of the index ANAG_STCI_FK

Name	Code	Sort
Stato Civile	STATO_CIVILE	Ascending

V.4.3.6.89 Index ANAG_TIST_FK of the table ANAGRAFICI**V.4.3.6.89.1 Card of the index ANAG_TIST_FK of the table ANAGRAFICI**

Name	ANAG_TIST_FK
Code	ANAG_TIST_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	Yes
Alternate Key	No
Table	ANAGRAFICI

V.4.3.6.89.2 Code preview of the index ANAG_TIST_FK of the table ANAGRAFICI

```
/*=====
/* Index: ANAG_TIST_FK */=====
create index ANAG_TIST_FK on ANAGRAFICI (
    TITOLO_STUDIO ASC
);
```

V.4.3.6.89.3 List of index columns of the index ANAG_TIST_FK

Name	Code	Sort
Titolo Studio	TITOLO_STUDIO	Ascending

V.4.3.6.90 List of triggers of the table ANAGRAFICI

Name	Code
anagrafici_tc	ANAGRAFICI_TC
anagrafici_tdb	ANAGRAFICI_TDB
anagrafici_tiu	ANAGRAFICI_TIU
anagrafici_tmb	ANAGRAFICI_TMB

V.4.3.6.91 Trigger ANAGRAFICI_TC of the table ANAGRAFICI

V.4.3.6.91.1 Card of the trigger ANAGRAFICI_TC of the table ANAGRAFICI

Name	anagrafici_tc
Code	ANAGRAFICI_TC
Generate	Yes
Table	ANAGRAFICI
Trigger Template	CustomPostEvent (From DBMS)
User-Defined SQL	No

V.4.3.6.91.2 Code preview of the trigger ANAGRAFICI_TC of the table ANAGRAFICI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.6.92 Trigger ANAGRAFICI_TDB of the table ANAGRAFICI

V.4.3.6.92.1 Card of the trigger ANAGRAFICI_TDB of the table ANAGRAFICI

Name	anagrafici_tdb
Code	ANAGRAFICI_TDB
Generate	Yes
Table	ANAGRAFICI
Trigger Template	BeforeDeleteTrigger (From DBMS)
User-Defined SQL	No

V.4.3.6.92.2 Code preview of the trigger ANAGRAFICI_TDB of the table ANAGRAFICI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.6.93 Trigger ANAGRAFICI_TIU of the table ANAGRAFICI

V.4.3.6.93.1 Card of the trigger ANAGRAFICI_TIU of the table ANAGRAFICI

Name	anagrafici_tiu
Code	ANAGRAFICI_TIU
Generate	Yes
Table	ANAGRAFICI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.6.93.2 Code preview of the trigger ANAGRAFICI_TIU of the table ANAGRAFICI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.6.94 Trigger ANAGRAFICI_TMB of the table ANAGRAFICI**V.4.3.6.94.1 Card of the trigger ANAGRAFICI_TMB of the table ANAGRAFICI**

Name	anagrafici_tmb
Code	ANAGRAFICI_TMB
Generate	Yes
Table	ANAGRAFICI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.6.94.2 Code preview of the trigger ANAGRAFICI_TMB of the table ANAGRAFICI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.7 Table CATEGORIE_PROTETTE***V.4.3.7.1 Card of table CATEGORIE_PROTETTE***

Name	Categorie Protette
Code	CATEGORIE_PROTETTE
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.7.2 Check constraint name of table CATEGORIE_PROTETTE

CATEGORIE_PROTETTE_CT

V.4.3.7.3 Server validation rule of table CATEGORIE_PROTETTE

%RULES%

V.4.3.7.4 Begin script of table CATEGORIE_PROTETTE

```
/*
 * - A35461
 */
```

```
/* 27/01/2014 - MS - Aggiunto campo per F3715      */
/*=====*/

```

V.4.3.7.5 *Code preview of table CATEGORIE_PROTETTE*

```
/*=====
/* Table: CATEGORIE_PROTETTE      */
/*=====*/
/*
*          *
/*      - A35461      */
/* 27/01/2014 - MS - Aggiunto campo per F3715      */
/*=====*/
create table CATEGORIE_PROTETTE (
    CODICE      VARCHAR2(4)      not null,
    DESCRIZIONE  VARCHAR2(30),
    DESCRIZIONE_AL1  VARCHAR2(30),
    DESCRIZIONE_AL2  VARCHAR2(30),
    SEQUENZA    NUMBER(3),
    AREA_PROTETTA  VARCHAR2(4),
    CATEGORIA    VARCHAR2(4),
    PERC_LEGGE   NUMBER(5,2)
);

```

comment on table CATEGORIE_PROTETTE is
 'CAPR - Categorie sociali che godono di trattamento particolare';

comment on column CATEGORIE_PROTETTE.DESCRIZIONE is
 'Descrizione dell"area di appartenenza.';

comment on column CATEGORIE_PROTETTE.SEQUENZA is
 'Il valore espresso nella Sequenza, dell"area o della categoria consente l"ordinamento delle registrazioni, in fase di visualizzazione, con una disposizione diversa da quella attribuita dal codice principale. ';

comment on column CATEGORIE_PROTETTE.AREA_PROTETTA is
 'Area sociale di appartenenza identificata tra le codifiche già previste, non abbinate ad un"area protetta, per l"aggregazione di più categorie specifiche.';

alter table CATEGORIE_PROTETTE
 add constraint CAPR_PK primary key (CODICE);

```
/*=====
/* Index: CAPR_CAPR_FK      */
/*=====*/
create index CAPR_CAPR_FK on CATEGORIE_PROTETTE (
    AREA_PROTETTA ASC
);

```

V.4.3.7.6 List of diagrams containing the table CATEGORIE_PROTETTE

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.7.7 List of incoming references of the table CATEGORIE_PROTETTE

Name	Code
ANAG_CAPR	ANAG_CAPR
CAPR_CAPR	CAPR_CAPR

V.4.3.7.8 List of outgoing references of the table CATEGORIE_PROTETTE

Name	Code	Foreign Key Columns
CAPR_CAPR rv_domain = 'CATEGORIE_PROTETTE.CATEGORIA' /*parent*/	CAPR_CAPR CAPR_RECO_CATE	AREA_PROTETTA CATEGORIA

V.4.3.7.9 List of all dependencies of the table CATEGORIE_PROTETTE

Name	Code	Class Name
Categorie Protette	CATEGORIE_PROTETTE	Shortcut of table
ANAG_CAPR	ANAG_CAPR	Reference
CAPR_CAPR	CAPR_CAPR	Reference
rv_domain = 'CATEGORIE_PROTETTE.CATEGORIA' /*parent*/	CAPR_RECO_CATE	Reference

V.4.3.7.10 List of extended attributes of the table CATEGORIE_PROTETTE

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.7.11 List of columns of the table CATEGORIE_PROTETTE

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2

SEQUENZA	SEQUENZA
AREA PROTETTA	AREA_PROTETTA
CATEGORIA	CATEGORIA
PERC LEGGE	PERC_LEGGE

V.4.3.7.12 Column CODICE of the table CATEGORIE_PROTETTE

V.4.3.7.12.1 Card of the column CODICE of the table CATEGORIE_PROTETTE

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.7.12.2 Check constraint name of the column CODICE of the table CATEGORIE_PROTETTE

CATEGORIE_PRO_CODICE_CC

V.4.3.7.12.3 Check of the column CODICE of the table CATEGORIE_PROTETTE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.12.4 Server validation rule of the column CODICE of the table CATEGORIE_PROTETTE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.12.5 List of all dependencies of the table column CODICE

Name	Code	Class Name
CODICE	CODICE	Index Column
?	?	Reference Join
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.7.12.6 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.7.13 Column **DESCRIZIONE** of the table **CATEGORIE_PROTETTE**

V.4.3.7.13.1 Card of the column **DESCRIZIONE** of the table **CATEGORIE_PROTETTE**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.7.13.2 Check constraint name of the column **DESCRIZIONE** of the table **CATEGORIE_PROTETTE**

CATEGORIE_PRO_DESCRIZIONE_CC

V.4.3.7.13.3 Check of the column **DESCRIZIONE** of the table **CATEGORIE_PROTETTE**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.13.4 Server validation rule of the column **DESCRIZIONE** of the table **CATEGORIE_PROTETTE**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.13.5 List of extended attributes of the table column **DESCRIZIONE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.14 Column **DESCRIZIONE_AL1** of the table **CATEGORIE_PROTETTE**

V.4.3.7.14.1 Card of the column **DESCRIZIONE_AL1** of the table **CATEGORIE_PROTETTE**

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1

Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.7.14.2 Check constraint name of the column DESCRIZIONE_AL1 of the table
CATEGORIE_PROTETTE**

CATEGORIE_PRO_DESCRIZIONE_A_CC

V.4.3.7.14.3 Check of the column DESCRIZIONE_AL1 of the table CATEGORIE_PROTETTE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.7.14.4 Server validation rule of the column DESCRIZIONE_AL1 of the table
CATEGORIE_PROTETTE**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.14.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.15 Column DESCRIZIONE_AL2 of the table CATEGORIE_PROTETTE

V.4.3.7.15.1 Card of the column DESCRIZIONE_AL2 of the table CATEGORIE_PROTETTE

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.7.15.2 Check constraint name of the column DESCRIZIONE_AL2 of the table
CATEGORIE_PROTETTE**

CATEGORIE_PRO_DESCRIZIONE_A_CC

V.4.3.7.15.3 Check of the column DESCRIZIONE_AL2 of the table CATEGORIE_PROTETTE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.15.4 Server validation rule of the column DESCRIZIONE_AL2 of the table CATEGORIE_PROTETTE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.15.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.16 Column SEQUENZA of the table CATEGORIE_PROTETTE

V.4.3.7.16.1 Card of the column SEQUENZA of the table CATEGORIE_PROTETTE

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(3)
Mandatory	No

V.4.3.7.16.2 Check constraint name of the column SEQUENZA of the table CATEGORIE_PROTETTE

CATEGORIE_PRO_SEQUENZA_CC

V.4.3.7.16.3 Check of the column SEQUENZA of the table CATEGORIE_PROTETTE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.16.4 Server validation rule of the column SEQUENZA of the table CATEGORIE_PROTETTE
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.16.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.17 Column AREA_PROTETTA of the table CATEGORIE_PROTETTE

V.4.3.7.17.1 Card of the column AREA_PROTETTA of the table CATEGORIE_PROTETTE

Name	AREA_PROTETTA
Code	AREA_PROTETTA
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.7.17.2 Check constraint name of the column AREA_PROTETTA of the table CATEGORIE_PROTETTE

CATEGORIE_PRO_AREA_PROTETTA_CC

V.4.3.7.17.3 Check of the column AREA_PROTETTA of the table CATEGORIE_PROTETTE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.17.4 Server validation rule of the column AREA_PROTETTA of the table CATEGORIE_PROTETTE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.17.5 List of all dependencies of the table column AREA_PROTETTA

Name	Code	Class Name
AREA_PROTETTA	AREA_PROTETTA	Index Column

?	?	Reference Join
---	---	----------------

V.4.3.7.17.6 List of extended attributes of the table column AREA_PROTETTA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.18 Column CATEGORIA of the table CATEGORIE_PROTETTA**V.4.3.7.18.1 Card of the column CATEGORIA of the table CATEGORIE_PROTETTA**

Name	CATEGORIA
Code	CATEGORIA
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.7.18.2 Check constraint name of the column CATEGORIA of the table CATEGORIE_PROTETTA
CATEGORIE_PRO_CATEGORIA_CC**V.4.3.7.18.3 Check of the column CATEGORIA of the table CATEGORIE_PROTETTA**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.18.4 Server validation rule of the column CATEGORIA of the table CATEGORIE_PROTETTA
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.7.18.5 List of all dependencies of the table column CATEGORIA**

Name	Code	Class Name
?	?	Reference Join

V.4.3.7.18.6 List of extended attributes of the table column CATEGORIA

Name	Data Type	Value	Target Name
------	-----------	-------	-------------

ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.19 *Column PERC_LEGGE of the table CATEGORIE_PROTETTE*

V.4.3.7.19.1 Card of the column PERC_LEGGE of the table CATEGORIE_PROTETTE

Name	PERC_LEGGE
Code	PERC_LEGGE
Data Type	NUMBER(5,2)
Mandatory	No

V.4.3.7.19.2 Check constraint name of the column PERC_LEGGE of the table CATEGORIE_PROTETTE

CATEGORIE_PRO_PERC_LEGGE_CC

V.4.3.7.19.3 Check of the column PERC_LEGGE of the table CATEGORIE_PROTETTE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.7.19.4 Server validation rule of the column PERC_LEGGE of the table CATEGORIE_PROTETTE %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.7.19.5 List of extended attributes of the table column PERC_LEGGE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.7.20 *List of keys of the table CATEGORIE_PROTETTE*

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.7.21 Key KEY_1 of the table CATEGORIE_PROTETTE

V.4.3.7.21.1 Card of the key KEY_1 of the table CATEGORIE_PROTETTE

Name	Key_1
Code	KEY_1
Table	CATEGORIE_PROTETTE

V.4.3.7.21.2 Code preview of the key KEY_1 of the table CATEGORIE_PROTETTE

```
alter table CATEGORIE_PROTETTE
add constraint CAPR_PK primary key (CODICE);
```

V.4.3.7.21.3 List of columns of the table key KEY_1

Name	Code
CODICE	CODICE

V.4.3.7.21.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_CAPR	ANAG_CAPR	Reference
CAPR_CAPR	CAPR_CAPR	Reference
CAPR_PK	CAPR_PK	Index

V.4.3.7.22 List of indexes of the table CATEGORIE_PROTETTE

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
CAPR_PK	CAPR_PK	X		X		
CAPR_CAPR_F_K	CAPR_CAPR_F_K				X	

V.4.3.7.23 Index CAPR_PK of the table CATEGORIE_PROTETTE

V.4.3.7.23.1 Card of the index CAPR_PK of the table CATEGORIE_PROTETTE

Name	CAPR_PK
Code	CAPR_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No

Table	CATEGORIE_PROTETTE
-------	--------------------

V.4.3.7.23.2 Code preview of the index CAPR_PK of the table CATEGORIE_PROTETTE

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.7.23.3 List of index columns of the index CAPR_PK

Name	Code	Sort
CODICE	CODICE	Ascending

V.4.3.7.24 Index CAPR_CAPR_FK of the table CATEGORIE_PROTETTE**V.4.3.7.24.1 Card of the index CAPR_CAPR_FK of the table CATEGORIE_PROTETTE**

Name	CAPR_CAPR_FK
Code	CAPR_CAPR_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	Yes
Alternate Key	No
Table	CATEGORIE_PROTETTE

V.4.3.7.24.2 Code preview of the index CAPR_CAPR_FK of the table CATEGORIE_PROTETTE

```
/*
* Index: CAPR_CAPR_FK
*/
create index CAPR_CAPR_FK on CATEGORIE_PROTETTE (
    AREA_PROTETTA ASC
);
```

V.4.3.7.24.3 List of index columns of the index CAPR_CAPR_FK

Name	Code	Sort
AREA_PROTETTA	AREA_PROTETTA	Ascending

V.4.3.7.25 List of triggers of the table CATEGORIE_PROTETTE

Name	Code
categorie_protette_tiu	CATEGORIE_PROTETTE_TIU
categorie_protette_tmb	CATEGORIE_PROTETTE_TMB

**V.4.3.7.26 Trigger *CATEGORIE_PROTETTE_TIU* of the table
CATEGORIE_PROTETTE**

V.4.3.7.26.1 Card of the trigger CATEGORIE_PROTETTE_TIU of the table CATEGORIE_PROTETTE

Name	categorie_protette_tiu
Code	CATEGORIE_PROTETTE_TIU
Generate	Yes
Table	CATEGORIE_PROTETTE
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

**V.4.3.7.26.2 Code preview of the trigger CATEGORIE_PROTETTE_TIU of the table
CATEGORIE_PROTETTE**

- The preview is empty because of the setting.
- Check the generation option.

**V.4.3.7.27 Trigger *CATEGORIE_PROTETTE_TMB* of the table
CATEGORIE_PROTETTE**

**V.4.3.7.27.1 Card of the trigger CATEGORIE_PROTETTE_TMB of the table
CATEGORIE_PROTETTE**

Name	categorie_protette_tmb
Code	CATEGORIE_PROTETTE_TMB
Generate	Yes
Table	CATEGORIE_PROTETTE
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

**V.4.3.7.27.2 Code preview of the trigger CATEGORIE_PROTETTE_TMB of the table
CATEGORIE_PROTETTE**

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.8 Table CATEGORIE_PROTETTE_NEW

V.4.3.8.1 Card of table CATEGORIE_PROTETTE_NEW

Name	Categorie Protette2
Code	CATEGORIE_PROTETTE_NEW
DBMS	ORACLE Version 8i2 (for Si4)

**V.4.3.8.2 Check constraint name of table CATEGORIE_PROTETTE_NEW
CATEGORIE_PROTETTE_NEW_CT**

V.4.3.8.3 Server validation rule of table CATEGORIE_PROTETTE_NEW

%RULES%

V.4.3.8.4 Begin script of table CATEGORIE_PROTETTE_NEW

```
/*
   *
/* A35461
*/
/*-----*/
```

V.4.3.8.5 Code preview of table CATEGORIE_PROTETTE_NEW

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.8.6 List of extended attributes of the table CATEGORIE_PROTETTE_NEW

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.8.7 List of columns of the table CATEGORIE_PROTETTE_NEW

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
AREA PROTETTA	AREA_PROTETTA
CATEGORIA	CATEGORIA

V.4.3.8.8 Column CODICE of the table CATEGORIE_PROTETTE_NEW**V.4.3.8.8.1 Card of the column CODICE of the table CATEGORIE_PROTETTE_NEW**

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.8.8.2 Check constraint name of the column CODICE of the table CATEGORIE_PROTETTE_NEW

CATEGORIE_PRO_CODICE_CC

V.4.3.8.8.3 Check of the column CODICE of the table CATEGORIE_PROTETTE_NEW

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.8.8.4 Server validation rule of the column CODICE of the table CATEGORIE_PROTETTE_NEW
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.8.5 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.8.9 Column DESCRIZIONE of the table CATEGORIE_PROTETTE_NEW

V.4.3.8.9.1 Card of the column DESCRIZIONE of the table CATEGORIE_PROTETTE_NEW

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.8.9.2 Check constraint name of the column DESCRIZIONE of the table CATEGORIE_PROTETTE_NEW

CATEGORIE_PRO_DESCRIZIONE_CC

V.4.3.8.9.3 Check of the column DESCRIZIONE of the table CATEGORIE_PROTETTE_NEW

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.8.9.4 Server validation rule of the column DESCRIZIONE of the table
CATEGORIE_PROTETTE_NEW**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.9.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.8.10 Column DESCRIZIONE_AL1 of the table CATEGORIE_PROTETTE_NEW

V.4.3.8.10.1 Card of the column DESCRIZIONE_AL1 of the table CATEGORIE_PROTETTE_NEW

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.8.10.2 Check constraint name of the column DESCRIZIONE_AL1 of the table

CATEGORIE_PROTETTE_NEW

CATEGORIE_PRO_DESCRIZIONE_A_CC

V.4.3.8.10.3 Check of the column DESCRIZIONE_AL1 of the table CATEGORIE_PROTETTE_NEW

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.8.10.4 Server validation rule of the column DESCRIZIONE_AL1 of the table

CATEGORIE_PROTETTE_NEW

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.10.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.8.11 Column **DESCRIZIONE_AL2** of the table **CATEGORIE_PROTETTE_NEW**

V.4.3.8.11.1 Card of the column **DESCRIZIONE_AL2** of the table **CATEGORIE_PROTETTE_NEW**

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.8.11.2 Check constraint name of the column **DESCRIZIONE_AL2** of the table **CATEGORIE_PROTETTE_NEW**

CATEGORIE_PRO_DESCRIZIONE_A_CC

V.4.3.8.11.3 Check of the column **DESCRIZIONE_AL2** of the table **CATEGORIE_PROTETTE_NEW**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.8.11.4 Server validation rule of the column **DESCRIZIONE_AL2** of the table **CATEGORIE_PROTETTE_NEW**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.11.5 List of extended attributes of the table column **DESCRIZIONE_AL2**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.8.12 Column **SEQUENZA** of the table **CATEGORIE_PROTETTE_NEW**

V.4.3.8.12.1 Card of the column **SEQUENZA** of the table **CATEGORIE_PROTETTE_NEW**

Name	SEQUENZA
------	----------

Code	SEQUENZA
Data Type	NUMBER(3)
Mandatory	No

**V.4.3.8.12.2 Check constraint name of the column SEQUENZA of the table
CATEGORIE_PROTETTA_NEW**

CATEGORIE_PRO_SEQUENZA_CC

V.4.3.8.12.3 Check of the column SEQUENZA of the table CATEGORIE_PROTETTA_NEW

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.8.12.4 Server validation rule of the column SEQUENZA of the table
CATEGORIE_PROTETTA_NEW**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.12.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.8.13 Column AREA_PROTETTA of the table CATEGORIE_PROTETTA_NEW

V.4.3.8.13.1 Card of the column AREA_PROTETTA of the table CATEGORIE_PROTETTA_NEW

Name	AREA_PROTETTA
Code	AREA_PROTETTA
Data Type	VARCHAR2(4)
Mandatory	No

**V.4.3.8.13.2 Check constraint name of the column AREA_PROTETTA of the table
CATEGORIE_PROTETTA_NEW**

CATEGORIE_PRO_AREA_PROTETTA_CC

V.4.3.8.13.3 Check of the column AREA_PROTETTA of the table CATEGORIE_PROTETTE_NEW

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.8.13.4 Server validation rule of the column AREA_PROTETTA of the table CATEGORIE_PROTETTE_NEW

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.13.5 List of extended attributes of the table column AREA_PROTETTA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.8.14 Column CATEGORIA of the table CATEGORIE_PROTETTE_NEW

V.4.3.8.14.1 Card of the column CATEGORIA of the table CATEGORIE_PROTETTE_NEW

Name	CATEGORIA
Code	CATEGORIA
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.8.14.2 Check constraint name of the column CATEGORIA of the table CATEGORIE_PROTETTE_NEW

CATEGORIE_PRO_CATEGORIA_CC

V.4.3.8.14.3 Check of the column CATEGORIA of the table CATEGORIE_PROTETTE_NEW

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

**V.4.3.8.14.4 Server validation rule of the column CATEGORIA of the table
CATEGORIE_PROTETTE_NEW**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.8.14.5 List of extended attributes of the table column CATEGORIA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9 Table CLASSI_RAPPORTO

V.4.3.9.1 Card of table CLASSI_RAPPORTO

Name	Classi Rapporto
Code	CLASSI_RAPPORTO
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.9.2 Check constraint name of table CLASSI_RAPPORTO

CLASSI_RAPPORTO_CT

V.4.3.9.3 Server validation rule of table CLASSI_RAPPORTO

%RULES%

V.4.3.9.4 Begin script of table CLASSI_RAPPORTO

```
/*
          */
/*      A36990      */
/* 01/04/2011 - MS - A43175.1 - Allineamento con GPs      */
/*=====*/
/*=====*/
```

V.4.3.9.5 Code preview of table CLASSI_RAPPORTO

```
/*
          */
/* Table: CLASSI_RAPPORTO      */
/*=====*/
/*      */
/*      A36990      */
/* 01/04/2011 - MS - A43175.1 - Allineamento con GPs      */
/*=====*/
/*=====*/
```

```

create table CLASSI_RAPPORTO (
    CODICE          VARCHAR2(4)           not null,
    DESCRIZIONE     VARCHAR2(30),
    DESCRIZIONE_AL1 VARCHAR2(30),
    DESCRIZIONE_AL2 VARCHAR2(30),
    SEQUENZA        NUMBER(3),
    RETRIBUTIVO     VARCHAR2(2)          default 'SI' not null,
    PRESENZA        VARCHAR2(2)          default 'SI' not null,
    GIURIDICO       VARCHAR2(2),
    CONCORSO        VARCHAR2(2)          default 'SI' not null,
    CAT_FISCALE     VARCHAR2(2),
    CAT_INAIL       VARCHAR2(2),
    VORTALE         VARCHAR2(2)          default 'SI' not null,
    DOTAZIONE        VARCHAR2(2)          default 'SI' not null,
    TIPO_COMPENSO   VARCHAR2(15),
    TIPO_COMPENSO_AL1 VARCHAR2(15),
    TIPO_COMPENSO_AL2 VARCHAR2(15),
    COMPONENTE      VARCHAR2(2)          default 'SI' not null,
    CENTRI_IMPIEGO  VARCHAR2(2)          default 'SI' not null,
    AMMINISTRATORE  VARCHAR2(2)          default 'NO' not null,
    ENTE_ESTERNO    VARCHAR2(2)          default 'NO' not null,
    COMANDO         VARCHAR2(1),
    CAT_PREVIDENZIALE VARCHAR2(2),
    CATEGORIA_MEDICO VARCHAR2(1)
);

```

comment on table CLASSI_RAPPORTO is
 'CLRA - Classi di rapporto individuale con l"ente';

comment on column CLASSI_RAPPORTO.CODICE is
 'Codice di classificazione dei rapporti degli individui con l"ente, per determinare le caratteristiche applicative della registrazione.:'

comment on column CLASSI_RAPPORTO.DESCRIZIONE is
 'Descrizione del Rapporto dell"individuo con l"ente.';

comment on column CLASSI_RAPPORTO.SEQUENZA is
 'La Sequenza consente l"esposizione delle registrazioni, in visualizzazione, con un ordinamento diverso rispetto a quello attribuito dalla codifica impostata.
 ';

comment on column CLASSI_RAPPORTO.RETRIBUTIVO is
 'Retributivo: Identifica se la classe di rapporto dell"individuo con l"ente e' di tipo Retributivo, cioè gestito nella sottoapplicazione Economica Contabile.';

comment on column CLASSI_RAPPORTO.PRESENZA is

'Presenza: Identifica se la classe di rapporto dell'individuo con l'ente è di tipo Presenza, cioè se l'individuo è gestito nella sottoapplicazione Presenze e Assenze.
 L'indicatore di "Presenza" in abbinamento all'indicatore "Retributivo" consente l'identificazione delle classi che definiscono un rapporto di effettiva relazione interdipendente con l'ente. Nella fase retributiva un rapporto di "Presenza" è trattato anche in assenza di variabili mensili, qualora sia stata richiesta un'elaborazione collettiva del personale in servizio nella mensilità, mentre chi non ha rapporto di "Presenza" è trattato solo in presenza di variabili alla retribuzione o in caso di richiesta di tutto il personale con rapporto retribuibile.'

';

comment on column CLASSI_RAPPORTO.GIURIDICO is

'Giuridico: Identifica se la classe di rapporto dell'individuo con l'ente è di tipo Giuridico, cioè se l'individuo è gestito nella sottoapplicazione Giuridica Matricolare.';

comment on column CLASSI_RAPPORTO.CONCORSO is

'Concorso: Identifica se la classe di rapporto dell'individuo con l'ente è di tipo Graduatorie e Concorsi, cioè se l'individuo è gestito nella sottoapplicazione Concorsi';

comment on column CLASSI_RAPPORTO.CAT_FISCALE is

'In funzione del codice di categoria fiscale inserito si stabilisce in quale quadro delle denunce fiscali (770) collocare l'individuo. I codici 10 e 20 inibiscono l'emissione delle voci di addizionale regionale e comunale.';

comment on column CLASSI_RAPPORTO.CAT_INAIL is

'Identifica particolari categorie di lavoratori utili ai fini INAIL per le sole denunce fiscali (770).';

alter table CLASSI_RAPPORTO
 add constraint CLRA_PK primary key (CODICE);

V.4.3.9.6 List of diagrams containing the table CLASSI_RAPPORTO

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.9.7 List of incoming references of the table CLASSI_RAPPORTO

Name	Code
RAIN_CLRA	RAIN_CLRA
VADE_CLRA	VADE_CLRA

V.4.3.9.8 List of outgoing references of the table CLASSI_RAPPORTO

Name	Code	Foreign Key Columns
rv_domain =	CLRA_PEGI_DOTAZION	DOTAZIONE

'CLASSI_RAPPORTO.DO TAZIONE' /*Parent*/ rv_domain = 'SINO' /*AMM Parent*/ rv_domain = 'CLASSI_RAPPORTO.CA T_FISCALE' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.CA T_INAIL' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.CO NCORSO' /*Parent*/ rv_domain = 'SINO' /*ENES Parent*/ rv_domain = 'CLASSI_RAPPORTO.GI URIDICO' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.PR ESENZA' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.RE TRIBUTIVO' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.VO RTALE' /*Parent*/	E		
	CLRA_RECO_AMM	AMMINISTRATORE	
	CLRA_RECO_CAT_FISC ALE	CAT_FISCALE	
	CLRA_RECO_CAT_INAIL	CAT_INAIL	
	CLRA_RECO_CONCORS O	CONCORSO	
	CLRA_RECO_ENTE_EST ERNO	ENTE_ESTERNO	
	CLRA_RECO_GIURIDIC O	GIURIDICO	
	CLRA_RECO_PRESENZA	PRESenza	
	CLRA_RECO_RETribut ivo	RETributivo	
	CLRA_RECO_VORTALE	VORTALE	

V.4.3.9.9 List of all dependencies of the table CLASSI_RAPPORTO

Name	Code	Class Name
Classi Rapporto	CLASSI_RAPPORTO	Shortcut of table
Classi Rapporto	CLASSI_RAPPORTO	Shortcut of table
rv_domain = 'CLASSI_RAPPORTO.DOTAZION E' /*Parent*/	CLRA_PEGI_DOTAZIONE	Reference
rv_domain = 'SINO' /*AMM Parent*/	CLRA_RECO_AMM	Reference
rv_domain = 'CLASSI_RAPPORTO.CAT_FISCA LE' /*Parent*/	CLRA_RECO_CAT_FISCALE	Reference
rv_domain = 'CLASSI_RAPPORTO.CAT_INAIL' /*Parent*/	CLRA_RECO_CAT_INAIL	Reference
rv_domain = 'CLASSI_RAPPORTO.CONCORSO' /*Parent*/	CLRA_RECO_CONCORSO	Reference

rv_domain = 'SINO' /*ENES Parent*/	CLRA_RECO_ENTE_ESTERNO	Reference
rv_domain = 'CLASSI_RAPPORTO.GIURIDICO' /*Parent*/	CLRA_RECO_GIURIDICO	Reference
rv_domain = 'CLASSI_RAPPORTO.PRESENZA' /*Parent*/	CLRA_RECO_PRESENZA	Reference
rv_domain = 'CLASSI_RAPPORTO.RETRIBUTIVO' /*Parent*/	CLRA_RECO_RETributivo	Reference
rv_domain = 'CLASSI_RAPPORTO.VORTALE' /*Parent*/	CLRA_RECO_VORTALE	Reference
RAIN_CLRA	RAIN_CLRA	Reference
VADE_CLRA	VADE_CLRA	Reference

V.4.3.9.10 List of extended attributes of the table CLASSI_RAPPORTO

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.9.11 List of columns of the table CLASSI_RAPPORTO

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
RETRIBUTIVO	RETRIBUTIVO
PRESENZA	PRESENZA
GIURIDICO	GIURIDICO
CONCORSO	CONCORSO
CAT_FISCALE	CAT_FISCALE
CAT_INAIL	CAT_INAIL
VORTALE	VORTALE
DOTAZIONE	DOTAZIONE
TIPO_COMPENSO	TIPO_COMPENSO
TIPO_COMPENSO_AL1	TIPO_COMPENSO_AL1
TIPO_COMPENSO_AL2	TIPO_COMPENSO_AL2
COMPONENTE	COMPONENTE
CENTRI_IMPIEGO	CENTRI_IMPIEGO
AMMINISTRATORE	AMMINISTRATORE
ENTE_ESTERNO	ENTE_ESTERNO

COMANDO	COMANDO
CAT_PREVIDENZIALE	CAT_PREVIDENZIALE
CATEGORIA_MEDICO	CATEGORIA_MEDICO

V.4.3.9.12 Column **CODICE** of the table **CLASSI_RAPPORTO**

V.4.3.9.12.1 Card of the column CODICE of the table CLASSI_RAPPORTO

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.9.12.2 Check constraint name of the column CODICE of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_CODICE_CC

V.4.3.9.12.3 Check of the column CODICE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.12.4 Server validation rule of the column CODICE of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.12.5 List of all dependencies of the table column CODICE

Name	Code	Class Name
CODICE	CODICE	Index Column
?	?	Reference Join
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.9.12.6 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam	(String)		ORACLE Version 8i2 (for

e			Si4)
---	--	--	------

V.4.3.9.13 Column **DESCRIZIONE** of the table **CLASSI_RAPPORTO**

V.4.3.9.13.1 Card of the column **DESCRIZIONE** of the table **CLASSI_RAPPORTO**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.9.13.2 Check constraint name of the column **DESCRIZIONE** of the table **CLASSI_RAPPORTO**

CLASSI_RAPPOR_DESCRIZIONE_CC

V.4.3.9.13.3 Check of the column **DESCRIZIONE** of the table **CLASSI_RAPPORTO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.13.4 Server validation rule of the column **DESCRIZIONE** of the table **CLASSI_RAPPORTO**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.13.5 List of extended attributes of the table column **DESCRIZIONE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.14 Column **DESCRIZIONE_AL1** of the table **CLASSI_RAPPORTO**

V.4.3.9.14.1 Card of the column **DESCRIZIONE_AL1** of the table **CLASSI_RAPPORTO**

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.9.14.2 Check constraint name of the column DESCRIZIONE_AL1 of the table
CLASSI_RAPPORTO**

CLASSI_RAPPOR_DESCRIZIONE_A_CC

V.4.3.9.14.3 Check of the column DESCRIZIONE_AL1 of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.14.4 Server validation rule of the column DESCRIZIONE_AL1 of the table CLASSI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.14.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.15 Column DESCRIZIONE_AL2 of the table CLASSI_RAPPORTO

V.4.3.9.15.1 Card of the column DESCRIZIONE_AL2 of the table CLASSI_RAPPORTO

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.9.15.2 Check constraint name of the column DESCRIZIONE_AL2 of the table
CLASSI_RAPPORTO**

CLASSI_RAPPOR_DESCRIZIONE_A_CC

V.4.3.9.15.3 Check of the column DESCRIZIONE_AL2 of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.15.4 Server validation rule of the column DESCRIZIONE_AL2 of the table CLASSI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.15.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.16 Column SEQUENZA of the table CLASSI_RAPPORTO

V.4.3.9.16.1 Card of the column SEQUENZA of the table CLASSI_RAPPORTO

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(3)
Mandatory	No

V.4.3.9.16.2 Check constraint name of the column SEQUENZA of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_SEQUENZA_CC

V.4.3.9.16.3 Check of the column SEQUENZA of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.16.4 Server validation rule of the column SEQUENZA of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.16.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.17 Column RETRIBUTIVO of the table CLASSI_RAPPORTO

V.4.3.9.17.1 Card of the column RETRIBUTIVO of the table CLASSI_RAPPORTO

Name	RETRIBUTIVO
Code	RETRIBUTIVO
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.17.2 Check constraint name of the column RETRIBUTIVO of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_RETIRIBUTIVO_CC

V.4.3.9.17.3 Check of the column RETRIBUTIVO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.17.4 Server validation rule of the column RETRIBUTIVO of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.17.5 List of all dependencies of the table column RETRIBUTIVO

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.17.6 List of extended attributes of the table column RETRIBUTIVO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.18 Column PRESENZA of the table CLASSI_RAPPORTO

V.4.3.9.18.1 Card of the column PRESENZA of the table CLASSI_RAPPORTO

Name	PRESENZA
Code	PRESENZA
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.18.2 Check constraint name of the column PRESENZA of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_PRESENZA_CC

V.4.3.9.18.3 Check of the column PRESENZA of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.18.4 Server validation rule of the column PRESENZA of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.18.5 List of all dependencies of the table column PRESENZA

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.18.6 List of extended attributes of the table column PRESENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.19 Column *GIURIDICO* of the table *CLASSI_RAPPORTO*

V.4.3.9.19.1 Card of the column *GIURIDICO* of the table *CLASSI_RAPPORTO*

Name	GIURIDICO
Code	GIURIDICO
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.19.2 Check constraint name of the column *GIURIDICO* of the table *CLASSI_RAPPORTO*

CLASSI_RAPPOR_GIURIDICO_CC

V.4.3.9.19.3 Check of the column *GIURIDICO* of the table *CLASSI_RAPPORTO*

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.19.4 Server validation rule of the column *GIURIDICO* of the table *CLASSI_RAPPORTO*

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.19.5 List of all dependencies of the table column *GIURIDICO*

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.19.6 List of extended attributes of the table column *GIURIDICO*

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.20 Column *CONCORSO* of the table *CLASSI_RAPPORTO*

V.4.3.9.20.1 Card of the column *CONCORSO* of the table *CLASSI_RAPPORTO*

Name	CONCORSO
Code	CONCORSO

Data Type	VARCHAR2(2)
Mandatory	Yes

**V.4.3.9.20.2 Check constraint name of the column CONCORSO of the table CLASSI_RAPPORTO
CLASSI_RAPPOR_CONCORSO_CC**

V.4.3.9.20.3 Check of the column CONCORSO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.9.20.4 Server validation rule of the column CONCORSO of the table CLASSI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.9.20.5 List of all dependencies of the table column CONCORSO

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.20.6 List of extended attributes of the table column CONCORSO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.21 Column CAT_FISCALE of the table CLASSI_RAPPORTO

V.4.3.9.21.1 Card of the column CAT_FISCALE of the table CLASSI_RAPPORTO

Name	CAT_FISCALE
Code	CAT_FISCALE
Data Type	VARCHAR2(2)
Mandatory	No

V.4.3.9.21.2 Check constraint name of the column CAT_FISCALE of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_CAT_FISCALE_CC

V.4.3.9.21.3 Check of the column CAT_FISCALE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.21.4 Server validation rule of the column CAT_FISCALE of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.21.5 List of all dependencies of the table column CAT_FISCALE

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.21.6 List of extended attributes of the table column CAT_FISCALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.22 Column CAT_INAIL of the table CLASSI_RAPPORTO

V.4.3.9.22.1 Card of the column CAT_INAIL of the table CLASSI_RAPPORTO

Name	CAT_INAIL
Code	CAT_INAIL
Data Type	VARCHAR2(2)
Mandatory	No

V.4.3.9.22.2 Check constraint name of the column CAT_INAIL of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_CAT_INAIL_CC

V.4.3.9.22.3 Check of the column CAT_INAIL of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.22.4 Server validation rule of the column CAT_INAIL of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.22.5 List of all dependencies of the table column CAT_INAIL

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.22.6 List of extended attributes of the table column CAT_INAIL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.23 Column VORTALE of the table CLASSI_RAPPORTO**V.4.3.9.23.1 Card of the column VORTALE of the table CLASSI_RAPPORTO**

Name	VORTALE
Code	VORTALE
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.23.2 Check constraint name of the column VORTALE of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_VORTALE_CC

V.4.3.9.23.3 Check of the column VORTALE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.9.23.4 Server validation rule of the column VORTALE of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.23.5 List of all dependencies of the table column VORTALE

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.23.6 List of extended attributes of the table column VORTALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.24 Column DOTAZIONE of the table CLASSI_RAPPORTO**V.4.3.9.24.1 Card of the column DOTAZIONE of the table CLASSI_RAPPORTO**

Name	DOTAZIONE
Code	DOTAZIONE
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.24.2 Check constraint name of the column DOTAZIONE of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_DOTAZIONE_CC

V.4.3.9.24.3 Check of the column DOTAZIONE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.24.4 Server validation rule of the column DOTAZIONE of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.24.5 List of all dependencies of the table column DOTAZIONE

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.24.6 List of extended attributes of the table column DOTAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.25 Column TIPO_COMPENSO of the table CLASSI_RAPPORTO

V.4.3.9.25.1 Card of the column TIPO_COMPENSO of the table CLASSI_RAPPORTO

Name	TIPO_COMPENSO
Code	TIPO_COMPENSO
Data Type	VARCHAR2(15)
Mandatory	No

V.4.3.9.25.2 Check constraint name of the column TIPO_COMPENSO of the table CLASSI_RAPPORTO
CLASSI_RAPPOR_TIPO_COMPENSO_CC

V.4.3.9.25.3 Check of the column TIPO_COMPENSO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.25.4 Server validation rule of the column TIPO_COMPENSO of the table CLASSI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.25.5 List of extended attributes of the table column TIPO_COMPENSO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.26 Column **TIPO_COMPENSO_AL1** of the table **CLASSI_RAPPORTO**

V.4.3.9.26.1 Card of the column **TIPO_COMPENSO_AL1** of the table **CLASSI_RAPPORTO**

Name	TIPO_COMPENSO_AL1
Code	TIPO_COMPENSO_AL1
Data Type	VARCHAR2(15)
Mandatory	No

V.4.3.9.26.2 Check constraint name of the column **TIPO_COMPENSO_AL1** of the table **CLASSI_RAPPORTO**

CLASSI_RAPPOR_TIPO_COMPENSO_CC

V.4.3.9.26.3 Check of the column **TIPO_COMPENSO_AL1** of the table **CLASSI_RAPPORTO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.26.4 Server validation rule of the column **TIPO_COMPENSO_AL1** of the table **CLASSI_RAPPORTO**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.26.5 List of extended attributes of the table column **TIPO_COMPENSO_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.27 Column **TIPO_COMPENSO_AL2** of the table **CLASSI_RAPPORTO**

V.4.3.9.27.1 Card of the column **TIPO_COMPENSO_AL2** of the table **CLASSI_RAPPORTO**

Name	TIPO_COMPENSO_AL2
Code	TIPO_COMPENSO_AL2
Data Type	VARCHAR2(15)
Mandatory	No

**V.4.3.9.27.2 Check constraint name of the column TIPO_COMPENSO_AL2 of the table
CLASSI_RAPPORTO**

CLASSI_RAPPOR_TIPO_COMPENSO_CC

V.4.3.9.27.3 Check of the column TIPO_COMPENSO_AL2 of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.9.27.4 Server validation rule of the column TIPO_COMPENSO_AL2 of the table
CLASSI_RAPPORTO**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.27.5 List of extended attributes of the table column TIPO_COMPENSO_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.28 Column COMPONENTE of the table CLASSI_RAPPORTO

V.4.3.9.28.1 Card of the column COMPONENTE of the table CLASSI_RAPPORTO

Name	COMPONENTE
Code	COMPONENTE
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.28.2 Check constraint name of the column COMPONENTE of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_COMPONENTE_CC

V.4.3.9.28.3 Check of the column COMPONENTE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.28.4 Server validation rule of the column COMPONENTE of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.28.5 List of extended attributes of the table column COMPONENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.29 Column CENTRI_IMPIEGO of the table CLASSI_RAPPORTO**V.4.3.9.29.1 Card of the column CENTRI_IMPIEGO of the table CLASSI_RAPPORTO**

Name	CENTRI_IMPIEGO
Code	CENTRI_IMPIEGO
Data Type	VARCHAR2(2)
Mandatory	Yes

**V.4.3.9.29.2 Check constraint name of the column CENTRI_IMPIEGO of the table
CLASSI_RAPPORTO**

CLASSI_RAPPOR_CENTRI_IMPIEG_CC

V.4.3.9.29.3 Check of the column CENTRI_IMPIEGO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	SI
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.3.9.29.4 Server validation rule of the column CENTRI_IMPIEGO of the table CLASSI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.29.5 List of extended attributes of the table column CENTRI_IMPIEGO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.30 Column AMMINISTRATORE of the table CLASSI_RAPPORTO

V.4.3.9.30.1 Card of the column AMMINISTRATORE of the table CLASSI_RAPPORTO

Name	AMMINISTRATORE
Code	AMMINISTRATORE
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.30.2 Check constraint name of the column AMMINISTRATORE of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_AMMINISTRATOR_CC

V.4.3.9.30.3 Check of the column AMMINISTRATORE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.30.4 Server validation rule of the column AMMINISTRATORE of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.30.5 List of all dependencies of the table column AMMINISTRATORE

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.30.6 List of extended attributes of the table column AMMINISTRATORE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.31 Column ENTE_ESTERNO of the table CLASSI_RAPPORTO**V.4.3.9.31.1 Card of the column ENTE_ESTERNO of the table CLASSI_RAPPORTO**

Name	ENTE ESTERNO
Code	ENTE_ESTERNO
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.9.31.2 Check constraint name of the column ENTE_ESTERNO of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_ENTE_ESTERNO_CC

V.4.3.9.31.3 Check of the column ENTE_ESTERNO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.31.4 Server validation rule of the column ENTE_ESTERNO of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.31.5 List of all dependencies of the table column ENTE_ESTERNO

Name	Code	Class Name
?	?	Reference Join

V.4.3.9.31.6 List of extended attributes of the table column ENTE_ESTERNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	erred		Si4) ORACLE Version 8i2 (for Si4)
--------------------------	-------	--	--------------------------------------

V.4.3.9.32 Column **COMANDO** of the table **CLASSI_RAPPORTO**

V.4.3.9.32.1 Card of the column COMANDO of the table CLASSI_RAPPORTO

Name	COMANDO
Code	COMANDO
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.9.32.2 Check constraint name of the column COMANDO of the table CLASSI_RAPPORTO

CLASSI_RAPPOR_COMANDO_CC

V.4.3.9.32.3 Check of the column COMANDO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.32.4 Server validation rule of the column COMANDO of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.32.5 List of extended attributes of the table column COMANDO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.33 Column **CAT_PREVIDENZIALE** of the table **CLASSI_RAPPORTO**

V.4.3.9.33.1 Card of the column CAT_PREVIDENZIALE of the table CLASSI_RAPPORTO

Name	CAT_PREVIDENZIALE
Code	CAT_PREVIDENZIALE

Data Type	VARCHAR2(2)
Mandatory	No

**V.4.3.9.33.2 Check constraint name of the column CAT_PREVIDENZIALE of the table
CLASSI_RAPPORTO**

CLASSI_RAPPOR_CAT_PREVIDENZ_CC

V.4.3.9.33.3 Check of the column CAT_PREVIDENZIALE of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.9.33.4 Server validation rule of the column CAT_PREVIDENZIALE of the table
CLASSI_RAPPORTO**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.33.5 List of extended attributes of the table column CAT_PREVIDENZIALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.34 Column CATEGORIA_MEDICO of the table CLASSI_RAPPORTO

V.4.3.9.34.1 Card of the column CATEGORIA_MEDICO of the table CLASSI_RAPPORTO

Name	CATEGORIA_MEDICO
Code	CATEGORIA_MEDICO
Data Type	VARCHAR2(1)
Mandatory	No

**V.4.3.9.34.2 Check constraint name of the column CATEGORIA_MEDICO of the table
CLASSI_RAPPORTO**

CLASSI_RAPPOR_CATEGORIA_MED_CC

V.4.3.9.34.3 Check of the column CATEGORIA_MEDICO of the table CLASSI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.9.34.4 Server validation rule of the column CATEGORIA_MEDICO of the table CLASSI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.9.34.5 List of extended attributes of the table column CATEGORIA_MEDICO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.9.35 List of keys of the table CLASSI_RAPPORTO

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.9.36 Key KEY_1 of the table CLASSI_RAPPORTO

V.4.3.9.36.1 Card of the key KEY_1 of the table CLASSI_RAPPORTO

Name	Key_1
Code	KEY_1
Table	CLASSI_RAPPORTO

V.4.3.9.36.2 Code preview of the key KEY_1 of the table CLASSI_RAPPORTO

```
alter table CLASSI_RAPPORTO
add constraint CLRA_PK primary key (CODICE);
```

V.4.3.9.36.3 List of columns of the table key KEY_1

Name	Code
CODICE	CODICE

V.4.3.9.36.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
CLRA_PK	CLRA_PK	Index
RAIN_CLRA	RAIN_CLRA	Reference
VADE_CLRA	VADE_CLRA	Reference

V.4.3.9.37 List of indexes of the table CLASSI_RAPPORTO

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
CLRA_PK	CLRA_PK	X		X		

V.4.3.9.38 Index CLRA_PK of the table CLASSI_RAPPORTO**V.4.3.9.38.1 Card of the index CLRA_PK of the table CLASSI_RAPPORTO**

Name	CLRA_PK
Code	CLRA_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	CLASSI_RAPPORTO

V.4.3.9.38.2 Code preview of the index CLRA_PK of the table CLASSI_RAPPORTO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.9.38.3 List of index columns of the index CLRA_PK

Name	Code	Sort
CODICE	CODICE	Ascending

V.4.3.9.39 List of triggers of the table CLASSI_RAPPORTO

Name	Code
classi_rapporto_tdb	CLASSI_RAPPORTO_TDB
classi_rapporto_tiu	CLASSI_RAPPORTO_TIU
classi_rapporto_tmb	CLASSI_RAPPORTO_TMB

V.4.3.9.40 Trigger CLASSI_RAPPORTO_TDB of the table CLASSI_RAPPORTO**V.4.3.9.40.1 Card of the trigger CLASSI_RAPPORTO_TDB of the table CLASSI_RAPPORTO**

Name	classi_rapporto_tdb
Code	CLASSI_RAPPORTO_TDB
Generate	Yes
Table	CLASSI_RAPPORTO
Trigger Template	BeforeDeleteTrigger (From DBMS)
User-Defined SQL	No

V.4.3.9.40.2 Code preview of the trigger CLASSI_RAPPORTO_TDB of the table CLASSI_RAPPORTO

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.9.41 Trigger CLASSI_RAPPORTO_TIU of the table CLASSI_RAPPORTO**V.4.3.9.41.1 Card of the trigger CLASSI_RAPPORTO_TIU of the table CLASSI_RAPPORTO**

Name	classi_rapporto_tiu
Code	CLASSI_RAPPORTO_TIU
Generate	Yes
Table	CLASSI_RAPPORTO
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.9.41.2 Code preview of the trigger CLASSI_RAPPORTO_TIU of the table CLASSI_RAPPORTO

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.9.42 Trigger CLASSI_RAPPORTO_TMB of the table CLASSI_RAPPORTO**V.4.3.9.42.1 Card of the trigger CLASSI_RAPPORTO_TMB of the table CLASSI_RAPPORTO**

Name	classi_rapporto_tmb
Code	CLASSI_RAPPORTO_TMB
Generate	Yes
Table	CLASSI_RAPPORTO
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.9.42.2 Code preview of the trigger CLASSI_RAPPORTO_TMB of the table CLASSI_RAPPORTO

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.10 Table CONDIZIONI_NON_PROFESSIONALI***V.4.3.10.1 Card of table CONDIZIONI_NON_PROFESSIONALI***

Name	Condizioni non Professionali
Code	CONDIZIONI_NON_PROFESSIONALI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.10.2 Check constraint name of table *CONDIZIONI_NON_PROFESSIONALI*
CONDIZIONI_NON_PROFESIONALI_CT

V.4.3.10.3 Server validation rule of table *CONDIZIONI_NON_PROFESSIONALI*
%RULES%

V.4.3.10.4 Code preview of table *CONDIZIONI_NON_PROFESSIONALI*

```
/*=====
/* Table: CONDIZIONI_NON_PROFESIONALI          */
/*=====*/
create table CONDIZIONI_NON_PROFESIONALI (
    CODICE      VARCHAR2(4)           not null,
    DESCRIZIONE  VARCHAR2(30),
    DESCRIZIONE_AL1  VARCHAR2(30),
    DESCRIZIONE_AL2  VARCHAR2(30),
    SEQUENZA    NUMBER(3),
    MAX_CARICO_FAM  NUMBER(2),
    MAX_CARICO_FIS  NUMBER(2),
    INABILE     VARCHAR2(2)           default 'NO' not null
);
```

comment on table CONDIZIONI_NON_PROFESIONALI is
'CONP - Tipologie di condizione non professionale';

comment on column CONDIZIONI_NON_PROFESIONALI.CODICE is
'Codice identificativo delle condizioni "non professionali" che consentono la determinazione della composizione del carico familiare ai fini sociali e fiscali.';

comment on column CONDIZIONI_NON_PROFESIONALI.DESCRIZIONE is
'Descrizione della Condizione Professionale';

comment on column CONDIZIONI_NON_PROFESIONALI.SEQUENZA is
'La Sequenza di esposizione consente la definizione di un ordinamento delle registrazioni, in fase di visualizzazione, con una disposizione diversa da quella normalmente attribuita dalla codifica.';

comment on column CONDIZIONI_NON_PROFESIONALI.MAX_CARICO_FAM is
'Età massima consentita per la partecipazione al carico familiare con la condizione non professionale in oggetto.';

comment on column CONDIZIONI_NON_PROFESIONALI.MAX_CARICO_FIS is

'Età massima consentita per la partecipazione al carico fiscale con la condizione non professionale in oggetto.';

comment on column CONDIZIONI_NON_PROFESIONALI.INABILE is
 'La condizione di inabilità` attivata, conferma la presenza di persona inabile nel nucleo familiare, determinando l'assegnazione ad una fascia di reddito familiare superiore, ai fini dell'attribuzione dell'assegno per nucleo familiare.';

```
alter table CONDIZIONI_NON_PROFESIONALI
  add constraint CONP_PK primary key (CODICE);
```

V.4.3.10.5 List of diagrams containing the table *CONDIZIONI_NON_PROFESIONALI*

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.10.6 List of incoming references of the table *CONDIZIONI_NON_PROFESIONALI*

Name	Code
ANFA_CONP	ANFA_CONP

V.4.3.10.7 List of outgoing references of the table *CONDIZIONI_NON_PROFESIONALI*

Name	Code	Foreign Key Columns
rv_domain = 'CONDIZIONI_NON_PR OFESSONALI.INABILE' /*Parent*/	CNPR_RECO_IN	INABILE

V.4.3.10.8 List of all dependencies of the table *CONDIZIONI_NON_PROFESIONALI*

Name	Code	Class Name
ANFA_CONP	ANFA_CONP	Reference
rv_domain = 'CONDIZIONI_NON_PROFESSIO NALI.INABILE' /*Parent*/	CNPR_RECO_IN	Reference

V.4.3.10.9 List of extended attributes of the table *CONDIZIONI_NON_PROFESIONALI*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for

			Si4)
--	--	--	------

V.4.3.10.10 List of columns of the table **CONDIZIONI_NON_PROFESSIONALI**

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
MAX_CARICO_FAM	MAX_CARICO_FAM
MAX_CARICO_FIS	MAX_CARICO_FIS
INABILE	INABILE

V.4.3.10.11 Column **CODICE** of the table **CONDIZIONI_NON_PROFESSIONALI**

V.4.3.10.11.1 Card of the column **CODICE** of the table **CONDIZIONI_NON_PROFESSIONALI**

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.10.11.2 Check constraint name of the column **CODICE** of the table **CONDIZIONI_NON_PROFESSIONALI**

CONDIZIONI_NO_CODICE_CC

V.4.3.10.11.3 Check of the column **CODICE** of the table **CONDIZIONI_NON_PROFESSIONALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.10.11.4 Server validation rule of the column **CODICE** of the table **CONDIZIONI_NON_PROFESSIONALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.11.5 List of all dependencies of the table column **CODICE**

Name	Code	Class Name
CODICE	CODICE	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.10.11.6 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.10.12 Column DESCRIZIONE of the table CONDIZIONI_NON_PROFESSIONALI**V.4.3.10.12.1 Card of the column DESCRIZIONE of the table CONDIZIONI_NON_PROFESSIONALI**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.10.12.2 Check constraint name of the column DESCRIZIONE of the table CONDIZIONI_NON_PROFESSIONALI

CONDIZIONI_NO_DESCRIZIONE_CC

V.4.3.10.12.3 Check of the column DESCRIZIONE of the table CONDIZIONI_NON_PROFESSIONALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.10.12.4 Server validation rule of the column DESCRIZIONE of the table CONDIZIONI_NON_PROFESSIONALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.12.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.10.13 Column DESCRIZIONE_AL1 of the table
CONDIZIONI_NON_PROFESSIONALI**

**V.4.3.10.13.1 Card of the column DESCRIZIONE_AL1 of the table
CONDIZIONI_NON_PROFESSIONALI**

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.10.13.2 Check constraint name of the column DESCRIZIONE_AL1 of the table
CONDIZIONI_NON_PROFESSIONALI**

CONDIZIONI_NO_DESCRIZIONE_A_CC

**V.4.3.10.13.3 Check of the column DESCRIZIONE_AL1 of the table
CONDIZIONI_NON_PROFESSIONALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.10.13.4 Server validation rule of the column DESCRIZIONE_AL1 of the table
CONDIZIONI_NON_PROFESSIONALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.13.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.10.14 Column *DESCRIZIONE_AL2* of the table
*CONDIZIONI_NON_PROFESSIONALI***

**V.4.3.10.14.1 Card of the column *DESCRIZIONE_AL2* of the table
*CONDIZIONI_NON_PROFESSIONALI***

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.10.14.2 Check constraint name of the column *DESCRIZIONE_AL2* of the table
*CONDIZIONI_NON_PROFESSIONALI***

CONDIZIONI_NO_DESCRIZIONE_A_CC

**V.4.3.10.14.3 Check of the column *DESCRIZIONE_AL2* of the table
*CONDIZIONI_NON_PROFESSIONALI***

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.10.14.4 Server validation rule of the column *DESCRIZIONE_AL2* of the table
*CONDIZIONI_NON_PROFESSIONALI***

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.14.5 List of extended attributes of the table column *DESCRIZIONE_AL2*

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.10.15 Column *SEQUENZA* of the table *CONDIZIONI_NON_PROFESSIONALI*

V.4.3.10.15.1 Card of the column *SEQUENZA* of the table *CONDIZIONI_NON_PROFESSIONALI*

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(3)
Mandatory	No

V.4.3.10.15.2 Check constraint name of the column SEQUENZA of the table**CONDIZIONI_NON_PROFESSIONALI**

CONDIZIONI_NO_SEQUENZA_CC

V.4.3.10.15.3 Check of the column SEQUENZA of the table CONDIZIONI_NON_PROFESSIONALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.10.15.4 Server validation rule of the column SEQUENZA of the table**CONDIZIONI_NON_PROFESSIONALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.15.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.10.16 Column MAX_CARICO_FAM of the table**CONDIZIONI_NON_PROFESSIONALI****V.4.3.10.16.1 Card of the column MAX_CARICO_FAM of the table****CONDIZIONI_NON_PROFESSIONALI**

Name	MAX_CARICO_FAM
Code	MAX_CARICO_FAM
Data Type	NUMBER(2)
Mandatory	No

**V.4.3.10.16.2 Check constraint name of the column MAX_CARICO_FAM of the table
CONDIZIONI_NON_PROFESSIONALI**

CONDIZIONI_NO_MAX_CARICO_FA_CC

**V.4.3.10.16.3 Check of the column MAX_CARICO_FAM of the table
CONDIZIONI_NON_PROFESSIONALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.10.16.4 Server validation rule of the column MAX_CARICO_FAM of the table
CONDIZIONI_NON_PROFESSIONALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.16.5 List of extended attributes of the table column MAX_CARICO_FAM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.10.17 Column MAX_CARICO_FIS of the table
CONDIZIONI_NON_PROFESSIONALI**

**V.4.3.10.17.1 Card of the column MAX_CARICO_FIS of the table
CONDIZIONI_NON_PROFESSIONALI**

Name	MAX_CARICO_FIS
Code	MAX_CARICO_FIS
Data Type	NUMBER(2)
Mandatory	No

**V.4.3.10.17.2 Check constraint name of the column MAX_CARICO_FIS of the table
CONDIZIONI_NON_PROFESSIONALI**

CONDIZIONI_NO_MAX_CARICO_FI_CC

**V.4.3.10.17.3 Check of the column MAX_CARICO_FIS of the table
CONDIZIONI_NON_PROFESSIONALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.10.17.4 Server validation rule of the column MAX_CARICO_FIS of the table CONDIZIONI_NON_PROFESSIONALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.17.5 List of extended attributes of the table column MAX_CARICO_FIS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.10.18 Column INABILE of the table CONDIZIONI_NON_PROFESSIONALI

V.4.3.10.18.1 Card of the column INABILE of the table CONDIZIONI_NON_PROFESSIONALI

Name	INABILE
Code	INABILE
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.10.18.2 Check constraint name of the column INABILE of the table CONDIZIONI_NON_PROFESSIONALI

CONDIZIONI_NO_INABILE_CC

V.4.3.10.18.3 Check of the column INABILE of the table CONDIZIONI_NON_PROFESSIONALI

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

**V.4.3.10.18.4 Server validation rule of the column INABILE of the table
CONDIZIONI_NON_PROFESSIONALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.10.18.5 List of all dependencies of the table column INABILE

Name	Code	Class Name
?	?	Reference Join

V.4.3.10.18.6 List of extended attributes of the table column INABILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.10.19 List of keys of the table CONDIZIONI_NON_PROFESSIONALI

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.10.20 Key KEY_1 of the table CONDIZIONI_NON_PROFESSIONALI

V.4.3.10.20.1 Card of the key KEY_1 of the table CONDIZIONI_NON_PROFESSIONALI

Name	Key_1
Code	KEY_1
Table	CONDIZIONI_NON_PROFESSIONALI

V.4.3.10.20.2 Code preview of the key KEY_1 of the table CONDIZIONI_NON_PROFESSIONALI

```
alter table CONDIZIONI_NON_PROFESSIONALI
add constraint CONP_PK primary key (CODICE);
```

V.4.3.10.20.3 List of columns of the table key KEY_1

Name	Code
CODICE	CODICE

V.4.3.10.20.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name

ANFA_CONP	ANFA_CONP	Reference
CONP_PK	CONP_PK	Index

V.4.3.10.21 List of indexes of the table CONDIZIONI_NON_PROFESSIONALI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
CONP_PK	CONP_PK	X		X		

V.4.3.10.22 Index CONP_PK of the table CONDIZIONI_NON_PROFESSIONALI**V.4.3.10.22.1 Card of the index CONP_PK of the table CONDIZIONI_NON_PROFESSIONALI**

Name	CONP_PK
Code	CONP_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	CONDIZIONI_NON_PROFESSIONALI

V.4.3.10.22.2 Code preview of the index CONP_PK of the table CONDIZIONI_NON_PROFESSIONALI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.10.22.3 List of index columns of the index CONP_PK

Name	Code	Sort
CODICE	CODICE	Ascending

V.4.3.10.23 List of triggers of the table CONDIZIONI_NON_PROFESSIONALI

Name	Code
condizioni_non_professiona_tiu	CONDIZIONI_NON_PROFESSONALI TIU
condizioni_non_professiona_tmb	CONDIZIONI_NON_PROFESSONALI TMB

V.4.3.10.24 Trigger CONDIZIONI_NON_PROFESSONALI TIU of the table CONDIZIONI_NON_PROFESSONALI**V.4.3.10.24.1 Card of the trigger CONDIZIONI_NON_PROFESSONALI TIU of the table CONDIZIONI_NON_PROFESSONALI**

Name	condizioni_non_professiona_tiu
------	--------------------------------

Code	CONDIZIONI_NON_PROFESSIONA TIU
Generate	Yes
Table	CONDIZIONI_NON_PROFESSIONALI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.10.24.2 Code preview of the trigger CONDIZIONI_NON_PROFESSIONA_TIU of the table CONDIZIONI_NON_PROFESSIONALI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.10.25 Trigger CONDIZIONI_NON_PROFESSIONA_TMB of the table CONDIZIONI_NON_PROFESSIONALI

V.4.3.10.25.1 Card of the trigger CONDIZIONI_NON_PROFESSIONA_TMB of the table CONDIZIONI_NON_PROFESSIONALI

Name	condizioni_non_professiona_tmb
Code	CONDIZIONI_NON_PROFESSIONA_TMB
Generate	Yes
Table	CONDIZIONI_NON_PROFESSIONALI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.10.25.2 Code preview of the trigger CONDIZIONI_NON_PROFESSIONA_TMB of the table CONDIZIONI_NON_PROFESSIONALI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.11 Table DICHIARAZIONI_FAMILIARI

V.4.3.11.1 Card of table DICHIARAZIONI_FAMILIARI

Name	DICHIARAZIONI_FAMILIARI
Code	DICHIARAZIONI_FAMILIARI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.11.2 Check constraint name of table DICHIARAZIONI_FAMILIARI

DICHIARAZIONI_FAMILIARI_CT

V.4.3.11.3 Server validation rule of table DICHIARAZIONI_FAMILIARI

%RULES%

V.4.3.11.4 Code preview of table DICHIARAZIONI_FAMILIARI

```
/*
/* Table: DICHIARAZIONI_FAMILIARI */
create table DICHIARAZIONI_FAMILIARI (
    DIFA_ID      NUMBER(6)          not null,
    NI           NUMBER(8)          not null,
    ANNO         NUMBER(4)          not null,
    DAL          DATE              not null,
    TIPO         VARCHAR2(1)        not null,
    ASSENZA_CONIUGE  VARCHAR2(2)      default 'NO',
    REDDITO_FAMILIARE NUMBER(12,2),
    TABELLA_INPS   VARCHAR2(3),
    REDDITO_FAMILIARE_AUT NUMBER(12,2)
);
```

comment on table DICHIARAZIONI_FAMILIARI is
'DIFA - Dati Dichiarazioni Familiari per carichi (in uso solo su GPS)';

```
alter table DICHIARAZIONI_FAMILIARI
    add constraint DIFA_PK primary key (DIFA_ID);
```

```
/*
/* Index: DIFA_INDI_FK */
create index DIFA_INDI_FK on DICHIARAZIONI_FAMILIARI (
    NI ASC
);

/*
/* Index: DIFA_UK */
create unique index DIFA_UK on DICHIARAZIONI_FAMILIARI (
    NI ASC,
    ANNO ASC,
    DAL ASC,
    TIPO ASC
);
```

V.4.3.11.5 List of diagrams containing the table DICHIARAZIONI_FAMILIARI

Name	Code
Generale	GENERALE

V.4.3.11.6 List of extended attributes of the table DICHIARAZIONI_FAMILIARI

Name	Data Type	Value	Target Name

ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)
--------------	------------------	--	------------------------------

V.4.3.11.7 *List of columns of the table DICHIARAZIONI_FAMILIARI*

Name	Code
DIFA_ID	DIFA_ID
NI	NI
ANNO	ANNO
DAL	DAL
TIPO	TIPO
ASSENZA_CONIUGE	ASSENZA_CONIUGE
REDDITO_FAMILIARE	REDDITO_FAMILIARE
TABELLA_INPS	TABELLA_INPS
REDDITO_FAMILIARE_AUT	REDDITO_FAMILIARE_AUT

V.4.3.11.8 *Column DIFA_ID of the table DICHIARAZIONI_FAMILIARI*

V.4.3.11.8.1 Card of the column DIFA_ID of the table DICHIARAZIONI_FAMILIARI

Name	DIFA_ID
Code	DIFA_ID
Data Type	NUMBER(6)
Mandatory	Yes

V.4.3.11.8.2 Check constraint name of the column DIFA_ID of the table DICHIARAZIONI_FAMILIARI DICHIARAZIONI_DIFA_ID_CC

V.4.3.11.8.3 Check of the column DIFA_ID of the table DICHIARAZIONI_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.11.8.4 Server validation rule of the column DIFA_ID of the table DICHIARAZIONI_FAMILIARI %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.8.5 List of all dependencies of the table column DIFA_ID

Name	Code	Class Name
DIFA_PK	DIFA_PK	Key

V.4.3.11.8.6 List of extended attributes of the table column DIFA_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.11.9 Column NI of the table DICHIARAZIONI_FAMILIARI**V.4.3.11.9.1 Card of the column NI of the table DICHIARAZIONI_FAMILIARI**

Name	NI
Code	NI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.3.11.9.2 Check constraint name of the column NI of the table DICHIARAZIONI_FAMILIARI

DICHIARAZIONI_NI_CC

V.4.3.11.9.3 Check of the column NI of the table DICHIARAZIONI_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.11.9.4 Server validation rule of the column NI of the table DICHIARAZIONI_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.9.5 List of all dependencies of the table column NI

Name	Code	Class Name
NI	NI	Index Column
NI	NI	Index Column

V.4.3.11.9.6 List of extended attributes of the table column NI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.11.10 Column ANNO of the table DICHIARAZIONI_FAMILIARI**V.4.3.11.10.1 Card of the column ANNO of the table DICHIARAZIONI_FAMILIARI**

Name	ANNO
Code	ANNO
Data Type	NUMBER(4)
Mandatory	Yes

**V.4.3.11.10.2 Check constraint name of the column ANNO of the table DICHIARAZIONI_FAMILIARI
DICHIARAZIONI_ANNO_CC****V.4.3.11.10.3 Check of the column ANNO of the table DICHIARAZIONI_FAMILIARI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.11.10.4 Server validation rule of the column ANNO of the table DICHIARAZIONI_FAMILIARI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.11.10.5 List of all dependencies of the table column ANNO**

Name	Code	Class Name
ANNO	ANNO	Index Column

V.4.3.11.10.6 List of extended attributes of the table column ANNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.3.11.11 *Column DAL of the table DICHIARAZIONI_FAMILIARI*

V.4.3.11.11.1 Card of the column DAL of the table DICHIARAZIONI_FAMILIARI

Name	DAL
Code	DAL
Data Type	DATE
Mandatory	Yes

V.4.3.11.11.2 Check constraint name of the column DAL of the table DICHIARAZIONI_FAMILIARI

DICHIARAZIONI_DAL_CC

V.4.3.11.11.3 Check of the column DAL of the table DICHIARAZIONI_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.11.11.4 Server validation rule of the column DAL of the table DICHIARAZIONI_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.11.5 List of all dependencies of the table column DAL

Name	Code	Class Name
DAL	DAL	Index Column

V.4.3.11.11.6 List of extended attributes of the table column DAL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.11.12 *Column TIPO of the table DICHIARAZIONI_FAMILIARI*

V.4.3.11.12.1 Card of the column TIPO of the table DICHIARAZIONI_FAMILIARI

Name	TIPO
Code	TIPO
Data Type	VARCHAR2(1)
Mandatory	Yes

**V.4.3.11.12.2 Check constraint name of the column TIPO of the table DICHIARAZIONI_FAMILIARI
DICHIARAZIONI_TIPO_CC****V.4.3.11.12.3 Check of the column TIPO of the table DICHIARAZIONI_FAMILIARI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.11.12.4 Server validation rule of the column TIPO of the table DICHIARAZIONI_FAMILIARI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.11.12.5 List of all dependencies of the table column TIPO**

Name	Code	Class Name
TIPO	TIPO	Index Column

V.4.3.11.12.6 List of extended attributes of the table column TIPO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.11.13 Column ASSENZA_CONIUGE of the table DICHIARAZIONI_FAMILIARI**V.4.3.11.13.1 Card of the column ASSENZA_CONIUGE of the table DICHIARAZIONI_FAMILIARI**

Name	ASSENZA_CONIUGE
Code	ASSENZA_CONIUGE
Data Type	VARCHAR2(2)
Mandatory	No

**V.4.3.11.13.2 Check constraint name of the column ASSENZA_CONIUGE of the table
DICHIARAZIONI_FAMILIARI**

DICHIARAZIONI_ASSENZA_CONIU_CC

V.4.3.11.13.3 Check of the column ASSENZA_CONIUGE of the table DICHIARAZIONI_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.11.13.4 Server validation rule of the column ASSENZA_CONIUGE of the table
DICHIARAZIONI_FAMILIARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.13.5 List of extended attributes of the table column ASSENZA_CONIUGE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef ered		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.11.14 Column REDDITO_FAMILIARE of the table
DICHIARAZIONI_FAMILIARI**

**V.4.3.11.14.1 Card of the column REDDITO_FAMILIARE of the table
DICHIARAZIONI_FAMILIARI**

Name	REDDITO_FAMILIARE
Code	REDDITO_FAMILIARE
Data Type	NUMBER(12,2)
Mandatory	No

**V.4.3.11.14.2 Check constraint name of the column REDDITO_FAMILIARE of the table
DICHIARAZIONI_FAMILIARI**

DICHIARAZIONI_REDITO_FAMIL_CC

V.4.3.11.14.3 Check of the column REDDITO_FAMILIARE of the table DICHIARAZIONI_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.11.14.4 Server validation rule of the column REDDITO_FAMILIARE of the table DICHIARAZIONI_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.14.5 List of extended attributes of the table column REDDITO_FAMILIARE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.11.15 Column TABELLA_INPS of the table DICHIARAZIONI_FAMILIARI

V.4.3.11.15.1 Card of the column TABELLA_INPS of the table DICHIARAZIONI_FAMILIARI

Name	TABELLA_INPS
Code	TABELLA_INPS
Data Type	VARCHAR2(3)
Mandatory	No

V.4.3.11.15.2 Check constraint name of the column TABELLA_INPS of the table DICHIARAZIONI_FAMILIARI

DICHIARAZIONI_TABELLA_INPS_CC

V.4.3.11.15.3 Check of the column TABELLA_INPS of the table DICHIARAZIONI_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.11.15.4 Server validation rule of the column TABELLA_INPS of the table
DICHIARAZIONI_FAMILIARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.15.5 List of extended attributes of the table column TABELLA_INPS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.11.16 Column REDDITO_FAMILIARE_AUT of the table
DICHIARAZIONI_FAMILIARI**

**V.4.3.11.16.1 Card of the column REDDITO_FAMILIARE_AUT of the table
DICHIARAZIONI_FAMILIARI**

Name	REDDITO_FAMILIARE_AUT
Code	REDDITO_FAMILIARE_AUT
Data Type	NUMBER(12,2)
Mandatory	No

**V.4.3.11.16.2 Check constraint name of the column REDDITO_FAMILIARE_AUT of the table
DICHIARAZIONI_FAMILIARI**

DICHIARAZIONI_REDITO_FAMIL_CC

**V.4.3.11.16.3 Check of the column REDDITO_FAMILIARE_AUT of the table
DICHIARAZIONI_FAMILIARI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.11.16.4 Server validation rule of the column REDDITO_FAMILIARE_AUT of the table DICHIARAZIONI_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.11.16.5 List of extended attributes of the table column REDDITO_FAMILIARE_AUT

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.11.17 List of keys of the table DICHIARAZIONI_FAMILIARI

Name	Code	Primary
DIFA_PK	DIFA_PK	X

V.4.3.11.18 Key DIFA_PK of the table DICHIARAZIONI_FAMILIARI

V.4.3.11.18.1 Card of the key DIFA_PK of the table DICHIARAZIONI_FAMILIARI

Name	DIFA_PK
Code	DIFA_PK
Table	DICHIARAZIONI_FAMILIARI

V.4.3.11.18.2 Code preview of the key DIFA_PK of the table DICHIARAZIONI_FAMILIARI

alter table DICHIARAZIONI_FAMILIARI

add constraint DIFA_PK primary key (DIFA_ID);

V.4.3.11.18.3 List of columns of the table key DIFA_PK

Name	Code
DIFA_ID	DIFA_ID

V.4.3.11.19 List of indexes of the table DICHIARAZIONI_FAMILIARI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
DIFA_INDI_FK	DIFA_INDI_FK					
DIFA_UK	DIFA_UK	X				

V.4.3.11.20 Index DIFA_INDI_FK of the table DICHIARAZIONI_FAMILIARI

V.4.3.11.20.1 Card of the index DIFA_INDI_FK of the table DICHIARAZIONI_FAMILIARI

Name	DIFA_INDI_FK
Code	DIFA_INDI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	DICHIARAZIONI_FAMILYARI

V.4.3.11.20.2 Code preview of the index DIFA_INDI_FK of the table DICHIARAZIONI_FAMILYARI

```
/*=====
/* Index: DIFA_INDI_FK */ */
/*=====*/
create index DIFA_INDI_FK on DICHIARAZIONI_FAMILYARI (
    NI ASC
);
```

V.4.3.11.20.3 List of index columns of the index DIFA_INDI_FK

Name	Code	Sort
NI	NI	Ascending

V.4.3.11.21 Index DIFA_UK of the table DICHIARAZIONI_FAMILYARI**V.4.3.11.21.1 Card of the index DIFA_UK of the table DICHIARAZIONI_FAMILYARI**

Name	DIFA_UK
Code	DIFA_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	DICHIARAZIONI_FAMILYARI

V.4.3.11.21.2 Code preview of the index DIFA_UK of the table DICHIARAZIONI_FAMILYARI

```
/*=====
/* Index: DIFA_UK */ */
/*=====*/
create unique index DIFA_UK on DICHIARAZIONI_FAMILYARI (
    NI ASC,
    ANNO ASC,
    DAL ASC,
```

TIPO ASC
);

V.4.3.11.21.3 List of index columns of the index DIFA_UK

Name	Code	Sort
NI	NI	Ascending
ANNO	ANNO	Ascending
DAL	DAL	Ascending
TIPO	TIPO	Ascending

V.4.3.12 Table DISABILI_PROSP_AZIENDA

V.4.3.12.1 Card of table **DISABILI_PROSP_AZIENDA**

Name	DISABILI_PROSP_AZIENDA
Code	DISABILI_PROSP_AZIENDA
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.12.2 Check constraint name of table **DISABILI_PROSP_AZIENDA**

DISABILI_PROSP_AZIENDA_CT

V.4.3.12.3 Server validation rule of table **DISABILI_PROSP_AZIENDA**

%RULES%

V.4.3.12.4 Begin script of table **DISABILI_PROSP_AZIENDA**

```
/*
          */
/*      A35461           */
/*=====*/
```

V.4.3.12.5 Code preview of table **DISABILI_PROSP_AZIENDA**

```
/*
          */
/* Table: DISABILI_PROSP_AZIENDA           */
/*=====*/
/*          */
/*      A35461           */
/*=====*/
create table DISABILI_PROSP_AZIENDA (
    DIPA_ID      NUMBER(10)      not null,
    ANNO         NUMBER(4)       not null,
    GESTIONE     VARCHAR2(8)     not null,
    PROVINCIA   NUMBER(3)       not null,
    NUM_LAVORATORI_FORZA NUMBER(6),
    DIRIGENTI    NUMBER(6),
```

```

LAV_PART_TIME      NUMBER(6),
LAV_TERMINE       NUMBER(6),
LAV_CFL           NUMBER(6),
LAV_DISABILI      NUMBER(6),
LAV_CAT_PROTETTE NUMBER(6),
LAV_TELELEVORO    NUMBER(6),
LAV_ESTERO         NUMBER(6),
LAV_LSU            NUMBER(6),
LAV_CENTRALINISTI NUMBER(6),
PART_TIME_RIPROPOZIONATI NUMBER(6),
BASE_COMPUTO      NUMBER(6),
DATA_INVIO        DATE,
PROTOCOLLO        VARCHAR2(8)
);

```

```

alter table DISABILI_PROSP_AZIENDA
  add constraint DIPA_PK primary key (DIPA_ID);

```

```

/*=====
/* Index: DIPA_UK
/*=====
create unique index DIPA_UK on DISABILI_PROSP_AZIENDA (
  ANNO ASC,
  GESTIONE ASC,
  PROVINCIA ASC
);

```

V.4.3.12.6 List of diagrams containing the table *DISABILI_PROSP_AZIENDA*

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI

V.4.3.12.7 List of incoming references of the table *DISABILI_PROSP_AZIENDA*

Name	Code
DIPI_DIPA	DIPI_DIPA

V.4.3.12.8 List of outgoing references of the table *DISABILI_PROSP_AZIENDA*

Name	Code	Foreign Key Columns
DIPA_GEST	DIPA_GEST	GESTIONE
DIPA_PROV	DIPA_PROV	PROVINCIA

V.4.3.12.9 List of all dependencies of the table *DISABILI_PROSP_AZIENDA*

Name	Code	Class Name
DIPA_GEST	DIPA_GEST	Reference
DIPA_PROV	DIPA_PROV	Reference
DIPI_DIPA	DIPI_DIPA	Reference

V.4.3.12.10 List of extended attributes of the table *DISABILI_PROSP_AZIENDA*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.12.11 List of columns of the table *DISABILI_PROSP_AZIENDA*

Name	Code
DIPA_ID	DIPA_ID
ANNO	ANNO
GESTIONE	GESTIONE
PROVINCIA	PROVINCIA
NUM_LAVORATORI_FORZA	NUM_LAVORATORI_FORZA
DIRIGENTI	DIRIGENTI
LAV_PART_TIME	LAV_PART_TIME
LAV_TERMINE	LAV_TERMINE
LAV_CFL	LAV_CFL
LAV_DISABILI	LAV_DISABILI
LAV_CAT_PROTETTE	LAV_CAT_PROTETTE
LAV_TELELEVORO	LAV_TELELEVORO
LAV_ESTERO	LAV_ESTERO
LAV_LSU	LAV_LSU
LAV_CENTRALINISTI	LAV_CENTRALINISTI
PART_TIME_RIPROPOZIONATI	PART_TIME_RIPROPOZIONATI
BASE_COMPUTO	BASE_COMPUTO
DATA_INVIO	DATA_INVIO
PROTOCOLLO	PROTOCOLLO

V.4.3.12.12 Column *DIPA_ID* of the table *DISABILI_PROSP_AZIENDA*

V.4.3.12.12.1 Card of the column *DIPA_ID* of the table *DISABILI_PROSP_AZIENDA*

Name	DIPA_ID
Code	DIPA_ID
Data Type	NUMBER(10)
Mandatory	Yes

**V.4.3.12.12.2 Check constraint name of the column DIPA_ID of the table
DISABILI_PROSP_AZIENDA**
DISABILI_PROS_DIPA_ID_CC

V.4.3.12.12.3 Check of the column DIPA_ID of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.12.4 Server validation rule of the column DIPA_ID of the table DISABILI_PROSP_AZIENDA
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.12.5 List of all dependencies of the table column DIPA_ID

Name	Code	Class Name
DIPA_ID	DIPA_ID	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.12.12.6 List of extended attributes of the table column DIPA_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.13 Column ANNO of the table DISABILI_PROSP_AZIENDA

V.4.3.12.13.1 Card of the column ANNO of the table DISABILI_PROSP_AZIENDA

Name	ANNO
Code	ANNO
Data Type	NUMBER(4)
Mandatory	Yes

V.4.3.12.13.2 Check constraint name of the column ANNO of the table DISABILI_PROSP_AZIENDA
DISABILI_PROS_ANNO_CC

V.4.3.12.13.3 Check of the column ANNO of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.13.4 Server validation rule of the column ANNO of the table DISABILI_PROSP_AZIENDA
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.12.13.5 List of all dependencies of the table column ANNO**

Name	Code	Class Name
ANNO	ANNO	Index Column

V.4.3.12.13.6 List of extended attributes of the table column ANNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.14 Column GESTIONE of the table DISABILI_PROSP_AZIENDA**V.4.3.12.14.1 Card of the column GESTIONE of the table DISABILI_PROSP_AZIENDA**

Name	GESTIONE
Code	GESTIONE
Data Type	VARCHAR2(8)
Mandatory	Yes

**V.4.3.12.14.2 Check constraint name of the column GESTIONE of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROS_GESTIONE_CC

V.4.3.12.14.3 Check of the column GESTIONE of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.12.14.4 Server validation rule of the column GESTIONE of the table
DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.14.5 List of all dependencies of the table column GESTIONE

Name	Code	Class Name
?	?	Reference Join
GESTIONE	GESTIONE	Index Column

V.4.3.12.14.6 List of extended attributes of the table column GESTIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.15 Column PROVINCIA of the table DISABILI_PROSP_AZIENDA

V.4.3.12.15.1 Card of the column PROVINCIA of the table DISABILI_PROSP_AZIENDA

Name	PROVINCIA
Code	PROVINCIA
Data Type	NUMBER(3)
Mandatory	Yes

**V.4.3.12.15.2 Check constraint name of the column PROVINCIA of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROS_PROVINCIA_CC

V.4.3.12.15.3 Check of the column PROVINCIA of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.15.4 Server validation rule of the column PROVINCIA of the table***DISABILI_PROSP_AZIENDA***

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.15.5 List of all dependencies of the table column PROVINCIA

Name	Code	Class Name
PROVINCIA	PROVINCIA	Index Column
?	?	Reference Join

V.4.3.12.15.6 List of extended attributes of the table column PROVINCIA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.16 Column NUM_LAVORATORI_FORZA of the table
DISABILI_PROSP_AZIENDA**V.4.3.12.16.1 Card of the column NUM_LAVORATORI_FORZA of the table**
DISABILI_PROSP_AZIENDA

Name	NUM_LAVORATORI FORZA
Code	NUM_LAVORATORI FORZA
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.16.2 Check constraint name of the column NUM_LAVORATORI_FORZA of the table
DISABILI_PROSP_AZIENDA

DISABILI_PROS_NUM_LAVORATOR_CC

V.4.3.12.16.3 Check of the column NUM_LAVORATORI_FORZA of the table
DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.12.16.4 Server validation rule of the column NUM_LAVORATORI_FORZA of the table
DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.16.5 List of extended attributes of the table column NUM_LAVORATORI_FORZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.17 Column DIRIGENTI of the table DISABILI_PROSP_AZIENDA

V.4.3.12.17.1 Card of the column DIRIGENTI of the table DISABILI_PROSP_AZIENDA

Name	DIRIGENTI
Code	DIRIGENTI
Data Type	NUMBER(6)
Mandatory	No

**V.4.3.12.17.2 Check constraint name of the column DIRIGENTI of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROSP_DIRIGENTI_CC

V.4.3.12.17.3 Check of the column DIRIGENTI of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.12.17.4 Server validation rule of the column DIRIGENTI of the table
DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.17.5 List of extended attributes of the table column DIRIGENTI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.18 Column LAV_PART_TIME of the table DISABILI_PROSP_AZIENDA

V.4.3.12.18.1 Card of the column LAV_PART_TIME of the table DISABILI_PROSP_AZIENDA

Name	LAV_PART_TIME
Code	LAV_PART_TIME
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.18.2 Check constraint name of the column LAV_PART_TIME of the table DISABILI_PROSP_AZIENDA

DISABILI_PROS_LAV_PART_TIME_CC

V.4.3.12.18.3 Check of the column LAV_PART_TIME of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.18.4 Server validation rule of the column LAV_PART_TIME of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.18.5 List of extended attributes of the table column LAV_PART_TIME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.19 Column LAV_TERMINE of the table DISABILI_PROSP_AZIENDA

V.4.3.12.19.1 Card of the column LAV_TERMINE of the table DISABILI_PROSP_AZIENDA

Name	LAV_TERMINE
Code	LAV_TERMINE
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.19.2 Check constraint name of the column LAV_TERMINE of the table DISABILI_PROSP_AZIENDA

DISABILI_PROS_LAV_TERMINE_CC

V.4.3.12.19.3 Check of the column LAV_TERMINE of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.19.4 Server validation rule of the column LAV_TERMINE of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.19.5 List of extended attributes of the table column LAV_TERMINE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.20 Column LAV_CFL of the table DISABILI_PROSP_AZIENDA

V.4.3.12.20.1 Card of the column LAV_CFL of the table DISABILI_PROSP_AZIENDA

Name	LAV_CFL
Code	LAV_CFL
Data Type	NUMBER(6)

Mandatory	No
-----------	----

**V.4.3.12.20.2 Check constraint name of the column LAV_CFL of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROS_LAV_CFL_CC

V.4.3.12.20.3 Check of the column LAV_CFL of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.20.4 Server validation rule of the column LAV_CFL of the table DISABILI_PROSP_AZIENDA
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.20.5 List of extended attributes of the table column LAV_CFL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.21 Column LAV_DISABILI of the table DISABILI_PROSP_AZIENDA

V.4.3.12.21.1 Card of the column LAV_DISABILI of the table DISABILI_PROSP_AZIENDA

Name	LAV_DISABILI
Code	LAV_DISABILI
Data Type	NUMBER(6)
Mandatory	No

**V.4.3.12.21.2 Check constraint name of the column LAV_DISABILI of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROS_LAV_DISABILI_CC

V.4.3.12.21.3 Check of the column LAV_DISABILI of the table DISABILI_PROSP_AZIENDA

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.21.4 Server validation rule of the column LAV_DISABILI of the table**DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.21.5 List of extended attributes of the table column LAV_DISABILI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.22 Column LAV_CAT_PROTETTE of the table DISABILI_PROSP_AZIENDA**V.4.3.12.22.1 Card of the column LAV_CAT_PROTETTE of the table DISABILI_PROSP_AZIENDA**

Name	LAV_CAT_PROTETTE
Code	LAV_CAT_PROTETTE
Data Type	NUMBER(6)
Mandatory	No

**V.4.3.12.22.2 Check constraint name of the column LAV_CAT_PROTETTE of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROS_LAV_CAT_PROTE_CC

V.4.3.12.22.3 Check of the column LAV_CAT_PROTETTE of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.22.4 Server validation rule of the column LAV_CAT_PROTETTE of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.22.5 List of extended attributes of the table column LAV_CAT_PROTETTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.23 Column LAV_TELELEVORO of the table DISABILI_PROSP_AZIENDA

V.4.3.12.23.1 Card of the column LAV_TELELEVORO of the table DISABILI_PROSP_AZIENDA

Name	LAV_TELELEVORO
Code	LAV_TELELEVORO
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.23.2 Check constraint name of the column LAV_TELELEVORO of the table DISABILI_PROSP_AZIENDA

DISABILI_PROS_LAV_TELELEVOR_CC

V.4.3.12.23.3 Check of the column LAV_TELELEVORO of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.23.4 Server validation rule of the column LAV_TELELEVORO of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.23.5 List of extended attributes of the table column LAV_TELELEVORO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.24 Column LAV_ESTERO of the table DISABILI_PROSP_AZIENDA

V.4.3.12.24.1 Card of the column LAV_ESTERO of the table DISABILI_PROSP_AZIENDA

Name	LAV_ESTERO
Code	LAV_ESTERO
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.24.2 Check constraint name of the column LAV_ESTERO of the table DISABILI_PROSP_AZIENDA

DISABILI_PROS_LAV_ESTERO_CC

V.4.3.12.24.3 Check of the column LAV_ESTERO of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.24.4 Server validation rule of the column LAV_ESTERO of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.24.5 List of extended attributes of the table column LAV_ESTERO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef	erred	ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.25 Column LAV_LSU of the table DISABILI_PROSP_AZIENDA

V.4.3.12.25.1 Card of the column LAV_LSU of the table DISABILI_PROSP_AZIENDA

Name	LAV_LSU
Code	LAV_LSU
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.25.2 Check constraint name of the column LAV_LSU of the table**DISABILI_PROSP_AZIENDA**

DISABILI_PROS_LAV_LSU_CC

V.4.3.12.25.3 Check of the column LAV_LSU of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.25.4 Server validation rule of the column LAV_LSU of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.25.5 List of extended attributes of the table column LAV_LSU

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.26 Column LAV_CENTRALINISTI of the table DISABILI_PROSP_AZIENDA**V.4.3.12.26.1 Card of the column LAV_CENTRALINISTI of the table DISABILI_PROSP_AZIENDA**

Name	LAV_CENTRALINISTI
Code	LAV_CENTRALINISTI
Data Type	NUMBER(6)
Mandatory	No

V.4.3.12.26.2 Check constraint name of the column LAV_CENTRALINISTI of the table**DISABILI_PROSP_AZIENDA**

DISABILI_PROS_LAV_CENTRALIN_CC

V.4.3.12.26.3 Check of the column LAV_CENTRALINISTI of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.12.26.4 Server validation rule of the column LAV_CENTRALINISTI of the table
DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.26.5 List of extended attributes of the table column LAV_CENTRALINISTI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.12.27 Column PART_TIME_RIPROPOZIONATI of the table
DISABILI_PROSP_AZIENDA**

**V.4.3.12.27.1 Card of the column PART_TIME_RIPROPOZIONATI of the table
DISABILI_PROSP_AZIENDA**

Name	PART_TIME_RIPROPOZIONATI
Code	PART_TIME_RIPROPOZIONATI
Data Type	NUMBER(6)
Mandatory	No

**V.4.3.12.27.2 Check constraint name of the column PART_TIME_RIPROPOZIONATI of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROSP_PART_TIME_RIP_CC

**V.4.3.12.27.3 Check of the column PART_TIME_RIPROPOZIONATI of the table
DISABILI_PROSP_AZIENDA**

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.12.27.4 Server validation rule of the column PART_TIME_RIPROPOZIONATI of the table
DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.27.5 List of extended attributes of the table column PART_TIME_RIPROPOZIONATI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.28 Column BASE_COMPUTO of the table DISABILI_PROSP_AZIENDA

V.4.3.12.28.1 Card of the column BASE_COMPUTO of the table DISABILI_PROSP_AZIENDA

Name	BASE_COMPUTO
Code	BASE_COMPUTO
Data Type	NUMBER(6)
Mandatory	No

**V.4.3.12.28.2 Check constraint name of the column BASE_COMPUTO of the table
DISABILI_PROSP_AZIENDA**

DISABILI_PROS_BASE_COMPUTO_CC

V.4.3.12.28.3 Check of the column BASE_COMPUTO of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.12.28.4 Server validation rule of the column BASE_COMPUTO of the table
DISABILI_PROSP_AZIENDA**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.28.5 List of extended attributes of the table column BASE_COMPUTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.29 Column DATA_INVIO of the table DISABILI_PROSP_AZIENDA

V.4.3.12.29.1 Card of the column DATA_INVIO of the table DISABILI_PROSP_AZIENDA

Name	DATA_INVIO
Code	DATA_INVIO
Data Type	DATE
Mandatory	No

V.4.3.12.29.2 Check constraint name of the column DATA_INVIO of the table DISABILI_PROSP_AZIENDA

DISABILI_PROS_DATA_INVIO_CC

V.4.3.12.29.3 Check of the column DATA_INVIO of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.29.4 Server validation rule of the column DATA_INVIO of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.29.5 List of extended attributes of the table column DATA_INVIO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.30 Column PROTOCOLLO of the table DISABILI_PROSP_AZIENDA

V.4.3.12.30.1 Card of the column PROTOCOLLO of the table DISABILI_PROSP_AZIENDA

Name	PROTOCOLLO
Code	PROTOCOLLO
Data Type	VARCHAR2(8)
Mandatory	No

V.4.3.12.30.2 Check constraint name of the column PROTOCOLLO of the table DISABILI_PROSP_AZIENDA

DISABILI_PROS_PROTOCOLLO_CC

V.4.3.12.30.3 Check of the column PROTOCOLLO of the table DISABILI_PROSP_AZIENDA

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.12.30.4 Server validation rule of the column PROTOCOLLO of the table DISABILI_PROSP_AZIENDA

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.12.30.5 List of extended attributes of the table column PROTOCOLLO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.12.31 List of keys of the table DISABILI_PROSP_AZIENDA

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.12.32 Key KEY_1 of the table DISABILI_PROSP_AZIENDA

V.4.3.12.32.1 Card of the key KEY_1 of the table DISABILI_PROSP_AZIENDA

Name	Key_1
Code	KEY_1
Table	DISABILI_PROSP_AZIENDA

V.4.3.12.32.2 Code preview of the key KEY_1 of the table DISABILI_PROSP_AZIENDA

```
alter table DISABILI_PROSP_AZIENDA
add constraint DIPA_PK primary key (DIPA_ID);
```

V.4.3.12.32.3 List of columns of the table key KEY_1

Name	Code
DIPA_ID	DIPA_ID

V.4.3.12.32.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
DIPA_PK	DIPA_PK	Index
DIPI_DIPA	DIPI_DIPA	Reference

V.4.3.12.33 List of indexes of the table DISABILI_PROSP_AZIENDA

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
DIPA_PK	DIPA_PK	X		X		
DIPA_UK	DIPA_UK	X				

V.4.3.12.34 Index DIPA_PK of the table DISABILI_PROSP_AZIENDA**V.4.3.12.34.1 Card of the index DIPA_PK of the table DISABILI_PROSP_AZIENDA**

Name	DIPA_PK
Code	DIPA_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	DISABILI_PROSP_AZIENDA

V.4.3.12.34.2 Code preview of the index DIPA_PK of the table DISABILI_PROSP_AZIENDA

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.12.34.3 List of index columns of the index DIPA_PK

Name	Code	Sort
DIPA_ID	DIPA_ID	Ascending

V.4.3.12.35 Index DIPA_UK of the table DISABILI_PROSP_AZIENDA**V.4.3.12.35.1 Card of the index DIPA_UK of the table DISABILI_PROSP_AZIENDA**

Name	DIPA_UK
Code	DIPA_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	DISABILI_PROSP_AZIENDA

V.4.3.12.35.2 Code preview of the index DIPA_UK of the table DISABILI_PROSP_AZIENDA

```
/*=====
/* Index: DIPA_UK
/*=====
create unique index DIPA_UK on DISABILI_PROSP_AZIENDA (
    ANNO ASC,
    GESTIONE ASC,
    PROVINCIA ASC
);
```

V.4.3.12.35.3 List of index columns of the index DIPA_UK

Name	Code	Sort
ANNO	ANNO	Ascending
GESTIONE	GESTIONE	Ascending
PROVINCIA	PROVINCIA	Ascending

V.4.3.12.36 List of triggers of the table DISABILI_PROSP_AZIENDA

Name	Code
disabili_prosp_azienda_tiu	DISABILI_PROSP_AZIENDA_TIU
disabili_prosp_azienda_tmb	DISABILI_PROSP_AZIENDA_TMB

**V.4.3.12.37 Trigger DISABILI_PROSP_AZIENDA_TIU of the table
DISABILI_PROSP_AZIENDA**

V.4.3.12.37.1 Card of the trigger **DISABILI_PROSP_AZIENDA_TIU of the table **DISABILI_PROSP_AZIENDA****

Name	disabili_prosp_azienza_tiu
Code	DISABILI_PROSP_AZIENDA_TIU
Generate	Yes
Table	DISABILI_PROSP_AZIENDA
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.12.37.2 Code preview of the trigger **DISABILI_PROSP_AZIENDA_TIU of the table **DISABILI_PROSP_AZIENDA****

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.12.38 Trigger **DISABILI_PROSP_AZIENDA_TMB of the table **DISABILI_PROSP_AZIENDA****

V.4.3.12.38.1 Card of the trigger **DISABILI_PROSP_AZIENDA_TMB of the table **DISABILI_PROSP_AZIENDA****

Name	disabili_prosp_azienza_tmb
Code	DISABILI_PROSP_AZIENDA_TMB
Generate	Yes
Table	DISABILI_PROSP_AZIENDA
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.12.38.2 Code preview of the trigger **DISABILI_PROSP_AZIENDA_TMB of the table **DISABILI_PROSP_AZIENDA****

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.13 Table **DISABILI_PROSP_INDIVIDUI**

V.4.3.13.1 Card of table **DISABILI_PROSP_INDIVIDUI**

Name	DISABILI_PROSP_INDIVIDUI
Code	DISABILI_PROSP_INDIVIDUI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.13.2 Check constraint name of table **DISABILI_PROSP_INDIVIDUI
DISABILI_PROSP_INDIVIDUI_CT**

V.4.3.13.3 Server validation rule of table **DISABILI_PROSP_INDIVIDUI**

%RULES%

V.4.3.13.4 Begin script of table DISABILI_PROSP_INDIVIDUI

```
/*
*          */
/*      A35461           */
/* 18/06/2012 - Aggiunto campo per A49042           */
/*=====*/

```

V.4.3.13.5 Code preview of table DISABILI_PROSP_INDIVIDUI

```
/*
*=====*/
/* Table: DISABILI_PROSP_INDIVIDUI           */
/*=====*/
/*
*          */
/*      A35461           */
/* 18/06/2012 - Aggiunto campo per A49042           */
/*=====*/

```

```
create table DISABILI_PROSP_INDIVIDUI (
    DIPA_ID      NUMBER(10)          not null,
    CI           NUMBER(8)          not null,
    TIPOLOGIA_CONTRATTUALE VARCHAR2(7),
    DATA_FINE_RAPPORTO DATE,
    QUALIFICA_ISTAT  VARCHAR2(10),
    TIPO_ASSUNZIONE  VARCHAR2(1),
    CATEGORIA_SOGETTO  VARCHAR2(1),
    CATEGORIA_ASSUNZIONE VARCHAR2(2),
    DATA_INIZIO_RAPPORTO DATE,
    PART_TIME      VARCHAR2(2),
    ORE_CONTRATTUALI NUMBER(4,2),
    ORE_LAVORATE    NUMBER(4,2)
);
```

```
alter table DISABILI_PROSP_INDIVIDUI
add constraint DIPI_PK primary key (DIPA_ID, CI);
```

V.4.3.13.6 List of diagrams containing the table DISABILI_PROSP_INDIVIDUI

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI

V.4.3.13.7 List of outgoing references of the table DISABILI_PROSP_INDIVIDUI

Name	Code	Foreign Key Columns
DIPI_DIPA	DIPI_DIPA	DIPA_ID
DIPI_RAIN	DIPI_RAIN	CI

V.4.3.13.8 List of all dependencies of the table DISABILI_PROSP_INDIVIDUI

Name	Code	Class Name
DIPI_DIPA	DIPI_DIPA	Reference
DIPI_RAIN	DIPI_RAIN	Reference

V.4.3.13.9 List of extended attributes of the table DISABILI_PROSP_INDIVIDUI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.13.10 List of columns of the table DISABILI_PROSP_INDIVIDUI

Name	Code
DIPA_ID	DIPA_ID
CI	CI
TIPOLOGIA CONTRATTUALE	TIPOLOGIA CONTRATTUALE
DATA_FINE_RAPPORTO	DATA_FINE_RAPPORTO
QUALIFICA_ISTAT	QUALIFICA_ISTAT
TIPO_ASSUNZIONE	TIPO_ASSUNZIONE
CATEGORIA_SOGETTO	CATEGORIA_SOGETTO
CATEGORIA_ASSUNZIONE	CATEGORIA_ASSUNZIONE
DATA_INIZIO_RAPPORTO	DATA_INIZIO_RAPPORTO
PART_TIME	PART_TIME
ORE_CONTRATTUALI	ORE_CONTRATTUALI
ORE_LAVORATE	ORE_LAVORATE

V.4.3.13.11 Column DIPA_ID of the table DISABILI_PROSP_INDIVIDUI**V.4.3.13.11.1 Card of the column DIPA_ID of the table DISABILI_PROSP_INDIVIDUI**

Name	DIPA_ID
Code	DIPA_ID
Data Type	NUMBER(10)
Mandatory	Yes

V.4.3.13.11.2 Check constraint name of the column DIPA_ID of the table DISABILI_PROSP_INDIVIDUI

DISABILI_PROS_DIPA_ID_CC

V.4.3.13.11.3 Check of the column DIPA_ID of the table DISABILI_PROSP_INDIVIDUI

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.11.4 Server validation rule of the column DIPA_ID of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.11.5 List of all dependencies of the table column DIPA_ID

Name	Code	Class Name
DIPA_ID	DIPA_ID	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.13.11.6 List of extended attributes of the table column DIPA_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.12 Column CI of the table DISABILI_PROSP_INDIVIDUI

V.4.3.13.12.1 Card of the column CI of the table DISABILI_PROSP_INDIVIDUI

Name	CI
Code	CI
Data Type	NUMBER(8)
Mandatory	Yes

**V.4.3.13.12.2 Check constraint name of the column CI of the table DISABILI_PROSP_INDIVIDUI
DISABILI_PROS_CI_CC**

V.4.3.13.12.3 Check of the column CI of the table DISABILI_PROSP_INDIVIDUI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.13.12.4 Server validation rule of the column CI of the table DISABILI_PROSP_INDIVIDUI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.12.5 List of all dependencies of the table column CI

Name	Code	Class Name
CI	CI	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.13.12.6 List of extended attributes of the table column CI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.13.13 Column TIPOLOGIA_CONTRATTUALE of the table
DISABILI_PROSP_INDIVIDUI**

**V.4.3.13.13.1 Card of the column TIPOLOGIA_CONTRATTUALE of the table
DISABILI_PROSP_INDIVIDUI**

Name	TIPOLOGIA CONTRATTUALE
Code	TIPOLOGIA CONTRATTUALE
Data Type	VARCHAR2(7)
Mandatory	No

**V.4.3.13.13.2 Check constraint name of the column TIPOLOGIA_CONTRATTUALE of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_TIPOLOGIA_CON_CC

**V.4.3.13.13.3 Check of the column TIPOLOGIA_CONTRATTUALE of the table
DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.13.4 Server validation rule of the column TIPOLOGIA_CONTRATTUALE of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.13.5 List of extended attributes of the table column TIPOLOGIA_CONTRATTUALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.13.14 Column DATA_FINE_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

**V.4.3.13.14.1 Card of the column DATA_FINE_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

Name	DATA_FINE_RAPPORTO
Code	DATA_FINE_RAPPORTO
Data Type	DATE
Mandatory	No

**V.4.3.13.14.2 Check constraint name of the column DATA_FINE_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_DATA_FINE_RAP_CC

**V.4.3.13.14.3 Check of the column DATA_FINE_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.14.4 Server validation rule of the column DATA_FINE_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.14.5 List of extended attributes of the table column DATA_FINE_RAPPORTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.15 Column QUALIFICA_ISTAT of the table DISABILI_PROSP_INDIVIDUI

V.4.3.13.15.1 Card of the column QUALIFICA_ISTAT of the table DISABILI_PROSP_INDIVIDUI

Name	QUALIFICA_ISTAT
Code	QUALIFICA_ISTAT
Data Type	VARCHAR2(10)
Mandatory	No

**V.4.3.13.15.2 Check constraint name of the column QUALIFICA_ISTAT of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_QUALIFICA_ISTAT_CC

V.4.3.13.15.3 Check of the column QUALIFICA_ISTAT of the table DISABILI_PROSP_INDIVIDUI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.15.4 Server validation rule of the column QUALIFICA_ISTAT of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.15.5 List of extended attributes of the table column QUALIFICA_ISTAT

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.16 Column **TIPO_ASSUNZIONE** of the table **DISABILI_PROSP_INDIVIDUI**

V.4.3.13.16.1 Card of the column **TIPO_ASSUNZIONE** of the table **DISABILI_PROSP_INDIVIDUI**

Name	TIPO_ASSUNZIONE
Code	TIPO_ASSUNZIONE
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.13.16.2 Check constraint name of the column **TIPO_ASSUNZIONE** of the table **DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_TIPO_ASSUNZIO_CC

V.4.3.13.16.3 Check of the column **TIPO_ASSUNZIONE** of the table **DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.13.16.4 Server validation rule of the column **TIPO_ASSUNZIONE** of the table **DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.16.5 List of extended attributes of the table column **TIPO_ASSUNZIONE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.17 Column **CATEGORIA_SOGGETTO** of the table **DISABILI_PROSP_INDIVIDUI**

**V.4.3.13.17.1 Card of the column CATEGORIA_SOGETTO of the table
DISABILI_PROSP_INDIVIDUI**

Name	CATEGORIA_SOGETTO
Code	CATEGORIA_SOGETTO
Data Type	VARCHAR2(1)
Mandatory	No

**V.4.3.13.17.2 Check constraint name of the column CATEGORIA_SOGETTO of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_CATEGORIA_SOG_CC

**V.4.3.13.17.3 Check of the column CATEGORIA_SOGETTO of the table
DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.17.4 Server validation rule of the column CATEGORIA_SOGETTO of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.17.5 List of extended attributes of the table column CATEGORIA_SOGETTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.13.18 Column CATEGORIA_ASSUNZIONE of the table
DISABILI_PROSP_INDIVIDUI**

**V.4.3.13.18.1 Card of the column CATEGORIA_ASSUNZIONE of the table
DISABILI_PROSP_INDIVIDUI**

Name	CATEGORIA_ASSUNZIONE
Code	CATEGORIA_ASSUNZIONE
Data Type	VARCHAR2(2)

Mandatory	No
-----------	----

**V.4.3.13.18.2 Check constraint name of the column CATEGORIA_ASSUNZIONE of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_CATEGORIA_ASS_CC

**V.4.3.13.18.3 Check of the column CATEGORIA_ASSUNZIONE of the table
DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.18.4 Server validation rule of the column CATEGORIA_ASSUNZIONE of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.18.5 List of extended attributes of the table column CATEGORIA_ASSUNZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.13.19 Column DATA_INIZIO_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

**V.4.3.13.19.1 Card of the column DATA_INIZIO_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

Name	DATA_INIZIO_RAPPORTO
Code	DATA_INIZIO_RAPPORTO
Data Type	DATE
Mandatory	No

**V.4.3.13.19.2 Check constraint name of the column DATA_INIZIO_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_DATA_INIZIO_R_CC

**V.4.3.13.19.3 Check of the column DATA_INIZIO_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.19.4 Server validation rule of the column DATA_INIZIO_RAPPORTO of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.19.5 List of extended attributes of the table column DATA_INIZIO_RAPPORTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.20 Column PART_TIME of the table DISABILI_PROSP_INDIVIDUI

V.4.3.13.20.1 Card of the column PART_TIME of the table DISABILI_PROSP_INDIVIDUI

Name	PART_TIME
Code	PART_TIME
Data Type	VARCHAR2(2)
Mandatory	No

**V.4.3.13.20.2 Check constraint name of the column PART_TIME of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROSP_PART_TIME_CC

V.4.3.13.20.3 Check of the column PART_TIME of the table DISABILI_PROSP_INDIVIDUI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.20.4 Server validation rule of the column PART_TIME of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.20.5 List of extended attributes of the table column PART_TIME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.21 Column ORE_CONTRATTUALI of the table DISABILI_PROSP_INDIVIDUI

V.4.3.13.21.1 Card of the column ORE_CONTRATTUALI of the table DISABILI_PROSP_INDIVIDUI

Name	ORE CONTRATTUALI
Code	ORE CONTRATTUALI
Data Type	NUMBER(4,2)
Mandatory	No

**V.4.3.13.21.2 Check constraint name of the column ORE_CONTRATTUALI of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_ORE_CONTRATTU_CC

**V.4.3.13.21.3 Check of the column ORE_CONTRATTUALI of the table
DISABILI_PROSP_INDIVIDUI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.21.4 Server validation rule of the column ORE_CONTRATTUALI of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.21.5 List of extended attributes of the table column ORE_CONTRATTUALI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.22 Column ORE_LAVORATE of the table DISABILI_PROSP_INDIVIDUI**V.4.3.13.22.1 Card of the column ORE_LAVORATE of the table DISABILI_PROSP_INDIVIDUI**

Name	ORE_LAVORATE
Code	ORE_LAVORATE
Data Type	NUMBER(4,2)
Mandatory	No

**V.4.3.13.22.2 Check constraint name of the column ORE_LAVORATE of the table
DISABILI_PROSP_INDIVIDUI**

DISABILI_PROS_ORE_LAVORATE_CC

V.4.3.13.22.3 Check of the column ORE_LAVORATE of the table DISABILI_PROSP_INDIVIDUI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.13.22.4 Server validation rule of the column ORE_LAVORATE of the table
DISABILI_PROSP_INDIVIDUI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.13.22.5 List of extended attributes of the table column ORE_LAVORATE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.13.23 List of keys of the table DISABILI_PROSP_INDIVIDUI

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.13.24 Key KEY_1 of the table DISABILI_PROSP_INDIVIDUI**V.4.3.13.24.1 Card of the key KEY_1 of the table DISABILI_PROSP_INDIVIDUI**

Name	Key_1
Code	KEY_1
Table	DISABILI_PROSP_INDIVIDUI

V.4.3.13.24.2 Code preview of the key KEY_1 of the table DISABILI_PROSP_INDIVIDUI

```
alter table DISABILI_PROSP_INDIVIDUI
  add constraint DIPI_PK primary key (DIPA_ID, CI);
```

V.4.3.13.24.3 List of columns of the table key KEY_1

Name	Code
DIPA_ID	DIPA_ID
CI	CI

V.4.3.13.24.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
DIPI_PK	DIPI_PK	Index

V.4.3.13.25 List of indexes of the table DISABILI_PROSP_INDIVIDUI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
DIPI_PK	DIPI_PK	X		X		

V.4.3.13.26 Index DIPI_PK of the table DISABILI_PROSP_INDIVIDUI**V.4.3.13.26.1 Card of the index DIPI_PK of the table DISABILI_PROSP_INDIVIDUI**

Name	DIPI_PK
Code	DIPI_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No

Table	DISABILI_PROSP_INDIVIDUI
-------	--------------------------

V.4.3.13.26.2 Code preview of the index DIPI_PK of the table DISABILI_PROSP_INDIVIDUI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.13.26.3 List of index columns of the index DIPI_PK

Name	Code	Sort
DIPA_ID	DIPA_ID	Ascending
CI	CI	Ascending

V.4.3.13.27 List of triggers of the table DISABILI_PROSP_INDIVIDUI

Name	Code
disabili_prosp_individui_tiu	DISABILI_PROSP_INDIVIDUI TIU

V.4.3.13.28 Trigger DISABILI_PROSP_INDIVIDUI_TIU of the table DISABILI_PROSP_INDIVIDUI**V.4.3.13.28.1 Card of the trigger DISABILI_PROSP_INDIVIDUI_TIU of the table DISABILI_PROSP_INDIVIDUI**

Name	disabili_prosp_individui_tiu
Code	DISABILI_PROSP_INDIVIDUI TIU
Generate	Yes
Table	DISABILI_PROSP_INDIVIDUI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.13.28.2 Code preview of the trigger DISABILI_PROSP_INDIVIDUI_TIU of the table DISABILI_PROSP_INDIVIDUI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.14 Table GRUPPI_RAPPORTO**V.4.3.14.1 Card of table GRUPPI_RAPPORTO**

Name	Gruppi Rapporto
Code	GRUPPI_RAPPORTO
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.14.2 Check constraint name of table GRUPPI_RAPPORTO

GRUPPI_RAPPORTO_CT

V.4.3.14.3 Server validation rule of table GRUPPI_RAPPORTO

%RULES%

V.4.3.14.4 Code preview of table GRUPPI_RAPPORTO

```
/*=====
/* Table: GRUPPI_RAPPORTO
/*=====*/
create table GRUPPI_RAPPORTO (
    GRUPPO      VARCHAR2(12)          not null,
    RILEVANZA   VARCHAR2(3)           not null,
    DESCRIZIONE  VARCHAR2(60),
    DESCRIZIONE_AL1  VARCHAR2(60),
    DESCRIZIONE_AL2  VARCHAR2(60),
    DAL         DATE,
    AL          DATE,
    NOTE        VARCHAR2(60),
    NOTE_AL1    VARCHAR2(60),
    NOTE_AL2    VARCHAR2(60),
    OGGETTO     VARCHAR2(240),
    OGGETTO_AL1  VARCHAR2(240),
    OGGETTO_AL2  VARCHAR2(240),
    SEDE        VARCHAR2(4),
    ANNO        NUMBER(4),
    NUMERO      NUMBER(7),
    CAT_FISCALE VARCHAR2(2)
);
```

comment on table GRUPPI_RAPPORTO is
 'GRRA - Riferimenti specifici di raggruppamento per aggregazione di personale';

comment on column GRUPPI_RAPPORTO.GRUPPO is
 'Codice di raggruppamento che consente di attribuire un"informazione di aggregazione o di suddivisione dell"ambito in cui il gruppo viene attivato.';

comment on column GRUPPI_RAPPORTO.DESCRIZIONE is
 'Descrizione del gruppo identificato dal codice.';

comment on column GRUPPI_RAPPORTO.NOTE is
 'Breve annotazione.';

comment on column GRUPPI_RAPPORTO.CAT_FISCALE is
 'Campo libero utilizzato per la parte anagrafica delle denunce fiscali (770).';

alter table GRUPPI_RAPPORTO

```

add constraint GRRA_PK primary key (GRUPPO);

/*=====
/* Index: GRRA_DELI_FK                               */
/*=====*/
create index GRRA_DELI_FK on GRUPPI_RAPPORTO (
    SEDE ASC,
    ANNO ASC,
    NUMERO ASC
);

```

V.4.3.14.5 List of diagrams containing the table *GRUPPI_RAPPORTO*

Name	Code
Generale	GENERALE

V.4.3.14.6 List of incoming references of the table *GRUPPI_RAPPORTO*

Name	Code
RAIN_GRRA	RAIN_GRRA

V.4.3.14.7 List of outgoing references of the table *GRUPPI_RAPPORTO*

Name	Code	Foreign Key Columns
or Ente_pkg.get_delibere('ENTE') = 'NO' /*GRRA_DELI on parent*/	GRRA_DELI	SEDE; ANNO; NUMERO

V.4.3.14.8 List of all dependencies of the table *GRUPPI_RAPPORTO*

Name	Code	Class Name
Gruppi Rapporto	GRUPPI_RAPPORTO	Shortcut of table
or Ente_pkg.get_delibere('ENTE') = 'NO' /*GRRA_DELI on parent*/	GRRA_DELI	Reference
RAIN_GRRA	RAIN_GRRA	Reference

V.4.3.14.9 List of extended attributes of the table *GRUPPI_RAPPORTO*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.14.10 List of columns of the table GRUPPI_RAPPORTO

Name	Code
GRUPPO	GRUPPO
RILEVANZA	RILEVANZA
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
DAL	DAL
AL	AL
NOTE	NOTE
NOTE_AL1	NOTE_AL1
NOTE_AL2	NOTE_AL2
OGGETTO	OGGETTO
OGGETTO_AL1	OGGETTO_AL1
OGGETTO_AL2	OGGETTO_AL2
SEDE	SEDE
ANNO	ANNO
NUMERO	NUMERO
CAT_FISCALE	CAT_FISCALE

V.4.3.14.11 Column GRUPPO of the table GRUPPI_RAPPORTO**V.4.3.14.11.1 Card of the column GRUPPO of the table GRUPPI_RAPPORTO**

Name	GRUPPO
Code	GRUPPO
Data Type	VARCHAR2(12)
Mandatory	Yes

V.4.3.14.11.2 Check constraint name of the column GRUPPO of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_GRUPPO_CC

V.4.3.14.11.3 Check of the column GRUPPO of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.11.4 Server validation rule of the column GRUPPO of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.11.5 List of all dependencies of the table column GRUPPO

Name	Code	Class Name
GRUPPO	GRUPPO	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.14.11.6 List of extended attributes of the table column GRUPPO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.12 Column RILEVANZA of the table GRUPPI_RAPPORTO**V.4.3.14.12.1 Card of the column RILEVANZA of the table GRUPPI_RAPPORTO**

Name	RILEVANZA
Code	RILEVANZA
Data Type	VARCHAR2(3)
Mandatory	Yes

V.4.3.14.12.2 Check constraint name of the column RILEVANZA of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_RILEVANZA_CC

V.4.3.14.12.3 Check of the column RILEVANZA of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.12.4 Server validation rule of the column RILEVANZA of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.12.5 List of extended attributes of the table column RILEVANZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.13 Column DESCRIZIONE of the table GRUPPI_RAPPORTO**V.4.3.14.13.1 Card of the column DESCRIZIONE of the table GRUPPI_RAPPORTO**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(60)
Mandatory	No

**V.4.3.14.13.2 Check constraint name of the column DESCRIZIONE of the table GRUPPI_RAPPORTO
GRUPPI_RAPPOR_DESCRIZIONE_CC****V.4.3.14.13.3 Check of the column DESCRIZIONE of the table GRUPPI_RAPPORTO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.14.13.4 Server validation rule of the column DESCRIZIONE of the table GRUPPI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.14.13.5 List of extended attributes of the table column DESCRIZIONE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.14 Column DESCRIZIONE_AL1 of the table GRUPPI_RAPPORTO

V.4.3.14.14.1 Card of the column DESCRIZIONE_AL1 of the table GRUPPI_RAPPORTO

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(60)
Mandatory	No

V.4.3.14.14.2 Check constraint name of the column DESCRIZIONE_AL1 of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_DESCRIZIONE_A_CC

V.4.3.14.14.3 Check of the column DESCRIZIONE_AL1 of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.14.4 Server validation rule of the column DESCRIZIONE_AL1 of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.14.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.15 Column DESCRIZIONE_AL2 of the table GRUPPI_RAPPORTO**V.4.3.14.15.1 Card of the column DESCRIZIONE_AL2 of the table GRUPPI_RAPPORTO**

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(60)
Mandatory	No

V.4.3.14.15.2 Check constraint name of the column DESCRIZIONE_AL2 of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_DESCRIZIONE_A_CC

V.4.3.14.15.3 Check of the column DESCRIZIONE_AL2 of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.15.4 Server validation rule of the column DESCRIZIONE_AL2 of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.15.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.16 Column DAL of the table GRUPPI_RAPPORTO

V.4.3.14.16.1 Card of the column DAL of the table GRUPPI_RAPPORTO

Name	DAL
Code	DAL
Data Type	DATE
Mandatory	No

V.4.3.14.16.2 Check constraint name of the column DAL of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_DAL_CC

V.4.3.14.16.3 Check of the column DAL of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.16.4 Server validation rule of the column DAL of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.16.5 List of extended attributes of the table column DAL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.17 Column AL of the table GRUPPI_RAPPORTO**V.4.3.14.17.1 Card of the column AL of the table GRUPPI_RAPPORTO**

Name	AL
Code	AL
Data Type	DATE
Mandatory	No

V.4.3.14.17.2 Check constraint name of the column AL of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_AL_CC

V.4.3.14.17.3 Check of the column AL of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.17.4 Server validation rule of the column AL of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.17.5 List of extended attributes of the table column AL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.18 Column NOTE of the table GRUPPI_RAPPORTO**V.4.3.14.18.1 Card of the column NOTE of the table GRUPPI_RAPPORTO**

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(60)
Mandatory	No

V.4.3.14.18.2 Check constraint name of the column NOTE of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_NOTE_CC

V.4.3.14.18.3 Check of the column NOTE of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.18.4 Server validation rule of the column NOTE of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.18.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.19 Column NOTE_AL1 of the table GRUPPI_RAPPORTO

V.4.3.14.19.1 Card of the column NOTE_AL1 of the table GRUPPI_RAPPORTO

Name	NOTE_AL1
Code	NOTE_AL1
Data Type	VARCHAR2(60)
Mandatory	No

V.4.3.14.19.2 Check constraint name of the column NOTE_AL1 of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_NOTE_AL1_CC

V.4.3.14.19.3 Check of the column NOTE_AL1 of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.19.4 Server validation rule of the column NOTE_AL1 of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.19.5 List of extended attributes of the table column NOTE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.20 Column NOTE_AL2 of the table GRUPPI_RAPPORTO**V.4.3.14.20.1 Card of the column NOTE_AL2 of the table GRUPPI_RAPPORTO**

Name	NOTE_AL2
Code	NOTE_AL2
Data Type	VARCHAR2(60)
Mandatory	No

V.4.3.14.20.2 Check constraint name of the column NOTE_AL2 of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_NOTE_AL2_CC

V.4.3.14.20.3 Check of the column NOTE_AL2 of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.20.4 Server validation rule of the column NOTE_AL2 of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.20.5 List of extended attributes of the table column NOTE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.21 Column OGGETTO of the table GRUPPI_RAPPORTO**V.4.3.14.21.1 Card of the column OGGETTO of the table GRUPPI_RAPPORTO**

Name	OGGETTO
Code	OGGETTO
Data Type	VARCHAR2(240)
Mandatory	No

V.4.3.14.21.2 Check constraint name of the column OGGETTO of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_OGGETTO_CC

V.4.3.14.21.3 Check of the column OGGETTO of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.21.4 Server validation rule of the column OGGETTO of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.21.5 List of extended attributes of the table column OGGETTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.22 Column OGGETTO_AL1 of the table GRUPPI_RAPPORTO**V.4.3.14.22.1 Card of the column OGGETTO_AL1 of the table GRUPPI_RAPPORTO**

Name	OGGETTO_AL1
Code	OGGETTO_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.3.14.22.2 Check constraint name of the column OGGETTO_AL1 of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_ OGGETTO_AL1_CC

V.4.3.14.22.3 Check of the column OGGETTO_AL1 of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.22.4 Server validation rule of the column OGGETTO_AL1 of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.22.5 List of extended attributes of the table column OGGETTO_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.14.23 Column **OGGETTO_AL2** of the table **GRUPPI_RAPPORTO**

V.4.3.14.23.1 Card of the column **OGGETTO_AL2** of the table **GRUPPI_RAPPORTO**

Name	OGGETTO_AL2
Code	OGGETTO_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.3.14.23.2 Check constraint name of the column **OGGETTO_AL2** of the table **GRUPPI_RAPPORTO**

GRUPPI_RAPPOR_OGGETTO_AL2_CC

V.4.3.14.23.3 Check of the column **OGGETTO_AL2** of the table **GRUPPI_RAPPORTO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.23.4 Server validation rule of the column **OGGETTO_AL2** of the table **GRUPPI_RAPPORTO** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.23.5 List of extended attributes of the table column **OGGETTO_AL2**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.24 Column **SEDE** of the table **GRUPPI_RAPPORTO**

V.4.3.14.24.1 Card of the column **SEDE** of the table **GRUPPI_RAPPORTO**

Name	SEDE
Code	SEDE

Data Type	VARCHAR2(4)
Mandatory	No

**V.4.3.14.24.2 Check constraint name of the column SEDE of the table GRUPPI_RAPPORTO
GRUPPI_RAPPOR_SEDE_CC**

V.4.3.14.24.3 Check of the column SEDE of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.14.24.4 Server validation rule of the column SEDE of the table GRUPPI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.14.24.5 List of all dependencies of the table column SEDE

Name	Code	Class Name
SEDE	SEDE	Index Column
?	?	Reference Join

V.4.3.14.24.6 List of extended attributes of the table column SEDE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.25 Column ANNO of the table GRUPPI_RAPPORTO

V.4.3.14.25.1 Card of the column ANNO of the table GRUPPI_RAPPORTO

Name	ANNO
Code	ANNO
Data Type	NUMBER(4)
Mandatory	No

V.4.3.14.25.2 Check constraint name of the column ANNO of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_ANNO_CC

V.4.3.14.25.3 Check of the column ANNO of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.25.4 Server validation rule of the column ANNO of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.25.5 List of all dependencies of the table column ANNO

Name	Code	Class Name
ANNO	ANNO	Index Column
?	?	Reference Join

V.4.3.14.25.6 List of extended attributes of the table column ANNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.26 Column NUMERO of the table GRUPPI_RAPPORTO**V.4.3.14.26.1 Card of the column NUMERO of the table GRUPPI_RAPPORTO**

Name	NUMERO
Code	NUMERO
Data Type	NUMBER(7)
Mandatory	No

V.4.3.14.26.2 Check constraint name of the column NUMERO of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_NUMERO_CC

V.4.3.14.26.3 Check of the column NUMERO of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.26.4 Server validation rule of the column NUMERO of the table GRUPPI_RAPPORTO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.26.5 List of all dependencies of the table column NUMERO

Name	Code	Class Name
NUMERO	NUMERO	Index Column
?	?	Reference Join

V.4.3.14.26.6 List of extended attributes of the table column NUMERO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.27 Column CAT_FISCALE of the table GRUPPI_RAPPORTO**V.4.3.14.27.1 Card of the column CAT_FISCALE of the table GRUPPI_RAPPORTO**

Name	CAT_FISCALE
Code	CAT_FISCALE
Data Type	VARCHAR2(2)
Mandatory	No

V.4.3.14.27.2 Check constraint name of the column CAT_FISCALE of the table GRUPPI_RAPPORTO

GRUPPI_RAPPOR_CAT_FISCALE_CC

V.4.3.14.27.3 Check of the column CAT_FISCALE of the table GRUPPI_RAPPORTO

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.14.27.4 Server validation rule of the column CAT_FISCALE of the table GRUPPI_RAPPORTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.14.27.5 List of extended attributes of the table column CAT_FISCALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.14.28 List of keys of the table GRUPPI_RAPPORTO

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.14.29 Key KEY_1 of the table GRUPPI_RAPPORTO

V.4.3.14.29.1 Card of the key KEY_1 of the table GRUPPI_RAPPORTO

Name	Key_1
Code	KEY_1
Table	GRUPPI_RAPPORTO

V.4.3.14.29.2 Code preview of the key KEY_1 of the table GRUPPI_RAPPORTO

```
alter table GRUPPI_RAPPORTO
add constraint GRRA_PK primary key (GRUPPO);
```

V.4.3.14.29.3 List of columns of the table key KEY_1

Name	Code
GRUPPO	GRUPPO

V.4.3.14.29.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
GRRA_PK	GRRA_PK	Index
RAIN_GRRA	RAIN_GRRA	Reference

V.4.3.14.30 List of indexes of the table GRUPPI_RAPPORTO

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
GRRA_PK	GRRA_PK	X		X		
GRRA_DELI_FK	GRRA_DELI_FK					

V.4.3.14.31 Index GRRA_PK of the table GRUPPI_RAPPORTO**V.4.3.14.31.1 Card of the index GRRA_PK of the table GRUPPI_RAPPORTO**

Name	GRRA_PK
Code	GRRA_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	GRUPPI_RAPPORTO

V.4.3.14.31.2 Code preview of the index GRRA_PK of the table GRUPPI_RAPPORTO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.14.31.3 List of index columns of the index GRRA_PK

Name	Code	Sort
GRUPPO	GRUPPO	Ascending

V.4.3.14.32 Index GRRA_DELI_FK of the table GRUPPI_RAPPORTO**V.4.3.14.32.1 Card of the index GRRA_DELI_FK of the table GRUPPI_RAPPORTO**

Name	GRRA_DELI_FK
Code	GRRA_DELI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	GRUPPI_RAPPORTO

V.4.3.14.32.2 Code preview of the index GRRA_DELI_FK of the table GRUPPI_RAPPORTO

```
/*=====
/* Index: GRRA_DELI_FK                               */
/*=====*/
create index GRRA_DELI_FK on GRUPPI_RAPPORTO (
    SEDE ASC,
    ANNO ASC,
    NUMERO ASC
);
```

V.4.3.14.32.3 List of index columns of the index GRRA_DELI_FK

Name	Code	Sort
SEDE	SEDE	Ascending
ANNO	ANNO	Ascending
NUMERO	NUMERO	Ascending

V.4.3.14.33 List of triggers of the table GRUPPI_RAPPORTO

Name	Code
gruppi_rapporto_tiu	GRUPPI_RAPPORTO_TIU
gruppi_rapporto_tmb	GRUPPI_RAPPORTO_TMB

V.4.3.14.34 Trigger GRUPPI_RAPPORTO_TIU of the table GRUPPI_RAPPORTO**V.4.3.14.34.1 Card of the trigger GRUPPI_RAPPORTO_TIU of the table GRUPPI_RAPPORTO**

Name	gruppi_rapporto_tiu
Code	GRUPPI_RAPPORTO_TIU
Generate	Yes
Table	GRUPPI_RAPPORTO
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.14.34.2 Code preview of the trigger GRUPPI_RAPPORTO_TIU of the table GRUPPI_RAPPORTO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.14.35 Trigger GRUPPI_RAPPORTO_TMB of the table GRUPPI_RAPPORTO**V.4.3.14.35.1 Card of the trigger GRUPPI_RAPPORTO_TMB of the table GRUPPI_RAPPORTO**

Name	gruppi_rapporto_tmb
Code	GRUPPI_RAPPORTO_TMB

Generate	Yes
Table	GRUPPI_RAPPORTO
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

**V.4.3.14.35.2 Code preview of the trigger GRUPPI_RAPPORTO_TMB of the table
GRUPPI_RAPPORTO**

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.15 Table INDIVIDUI_MODIFICATI

V.4.3.15.1 Card of table INDIVIDUI_MODIFICATI

Name	Individui Modificati
Code	INDIVIDUI_MODIFICATI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.15.2 Check constraint name of table INDIVIDUI_MODIFICATI

INDIVIDUI_MODIFICATI_CT

V.4.3.15.3 Server validation rule of table INDIVIDUI_MODIFICATI

%RULES%

V.4.3.15.4 Code preview of table INDIVIDUI_MODIFICATI

```
/*
* Table: INDIVIDUI_MODIFICATI */
create table INDIVIDUI_MODIFICATI (
    NI           NUMBER(8),
    PROGRESSIVO   NUMBER(10)          not null,
    TABELLA        VARCHAR2(30),
    RILEVANZA     VARCHAR2(1),
    DAL           DATE,
    AL            DATE,
    OPERAZIONE    VARCHAR2(1),
    SINDACATO     VARCHAR2(10),
    CI            NUMBER(8),
    UTENTE        VARCHAR2(10),
    DATA_AGG      DATE
);
```

comment on table INDIVIDUI_MODIFICATI is
'Contiene dati caricati da trigger se attivo il flag ente.int_rilevazione_presenze';

```
alter table INDIVIDUI_MODIFICATI
  add constraint INMO_PK primary key (PROGRESSIVO);
```

V.4.3.15.5 List of diagrams containing the table INDIVIDUI_MODIFICATI

Name	Code
Generale	GENERALE

V.4.3.15.6 List of extended attributes of the table INDIVIDUI_MODIFICATI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.15.7 List of columns of the table INDIVIDUI_MODIFICATI

Name	Code
NI	NI
PROGRESSIVO	PROGRESSIVO
TABELLA	TABELLA
RILEVANZA	RILEVANZA
DAL	DAL
AL	AL
OPERAZIONE	OPERAZIONE
SINDACATO	SINDACATO
CI	CI
UTENTE	UTENTE
DATA_AGG	DATA_AGG

V.4.3.15.8 Column NI of the table INDIVIDUI_MODIFICATI

V.4.3.15.8.1 Card of the column NI of the table INDIVIDUI_MODIFICATI

Name	NI
Code	NI
Data Type	NUMBER(8)
Mandatory	No

V.4.3.15.8.2 Check constraint name of the column NI of the table INDIVIDUI_MODIFICATI

INDIVIDUI_MOD_NI_CC

V.4.3.15.8.3 Check of the column NI of the table INDIVIDUI_MODIFICATI

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.8.4 Server validation rule of the column NI of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.8.5 List of extended attributes of the table column NI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.9 Column PROGRESSIVO of the table INDIVIDUI_MODIFICATI**V.4.3.15.9.1 Card of the column PROGRESSIVO of the table INDIVIDUI_MODIFICATI**

Name	PROGRESSIVO
Code	PROGRESSIVO
Data Type	NUMBER(10)
Mandatory	Yes

V.4.3.15.9.2 Check constraint name of the column PROGRESSIVO of the table INDIVIDUI_MODIFICATI

INDIVIDUI_MOD_PROGRESSIVO_CC

V.4.3.15.9.3 Check of the column PROGRESSIVO of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.15.9.4 Server validation rule of the column PROGRESSIVO of the table
INDIVIDUI_MODIFICATI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.9.5 List of all dependencies of the table column PROGRESSIVO

Name	Code	Class Name
Key_1	KEY_1	Key
PROGRESSIVO	PROGRESSIVO	Index Column

V.4.3.15.9.6 List of extended attributes of the table column PROGRESSIVO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.10 Column TABELLA of the table INDIVIDUI_MODIFICATI

V.4.3.15.10.1 Card of the column TABELLA of the table INDIVIDUI_MODIFICATI

Name	TABELLA
Code	TABELLA
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.15.10.2 Check constraint name of the column TABELLA of the table INDIVIDUI_MODIFICATI

INDIVIDUI_MOD_TABELLA_CC

V.4.3.15.10.3 Check of the column TABELLA of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.10.4 Server validation rule of the column TABELLA of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.10.5 List of extended attributes of the table column TABELLA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.11 Column RILEVANZA of the table INDIVIDUI_MODIFICATI**V.4.3.15.11.1 Card of the column RILEVANZA of the table INDIVIDUI_MODIFICATI**

Name	RILEVANZA
Code	RILEVANZA
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.15.11.2 Check constraint name of the column RILEVANZA of the table INDIVIDUI_MODIFICATI

INDIVIDUI_MOD_RILEVANZA_CC

V.4.3.15.11.3 Check of the column RILEVANZA of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.11.4 Server validation rule of the column RILEVANZA of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.11.5 List of extended attributes of the table column RILEVANZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.12 Column DAL of the table INDIVIDUI_MODIFICATI

V.4.3.15.12.1 Card of the column DAL of the table INDIVIDUI_MODIFICATI

Name	DAL
Code	DAL
Data Type	DATE
Mandatory	No

**V.4.3.15.12.2 Check constraint name of the column DAL of the table INDIVIDUI_MODIFICATI
INDIVIDUI_MOD_DAL_CC****V.4.3.15.12.3 Check of the column DAL of the table INDIVIDUI_MODIFICATI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.15.12.4 Server validation rule of the column DAL of the table INDIVIDUI_MODIFICATI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.15.12.5 List of extended attributes of the table column DAL**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.13 Column AL of the table INDIVIDUI_MODIFICATI**V.4.3.15.13.1 Card of the column AL of the table INDIVIDUI_MODIFICATI**

Name	AL
Code	AL
Data Type	DATE
Mandatory	No

**V.4.3.15.13.2 Check constraint name of the column AL of the table INDIVIDUI_MODIFICATI
INDIVIDUI_MOD_AL_CC**

V.4.3.15.13.3 Check of the column AL of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.13.4 Server validation rule of the column AL of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.13.5 List of extended attributes of the table column AL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.14 Column OPERAZIONE of the table INDIVIDUI_MODIFICATI**V.4.3.15.14.1 Card of the column OPERAZIONE of the table INDIVIDUI_MODIFICATI**

Name	OPERAZIONE
Code	OPERAZIONE
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.15.14.2 Check constraint name of the column OPERAZIONE of the table**INDIVIDUI_MODIFICATI****INDIVIDUI_MOD_OPERAZIONE_CC****V.4.3.15.14.3 Check of the column OPERAZIONE of the table INDIVIDUI_MODIFICATI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.3.15.14.4 Server validation rule of the column OPERAZIONE of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.14.5 List of extended attributes of the table column OPERAZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.15 Column SINDACATO of the table INDIVIDUI_MODIFICATI

V.4.3.15.15.1 Card of the column SINDACATO of the table INDIVIDUI_MODIFICATI

Name	SINDACATO
Code	SINDACATO
Data Type	VARCHAR2(10)
Mandatory	No

V.4.3.15.15.2 Check constraint name of the column SINDACATO of the table INDIVIDUI_MODIFICATI

INDIVIDUI_MOD_SINDACATO_CC

V.4.3.15.15.3 Check of the column SINDACATO of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.15.4 Server validation rule of the column SINDACATO of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.15.5 List of extended attributes of the table column SINDACATO

Name	Data Type	Value	Target Name

ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.16 *Column CI of the table INDIVIDUI_MODIFICATI*

V.4.3.15.16.1 Card of the column CI of the table INDIVIDUI_MODIFICATI

Name	CI
Code	CI
Data Type	NUMBER(8)
Mandatory	No

V.4.3.15.16.2 Check constraint name of the column CI of the table INDIVIDUI_MODIFICATI

INDIVIDUI_MOD_CI_CC

V.4.3.15.16.3 Check of the column CI of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.16.4 Server validation rule of the column CI of the table INDIVIDUI_MODIFICATI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.16.5 List of extended attributes of the table column CI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.17 *Column UTENTE of the table INDIVIDUI_MODIFICATI*

V.4.3.15.17.1 Card of the column UTENTE of the table INDIVIDUI_MODIFICATI

Name	UTENTE
------	--------

Code	UTENTE
Data Type	VARCHAR2(10)
Mandatory	No

**V.4.3.15.17.2 Check constraint name of the column UTENTE of the table INDIVIDUI_MODIFICATI
INDIVIDUI_MOD_UTENTE_CC**

V.4.3.15.17.3 Check of the column UTENTE of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.15.17.4 Server validation rule of the column UTENTE of the table INDIVIDUI_MODIFICATI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.15.17.5 List of extended attributes of the table column UTENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.18 Column DATA_AGG of the table INDIVIDUI_MODIFICATI

V.4.3.15.18.1 Card of the column DATA_AGG of the table INDIVIDUI_MODIFICATI

Name	DATA_AGG
Code	DATA_AGG
Data Type	DATE
Mandatory	No

**V.4.3.15.18.2 Check constraint name of the column DATA_AGG of the table
INDIVIDUI_MODIFICATI**

INDIVIDUI_MOD_DATA_AGG_CC

V.4.3.15.18.3 Check of the column DATA_AGG of the table INDIVIDUI_MODIFICATI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.15.18.4 Server validation rule of the column DATA_AGG of the table INDIVIDUI_MODIFICATI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.15.18.5 List of extended attributes of the table column DATA_AGG

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.15.19 List of keys of the table INDIVIDUI_MODIFICATI

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.15.20 Key KEY_1 of the table INDIVIDUI_MODIFICATI

V.4.3.15.20.1 Card of the key KEY_1 of the table INDIVIDUI_MODIFICATI

Name	Key_1
Code	KEY_1
Table	INDIVIDUI_MODIFICATI

V.4.3.15.20.2 Code preview of the key KEY_1 of the table INDIVIDUI_MODIFICATI

```
alter table INDIVIDUI_MODIFICATI
add constraint INMO_PK primary key (PROGRESSIVO);
```

V.4.3.15.20.3 List of columns of the table key KEY_1

Name	Code
PROGRESSIVO	PROGRESSIVO

V.4.3.15.20.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
INMO_PK	INMO_PK	Index

V.4.3.15.21 List of indexes of the table INDIVIDUI_MODIFICATI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
INMO_PK	INMO_PK	X		X		

V.4.3.15.22 Index INMO_PK of the table INDIVIDUI_MODIFICATI**V.4.3.15.22.1 Card of the index INMO_PK of the table INDIVIDUI_MODIFICATI**

Name	INMO_PK
Code	INMO_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	INDIVIDUI_MODIFICATI

V.4.3.15.22.2 Code preview of the index INMO_PK of the table INDIVIDUI_MODIFICATI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.15.22.3 List of index columns of the index INMO_PK

Name	Code	Sort
PROGRESSIVO	PROGRESSIVO	Ascending

V.4.3.15.23 List of triggers of the table INDIVIDUI_MODIFICATI

Name	Code
individui_modificati_tc	INDIVIDUI_MODIFICATI_TC
individui_modificati_tiu	INDIVIDUI_MODIFICATI_TIU

V.4.3.15.24 Trigger INDIVIDUI_MODIFICATI_TC of the table INDIVIDUI_MODIFICATI**V.4.3.15.24.1 Card of the trigger INDIVIDUI_MODIFICATI_TC of the table INDIVIDUI_MODIFICATI**

Name	individui_modificati_tc
------	-------------------------

Code	INDIVIDUI_MODIFICATI_TC
Generate	Yes
Table	INDIVIDUI_MODIFICATI
Trigger Template	CustomPostEvent (From DBMS)
User-Defined SQL	No

V.4.3.15.24.2 Code preview of the trigger INDIVIDUI_MODIFICATI_TC of the table INDIVIDUI_MODIFICATI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.15.25 Trigger INDIVIDUI_MODIFICATI_TIU of the table INDIVIDUI_MODIFICATI

V.4.3.15.25.1 Card of the trigger INDIVIDUI_MODIFICATI_TIU of the table INDIVIDUI_MODIFICATI

Name	individui_modificati_tiu
Code	INDIVIDUI_MODIFICATI_TIU
Generate	Yes
Table	INDIVIDUI_MODIFICATI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.15.25.2 Code preview of the trigger INDIVIDUI_MODIFICATI_TIU of the table INDIVIDUI_MODIFICATI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.16 Table PARENTELE

V.4.3.16.1 Card of table PARENTELE

Name	Parentele
Code	PARENTELE
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.16.2 Check constraint name of table PARENTELE

PARENTELE_CT

V.4.3.16.3 Server validation rule of table PARENTELE

%RULES%

V.4.3.16.4 Begin script of table PARENTELE

```
/* 28/06/2011 - MS - A44655 */  
/*=====*/
```

V.4.3.16.5 *Code preview of table PARENTELE*

```
/*=====*/  
/* Table: PARENTELE */  
/*=====*/  
/* 28/06/2011 - MS - A44655 */  
/*=====*/  
create table PARENTELE (  
    CODICE          VARCHAR2(4)           not null,  
    DESCRIZIONE     VARCHAR2(30),  
    DESCRIZIONE_AL1 VARCHAR2(30),  
    DESCRIZIONE_AL2 VARCHAR2(30),  
    DES_ABB         VARCHAR2(2),  
    SEQUENZA        NUMBER(3)            not null,  
    NUCLEO_FAM      VARCHAR2(2)           not null,  
    CARICO_FIS      VARCHAR2(2)           not null,  
    COD_PREVIDENZA VARCHAR2(1)  
);
```

comment on table PARENTELE is
'PARE - Relazioni di parentela dei familiari dell"individuo';

comment on column PARENTELE.CODICE is
'Codice attribuito alla relazione di parentela.');

comment on column PARENTELE.DESCRIZIONE is
'Descrizione associata al codice inserito. Il codice consente l"identificazione della relazione di parentela presente tra il familiare e l"individuo anagrafico cui si fa riferimento.';

comment on column PARENTELE.SEQUENZA is
'Il valore obbligatorio espresso nella Sequenza determina l"ordinamento dei familiari nell"ambito della composizione del nucleo. Deve essere attribuito nel rispetto delle norme demografiche di presentazione della certificazione del nucleo familiare.

':

comment on column PARENTELE.NUCLEO_FAM is
'Indica se il tipo di parentela concorre alla composizione del carico familiare per Assegno o Aggiunta di Famiglia.';

comment on column PARENTELE.CARICO_FIS is
'Indica se il tipo di parentela concorre alla composizione del carico familiare per la determinazione delle detrazioni fiscali di imposta.'

':

comment on column PARENTELE.COD_PREVIDENZA is
 'Codice di identificazione Previdenziale del grado di parentela, utilizzabile per l'integrazione con applicazioni esterne.';

```
alter table PARENTELE
  add constraint PARE_PK primary key (SEQUENZA);
```

```
alter table PARENTELE
  add constraint PARE_UK unique (CODICE);
```

V.4.3.16.6 List of diagrams containing the table PARENTELE

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.16.7 List of incoming references of the table PARENTELE

Name	Code
ANFA_PARE	ANFA_PARE

V.4.3.16.8 List of outgoing references of the table PARENTELE

Name	Code	Foreign Key Columns
rv_domain ='PARENTELE.CARICO_FIS' /*Parent*/	PARE_RECO_CF	CARICO_FIS
rv_domain ='PARENTELE.NUCLEO_FAM' /*Parent*/	PARE_RECO_NF	NUCLEO_FAM

V.4.3.16.9 List of all dependencies of the table PARENTELE

Name	Code	Class Name
ANFA_PARE	ANFA_PARE	Reference
rv_domain ='PARENTELE.CARICO_FIS' /*Parent*/	PARE_RECO_CF	Reference
rv_domain ='PARENTELE.NUCLEO_FAM' /*Parent*/	PARE_RECO_NF	Reference

V.4.3.16.10 List of extended attributes of the table PARENTELE

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.16.11 List of columns of the table PARENTELE

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
DES_ABB	DES_ABB
SEQUENZA	SEQUENZA
NUCLEO_FAM	NUCLEO_FAM
CARICO_FIS	CARICO_FIS
COD_PREVIDENZA	COD_PREVIDENZA

V.4.3.16.12 Column CODICE of the table PARENTELE

V.4.3.16.12.1 Card of the column CODICE of the table PARENTELE

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.16.12.2 Check constraint name of the column CODICE of the table PARENTELE

PARENTELE_CODICE_CC

V.4.3.16.12.3 Check of the column CODICE of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.12.4 Server validation rule of the column CODICE of the table PARENTELE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.12.5 List of all dependencies of the table column CODICE

Name	Code	Class Name
CODICE	CODICE	Index Column
PARE	PARE	Key

V.4.3.16.12.6 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.13 Column DESCRIZIONE of the table PARENTELE**V.4.3.16.13.1 Card of the column DESCRIZIONE of the table PARENTELE**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.16.13.2 Check constraint name of the column DESCRIZIONE of the table PARENTELE

PARENTELE_DESCRIZIONE_CC

V.4.3.16.13.3 Check of the column DESCRIZIONE of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.13.4 Server validation rule of the column DESCRIZIONE of the table PARENTELE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.13.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.16.14 Column **DESCRIZIONE_AL1** of the table PARENTELE

V.4.3.16.14.1 Card of the column DESCRIZIONE_AL1 of the table PARENTELE

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.16.14.2 Check constraint name of the column DESCRIZIONE_AL1 of the table PARENTELE PARENTELE_DESCRIZIONE_A_CC

V.4.3.16.14.3 Check of the column DESCRIZIONE_AL1 of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.14.4 Server validation rule of the column DESCRIZIONE_AL1 of the table PARENTELE %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.14.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.15 Column **DESCRIZIONE_AL2** of the table PARENTELE

V.4.3.16.15.1 Card of the column DESCRIZIONE_AL2 of the table PARENTELE

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(30)

Mandatory	No
-----------	----

**V.4.3.16.15.2 Check constraint name of the column DESCRIZIONE_AL2 of the table PARENTELE
PARENTELE_DESCRIZIONE_A_CC**

V.4.3.16.15.3 Check of the column DESCRIZIONE_AL2 of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.16.15.4 Server validation rule of the column DESCRIZIONE_AL2 of the table PARENTELE
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.16.15.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.16 Column DES_ABB of the table PARENTELE

V.4.3.16.16.1 Card of the column DES_ABB of the table PARENTELE

Name	DES_ABB
Code	DES_ABB
Data Type	VARCHAR2(2)
Mandatory	No

**V.4.3.16.16.2 Check constraint name of the column DES_ABB of the table PARENTELE
PARENTELE_DES_ABB_CC**

V.4.3.16.16.3 Check of the column DES_ABB of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.16.4 Server validation rule of the column DES_ABB of the table PARENTELE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.16.5 List of extended attributes of the table column DES_ABB

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.17 Column SEQUENZA of the table PARENTELE**V.4.3.16.17.1 Card of the column SEQUENZA of the table PARENTELE**

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(3)
Mandatory	Yes

V.4.3.16.17.2 Check constraint name of the column SEQUENZA of the table PARENTELE

PARENTELESEQUENZA_CC

V.4.3.16.17.3 Check of the column SEQUENZA of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.17.4 Server validation rule of the column SEQUENZA of the table PARENTELE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.17.5 List of all dependencies of the table column SEQUENZA

Name	Code	Class Name
Key_1	KEY_1	Key
SEQUENZA	SEQUENZA	Index Column
?	?	Reference Join

V.4.3.16.17.6 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.18 Column NUCLEO_FAM of the table PARENTELE**V.4.3.16.18.1 Card of the column NUCLEO_FAM of the table PARENTELE**

Name	NUCLEO_FAM
Code	NUCLEO_FAM
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.16.18.2 Check constraint name of the column NUCLEO_FAM of the table PARENTELE

PARENTELE_NUCLEO_FAM_CC

V.4.3.16.18.3 Check of the column NUCLEO_FAM of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.18.4 Server validation rule of the column NUCLEO_FAM of the table PARENTELE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.18.5 List of all dependencies of the table column NUCLEO_FAM

Name	Code	Class Name
?	?	Reference Join

V.4.3.16.18.6 List of extended attributes of the table column NUCLEO_FAM

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.19 Column CARICO_FIS of the table PARENTELE**V.4.3.16.19.1 Card of the column CARICO_FIS of the table PARENTELE**

Name	CARICO_FIS
Code	CARICO_FIS
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.16.19.2 Check constraint name of the column CARICO_FIS of the table PARENTELE

PARENTELE_CARICO_FIS_CC

V.4.3.16.19.3 Check of the column CARICO_FIS of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.19.4 Server validation rule of the column CARICO_FIS of the table PARENTELE

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.19.5 List of all dependencies of the table column CARICO_FIS

Name	Code	Class Name
?	?	Reference Join

V.4.3.16.19.6 List of extended attributes of the table column CARICO_FIS

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.20 Column COD_PREVIDENZA of the table PARENTELE

V.4.3.16.20.1 Card of the column COD_PREVIDENZA of the table PARENTELE

Name	COD_PREVIDENZA
Code	COD_PREVIDENZA
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.16.20.2 Check constraint name of the column COD_PREVIDENZA of the table PARENTELE PARENTELE_COD_PREVIDENZ_CC

V.4.3.16.20.3 Check of the column COD_PREVIDENZA of the table PARENTELE

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.16.20.4 Server validation rule of the column COD_PREVIDENZA of the table PARENTELE %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.16.20.5 List of extended attributes of the table column COD_PREVIDENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.16.21 List of keys of the table PARENTELE

Name	Code	Primary
Key_1	KEY_1	X
PARE	PARE	

V.4.3.16.22 Key KEY_1 of the table PARENTELE**V.4.3.16.22.1 Card of the key KEY_1 of the table PARENTELE**

Name	Key_1
Code	KEY_1
Table	PARENTELE

V.4.3.16.22.2 Code preview of the key KEY_1 of the table PARENTELE

```
alter table PARENTELE
add constraint PARE_PK primary key (SEQUENZA);
```

V.4.3.16.22.3 List of columns of the table key KEY_1

Name	Code
SEQUENZA	SEQUENZA

V.4.3.16.22.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANFA_PARE	ANFA_PARE	Reference
PARE_PK	PARE_PK	Index

V.4.3.16.23 Key PARE of the table PARENTELE**V.4.3.16.23.1 Card of the key PARE of the table PARENTELE**

Name	PARE
Code	PARE
Table	PARENTELE

V.4.3.16.23.2 Code preview of the key PARE of the table PARENTELE

```
alter table PARENTELE
add constraint PARE_UK unique (CODICE);
```

V.4.3.16.23.3 List of columns of the table key PARE

Name	Code
CODICE	CODICE

V.4.3.16.23.4 List of all dependencies of the table key PARE

Name	Code	Class Name
PARE_UK	PARE_UK	Index

V.4.3.16.24 List of indexes of the table PARENTELE

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PARE_PK	PARE_PK	X		X		
PARE_UK	PARE_UK	X				X

V.4.3.16.25 Index PARE_PK of the table PARENTELE**V.4.3.16.25.1 Card of the index PARE_PK of the table PARENTELE**

Name	PARE_PK
Code	PARE_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PARENTELE

V.4.3.16.25.2 Code preview of the index PARE_PK of the table PARENTELE

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.16.25.3 List of index columns of the index PARE_PK

Name	Code	Sort
SEQUENZA	SEQUENZA	Ascending

V.4.3.16.26 Index PARE_UK of the table PARENTELE**V.4.3.16.26.1 Card of the index PARE_UK of the table PARENTELE**

Name	PARE_UK
Code	PARE_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	Yes
Table	PARENTELE

V.4.3.16.26.2 Code preview of the index PARE_UK of the table PARENTELE

-- The preview is empty because of the setting.
 -- Check the generation option.

V.4.3.16.26.3 List of index columns of the index PARE_UK

Name	Code	Sort
CODICE	CODICE	Ascending

V.4.3.16.27 List of triggers of the table PARENTELE

Name	Code
parentele_tc	PARENTELE_TC
parentele_tiu	PARENTELE_TIU
parentele_tmb	PARENTELE_TMB

V.4.3.16.28 Trigger PARENTELE_TC of the table PARENTELE

V.4.3.16.28.1 Card of the trigger PARENTELE_TC of the table PARENTELE

Name	parentele_tc
Code	PARENTELE_TC
Generate	Yes
Table	PARENTELE
Trigger Template	CustomPostEvent (From DBMS)
User-Defined SQL	No

V.4.3.16.28.2 Code preview of the trigger PARENTELE_TC of the table PARENTELE

-- The preview is empty because of the setting.
 -- Check the generation option.

V.4.3.16.29 Trigger PARENTELE_TIU of the table PARENTELE

V.4.3.16.29.1 Card of the trigger PARENTELE_TIU of the table PARENTELE

Name	parentele_tiu
Code	PARENTELE_TIU
Generate	Yes
Table	PARENTELE
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.16.29.2 Code preview of the trigger PARENTELE_TIU of the table PARENTELE

-- The preview is empty because of the setting.
 -- Check the generation option.

V.4.3.16.30 Trigger PARENTELE_TMB of the table PARENTELE**V.4.3.16.30.1 Card of the trigger PARENTELE_TMB of the table PARENTELE**

Name	parentele_tmb
Code	PARENTELE_TMB
Generate	Yes
Table	PARENTELE
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.16.30.2 Code preview of the trigger PARENTELE_TMB of the table PARENTELE

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.17 Table RAPPORTI_INDIVIDUALI**V.4.3.17.1 Card of table RAPPORTI_INDIVIDUALI**

Name	Rapporti Individuali
Code	RAPPORTI_INDIVIDUALI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.17.2 Check constraint name of table RAPPORTI_INDIVIDUALI

RAPPORTI_INDIVIDUALI_CT

V.4.3.17.3 Server validation rule of table RAPPORTI_INDIVIDUALI

%RULES%

V.4.3.17.4 Begin script of table RAPPORTI_INDIVIDUALI

```
/*
          */
/*      A21437          */
/*      A36990          */
/*      A44396          */
/*=====*/

```

V.4.3.17.5 Code preview of table RAPPORTI_INDIVIDUALI

```
/*
          */
/* Table: RAPPORTI_INDIVIDUALI          */
/*=====*/
/*          */
/*      A21437          */
/*      A36990          */
/*=====*/

```

```
/*      A44396
/*=====*/
```

```
create table RAPPORTI_INDIVIDUALI (
    CI          NUMBER(8)           not null,
    COGNOME     VARCHAR2(240)        not null,
    NOME        VARCHAR2(40),
    NI          NUMBER(8)           not null,
    DATA_NAS    DATE,
    RAPPORTO    VARCHAR2(4)         not null,
    CC          VARCHAR2(30),
    DAL         DATE               default sysdate not null,
    AL          DATE,
    GRUPPO      VARCHAR2(12),
    NOTE        VARCHAR2(4000),
    AMBIENTE    VARCHAR2(8),
    TIPO_NI     VARCHAR2(1),
    FASCICOLO   VARCHAR2(20),
    TELEFONO_UFFICIO VARCHAR2(14),
    FAX_UFFICIO  VARCHAR2(14),
    E_MAIL       VARCHAR2(2000),
    INDIRIZZO_REC VARCHAR2(40),
    INDIRIZZO_REC_AL1 VARCHAR2(40),
    INDIRIZZO_REC_AL2 VARCHAR2(40),
    PROVINCIA_REC NUMBER(3),
    COMUNE_REC   NUMBER(3),
    CAP_REC      VARCHAR2(5),
    TEL_REC      VARCHAR2(14),
    FAX_REC      VARCHAR2(14),
    MAIL_CEDOLINO NUMBER(1)         default 0 not null,
    AZIENDA_ID    VARCHAR2(4),
    NUMERO_ID_ESTERNO NUMBER,
    CODICE_GRUPPO_ESTERNO VARCHAR2(20),
    MATRICOLA_ASSUNZIONE NUMBER(6)
);
```

comment on table RAPPORTI_INDIVIDUALI is
 'RAIN - Rapporti dell"individuo con l"ente';

comment on column RAPPORTI_INDIVIDUALI.CI is
 'Codice individuale.:';

comment on column RAPPORTI_INDIVIDUALI.RAPPORTO is
 'Codice di classificazione del rapporto del soggetto anagrafico con l"ente, per la determinazione delle caratteristiche applicative della registrazione.';

comment on column RAPPORTI_INDIVIDUALI.CC is
 'E' disponibile l'abbinamento del rapporto a specifiche codifiche di competenza dell'utente,
 consentendo l'inibizione dell'accesso sulle informazioni a utenti che non possiedono la competenza
 indicata.Le codifiche di competenza utilizzabili nel controllo di accesso agli individui sono attribuibili
 nella gestione dell'Ambiente di Sistema. Dovrà essere definita una "Competenza" uguale a "CI" per
 ogni specifico "Oggetto" di competenza che identificherà la chiave di accesso alle informazioni
 anagrafiche del personale.

';

comment on column RAPPORTI_INDIVIDUALI.DAL is
 'Data di Inizio del Rapporto';

comment on column RAPPORTI_INDIVIDUALI.AL is
 'Data di Fine del Rapporto';

comment on column RAPPORTI_INDIVIDUALI.GRUPPO is
 'Codice di raggruppamento che consente di attribuire un'informazione di aggregazione o di
 suddivisione degli individui nell'ambito della classificazione del rapporto, raggruppandoli per blocchi
 di collettività utili ai fini delle fasi generali di elaborazione e stampa.';

comment on column RAPPORTI_INDIVIDUALI.NOTE is
 'Annotazioni sul Rapporto';

comment on column RAPPORTI_INDIVIDUALI.AZIENDA_ID is
 'in uso su GPS';

alter table RAPPORTI_INDIVIDUALI
 add constraint RAIN_PK primary key (CI);

/*=====*/
 /* Index: RAIN_CLRA_FK */
 /*=====*/

create index RAIN_CLRA_FK on RAPPORTI_INDIVIDUALI (

 RAPPORTO ASC

);

/*=====*/
 /* Index: RAIN_GRRA_FK */
 /*=====*/

create index RAIN_GRRA_FK on RAPPORTI_INDIVIDUALI (

 GRUPPO ASC

);

/*=====*/
 /* Index: RAIN_IK */
 /*=====*/

```

create index RAIN_IK on RAPPORTI_INDIVIDUALI (
    COGNOME ASC,
    NOME ASC,
    NI ASC,
    DAL ASC
);

/*=====
/* Index: RAIN_IK2
=====
create index RAIN_IK2 on RAPPORTI_INDIVIDUALI (
    FASCICOLO ASC
);

/*=====
/* Index: RAIN_INDI_FK
=====
create index RAIN_INDI_FK on RAPPORTI_INDIVIDUALI (
    NI ASC
);

```

V.4.3.17.6 List of diagrams containing the table RAPPORTI_INDIVIDUALI

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI
Generale	GENERALE

V.4.3.17.7 List of incoming references of the table RAPPORTI_INDIVIDUALI

Name	Code
DIPI_RAIN	DIPI_RAIN

V.4.3.17.8 List of outgoing references of the table RAPPORTI_INDIVIDUALI

Name	Code	Foreign Key Columns
RAIN_ANAG	RAIN_ANAG	NI
RAIN_CLRA	RAIN_CLRA	RAPPORTO
RAIN_GRRA	RAIN_GRRA	GRUPPO

V.4.3.17.9 List of all dependencies of the table RAPPORTI_INDIVIDUALI

Name	Code	Class Name
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table

Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
Rapporti Individuali	RAPPORTI_INDIVIDUALI	Shortcut of table
DIPI_RAIN	DIPI_RAIN	Reference
RAIN_ANAG	RAIN_ANAG	Reference
RAIN_CLRA	RAIN_CLRA	Reference
RAIN_GRRA	RAIN_GRRA	Reference

V.4.3.17.10 List of extended attributes of the table RAPPORTI_INDIVIDUALI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.17.11 List of columns of the table RAPPORTI_INDIVIDUALI

Name	Code
CI	CI
COGNOME	COGNOME
NOME	NOME
NI	NI
DATA_NAS	DATA_NAS
RAPPORTO	RAPPORTO
CC	CC
DAL	DAL
AL	AL
GRUPPO	GRUPPO
NOTE	NOTE
AMBIENTE	AMBIENTE
TIPO_NI	TIPO_NI
FASCICOLO	FASCICOLO
TELEFONO_UFFICIO	TELEFONO_UFFICIO
FAX_UFFICIO	FAX_UFFICIO

E MAIL	E MAIL
INDIRIZZO_REC	INDIRIZZO_REC
INDIRIZZO_REC_AL1	INDIRIZZO_REC_AL1
INDIRIZZO_REC_AL2	INDIRIZZO_REC_AL2
PROVINCIA_REC	PROVINCIA_REC
COMUNE_REC	COMUNE_REC
CAP_REC	CAP_REC
TEL_REC	TEL_REC
FAX_REC	FAX_REC
MAIL_CEDOLINO	MAIL_CEDOLINO
AZIENDA_ID	AZIENDA_ID
NUMERO_ID_ESTERNO	NUMERO_ID_ESTERNO
CODICE_GRUPPO_ESTERNO	CODICE_GRUPPO_ESTERNO
MATRICOLA_ASSUNZIONE	MATRICOLA_ASSUNZIONE

V.4.3.17.12 *Column CI of the table RAPPORTI_INDIVIDUALI*

V.4.3.17.12.1 Card of the column CI of the table RAPPORTI_INDIVIDUALI

Name	CI
Code	CI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.3.17.12.2 Check constraint name of the column CI of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_CI_CC

V.4.3.17.12.3 Check of the column CI of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.12.4 Server validation rule of the column CI of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.12.5 List of all dependencies of the table column CI

Name	Code	Class Name

CI	CI	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.17.12.6 List of extended attributes of the table column CI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.13 Column COGNOME of the table RAPPORTI_INDIVIDUALI

V.4.3.17.13.1 Card of the column COGNOME of the table RAPPORTI_INDIVIDUALI

Name	COGNOME
Code	COGNOME
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.3.17.13.2 Check constraint name of the column COGNOME of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_COGNOME_CC

V.4.3.17.13.3 Check of the column COGNOME of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.13.4 Server validation rule of the column COGNOME of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.13.5 List of all dependencies of the table column COGNOME

Name	Code	Class Name
COGNOME	COGNOME	Index Column

V.4.3.17.13.6 List of extended attributes of the table column COGNOME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.14 Column NOME of the table RAPPORTI_INDIVIDUALI**V.4.3.17.14.1 Card of the column NOME of the table RAPPORTI_INDIVIDUALI**

Name	NOME
Code	NOME
Data Type	VARCHAR2(40)
Mandatory	No

**V.4.3.17.14.2 Check constraint name of the column NOME of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_NOME_CC****V.4.3.17.14.3 Check of the column NOME of the table RAPPORTI_INDIVIDUALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.17.14.4 Server validation rule of the column NOME of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.17.14.5 List of all dependencies of the table column NOME**

Name	Code	Class Name
NOME	NOME	Index Column

V.4.3.17.14.6 List of extended attributes of the table column NOME

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for

e			Si4)
---	--	--	------

V.4.3.17.15 Column NI of the table RAPPORTI_INDIVIDUALI

V.4.3.17.15.1 Card of the column NI of the table RAPPORTI_INDIVIDUALI

Name	NI
Code	NI
Data Type	NUMBER(8)
Mandatory	Yes

V.4.3.17.15.2 Check constraint name of the column NI of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_NI_CC

V.4.3.17.15.3 Check of the column NI of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.15.4 Server validation rule of the column NI of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.15.5 List of all dependencies of the table column NI

Name	Code	Class Name
NI	NI	Index Column
NI	NI	Index Column
?	?	Reference Join

V.4.3.17.15.6 List of extended attributes of the table column NI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.16 Column DATA_NAS of the table RAPPORTI_INDIVIDUALI**V.4.3.17.16.1 Card of the column DATA_NAS of the table RAPPORTI_INDIVIDUALI**

Name	DATA_NAS
Code	DATA_NAS
Data Type	DATE
Mandatory	No

V.4.3.17.16.2 Check constraint name of the column DATA_NAS of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_DATA_NAS_CC

V.4.3.17.16.3 Check of the column DATA_NAS of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.16.4 Server validation rule of the column DATA_NAS of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.17.16.5 List of extended attributes of the table column DATA_NAS**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.17 Column RAPPORTO of the table RAPPORTI_INDIVIDUALI**V.4.3.17.17.1 Card of the column RAPPORTO of the table RAPPORTI_INDIVIDUALI**

Name	RAPPORTO
Code	RAPPORTO
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.17.17.2 Check constraint name of the column RAPPORTO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_RAPPORTO_CC

V.4.3.17.17.3 Check of the column RAPPORTO of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.17.4 Server validation rule of the column RAPPORTO of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.17.5 List of all dependencies of the table column RAPPORTO

Name	Code	Class Name
?	?	Reference Join
RAPPORTO	RAPPORTO	Index Column

V.4.3.17.17.6 List of extended attributes of the table column RAPPORTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.18 Column CC of the table RAPPORTI_INDIVIDUALI

V.4.3.17.18.1 Card of the column CC of the table RAPPORTI_INDIVIDUALI

Name	CC
Code	CC
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.17.18.2 Check constraint name of the column CC of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_CC_CC

V.4.3.17.18.3 Check of the column CC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.18.4 Server validation rule of the column CC of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.18.5 List of extended attributes of the table column CC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.19 Column DAL of the table RAPPORTI_INDIVIDUALI**V.4.3.17.19.1 Card of the column DAL of the table RAPPORTI_INDIVIDUALI**

Name	DAL
Code	DAL
Data Type	DATE
Mandatory	Yes

V.4.3.17.19.2 Check constraint name of the column DAL of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_DAL_CC

V.4.3.17.19.3 Check of the column DAL of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	sysdate
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.19.4 Server validation rule of the column DAL of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.19.5 List of all dependencies of the table column DAL

Name	Code	Class Name
DAL	DAL	Index Column

V.4.3.17.19.6 List of extended attributes of the table column DAL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.20 Column AL of the table RAPPORTI_INDIVIDUALI**V.4.3.17.20.1 Card of the column AL of the table RAPPORTI_INDIVIDUALI**

Name	AL
Code	AL
Data Type	DATE
Mandatory	No

V.4.3.17.20.2 Check constraint name of the column AL of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_AL_CC

V.4.3.17.20.3 Check of the column AL of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.20.4 Server validation rule of the column AL of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.20.5 List of extended attributes of the table column AL

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.21 Column GRUPPO of the table RAPPORTI_INDIVIDUALI**V.4.3.17.21.1 Card of the column GRUPPO of the table RAPPORTI_INDIVIDUALI**

Name	GRUPPO
Code	GRUPPO
Data Type	VARCHAR2(12)
Mandatory	No

**V.4.3.17.21.2 Check constraint name of the column GRUPPO of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_GRUPPO_CC****V.4.3.17.21.3 Check of the column GRUPPO of the table RAPPORTI_INDIVIDUALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.17.21.4 Server validation rule of the column GRUPPO of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.17.21.5 List of all dependencies of the table column GRUPPO**

Name	Code	Class Name
GRUPPO	GRUPPO	Index Column
?	?	Reference Join

V.4.3.17.21.6 List of extended attributes of the table column GRUPPO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.17.22 Column *NOTE* of the table RAPPORTI_INDIVIDUALI

V.4.3.17.22.1 Card of the column NOTE of the table RAPPORTI_INDIVIDUALI

Name	NOTE
Code	NOTE
Data Type	VARCHAR2(4000)
Mandatory	No

V.4.3.17.22.2 Check constraint name of the column NOTE of the table RAPPORTI_INDIVIDUALI RAPPORTI_INDI_NOTE_CC

V.4.3.17.22.3 Check of the column NOTE of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.22.4 Server validation rule of the column NOTE of the table RAPPORTI_INDIVIDUALI %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.22.5 List of extended attributes of the table column NOTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.23 Column *AMBIENTE* of the table RAPPORTI_INDIVIDUALI

V.4.3.17.23.1 Card of the column AMBIENTE of the table RAPPORTI_INDIVIDUALI

Name	AMBIENTE
Code	AMBIENTE
Data Type	VARCHAR2(8)

Mandatory	No
-----------	----

V.4.3.17.23.2 Check constraint name of the column AMBIENTE of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_AMBIENTE_CC

V.4.3.17.23.3 Check of the column AMBIENTE of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.23.4 Server validation rule of the column AMBIENTE of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.23.5 List of extended attributes of the table column AMBIENTE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.24 Column TIPO_NI of the table RAPPORTI_INDIVIDUALI

V.4.3.17.24.1 Card of the column TIPO_NI of the table RAPPORTI_INDIVIDUALI

Name	TIPO_NI
Code	TIPO_NI
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.17.24.2 Check constraint name of the column TIPO_NI of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_TIPO_NI_CC

V.4.3.17.24.3 Check of the column TIPO_NI of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.24.4 Server validation rule of the column TIPO_NI of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.24.5 List of extended attributes of the table column TIPO_NI

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.25 Column FASCICOLO of the table RAPPORTI_INDIVIDUALI

V.4.3.17.25.1 Card of the column FASCICOLO of the table RAPPORTI_INDIVIDUALI

Name	FASCICOLO
Code	FASCICOLO
Data Type	VARCHAR2(20)
Mandatory	No

V.4.3.17.25.2 Check constraint name of the column FASCICOLO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_FASCICOLO_CC

V.4.3.17.25.3 Check of the column FASCICOLO of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.25.4 Server validation rule of the column FASCICOLO of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.25.5 List of all dependencies of the table column FASCICOLO

Name	Code	Class Name
FASCICOLO	FASCICOLO	Index Column

V.4.3.17.25.6 List of extended attributes of the table column FASCICOLO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.26 Column TELEFONO_UFFICIO of the table RAPPORTI_INDIVIDUALI

V.4.3.17.26.1 Card of the column TELEFONO_UFFICIO of the table RAPPORTI_INDIVIDUALI

Name	TELEFONO_UFFICIO
Code	TELEFONO_UFFICIO
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.17.26.2 Check constraint name of the column TELEFONO_UFFICIO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_TELEFONO_UFFI_CC

V.4.3.17.26.3 Check of the column TELEFONO_UFFICIO of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.26.4 Server validation rule of the column TELEFONO_UFFICIO of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.26.5 List of extended attributes of the table column TELEFONO_UFFICIO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.27 Column FAX_UFFICIO of the table RAPPORTI_INDIVIDUALI**V.4.3.17.27.1 Card of the column FAX_UFFICIO of the table RAPPORTI_INDIVIDUALI**

Name	FAX_UFFICIO
Code	FAX_UFFICIO
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.17.27.2 Check constraint name of the column FAX_UFFICIO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_FAX_UFFICIO_CC

V.4.3.17.27.3 Check of the column FAX_UFFICIO of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.27.4 Server validation rule of the column FAX_UFFICIO of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.27.5 List of extended attributes of the table column FAX_UFFICIO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.28 Column E_MAIL of the table RAPPORTI_INDIVIDUALI**V.4.3.17.28.1 Card of the column E_MAIL of the table RAPPORTI_INDIVIDUALI**

Name	E_MAIL
Code	E_MAIL
Data Type	VARCHAR2(2000)
Mandatory	No

**V.4.3.17.28.2 Check constraint name of the column E_MAIL of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_E_MAIL_CC****V.4.3.17.28.3 Check of the column E_MAIL of the table RAPPORTI_INDIVIDUALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.17.28.4 Server validation rule of the column E_MAIL of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.17.28.5 List of extended attributes of the table column E_MAIL**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.29 Column INDIRIZZO_REC of the table RAPPORTI_INDIVIDUALI**V.4.3.17.29.1 Card of the column INDIRIZZO_REC of the table RAPPORTI_INDIVIDUALI**

Name	INDIRIZZO_REC
Code	INDIRIZZO_REC
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.17.29.2 Check constraint name of the column INDIRIZZO_REC of the table**RAPPORTI_INDIVIDUALI**

RAPPORTI_INDI_INDIRIZZO_REC_CC

V.4.3.17.29.3 Check of the column INDIRIZZO_REC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.29.4 Server validation rule of the column INDIRIZZO_REC of the table**RAPPORTI_INDIVIDUALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.29.5 List of extended attributes of the table column INDIRIZZO_REC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.30 Column INDIRIZZO_REC_AL1 of the table RAPPORTI_INDIVIDUALI**V.4.3.17.30.1 Card of the column INDIRIZZO_REC_AL1 of the table RAPPORTI_INDIVIDUALI**

Name	INDIRIZZO_REC_AL1
Code	INDIRIZZO_REC_AL1
Data Type	VARCHAR2(40)
Mandatory	No

V.4.3.17.30.2 Check constraint name of the column INDIRIZZO_REC_AL1 of the table**RAPPORTI_INDIVIDUALI**

RAPPORTI_INDI_INDIRIZZO_REC_CC

V.4.3.17.30.3 Check of the column INDIRIZZO_REC_AL1 of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.30.4 Server validation rule of the column INDIRIZZO_REC_AL1 of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.30.5 List of extended attributes of the table column INDIRIZZO_REC_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.31 Column INDIRIZZO_REC_AL2 of the table RAPPORTI_INDIVIDUALI

V.4.3.17.31.1 Card of the column INDIRIZZO_REC_AL2 of the table RAPPORTI_INDIVIDUALI

Name	INDIRIZZO_REC_AL2
Code	INDIRIZZO_REC_AL2
Data Type	VARCHAR(40)
Mandatory	No

V.4.3.17.31.2 Check constraint name of the column INDIRIZZO_REC_AL2 of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_INDIRIZZO_REC_CC

V.4.3.17.31.3 Check of the column INDIRIZZO_REC_AL2 of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.31.4 Server validation rule of the column INDIRIZZO_REC_AL2 of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.31.5 List of extended attributes of the table column INDIRIZZO_REC_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.32 Column PROVINCIA_REC of the table RAPPORTI_INDIVIDUALI

V.4.3.17.32.1 Card of the column PROVINCIA_REC of the table RAPPORTI_INDIVIDUALI

Name	PROVINCIA_REC
Code	PROVINCIA_REC
Data Type	NUMBER(3)
Mandatory	No

V.4.3.17.32.2 Check constraint name of the column PROVINCIA_REC of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_PROVINCIA_REC_CC

V.4.3.17.32.3 Check of the column PROVINCIA_REC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.32.4 Server validation rule of the column PROVINCIA_REC of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.32.5 List of extended attributes of the table column PROVINCIA_REC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.3.17.33 Column **COMUNE_REC** of the table **RAPPORTI_INDIVIDUALI**

V.4.3.17.33.1 Card of the column COMUNE_REC of the table RAPPORTI_INDIVIDUALI

Name	COMUNE_REC
Code	COMUNE_REC
Data Type	NUMBER(3)
Mandatory	No

V.4.3.17.33.2 Check constraint name of the column COMUNE_REC of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_COMUNE_REC_CC

V.4.3.17.33.3 Check of the column COMUNE_REC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.33.4 Server validation rule of the column COMUNE_REC of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.33.5 List of extended attributes of the table column COMUNE_REC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.34 Column **CAP_REC** of the table **RAPPORTI_INDIVIDUALI**

V.4.3.17.34.1 Card of the column CAP_REC of the table RAPPORTI_INDIVIDUALI

Name	CAP_REC
------	---------

Code	CAP_REC
Data Type	VARCHAR2(5)
Mandatory	No

**V.4.3.17.34.2 Check constraint name of the column CAP_REC of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_CAP_REC_CC**

V.4.3.17.34.3 Check of the column CAP_REC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.17.34.4 Server validation rule of the column CAP_REC of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.17.34.5 List of extended attributes of the table column CAP_REC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.35 Column TEL_REC of the table RAPPORTI_INDIVIDUALI

V.4.3.17.35.1 Card of the column TEL_REC of the table RAPPORTI_INDIVIDUALI

Name	TEL_REC
Code	TEL_REC
Data Type	VARCHAR2(14)
Mandatory	No

**V.4.3.17.35.2 Check constraint name of the column TEL_REC of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_TEL_REC_CC**

V.4.3.17.35.3 Check of the column TEL_REC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.35.4 Server validation rule of the column TEL_REC of the table RAPPORTI_INDIVIDUALI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.35.5 List of extended attributes of the table column TEL_REC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.36 Column FAX_REC of the table RAPPORTI_INDIVIDUALI

V.4.3.17.36.1 Card of the column FAX_REC of the table RAPPORTI_INDIVIDUALI

Name	FAX_REC
Code	FAX_REC
Data Type	VARCHAR2(14)
Mandatory	No

V.4.3.17.36.2 Check constraint name of the column FAX_REC of the table RAPPORTI_INDIVIDUALI
RAPPORTI_INDI_FAX_REC_CC

V.4.3.17.36.3 Check of the column FAX_REC of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.36.4 Server validation rule of the column FAX_REC of the table RAPPORTI_INDIVIDUALI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.36.5 List of extended attributes of the table column FAX_REC

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.37 Column MAIL_CEDOLINO of the table RAPPORTI_INDIVIDUALI

V.4.3.17.37.1 Card of the column MAIL_CEDOLINO of the table RAPPORTI_INDIVIDUALI

Name	MAIL_CEDOLINO
Code	MAIL_CEDOLINO
Data Type	NUMBER(1)
Mandatory	Yes

V.4.3.17.37.2 Check constraint name of the column MAIL_CEDOLINO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_MAIL_CEDOLINO_CC

V.4.3.17.37.3 Check of the column MAIL_CEDOLINO of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	0
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.37.4 Server validation rule of the column MAIL_CEDOLINO of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.37.5 List of extended attributes of the table column MAIL_CEDOLINO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.3.17.38 Column AZIENDA_ID of the table RAPPORTI_INDIVIDUALI

V.4.3.17.38.1 Card of the column AZIENDA_ID of the table RAPPORTI_INDIVIDUALI

Name	AZIENDA_ID
Code	AZIENDA_ID
Data Type	VARCHAR2(4)
Mandatory	No

V.4.3.17.38.2 Check constraint name of the column AZIENDA_ID of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_AZIENDA_ID_CC

V.4.3.17.38.3 Check of the column AZIENDA_ID of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.38.4 Server validation rule of the column AZIENDA_ID of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.38.5 List of extended attributes of the table column AZIENDA_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.39 Column NUMERO_ID_ESTERNO of the table RAPPORTI_INDIVIDUALI

V.4.3.17.39.1 Card of the column NUMERO_ID_ESTERNO of the table RAPPORTI_INDIVIDUALI

Name	NUMERO_ID_ESTERNO
Code	NUMERO_ID_ESTERNO

Data Type	NUMBER
Mandatory	No

V.4.3.17.39.2 Check constraint name of the column NUMERO_ID_ESTERNO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_NUMERO_ID_EST_CC

V.4.3.17.39.3 Check of the column NUMERO_ID_ESTERNO of the table RAPPORTI_INDIVIDUALI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.39.4 Server validation rule of the column NUMERO_ID_ESTERNO of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.39.5 List of extended attributes of the table column NUMERO_ID_ESTERNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.40 Column CODICE_GRUPPO_ESTERNO of the table RAPPORTI_INDIVIDUALI

V.4.3.17.40.1 Card of the column CODICE_GRUPPO_ESTERNO of the table RAPPORTI_INDIVIDUALI

Name	CODICE_GRUPPO_ESTERNO
Code	CODICE_GRUPPO_ESTERNO
Data Type	VARCHAR2(20)
Mandatory	No

V.4.3.17.40.2 Check constraint name of the column CODICE_GRUPPO_ESTERNO of the table RAPPORTI_INDIVIDUALI

RAPPORTI_INDI_CODICE_GRUPPO_CC

**V.4.3.17.40.3 Check of the column CODICE_GRUPPO_ESTERNO of the table
RAPPORTI_INDIVIDUALI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.17.40.4 Server validation rule of the column CODICE_GRUPPO_ESTERNO of the table
RAPPORTI_INDIVIDUALI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.40.5 List of extended attributes of the table column CODICE_GRUPPO_ESTERNO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.17.41 Column MATRICOLA_ASSUNZIONE of the table
RAPPORTI_INDIVIDUALI**

**V.4.3.17.41.1 Card of the column MATRICOLA_ASSUNZIONE of the table
RAPPORTI_INDIVIDUALI**

Name	MATRICOLA_ASSUNZIONE
Code	MATRICOLA_ASSUNZIONE
Data Type	NUMBER(6)
Mandatory	No

**V.4.3.17.41.2 Check constraint name of the column MATRICOLA_ASSUNZIONE of the table
RAPPORTI_INDIVIDUALI**

RAPPORTI_INDI_MATRICOLA_ASS_CC

**V.4.3.17.41.3 Check of the column MATRICOLA_ASSUNZIONE of the table
RAPPORTI_INDIVIDUALI**

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.17.41.4 Server validation rule of the column MATRICOLA_ASSUNZIONE of the table RAPPORTI_INDIVIDUALI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.17.41.5 List of extended attributes of the table column MATRICOLA_ASSUNZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.17.42 List of keys of the table RAPPORTI_INDIVIDUALI

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.17.43 Key KEY_1 of the table RAPPORTI_INDIVIDUALI

V.4.3.17.43.1 Card of the key KEY_1 of the table RAPPORTI_INDIVIDUALI

Name	Key_1
Code	KEY_1
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.43.2 Code preview of the key KEY_1 of the table RAPPORTI_INDIVIDUALI

```
alter table RAPPORTI_INDIVIDUALI
add constraint RAIN_PK primary key (CI);
```

V.4.3.17.43.3 List of columns of the table key KEY_1

Name	Code
CI	CI

V.4.3.17.43.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name

DIPI_RAIN	DIPI_RAIN	Reference
RAIN_PK	RAIN_PK	Index

V.4.3.17.44 List of indexes of the table RAPPORTI_INDIVIDUALI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
RAIN_PK	RAIN_PK	X		X		
RAIN_CLRA_FK	RAIN_CLRA_FK				X	
RAIN_GRRA_FK	RAIN_GRRA_FK				X	
RAIN_IK	RAIN_IK					
RAIN_IK2	RAIN_IK2					
RAIN_INDI_FK	RAIN_INDI_FK				X	

V.4.3.17.45 Index RAIN_PK of the table RAPPORTI_INDIVIDUALI

V.4.3.17.45.1 Card of the index RAIN_PK of the table RAPPORTI_INDIVIDUALI

Name	RAIN_PK
Code	RAIN_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.45.2 Code preview of the index RAIN_PK of the table RAPPORTI_INDIVIDUALI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.17.45.3 List of index columns of the index RAIN_PK

Name	Code	Sort
CI	CI	Ascending

V.4.3.17.46 Index RAIN_CLRA_FK of the table RAPPORTI_INDIVIDUALI

V.4.3.17.46.1 Card of the index RAIN_CLRA_FK of the table RAPPORTI_INDIVIDUALI

Name	RAIN_CLRA_FK
Code	RAIN_CLRA_FK
Unique	No

Cluster	No
Primary	No
Foreign Key	Yes
Alternate Key	No
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.46.2 Code preview of the index RAIN_CLRA_FK of the table RAPPORTI_INDIVIDUALI

```
/*
=====
/* Index: RAIN_CLRA_FK                               */
/*=====
create index RAIN_CLRA_FK on RAPPORTI_INDIVIDUALI (
    RAPPORTO ASC
);
```

V.4.3.17.46.3 List of index columns of the index RAIN_CLRA_FK

Name	Code	Sort
RAPPORTO	RAPPORTO	Ascending

V.4.3.17.47 Index RAIN_GRRA_FK of the table RAPPORTI_INDIVIDUALI**V.4.3.17.47.1 Card of the index RAIN_GRRA_FK of the table RAPPORTI_INDIVIDUALI**

Name	RAIN_GRRA_FK
Code	RAIN_GRRA_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	Yes
Alternate Key	No
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.47.2 Code preview of the index RAIN_GRRA_FK of the table RAPPORTI_INDIVIDUALI

```
/*
=====
/* Index: RAIN_GRRA_FK                               */
/*=====
create index RAIN_GRRA_FK on RAPPORTI_INDIVIDUALI (
    GRUPPO ASC
);
```

V.4.3.17.47.3 List of index columns of the index RAIN_GRRA_FK

Name	Code	Sort

GRUPPO	GRUPPO	Ascending
--------	--------	-----------

V.4.3.17.48 *Index RAIN_IK of the table RAPPORTI_INDIVIDUALI*

V.4.3.17.48.1 Card of the index RAIN_IK of the table RAPPORTI_INDIVIDUALI

Name	RAIN_IK
Code	RAIN_IK
Unique	No
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.48.2 Code preview of the index RAIN_IK of the table RAPPORTI_INDIVIDUALI

```
/*
=====
/* Index: RAIN_IK */
=====
create index RAIN_IK on RAPPORTI_INDIVIDUALI (
    COGNOME ASC,
    NOME ASC,
    NI ASC,
    DAL ASC
);
```

V.4.3.17.48.3 List of index columns of the index RAIN_IK

Name	Code	Sort
COGNOME	COGNOME	Ascending
NOME	NOME	Ascending
NI	NI	Ascending
DAL	DAL	Ascending

V.4.3.17.49 *Index RAIN_IK2 of the table RAPPORTI_INDIVIDUALI*

V.4.3.17.49.1 Card of the index RAIN_IK2 of the table RAPPORTI_INDIVIDUALI

Name	RAIN_IK2
Code	RAIN_IK2
Unique	No
Cluster	No
Primary	No
Foreign Key	No

Alternate Key	No
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.49.2 Code preview of the index RAIN_IK2 of the table RAPPORTI_INDIVIDUALI

```
/*=====
/* Index: RAIN_IK2                               */
/*=====*/
create index RAIN_IK2 on RAPPORTI_INDIVIDUALI (
    FASCICOLO ASC
);
```

V.4.3.17.49.3 List of index columns of the index RAIN_IK2

Name	Code	Sort
FASCICOLO	FASCICOLO	Ascending

V.4.3.17.50 Index RAIN_INDI_FK of the table RAPPORTI_INDIVIDUALI**V.4.3.17.50.1 Card of the index RAIN_INDI_FK of the table RAPPORTI_INDIVIDUALI**

Name	RAIN_INDI_FK
Code	RAIN_INDI_FK
Unique	No
Cluster	No
Primary	No
Foreign Key	Yes
Alternate Key	No
Table	RAPPORTI_INDIVIDUALI

V.4.3.17.50.2 Code preview of the index RAIN_INDI_FK of the table RAPPORTI_INDIVIDUALI

```
/*=====
/* Index: RAIN_INDI_FK                           */
/*=====*/
create index RAIN_INDI_FK on RAPPORTI_INDIVIDUALI (
    NI ASC
);
```

V.4.3.17.50.3 List of index columns of the index RAIN_INDI_FK

Name	Code	Sort
NI	NI	Ascending

V.4.3.17.51 List of triggers of the table RAPPORTI_INDIVIDUALI

Name	Code
rapporti individuali tc	RAPPORTI_INDIVIDUALI_TC
rapporti individuali tdb	RAPPORTI_INDIVIDUALI_TDB
rapporti individuali tiu	RAPPORTI_INDIVIDUALI_TIU
rapporti individuali tmb	RAPPORTI_INDIVIDUALI_TMB

**V.4.3.17.52 Trigger *RAPPORTI_INDIVIDUALI_TC* of the table
*RAPPORTI_INDIVIDUALI***

**V.4.3.17.52.1 Card of the trigger *RAPPORTI_INDIVIDUALI_TC* of the table
*RAPPORTI_INDIVIDUALI***

Name	rapporti_individuali_tc
Code	RAPPORTI_INDIVIDUALI_TC
Generate	Yes
Table	RAPPORTI_INDIVIDUALI
Trigger Template	CustomPostEvent (From DBMS)
User-Defined SQL	No

**V.4.3.17.52.2 Code preview of the trigger *RAPPORTI_INDIVIDUALI_TC* of the table
*RAPPORTI_INDIVIDUALI***

- The preview is empty because of the setting.
- Check the generation option.

**V.4.3.17.53 Trigger *RAPPORTI_INDIVIDUALI_TDB* of the table
*RAPPORTI_INDIVIDUALI***

**V.4.3.17.53.1 Card of the trigger *RAPPORTI_INDIVIDUALI_TDB* of the table
*RAPPORTI_INDIVIDUALI***

Name	rapporti_individuali_tdb
Code	RAPPORTI_INDIVIDUALI_TDB
Generate	Yes
Table	RAPPORTI_INDIVIDUALI
Trigger Template	BeforeDeleteTrigger (From DBMS)
User-Defined SQL	No

**V.4.3.17.53.2 Code preview of the trigger *RAPPORTI_INDIVIDUALI_TDB* of the table
*RAPPORTI_INDIVIDUALI***

- The preview is empty because of the setting.
- Check the generation option.

**V.4.3.17.54 Trigger *RAPPORTI_INDIVIDUALI_TIU* of the table
*RAPPORTI_INDIVIDUALI***

V.4.3.17.54.1 Card of the trigger RAPPORTI_INDIVIDUALI TIU of the table RAPPORTI_INDIVIDUALI

Name	rapporti_individuali_tiu
Code	RAPPORTI_INDIVIDUALI_TIU
Generate	Yes
Table	RAPPORTI_INDIVIDUALI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.17.54.2 Code preview of the trigger RAPPORTI_INDIVIDUALI TIU of the table RAPPORTI_INDIVIDUALI

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.17.55 Trigger RAPPORTI_INDIVIDUALI_TMB of the table RAPPORTI_INDIVIDUALI

V.4.3.17.55.1 Card of the trigger RAPPORTI_INDIVIDUALI_TMB of the table RAPPORTI_INDIVIDUALI

Name	rapporti_individuali_tmb
Code	RAPPORTI_INDIVIDUALI_TMB
Generate	Yes
Table	RAPPORTI_INDIVIDUALI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.17.55.2 Code preview of the trigger RAPPORTI_INDIVIDUALI_TMB of the table RAPPORTI_INDIVIDUALI

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.18 Table RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.1 Card of table RIGHE_DICHIARAZIONE_FAMILIARI

Name	RIGHE_DICHIARAZIONE_FAMILIARI
Code	RIGHE_DICHIARAZIONE_FAMILIARI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.18.2 Check constraint name of table RIGHE_DICHIARAZIONE_FAMILIARI

RIGHE_DICHIARAZIONE_FAMILIA_CT

V.4.3.18.3 Server validation rule of table RIGHE_DICHIARAZIONE_FAMILIARI

%RULES%

V.4.3.18.4 *Code preview of table RIGHE_DICHIARAZIONE_FAMILIARI*

```
/*
 * Table: RIGHE_DICHIARAZIONE_FAMILIARI */
create table RIGHE_DICHIARAZIONE_FAMILIARI (
    RDFA_ID      NUMBER(6)          not null,
    DIFA_ID      NUMBER(6)          not null,
    NI_FAMILIARE NUMBER(8)          not null,
    CARICO       VARCHAR2(2)        default 'NO' not null,
    PERCENTUALE  NUMBER(5,2),
    INABILE      VARCHAR2(2)        default 'NO' not null
);
```

comment on table RIGHE_DICHIARAZIONE_FAMILIARI is
'RDFA - Dettagli Dati Dichiarazione Familiari per carichi (in uso solo su GPs)';

```
alter table RIGHE_DICHIARAZIONE_FAMILIARI
    add constraint RDFA_PK primary key (RDFA_ID);
```

```
/*
 * Index: RDFA_UK */
create unique index RDFA_UK on RIGHE_DICHIARAZIONE_FAMILIARI (
    DIFA_ID ASC,
    NI_FAMILIARE ASC
);
```

V.4.3.18.5 *List of diagrams containing the table RIGHE_DICHIARAZIONE_FAMILIARI*

Name	Code
Generale	GENERALE

V.4.3.18.6 *List of extended attributes of the table RIGHE_DICHIARAZIONE_FAMILIARI*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.18.7 *List of columns of the table RIGHE_DICHIARAZIONE_FAMILIARI*

Name	Code

RDFA_ID	RDFA_ID
DIFA_ID	DIFA_ID
NI_FAMILIARE	NI_FAMILIARE
CARICO	CARICO
PERCENTUALE	PERCENTUALE
INABILE	INABILE

V.4.3.18.8 Column RDFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.8.1 Card of the column RDFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	RDFA_ID
Code	RDFA_ID
Data Type	NUMBER(6)
Mandatory	Yes

V.4.3.18.8.2 Check constraint name of the column RDFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

RIGHE_DICHIAR_RDFA_ID_CC

V.4.3.18.8.3 Check of the column RDFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.18.8.4 Server validation rule of the column RDFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.18.8.5 List of all dependencies of the table column RDFA_ID

Name	Code	Class Name
RDFA_PK	RDFA_PK	Key

V.4.3.18.8.6 List of extended attributes of the table column RDFA_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.18.9 Column DIFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.9.1 Card of the column DIFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	DIFA_ID
Code	DIFA_ID
Data Type	NUMBER(6)
Mandatory	Yes

V.4.3.18.9.2 Check constraint name of the column DIFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

RIGHE_DICHIAR_DIFA_ID_CC

V.4.3.18.9.3 Check of the column DIFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.18.9.4 Server validation rule of the column DIFA_ID of the table RIGHE_DICHIARAZIONE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.18.9.5 List of all dependencies of the table column DIFA_ID

Name	Code	Class Name
DIFA_ID	DIFA_ID	Index Column

V.4.3.18.9.6 List of extended attributes of the table column DIFA_ID

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

**V.4.3.18.10 Column NI_FAMILIARE of the table
RIGHE_DICHIARAZIONE_FAMILYARI**

**V.4.3.18.10.1 Card of the column NI_FAMILIARE of the table
RIGHE_DICHIARAZIONE_FAMILYARI**

Name	NI_FAMILIARE
Code	NI_FAMILIARE
Data Type	NUMBER(8)
Mandatory	Yes

**V.4.3.18.10.2 Check constraint name of the column NI_FAMILIARE of the table
RIGHE_DICHIARAZIONE_FAMILYARI**

RIGHE_DICHIAR_NI_FAMILYARE_CC

**V.4.3.18.10.3 Check of the column NI_FAMILIARE of the table
RIGHE_DICHIARAZIONE_FAMILYARI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.18.10.4 Server validation rule of the column NI_FAMILIARE of the table
RIGHE_DICHIARAZIONE_FAMILYARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.18.10.5 List of all dependencies of the table column NI_FAMILIARE

Name	Code	Class Name
NI_FAMILIARE	NI_FAMILIARE	Index Column

V.4.3.18.10.6 List of extended attributes of the table column NI_FAMILIARE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.18.11 Column *CARICO* of the table *RIGHE_DICHIARAZIONE_FAMILIARI*

V.4.3.18.11.1 Card of the column CARICO of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	CARICO
Code	CARICO
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.18.11.2 Check constraint name of the column CARICO of the table RIGHE_DICHIARAZIONE_FAMILIARI

RIGHE_DICHIAR_CARICO_CC

V.4.3.18.11.3 Check of the column CARICO of the table RIGHE_DICHIARAZIONE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.18.11.4 Server validation rule of the column CARICO of the table RIGHE_DICHIARAZIONE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.18.11.5 List of extended attributes of the table column CARICO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.18.12 Column *PERCENTUALE* of the table RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.12.1 Card of the column PERCENTUALE of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	PERCENTUALE
Code	PERCENTUALE
Data Type	NUMBER(5,2)

Mandatory	No
-----------	----

**V.4.3.18.12.2 Check constraint name of the column PERCENTUALE of the table
RIGHE_DICHIARAZIONE_FAMILIARI**

RIGHE_DICHIAR_PERCENTUALE_CC

**V.4.3.18.12.3 Check of the column PERCENTUALE of the table
RIGHE_DICHIARAZIONE_FAMILIARI**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.18.12.4 Server validation rule of the column PERCENTUALE of the table
RIGHE_DICHIARAZIONE_FAMILIARI**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.18.12.5 List of extended attributes of the table column PERCENTUALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.18.13 Column INABILE of the table RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.13.1 Card of the column INABILE of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	INABILE
Code	INABILE
Data Type	VARCHAR2(2)
Mandatory	Yes

**V.4.3.18.13.2 Check constraint name of the column INABILE of the table
RIGHE_DICHIARAZIONE_FAMILIARI**

RIGHE_DICHIAR_INABILE_CC

V.4.3.18.13.3 Check of the column INABILE of the table RIGHE_DICHIARAZIONE_FAMILIARI

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.18.13.4 Server validation rule of the column INABILE of the table RIGHE_DICHIARAZIONE_FAMILIARI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.18.13.5 List of extended attributes of the table column INABILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.18.14 List of keys of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	Code	Primary
RDFA_PK	RDFA_PK	X

V.4.3.18.15 Key RDFA_PK of the table RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.15.1 Card of the key RDFA_PK of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	RDFA_PK
Code	RDFA_PK
Table	RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.15.2 Code preview of the key RDFA_PK of the table RIGHE_DICHIARAZIONE_FAMILIARI

alter table RIGHE_DICHIARAZIONE_FAMILIARI

add constraint RDFA_PK primary key (RDFA_ID);

V.4.3.18.15.3 List of columns of the table key RDFA_PK

Name	Code
RDFA_ID	RDFA_ID

V.4.3.18.16 List of indexes of the table RIGHE_DICHIARAZIONE_FAMILIARI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
RDFA_UK	RDFA_UK	X				

V.4.3.18.17 Index RDFA_UK of the table RIGHE_DICHIARAZIONE_FAMILIARI**V.4.3.18.17.1 Card of the index RDFA_UK of the table RIGHE_DICHIARAZIONE_FAMILIARI**

Name	RDFA_UK
Code	RDFA_UK
Unique	Yes
Cluster	No
Primary	No
Foreign Key	No
Alternate Key	No
Table	RIGHE_DICHIARAZIONE_FAMILIARI

V.4.3.18.17.2 Code preview of the index RDFA_UK of the table RIGHE_DICHIARAZIONE_FAMILIARI

```
=====
/* Index: RDFA_UK */
=====
create unique index RDFA_UK on RIGHE_DICHIARAZIONE_FAMILIARI (
    DIFA_ID ASC,
    NI_FAMILYARE ASC
);
```

V.4.3.18.17.3 List of index columns of the index RDFA_UK

Name	Code	Sort
DIFA_ID	DIFA_ID	Ascending
NI_FAMILYARE	NI_FAMILYARE	Ascending

V.4.3.19 Table STATI_CIVILI**V.4.3.19.1 Card of table STATI_CIVILI**

Name	Stati Civili
Code	STATI_CIVILI
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.19.2 Check constraint name of table STATI_CIVILI

STATI_CIVILI_CT

V.4.3.19.3 Server validation rule of table STATI_CIVILI

%RULES%

V.4.3.19.4 Code preview of table STATI_CIVILI

```
/*=====
/* Table: STATI_CIVILI
/*=====
create table STATI_CIVILI (
    CODICE          VARCHAR2(4)           not null,
    DESCRIZIONE     VARCHAR2(30),
    DESCRIZIONE_AL1 VARCHAR2(30),
    DESCRIZIONE_AL2 VARCHAR2(30),
    SEQUENZA        NUMBER(3),
    CAT_FISCALE     VARCHAR2(1),
    PRESENZA_CONIUGE VARCHAR2(2)
);
```

comment on table STATI_CIVILI is
 'STCI - Tipi di stato civile anagrafico';

comment on column STATI_CIVILI.CODICE is
 'Codice di Stato Civile.';

comment on column STATI_CIVILI.DESCRIZIONE is
 'Descrizione dello stato civile associato al codice inserito.';

comment on column STATI_CIVILI.SEQUENZA is
 'Il valore espresso nella Sequenza consente l"ordinamento delle registrazioni, in fase di visualizzazione, con una disposizione diversa da quella attribuita dal codice principale.';

comment on column STATI_CIVILI.CAT_FISCALE is
 'Categoria per dichiarazioni Fiscali. utilizzabile nelle dichiarazioni Fiscali per esprimere lo stato civile dell"individuo. Il valore da indicare in Categoria Fiscale è quello stabilito dal Ministero per l"identificazione dello stato civile sulle denuncie fiscali. Le codifica "CN" che identifica lo stato civile "Coniugato", normalmente distribuita in fase di installazione del software, è quella utilizzata per l'abbinamento automatico del carico familiare, in gestione Economico-Contabile, nella fase di determinazione delle detrazioni fiscali di imposta e per l"attivazione dell"assegno per nucleo familiare.Qualora il codice "CN" non sia conservato, tale automatismo non produrrà gli effetti voluti.';

alter table STATI_CIVILI
 add constraint STCI_PK primary key (CODICE);

V.4.3.19.5 List of diagrams containing the table STATI_CIVILI

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.19.6 List of incoming references of the table STATI_CIVILI

Name	Code
ANAG_STCI	ANAG_STCI

V.4.3.19.7 List of outgoing references of the table STATI_CIVILI

Name	Code	Foreign Key Columns
rv_domain = 'SINO' /*parent*/	STCI_RECO	PRESENZA_CONIUGE

V.4.3.19.8 List of all dependencies of the table STATI_CIVILI

Name	Code	Class Name
Stati Civili	STATI_CIVILI	Shortcut of table
ANAG_STCI	ANAG_STCI	Reference
rv_domain = 'SINO' /*parent*/	STCI_RECO	Reference

V.4.3.19.9 List of extended attributes of the table STATI_CIVILI

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.19.10 List of columns of the table STATI_CIVILI

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
CAT_FISCALE	CAT_FISCALE
PRESENZA_CONIUGE	PRESENZA_CONIUGE

V.4.3.19.11 Column CODICE of the table STATI_CIVILI**V.4.3.19.11.1 Card of the column CODICE of the table STATI_CIVILI**

Name	CODICE
------	--------

Code	CODICE
Data Type	VARCHAR2(4)
Mandatory	Yes

**V.4.3.19.11.2 Check constraint name of the column CODICE of the table STATI_CIVILI
STATI_CIVILI_CODICE_CC**

V.4.3.19.11.3 Check of the column CODICE of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.19.11.4 Server validation rule of the column CODICE of the table STATI_CIVILI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.19.11.5 List of all dependencies of the table column CODICE

Name	Code	Class Name
CODICE	CODICE	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.19.11.6 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.12 Column DESCRIZIONE of the table STATI_CIVILI

V.4.3.19.12.1 Card of the column DESCRIZIONE of the table STATI_CIVILI

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.19.12.2 Check constraint name of the column DESCRIZIONE of the table STATI_CIVILI
STATI_CIVILI_DESCRIZIONE_CC**

V.4.3.19.12.3 Check of the column DESCRIZIONE of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.19.12.4 Server validation rule of the column DESCRIZIONE of the table STATI_CIVILI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.19.12.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.13 Column DESCRIZIONE_AL1 of the table STATI_CIVILI

V.4.3.19.13.1 Card of the column DESCRIZIONE_AL1 of the table STATI_CIVILI

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(30)
Mandatory	No

**V.4.3.19.13.2 Check constraint name of the column DESCRIZIONE_AL1 of the table STATI_CIVILI
STATI_CIVILI_DESCRIZIONE_A_CC**

V.4.3.19.13.3 Check of the column DESCRIZIONE_AL1 of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.19.13.4 Server validation rule of the column DESCRIZIONE_AL1 of the table STATI_CIVILI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.19.13.5 List of extended attributes of the table column DESCRIZIONE_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.14 Column DESCRIZIONE_AL2 of the table STATI_CIVILI

V.4.3.19.14.1 Card of the column DESCRIZIONE_AL2 of the table STATI_CIVILI

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(30)
Mandatory	No

V.4.3.19.14.2 Check constraint name of the column DESCRIZIONE_AL2 of the table STATI_CIVILI
 STATI_CIVILI_DESCRIZIONE_A_CC

V.4.3.19.14.3 Check of the column DESCRIZIONE_AL2 of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.19.14.4 Server validation rule of the column DESCRIZIONE_AL2 of the table STATI_CIVILI
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.19.14.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.15 Column SEQUENZA of the table STATI_CIVILI**V.4.3.19.15.1 Card of the column SEQUENZA of the table STATI_CIVILI**

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(3)
Mandatory	No

V.4.3.19.15.2 Check constraint name of the column SEQUENZA of the table STATI_CIVILI

STATI_CIVILISEQUENZA_CC

V.4.3.19.15.3 Check of the column SEQUENZA of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.19.15.4 Server validation rule of the column SEQUENZA of the table STATI_CIVILI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.19.15.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.16 Column CAT_FISCALE of the table STATI_CIVILI

V.4.3.19.16.1 Card of the column CAT_FISCALE of the table STATI_CIVILI

Name	CAT_FISCALE
Code	CAT_FISCALE
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.19.16.2 Check constraint name of the column CAT_FISCALE of the table STATI_CIVILI

STATI_CIVILI_CAT_FISCALE_CC

V.4.3.19.16.3 Check of the column CAT_FISCALE of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.19.16.4 Server validation rule of the column CAT_FISCALE of the table STATI_CIVILI

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.19.16.5 List of extended attributes of the table column CAT_FISCALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.17 Column PRESENZA_CONIUGE of the table STATI_CIVILI**V.4.3.19.17.1 Card of the column PRESENZA_CONIUGE of the table STATI_CIVILI**

Name	PRESENZA_CONIUGE
Code	PRESENZA_CONIUGE
Data Type	VARCHAR2(2)
Mandatory	No

V.4.3.19.17.2 Check constraint name of the column PRESENZA_CONIUGE of the table STATI_CIVILI

STATI_CIVILI_PRESENZA_CONI_CC

V.4.3.19.17.3 Check of the column PRESENZA_CONIUGE of the table STATI_CIVILI

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.19.17.4 Server validation rule of the column PRESENZA_CONIUGE of the table STATI_CIVILI
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.19.17.5 List of all dependencies of the table column PRESENZA_CONIUGE**

Name	Code	Class Name
?	?	Reference Join

V.4.3.19.17.6 List of extended attributes of the table column PRESENZA_CONIUGE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.19.18 List of keys of the table STATI_CIVILI

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.19.19 Key KEY_1 of the table STATI_CIVILI**V.4.3.19.19.1 Card of the key KEY_1 of the table STATI_CIVILI**

Name	Key_1
Code	KEY_1
Table	STATI_CIVILI

V.4.3.19.19.2 Code preview of the key KEY_1 of the table STATI_CIVILI

```
alter table STATI_CIVILI
add constraint STCI_PK primary key (CODICE);
```

V.4.3.19.19.3 List of columns of the table key KEY_1

Name	Code
CODICE	CODICE

V.4.3.19.19.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_STCI	ANAG_STCI	Reference
STCI_PK	STCI_PK	Index

V.4.3.19.20 List of indexes of the table STATI_CIVILI

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
STCI_PK	STCI_PK	X		X		

V.4.3.19.21 Index STCI_PK of the table STATI_CIVILI**V.4.3.19.21.1 Card of the index STCI_PK of the table STATI_CIVILI**

Name	STCI_PK
Code	STCI_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	STATI_CIVILI

V.4.3.19.21.2 Code preview of the index STCI_PK of the table STATI_CIVILI

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.19.21.3 List of index columns of the index STCI_PK

Name	Code	Sort
CODICE	CODICE	Ascending

V.4.3.19.22 List of triggers of the table STATI_CIVILI

Name	Code
stati_civili_tiu	STATI_CIVILI_TIU
stati_civili_tmb	STATI_CIVILI_TMB

V.4.3.19.23 Trigger STATI_CIVILI_TIU of the table STATI_CIVILI**V.4.3.19.23.1 Card of the trigger STATI_CIVILI_TIU of the table STATI_CIVILI**

Name	stati_civili_tiu
Code	STATI_CIVILI_TIU
Generate	Yes
Table	STATI_CIVILI
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.19.23.2 Code preview of the trigger STATI_CIVILI_TIU of the table STATI_CIVILI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.19.24 Trigger STATI_CIVILI_TMB of the table STATI_CIVILI**V.4.3.19.24.1 Card of the trigger STATI_CIVILI_TMB of the table STATI_CIVILI**

Name	stati_civili_tmb
Code	STATI_CIVILI_TMB
Generate	Yes
Table	STATI_CIVILI
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.19.24.2 Code preview of the trigger STATI_CIVILI_TMB of the table STATI_CIVILI

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.20 Table TIPI_SOGGETTO***V.4.3.20.1 Card of table TIPI_SOGGETTO***

Name	Tipi Soggetto
Code	TIPI_SOGGETTO
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.20.2 Check constraint name of table TIPI_SOGGETTO

TIPI_SOGGETTO_CT

V.4.3.20.3 Server validation rule of table TIPI_SOGGETTO

%RULES%

V.4.3.20.4 Code preview of table TIPI_SOGGETTO

```
/*=====
/* Table: TIPI_SOGGETTO */=====
create table TIPI_SOGGETTO (
    TIPO_SOGGETTO      VARCHAR2(4)          not null,
    DESCRIZIONE        VARCHAR2(120),
    DESCRIZIONE_AL1    VARCHAR2(120),
    DESCRIZIONE_AL2    VARCHAR2(120)
);
```

comment on table TIPI_SOGGETTO is
'TISO - Tipi di Soggetto (Individuo, Ente, Sede)';

```
alter table TIPI_SOGGETTO
add constraint TISO_PK primary key (TIPO_SOGGETTO);
```

V.4.3.20.5 List of diagrams containing the table TIPI_SOGGETTO

Name	Code
Generale	GENERALE

V.4.3.20.6 List of incoming references of the table TIPI_SOGGETTO

Name	Code
ANAG_TISO	ANAG_TISO

V.4.3.20.7 List of all dependencies of the table TIPI_SOGGETTO

Name	Code	Class Name
ANAG_TISO	ANAG_TISO	
Name	Code	Reference

V.4.3.20.8 List of extended attributes of the table TIPI_SOGGETTO

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.20.9 List of columns of the table TIPI_SOGGETTO

Name	Code
Tipo Soggetto	TIPO_SOGGETTO
Descrizione	DESCRIZIONE
Descrizione_al1	DESCRIZIONE_AL1
Descrizione_al2	DESCRIZIONE_AL2

V.4.3.20.10 Column **TIPO_SOGGETTO** of the table **TIPI_SOGGETTO**

V.4.3.20.10.1 Card of the column **TIPO_SOGGETTO** of the table **TIPI_SOGGETTO**

Name	Tipo Soggetto
Code	TIPO_SOGGETTO
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.20.10.2 Check constraint name of the column **TIPO_SOGGETTO** of the table **TIPI_SOGGETTO** TIPI_SOGGETTO_TIPO_SOGGETTO_CC

V.4.3.20.10.3 Check of the column **TIPO_SOGGETTO** of the table **TIPI_SOGGETTO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.20.10.4 Server validation rule of the column **TIPO_SOGGETTO** of the table **TIPI_SOGGETTO** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.20.10.5 List of all dependencies of the table column **TIPO_SOGGETTO**

Name	Code	Class Name
Key_1	KEY_1	Key
Tipo Soggetto	TIPO_SOGGETTO	Index Column
?	?	Reference Join

V.4.3.20.10.6 List of extended attributes of the table column **TIPO_SOGGETTO**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.20.11 Column **DESCRIZIONE** of the table **TIPI_SOGGETTO**

V.4.3.20.11.1 Card of the column DESCRIZIONE of the table TIPI_SOGGETTO

Name	Descrizione
Code	DESCRIZIONE
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.20.11.2 Check constraint name of the column DESCRIZIONE of the table TIPI_SOGGETTO
TIPI_SOGGETTO_DESCRIZIONE_CC**V.4.3.20.11.3 Check of the column DESCRIZIONE of the table TIPI_SOGGETTO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.20.11.4 Server validation rule of the column DESCRIZIONE of the table TIPI_SOGGETTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.20.11.5 List of extended attributes of the table column DESCRIZIONE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.20.12 Column DESCRIZIONE_AL1 of the table TIPI_SOGGETTO**V.4.3.20.12.1 Card of the column DESCRIZIONE_AL1 of the table TIPI_SOGGETTO**

Name	Descrizione_all
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.20.12.2 Check constraint name of the column DESCRIZIONE_AL1 of the table
TIPI_SOGGETTO

TIPI_SOGGETTO_DESCRIZIONE_A_CC

V.4.3.20.12.3 Check of the column DESCRIZIONE_AL1 of the table TIPI_SOGGETTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.20.12.4 Server validation rule of the column DESCRIZIONE_AL1 of the table TIPI_SOGGETTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.20.12.5 List of extended attributes of the table column DESCRIZIONE_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.20.13 Column DESCRIZIONE_AL2 of the table TIPI_SOGGETTO**V.4.3.20.13.1 Card of the column DESCRIZIONE_AL2 of the table TIPI_SOGGETTO**

Name	Descrizione_al2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.20.13.2 Check constraint name of the column DESCRIZIONE_AL2 of the table TIPI_SOGGETTO

TIPI_SOGGETTO_DESCRIZIONE_A_CC

V.4.3.20.13.3 Check of the column DESCRIZIONE_AL2 of the table TIPI_SOGGETTO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

V.4.3.20.13.4 Server validation rule of the column DESCRIZIONE_AL2 of the table TIPI_SOGGETTO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.20.13.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.20.14 List of keys of the table TIPI_SOGGETTO

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.20.15 Key KEY_1 of the table TIPI_SOGGETTO

V.4.3.20.15.1 Card of the key KEY_1 of the table TIPI_SOGGETTO

Name	Key_1
Code	KEY_1
Table	TIPI_SOGGETTO

V.4.3.20.15.2 Code preview of the key KEY_1 of the table TIPI_SOGGETTO

```
alter table TIPI_SOGGETTO
add constraint TISO_PK primary key (TIPO_SOGGETTO);
```

V.4.3.20.15.3 List of columns of the table key KEY_1

Name	Code
Tipo Soggetto	TIPO_SOGGETTO

V.4.3.20.15.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_TISO	ANAG_TISO	Reference
TISO_PK	TISO_PK	Index

V.4.3.20.16 List of indexes of the table TIPI_SOGGETTO

Name	Code	Unique	Cluster	Primary	Foreign	Alternate

					Key	Key
TISO_PK	TISO_PK	X		X		

V.4.3.20.17 Index TISO_PK of the table TIPI_SOGGETTO

V.4.3.20.17.1 Card of the index TISO_PK of the table TIPI_SOGGETTO

Name	TISO_PK
Code	TISO_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	TIPI_SOGGETTO

V.4.3.20.17.2 Code preview of the index TISO_PK of the table TIPI_SOGGETTO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.20.17.3 List of index columns of the index TISO_PK

Name	Code	Sort
Tipo Soggetto	TIPO_SOGGETTO	Ascending

V.4.3.20.18 List of triggers of the table TIPI_SOGGETTO

Name	Code
tipi_soggetto_tiu	TIPI_SOGGETTO_TIU

V.4.3.20.19 Trigger TIPI_SOGGETTO_TIU of the table TIPI_SOGGETTO

V.4.3.20.19.1 Card of the trigger TIPI_SOGGETTO_TIU of the table TIPI_SOGGETTO

Name	tipi_soggetto_tiu
Code	TIPI_SOGGETTO_TIU
Generate	Yes
Table	TIPI_SOGGETTO
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.20.19.2 Code preview of the trigger TIPI_SOGGETTO_TIU of the table TIPI_SOGGETTO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.21 Table TIPI_TITOLO

V.4.3.21.1 Card of table TIPI_TITOLO

Name	Tipi Titolo
Code	TIPI_TITOLO
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.21.2 Check constraint name of table TIPI_TITOLO

TIPI_TITOLO_CT

V.4.3.21.3 Server validation rule of table TIPI_TITOLO

%RULES%

V.4.3.21.4 Code preview of table TIPI_TITOLO

```
/*=====
/* Table: TIPI_TITOLO */
/*=====*/
create table TIPI_TITOLO (
    TITOLO      VARCHAR2(4)          not null,
    DESCRIZIONE  VARCHAR2(120),
    DESCRIZIONE_AL1  VARCHAR2(120),
    DESCRIZIONE_AL2  VARCHAR2(120)
);
```

comment on table TIPI_TITOLO is
 'TITI - Titoli di Titolo personale previsti per i Componenti delle Unità Organizzative';

```
alter table TIPI_TITOLO
  add constraint TITI_PK primary key (TITOLO);
```

V.4.3.21.5 List of diagrams containing the table TIPI_TITOLO

Name	Code
Generale	GENERALE

V.4.3.21.6 List of incoming references of the table TIPI_TITOLO

Name	Code
ANAG_TITI	ANAG_TITI

V.4.3.21.7 List of all dependencies of the table TIPI_TITOLO

Name	Code	Class Name

Tipi Titolo	TIPI_TITOLO	Shortcut of table
ANAG_TITI	ANAG_TITI	Reference

V.4.3.21.8 List of extended attributes of the table TIPI_TITOLO

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.21.9 List of columns of the table TIPI_TITOLO

Name	Code
Titolo	TITOLO
Descrizione	DESCRIZIONE
Descrizione_all	DESCRIZIONE_AL1
Descrizione_al2	DESCRIZIONE_AL2

V.4.3.21.10 Column TITOLO of the table TIPI_TITOLO

V.4.3.21.10.1 Card of the column TITOLO of the table TIPI_TITOLO

Name	Titolo
Code	TITOLO
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.21.10.2 Check constraint name of the column TITOLO of the table TIPI_TITOLO

TIPI_TITOLO_TITOLO_CC

V.4.3.21.10.3 Check of the column TITOLO of the table TIPI_TITOLO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.21.10.4 Server validation rule of the column TITOLO of the table TIPI_TITOLO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.21.10.5 List of all dependencies of the table column TITOLO

Name	Code	Class Name
Key_1	KEY_1	Key
Titolo	TITOLO	Index Column
?	?	Reference Join

V.4.3.21.10.6 List of extended attributes of the table column TITOLO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.21.11 Column DESCRIZIONE of the table TIPI_TITOLO**V.4.3.21.11.1 Card of the column DESCRIZIONE of the table TIPI_TITOLO**

Name	Descrizione
Code	DESCRIZIONE
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.21.11.2 Check constraint name of the column DESCRIZIONE of the table TIPI_TITOLO

TIPI_TITOLO_DESCRIZIONE_CC

V.4.3.21.11.3 Check of the column DESCRIZIONE of the table TIPI_TITOLO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.21.11.4 Server validation rule of the column DESCRIZIONE of the table TIPI_TITOLO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.21.11.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef		ORACLE Version 8i2 (for

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.21.12 Column **DESCRIZIONE_AL1** of the table **TIPI_TITOLO**

V.4.3.21.12.1 Card of the column **DESCRIZIONE_AL1** of the table **TIPI_TITOLO**

Name	Descrizione_al1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.21.12.2 Check constraint name of the column **DESCRIZIONE_AL1** of the table **TIPI_TITOLO** TIPI_TITOLO_DESCRIZIONE_A_CC

V.4.3.21.12.3 Check of the column **DESCRIZIONE_AL1** of the table **TIPI_TITOLO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.21.12.4 Server validation rule of the column **DESCRIZIONE_AL1** of the table **TIPI_TITOLO** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.21.12.5 List of extended attributes of the table column **DESCRIZIONE_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.21.13 Column **DESCRIZIONE_AL2** of the table **TIPI_TITOLO**

V.4.3.21.13.1 Card of the column **DESCRIZIONE_AL2** of the table **TIPI_TITOLO**

Name	Descrizione_al2
Code	DESCRIZIONE_AL2

Data Type	VARCHAR2(120)
Mandatory	No

**V.4.3.21.13.2 Check constraint name of the column DESCRIZIONE_AL2 of the table TIPI_TITOLO
TIPI_TITOLO_DESCRIZIONE_A_CC**

V.4.3.21.13.3 Check of the column DESCRIZIONE_AL2 of the table TIPI_TITOLO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.21.13.4 Server validation rule of the column DESCRIZIONE_AL2 of the table TIPI_TITOLO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.21.13.5 List of extended attributes of the table column DESCRIZIONE_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.21.14 List of keys of the table TIPI_TITOLO

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.21.15 Key KEY_1 of the table TIPI_TITOLO

V.4.3.21.15.1 Card of the key KEY_1 of the table TIPI_TITOLO

Name	Key_1
Code	KEY_1
Table	TIPI_TITOLO

V.4.3.21.15.2 Code preview of the key KEY_1 of the table TIPI_TITOLO

alter table TIPI_TITOLO

add constraint TITI_PK primary key (TITOLO);

V.4.3.21.15.3 List of columns of the table key KEY_1

Name	Code
Titolo	TITOLO

V.4.3.21.15.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_TITI	ANAG_TITI	Reference
TITI_PK	TITI_PK	Index

V.4.3.21.16 List of indexes of the table TIPI_TITOLO

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
TITI_PK	TITI_PK	X		X		

V.4.3.21.17 Index TITI_PK of the table TIPI_TITOLO

V.4.3.21.17.1 Card of the index TITI_PK of the table TIPI_TITOLO

Name	TITI_PK
Code	TITI_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	TIPI_TITOLO

V.4.3.21.17.2 Code preview of the index TITI_PK of the table TIPI_TITOLO

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.21.17.3 List of index columns of the index TITI_PK

Name	Code	Sort
Titolo	TITOLO	Ascending

V.4.3.21.18 List of triggers of the table TIPI_TITOLO

Name	Code
tipi_titolo_tdb	TIPI_TITOLO_TDB

tipi_titolo_tiu	TIPI_TITOLO_TIU
tipi_titolo_tmb	TIPI_TITOLO_TMB

V.4.3.21.19 Trigger **TIPI_TITOLO_TDB** of the table **TIPI_TITOLO**

V.4.3.21.19.1 Card of the trigger **TIPI_TITOLO_TDB** of the table **TIPI_TITOLO**

Name	tipi_titolo_tdb
Code	TIPI_TITOLO_TDB
Generate	Yes
Table	TIPI_TITOLO
Trigger Template	BeforeDeleteTrigger (From DBMS)
User-Defined SQL	No

V.4.3.21.19.2 Code preview of the trigger **TIPI_TITOLO_TDB** of the table **TIPI_TITOLO**

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.21.20 Trigger **TIPI_TITOLO_TIU** of the table **TIPI_TITOLO**

V.4.3.21.20.1 Card of the trigger **TIPI_TITOLO_TIU** of the table **TIPI_TITOLO**

Name	tipi_titolo_tiu
Code	TIPI_TITOLO_TIU
Generate	Yes
Table	TIPI_TITOLO
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.21.20.2 Code preview of the trigger **TIPI_TITOLO_TIU** of the table **TIPI_TITOLO**

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.21.21 Trigger **TIPI_TITOLO_TMB** of the table **TIPI_TITOLO**

V.4.3.21.21.1 Card of the trigger **TIPI_TITOLO_TMB** of the table **TIPI_TITOLO**

Name	tipi_titolo_tmb
Code	TIPI_TITOLO_TMB
Generate	Yes
Table	TIPI_TITOLO
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.21.21.2 Code preview of the trigger TIPI_TITOLO_TMB of the table TIPI_TITOLO

-- The preview is empty because of the setting.
 -- Check the generation option.

V.4.3.22 Table TITOLI_STUDIO***V.4.3.22.1 Card of table TITOLI_STUDIO***

Name	Titoli Studio
Code	TITOLI_STUDIO
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.22.2 Check constraint name of table TITOLI_STUDIO

TITOLI_STUDIO_CT

V.4.3.22.3 Server validation rule of table TITOLI_STUDIO

%RULES%

V.4.3.22.4 Begin script of table TITOLI_STUDIO

```
/*
   */
/* A36248
   */
/*=====*/
```

V.4.3.22.5 Code preview of table TITOLI_STUDIO

```
/*
   */
/* Table: TITOLI_STUDIO
   */
/*=====
   */
/* A36248
   */
/*=====*/
create table TITOLI_STUDIO (
  CODICE      VARCHAR2(8)          not null,
  DESCRIZIONE  VARCHAR2(120),
  DESCRIZIONE_AL1  VARCHAR2(120),
  DESCRIZIONE_AL2  VARCHAR2(120),
  SEQUENZA    NUMBER(4),
  CAT_FISCALE  VARCHAR2(1),
  CONTO_ANNUALE NUMBER(2),
  CENTRI_IMPIEGO  VARCHAR2(4)
);
```

comment on table TITOLI_STUDIO is
 'TIST - Titoli di studio intesi come livello di scolarita';

comment on column TITOLI_STUDIO.CODICE is

'Codice identificativo del livello di scolarità oppure della codifica ministeriale o fiscale dell"informazione sul grado di istruzione. Informazioni più precise, anche riguardanti più lauree o successive specializzazioni, potranno essere codificate come documentazione a corredo del Fascicolo Personale nella gestione Giuridica.';

comment on column TITOLI_STUDIO.DESCRIZIONE is
'Descrizione del titolo di studio inserito.';

comment on column TITOLI_STUDIO.SEQUENZA is
'Il valore espresso nella Sequenza consente l"ordinamento delle registrazioni, in fase di visualizzazione, con una disposizione diversa da quella attribuita dal codice principale.';

comment on column TITOLI_STUDIO.CAT_FISCALE is
'Codice utilizzabile nelle dichiarazioni Fiscali per esprimere il livello di scolarità del titolo di studio. Il valore impostato in Categoria Fiscale è quello stabilito dal Ministero per l"identificazione del titolo di studio da indicare sulle denunce fiscali.';

comment on column TITOLI_STUDIO.CONTO_ANNUALE is
'Numero di colonna utile per il raggruppamento di più titoli di studio in un'unica colonna delle statistiche del Ministero del Tesoro.';

alter table TITOLI_STUDIO
add constraint TIST_PK primary key (CODICE);

V.4.3.22.6 List of diagrams containing the table TITOLI_STUDIO

Name	Code
Generale	GENERALE
Ref Codes	REF_CODES

V.4.3.22.7 List of incoming references of the table TITOLI_STUDIO

Name	Code
ANAG_TIST	ANAG_TIST

V.4.3.22.8 List of outgoing references of the table TITOLI_STUDIO

Name	Code	Foreign Key Columns
rv_domain = 'TITOLI_STUDIO.CONTO_ANNUALE' /*Parent*/	TIST_RECO_CA	CONTO_ANNUALE

V.4.3.22.9 List of all dependencies of the table TITOLI_STUDIO

Name	Code	Class Name

Titoli Studio	TITOLI_STUDIO	Shortcut of table
ANAG_TIST	ANAG_TIST	Reference
rv_domain = 'TITOLI_STUDIO.CONTO_ANNUALE' /*Parent*/	TIST_RECO_CA	Reference

V.4.3.22.10 List of extended attributes of the table TITOLI_STUDIO

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.22.11 List of columns of the table TITOLI_STUDIO

Name	Code
CODICE	CODICE
DESCRIZIONE	DESCRIZIONE
DESCRIZIONE_AL1	DESCRIZIONE_AL1
DESCRIZIONE_AL2	DESCRIZIONE_AL2
SEQUENZA	SEQUENZA
CAT_FISCALE	CAT_FISCALE
CONTO_ANNUALE	CONTO_ANNUALE
CENTRI_IMPIEGO	CENTRI_IMPIEGO

V.4.3.22.12 Column CODICE of the table TITOLI_STUDIO

V.4.3.22.12.1 Card of the column CODICE of the table TITOLI_STUDIO

Name	CODICE
Code	CODICE
Data Type	VARCHAR2(8)
Mandatory	Yes

V.4.3.22.12.2 Check constraint name of the column CODICE of the table TITOLI_STUDIO

TITOLI_STUDIO_CODICE_CC

V.4.3.22.12.3 Check of the column CODICE of the table TITOLI_STUDIO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.22.12.4 Server validation rule of the column CODICE of the table TITOLI_STUDIO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.22.12.5 List of all dependencies of the table column CODICE

Name	Code	Class Name
CODICE	CODICE	Index Column
?	?	Reference Join
Key_1	KEY_1	Key

V.4.3.22.12.6 List of extended attributes of the table column CODICE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.13 Column DESCRIZIONE of the table TITOLI_STUDIO**V.4.3.22.13.1 Card of the column DESCRIZIONE of the table TITOLI_STUDIO**

Name	DESCRIZIONE
Code	DESCRIZIONE
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.22.13.2 Check constraint name of the column DESCRIZIONE of the table TITOLI_STUDIO

TITOLI_STUDIO_DESCRIZIONE_CC

V.4.3.22.13.3 Check of the column DESCRIZIONE of the table TITOLI_STUDIO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.22.13.4 Server validation rule of the column DESCRIZIONE of the table TITOLI_STUDIO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.22.13.5 List of extended attributes of the table column DESCRIZIONE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.14 Column DESCRIZIONE_AL1 of the table TITOLI_STUDIO**V.4.3.22.14.1 Card of the column DESCRIZIONE_AL1 of the table TITOLI_STUDIO**

Name	DESCRIZIONE_AL1
Code	DESCRIZIONE_AL1
Data Type	VARCHAR2(120)
Mandatory	No

V.4.3.22.14.2 Check constraint name of the column DESCRIZIONE_AL1 of the table TITOLI_STUDIO
TITOLI_STUDIO_DESCRIZIONE_A_CC**V.4.3.22.14.3 Check of the column DESCRIZIONE_AL1 of the table TITOLI_STUDIO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.22.14.4 Server validation rule of the column DESCRIZIONE_AL1 of the table TITOLI_STUDIO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.22.14.5 List of extended attributes of the table column DESCRIZIONE_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.15 Column DESCRIZIONE_AL2 of the table TITOLI_STUDIO**V.4.3.22.15.1 Card of the column DESCRIZIONE_AL2 of the table TITOLI_STUDIO**

Name	DESCRIZIONE_AL2
Code	DESCRIZIONE_AL2
Data Type	VARCHAR2(120)
Mandatory	No

**V.4.3.22.15.2 Check constraint name of the column DESCRIZIONE_AL2 of the table TITOLI_STUDIO
TITOLI_STUDIO_DESCRIZIONE_A_CC****V.4.3.22.15.3 Check of the column DESCRIZIONE_AL2 of the table TITOLI_STUDIO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.22.15.4 Server validation rule of the column DESCRIZIONE_AL2 of the table TITOLI_STUDIO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.22.15.5 List of extended attributes of the table column DESCRIZIONE_AL2**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.16 Column SEQUENZA of the table TITOLI_STUDIO**V.4.3.22.16.1 Card of the column SEQUENZA of the table TITOLI_STUDIO**

Name	SEQUENZA
Code	SEQUENZA
Data Type	NUMBER(4)
Mandatory	No

V.4.3.22.16.2 Check constraint name of the column SEQUENZA of the table TITOLI_STUDIO

TITOLI_STUDIO_SEQUENZA_CC**V.4.3.22.16.3 Check of the column SEQUENZA of the table TITOLI_STUDIO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.22.16.4 Server validation rule of the column SEQUENZA of the table TITOLI_STUDIO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.22.16.5 List of extended attributes of the table column SEQUENZA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.17 Column CAT_FISCAL of the table TITOLI_STUDIO**V.4.3.22.17.1 Card of the column CAT_FISCAL of the table TITOLI_STUDIO**

Name	CAT_FISCAL
Code	CAT_FISCAL
Data Type	VARCHAR2(1)
Mandatory	No

V.4.3.22.17.2 Check constraint name of the column CAT_FISCAL of the table TITOLI_STUDIO

TITOLI_STUDIO_CAT_FISCAL_CC

V.4.3.22.17.3 Check of the column CAT_FISCAL of the table TITOLI_STUDIO

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.3.22.17.4 Server validation rule of the column CAT_FISCALE of the table TITOLI_STUDIO

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.22.17.5 List of extended attributes of the table column CAT_FISCALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.18 Column CONTO_ANNUALE of the table TITOLI_STUDIO**V.4.3.22.18.1 Card of the column CONTO_ANNUALE of the table TITOLI_STUDIO**

Name	CONTO_ANNUALE
Code	CONTO_ANNUALE
Data Type	NUMBER(2)
Mandatory	No

V.4.3.22.18.2 Check constraint name of the column CONTO_ANNUALE of the table TITOLI_STUDIO
TITOLI_STUDIO_CONTO_ANNUALE_CC**V.4.3.22.18.3 Check of the column CONTO_ANNUALE of the table TITOLI_STUDIO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.22.18.4 Server validation rule of the column CONTO_ANNUALE of the table TITOLI_STUDIO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.3.22.18.5 List of all dependencies of the table column CONTO_ANNUALE**

Name	Code	Class Name
?	?	Reference Join

V.4.3.22.18.6 List of extended attributes of the table column CONTO_ANNUALE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.19 Column CENTRI_IMPIEGO of the table TITOLI_STUDIO**V.4.3.22.19.1 Card of the column CENTRI_IMPIEGO of the table TITOLI_STUDIO**

Name	CENTRI_IMPIEGO
Code	CENTRI_IMPIEGO
Data Type	VARCHAR2(4)
Mandatory	No

**V.4.3.22.19.2 Check constraint name of the column CENTRI_IMPIEGO of the table TITOLI_STUDIO
TITOLI_STUDIO_CENTRI_IMPIEG_CC****V.4.3.22.19.3 Check of the column CENTRI_IMPIEGO of the table TITOLI_STUDIO**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.22.19.4 Server validation rule of the column CENTRI_IMPIEGO of the table TITOLI_STUDIO
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.3.22.19.5 List of extended attributes of the table column CENTRI_IMPIEGO**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.22.20 List of keys of the table TITOLI_STUDIO

Name	Code	Primary
Key_1	KEY_1	X

V.4.3.22.21 Key KEY_1 of the table TITOLI_STUDIO**V.4.3.22.21.1 Card of the key KEY_1 of the table TITOLI_STUDIO**

Name	Key_1
Code	KEY_1
Table	TITOLI_STUDIO

V.4.3.22.21.2 Code preview of the key KEY_1 of the table TITOLI_STUDIO

```
alter table TITOLI_STUDIO
add constraint TIST_PK primary key (CODICE);
```

V.4.3.22.21.3 List of columns of the table key KEY_1

Name	Code
CODICE	CODICE

V.4.3.22.21.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
ANAG_TIST	ANAG_TIST	Reference
TIST_PK	TIST_PK	Index

V.4.3.22.22 List of indexes of the table TITOLI_STUDIO

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
TIST_PK	TIST_PK	X		X		

V.4.3.22.23 Index TIST_PK of the table TITOLI_STUDIO**V.4.3.22.23.1 Card of the index TIST_PK of the table TITOLI_STUDIO**

Name	TIST_PK
Code	TIST_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No

Table	TITOLI_STUDIO
-------	---------------

V.4.3.22.23.2 Code preview of the index TIST_PK of the table TITOLI_STUDIO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.22.23.3 List of index columns of the index TIST_PK

Name	Code	Sort
CODICE	CODICE	Ascending

V.4.3.22.24 List of triggers of the table TITOLI_STUDIO

Name	Code
titoli_studio_tiu	TITOLI_STUDIO_TIU
titoli_studio_tmb	TITOLI_STUDIO_TMB

V.4.3.22.25 Trigger TITOLI_STUDIO_TIU of the table TITOLI_STUDIO**V.4.3.22.25.1 Card of the trigger TITOLI_STUDIO_TIU of the table TITOLI_STUDIO**

Name	titoli_studio_tiu
Code	TITOLI_STUDIO_TIU
Generate	Yes
Table	TITOLI_STUDIO
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	Yes

V.4.3.22.25.2 Code preview of the trigger TITOLI_STUDIO_TIU of the table TITOLI_STUDIO

- The preview is empty because of the setting.
- Check the generation option.

V.4.3.22.26 Trigger TITOLI_STUDIO_TMB of the table TITOLI_STUDIO**V.4.3.22.26.1 Card of the trigger TITOLI_STUDIO_TMB of the table TITOLI_STUDIO**

Name	titoli_studio_tmb
Code	TITOLI_STUDIO_TMB
Generate	Yes
Table	TITOLI_STUDIO
Trigger Template	BeforeUpdateTrigger (From DBMS)
User-Defined SQL	No

V.4.3.22.26.2 Code preview of the trigger TITOLI_STUDIO_TMB of the table TITOLI_STUDIO

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.3.23 Table VALORI_DEFAULT

V.4.3.23.1 Card of table VALORI_DEFAULT

Name	VALORI_DEFAULT
Code	VALORI_DEFAULT
DBMS	ORACLE Version 8i2 (for Si4)

V.4.3.23.2 Check constraint name of table VALORI_DEFAULT

VALORI_DEFAULT_CT

V.4.3.23.3 Server validation rule of table VALORI_DEFAULT

%RULES%

V.4.3.23.4 Code preview of table VALORI_DEFAULT

```
/*=====
/* Table: VALORI_DEFAULT */=====
create table VALORI_DEFAULT (
    ENTITA      VARCHAR2(30)          not null,
    COLONNA      VARCHAR2(30)          not null,
    RAPPORTO    VARCHAR2(4)           not null,
    VALORE_DEFAULT  VARCHAR2(2000),
    MODIFICABILE  VARCHAR2(2)          default 'NO' not null,
    NON_VISIBILE  VARCHAR2(2)          default 'NO' not null
);
```

comment on table VALORI_DEFAULT is
'Predisposta per nuovo applicativo GPS';

alter table VALORI_DEFAULT
add constraint VADE_PK primary key (ENTITA, COLONNA, RAPPORTO);

V.4.3.23.5 List of diagrams containing the table VALORI_DEFAULT

Name	Code
Generale	GENERALE

V.4.3.23.6 List of outgoing references of the table VALORI_DEFAULT

Name	Code	Foreign Key Columns
VADE_CLRA	VADE_CLRA	RAPPORTO

V.4.3.23.7 List of all dependencies of the table VALORI_DEFAULT

Name	Code	Class Name
VADE_CLRA	VADE_CLRA	Reference

V.4.3.23.8 List of extended attributes of the table VALORI_DEFAULT

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.3.23.9 List of columns of the table VALORI_DEFAULT

Name	Code
ENTITA	ENTITA
COLONNA	COLONNA
RAPPORTO	RAPPORTO
VALORE DEFAULT	VALORE DEFAULT
MODIFICABILE	MODIFICABILE
NON VISIBILE	NON VISIBILE

V.4.3.23.10 Column ENTITA of the table VALORI_DEFAULT**V.4.3.23.10.1 Card of the column ENTITA of the table VALORI_DEFAULT**

Name	ENTITA
Code	ENTITA
Data Type	VARCHAR2(30)
Mandatory	Yes

V.4.3.23.10.2 Check constraint name of the column ENTITA of the table VALORI_DEFAULT

VALORI_DEFAULT_ENTITA_CC

V.4.3.23.10.3 Check of the column ENTITA of the table VALORI_DEFAULT

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.23.10.4 Server validation rule of the column ENTITA of the table VALORI_DEFAULT

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.23.10.5 List of all dependencies of the table column ENTITA

Name	Code	Class Name
ENTITA	ENTITA	Index Column
VADE_PK	VADE_PK	Key

V.4.3.23.10.6 List of extended attributes of the table column ENTITA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.23.11 Column COLONNA of the table VALORI_DEFAULT**V.4.3.23.11.1 Card of the column COLONNA of the table VALORI_DEFAULT**

Name	COLONNA
Code	COLONNA
Data Type	VARCHAR2(30)
Mandatory	Yes

V.4.3.23.11.2 Check constraint name of the column COLONNA of the table VALORI_DEFAULT

VALORI_DEFAULT_COLONNA_CC

V.4.3.23.11.3 Check of the column COLONNA of the table VALORI_DEFAULT

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.23.11.4 Server validation rule of the column COLONNA of the table VALORI_DEFAULT

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.23.11.5 List of all dependencies of the table column COLONNA

Name	Code	Class Name
COLONNA	COLONNA	Index Column
VADE_PK	VADE_PK	Key

V.4.3.23.11.6 List of extended attributes of the table column COLONNA

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.23.12 Column RAPPORTO of the table VALORI_DEFAULT**V.4.3.23.12.1 Card of the column RAPPORTO of the table VALORI_DEFAULT**

Name	RAPPORTO
Code	RAPPORTO
Data Type	VARCHAR2(4)
Mandatory	Yes

V.4.3.23.12.2 Check constraint name of the column RAPPORTO of the table VALORI_DEFAULT

VALORI_DEFAULT_RAPPORTO_CC

V.4.3.23.12.3 Check of the column RAPPORTO of the table VALORI_DEFAULT

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.23.12.4 Server validation rule of the column RAPPORTO of the table VALORI_DEFAULT

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.23.12.5 List of all dependencies of the table column RAPPORTO

Name	Code	Class Name
?	?	Reference Join
RAPPORTO	RAPPORTO	Index Column

VADE_PK	VADE_PK	Key
---------	---------	-----

V.4.3.23.12.6 List of extended attributes of the table column RAPPORTO

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.23.13 Column VALORE_DEFAULT of the table VALORI_DEFAULT**V.4.3.23.13.1 Card of the column VALORE_DEFAULT of the table VALORI_DEFAULT**

Name	VALORE_DEFAULT
Code	VALORE_DEFAULT
Data Type	VARCHAR2(2000)
Mandatory	No

V.4.3.23.13.2 Check constraint name of the column VALORE_DEFAULT of the table VALORI_DEFAULT

VALORI_DEFAULT_VALORE_DEFAULT_CC

V.4.3.23.13.3 Check of the column VALORE_DEFAULT of the table VALORI_DEFAULT

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.23.13.4 Server validation rule of the column VALORE_DEFAULT of the table VALORI_DEFAULT

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.23.13.5 List of extended attributes of the table column VALORE_DEFAULT

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.3.23.14 Column **MODIFICABILE** of the table **VALORI_DEFAULT**

V.4.3.23.14.1 Card of the column MODIFICABILE of the table VALORI_DEFAULT

Name	MODIFICABILE
Code	MODIFICABILE
Data Type	VARCHAR2(2)
Mandatory	Yes

V.4.3.23.14.2 Check constraint name of the column MODIFICABILE of the table VALORI_DEFAULT

VALORI_DEFAULT_MODIFICABILE_CC

V.4.3.23.14.3 Check of the column MODIFICABILE of the table VALORI_DEFAULT

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.3.23.14.4 Server validation rule of the column MODIFICABILE of the table VALORI_DEFAULT

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.3.23.14.5 List of extended attributes of the table column MODIFICABILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.23.15 Column **NON_VISIBILE** of the table **VALORI_DEFAULT**

V.4.3.23.15.1 Card of the column NON_VISIBILE of the table VALORI_DEFAULT

Name	NON_VISIBILE
Code	NON_VISIBILE
Data Type	VARCHAR2(2)
Mandatory	Yes

**V.4.3.23.15.2 Check constraint name of the column NON_VISIBILE of the table VALORI_DEFAULT
VALORI_DEFAULT_Non_Visibile_CC**

V.4.3.23.15.3 Check of the column NON_VISIBILE of the table VALORI_DEFAULT

Minimum Value	
Maximum Value	
Default Value	NO
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.3.23.15.4 Server validation rule of the column NON_VISIBILE of the table VALORI_DEFAULT
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.3.23.15.5 List of extended attributes of the table column NON_VISIBILE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.3.23.16 List of keys of the table VALORI_DEFAULT

Name	Code	Primary
VADE_PK	VADE_PK	X

V.4.3.23.17 Key VADE_PK of the table VALORI_DEFAULT

V.4.3.23.17.1 Card of the key VADE_PK of the table VALORI_DEFAULT

Name	VADE_PK
Code	VADE_PK
Table	VALORI_DEFAULT

V.4.3.23.17.2 Code preview of the key VADE_PK of the table VALORI_DEFAULT

alter table VALORI_DEFAULT

add constraint VADE_PK primary key (ENTITA, COLONNA, RAPPORTO);

V.4.3.23.17.3 List of columns of the table key VADE_PK

Name	Code
ENTITA	ENTITA
COLONNA	COLONNA
RAPPORTO	RAPPORTO

V.4.3.23.17.4 List of all dependencies of the table key VADE_PK

Name	Code	Class Name
VADE_PK	VADE_PK	Index

V.4.3.23.18 List of indexes of the table VALORI_DEFAULT

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
VADE_PK	VADE_PK	X		X		

V.4.3.23.19 Index VADE_PK of the table VALORI_DEFAULT**V.4.3.23.19.1 Card of the index VADE_PK of the table VALORI_DEFAULT**

Name	VADE_PK
Code	VADE_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	VALORI_DEFAULT

V.4.3.23.19.2 Code preview of the index VADE_PK of the table VALORI_DEFAULT

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.3.23.19.3 List of index columns of the index VADE_PK

Name	Code	Sort
ENTITA	ENTITA	Ascending
COLONNA	COLONNA	Ascending
RAPPORTO	RAPPORTO	Ascending

V.4.3.23.20 List of triggers of the table VALORI_DEFAULT

Name	Code
valori_default_tiu	VALORI_DEFAULT TIU

V.4.3.23.21 Trigger VALORI_DEFAULT_TIU of the table VALORI_DEFAULT

V.4.3.23.21.1 Card of the trigger VALORI_DEFAULT_TIU of the table VALORI_DEFAULT

Name	valori_default_tiu
Code	VALORI_DEFAULT_TIU
Generate	Yes
Table	VALORI_DEFAULT
Trigger Template	BeforeInsertTrigger (From DBMS)
User-Defined SQL	No

V.4.3.23.21.2 Code preview of the trigger VALORI_DEFAULT_TIU of the table VALORI_DEFAULT

-- The preview is empty because of the setting.
-- Check the generation option.

V.4.4 Tables from Package Ref_Codes

V.4.4.1 List of tables

Name	Code
Gip Ref Codes	GIP_REF_CODES
Dizionario PAM_REF_CODES	PAM_REF_CODES
PCW_REF_CODES	PCW_REF_CODES
PEB_REF_CODES	PEB_REF_CODES
Dizionario PEC_REF_CODES	PEC_REF_CODES
PGC_REF_CODES	PGC_REF_CODES
Dizionario PGF_REF_CODES	PGF_REF_CODES
Dizionario PGM_REF_CODES	PGM_REF_CODES
PMT_REF_CODES	PMT_REF_CODES
PPA_REF_CODES	PPA_REF_CODES
PSA_REF_CODES	PSA_REF_CODES
Dizionario PSP_REF_CODES	PSP_REF_CODES

V.4.4.2 List of table columns

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1

RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE

RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_TYPE	RV_TYPE
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.3 List of table keys

Name	Code	Table
Key_1	KEY_1	PAM_REF_CODES
Key_1	KEY_1	PEC_REF_CODES
Key_1	KEY_1	GIP_REF_CODES
Key_1	KEY_1	PGC_REF_CODES
Key_1	KEY_1	PGM_REF_CODES
Key_1	KEY_1	PMT_REF_CODES
Key_1	KEY_1	PPA_REF_CODES
Key_1	KEY_1	PCW_REF_CODES
Key_1	KEY_1	PEB_REF_CODES
KEY_1	KEY_1	PSA_REF_CODES
Key_1	KEY_1	PGF_REF_CODES
Key_1	KEY_1	PSP_REF_CODES

V.4.4.4 List of table indexes

Name	Code	Unique	Clustered	Primary	Foreign Key	Alternate Key	Table
PAM_REF_CO DES_PK	PAM_REF_CO DES_PK	X		X			PAM_REF_CO DES
PEC_REF_CO DES_PK	PEC_REF_COD ES_PK	X		X			PEC_REF_COD ES
GIP_REF_CO DES_PK	GIP_REF_COD ES_PK	X		X			GIP_REF_COD ES
PGC_REF_CO DES_PK	PGC_REF_COD ES_PK	X		X			PGC_REF_COD ES
PMT_REF_CO DES_PK	PMT_REF_CO DES_PK	X		X			PMT_REF_CO DES
PPA_REF_CO DES_PK	PPA_REF_COD ES_PK	X		X			PPA_REF_COD ES
PCW_REF_CO DES_PK	PCW_REF_CO DES_PK	X		X			PCW_REF_CO DES
PEB_REF_CO DES_PK	PEB_REF_COD ES_PK	X		X			PEB_REF_COD ES
PSA_REF_CO DES_PK	PSA_REF_COD ES_PK	X		X			PSA_REF_COD ES
PSP_REF_CO DES_PK	PSP_REF_COD ES_PK	X		X			PSP_REF_COD ES

V.4.4.5 Table GIP_REF_CODES

V.4.4.5.1 Card of table GIP_REF_CODES

Name	Gip Ref Codes
Code	GIP_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.5.2 Check constraint name of table GIP_REF_CODES

GIP_REF_CODES_CT

V.4.4.5.3 Server validation rule of table GIP_REF_CODES

%RULES%

V.4.4.5.4 Code preview of table GIP_REF_CODES

```
/*=====
/* Table: GIP_REF_CODES */=====
create table GIP_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
```

comment on table GIP_REF_CODES is
 'RCGP - Reference Codes generici della Applicazione';

```
alter table GIP_REF_CODES
  add constraint GIP_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.5.5 List of diagrams containing the table GIP_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.5.6 List of incoming references of the table GIP_REF_CODES

Name	Code
rv_domain = 'RIFERIMENTO_ARCHIVIAZIONE.STATO' / *on Parent*/	RIAR_RECO

V.4.4.5.7 List of all dependencies of the table GIP_REF_CODES

Name	Code	Class Name
Gip Ref Codes	GIP_REF_CODES	Shortcut of table
Ref_Codes	REF_CODES	View
rv_domain = 'RIFERIMENTO_ARCHIVIAZIONE. STATO' /*on Parent*/	RIAR_RECO	Reference

V.4.4.5.8 List of extended attributes of the table GIP_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.5.9 List of columns of the table GIP_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.5.10 Column RV_LOW_VALUE of the table GIP_REF_CODES**V.4.4.5.10.1 Card of the column RV_LOW_VALUE of the table GIP_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.5.10.2 Check constraint name of the column RV_LOW_VALUE of the table GIP_REF_CODES
GIP_REF_CODES_RV_LOW_VALUE_CC**V.4.4.5.10.3 Check of the column RV_LOW_VALUE of the table GIP_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.10.4 Server validation rule of the column RV_LOW_VALUE of the table GIP_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.10.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column
?	?	Reference Join

V.4.4.5.10.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.11 Column RV_HIGH_VALUE of the table GIP_REF_CODES

V.4.4.5.11.1 Card of the column RV_HIGH_VALUE of the table GIP_REF_CODES

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.5.11.2 Check constraint name of the column RV_HIGH_VALUE of the table GIP_REF_CODES
GIP_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.5.11.3 Check of the column RV_HIGH_VALUE of the table GIP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.11.4 Server validation rule of the column RV_HIGH_VALUE of the table GIP_REF_CODES
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.11.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV HIGH VALUE	RV_HIGH_VALUE	View Column

V.4.4.5.11.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.12 Column RV_ABBREVIATION of the table GIP_REF_CODES

V.4.4.5.12.1 Card of the column RV_ABBREVIATION of the table GIP_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.5.12.2 Check constraint name of the column RV_ABBREVIATION of the table GIP_REF_CODES
 GIP_REF_CODES_RV_ABBREVIATI_CC

V.4.4.5.12.3 Check of the column RV_ABBREVIATION of the table GIP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.12.4 Server validation rule of the column RV_ABBREVIATION of the table GIP_REF_CODES
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.12.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.5.12.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.13 Column RV_DOMAIN of the table GIP_REF_CODES

V.4.4.5.13.1 Card of the column RV_DOMAIN of the table GIP_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.5.13.2 Check constraint name of the column RV_DOMAIN of the table GIP_REF_CODES

GIP_REF_CODES_RV_DOMAIN_CC

V.4.4.5.13.3 Check of the column RV_DOMAIN of the table GIP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.13.4 Server validation rule of the column RV_DOMAIN of the table GIP_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.13.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name

Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.5.13.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.14 Column RV_MEANING of the table GIP_REF_CODES

V.4.4.5.14.1 Card of the column RV_MEANING of the table GIP_REF_CODES

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.5.14.2 Check constraint name of the column RV_MEANING of the table GIP_REF_CODES

GIP_REF_CODES_RV_MEANING_CC

V.4.4.5.14.3 Check of the column RV_MEANING of the table GIP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.14.4 Server validation rule of the column RV_MEANING of the table GIP_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.14.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.5.14.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.15 Column RV_TYPE of the table GIP_REF_CODES**V.4.4.5.15.1 Card of the column RV_TYPE of the table GIP_REF_CODES**

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.5.15.2 Check constraint name of the column RV_TYPE of the table GIP_REF_CODES

GIP_REF_CODES_RV_TYPE_CC

V.4.4.5.15.3 Check of the column RV_TYPE of the table GIP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.15.4 Server validation rule of the column RV_TYPE of the table GIP_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.15.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.5.15.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.4.5.16 Column **RV_MEANING_AL1** of the table **GIP_REF_CODES**

V.4.4.5.16.1 Card of the column **RV_MEANING_AL1** of the table **GIP_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.5.16.2 Check constraint name of the column **RV_MEANING_AL1** of the table **GIP_REF_CODES**

GIP_REF_CODES_RV_MEANING_AL_CC

V.4.4.5.16.3 Check of the column **RV_MEANING_AL1** of the table **GIP_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.16.4 Server validation rule of the column **RV_MEANING_AL1** of the table **GIP_REF_CODES**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.5.16.5 List of all dependencies of the table column **RV_MEANING_AL1**

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.5.16.6 List of extended attributes of the table column **RV_MEANING_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.17 Column **RV_MEANING_AL2** of the table **GIP_REF_CODES**

V.4.4.5.17.1 Card of the column RV_MEANING_AL2 of the table GIP_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.5.17.2 Check constraint name of the column RV_MEANING_AL2 of the table GIP_REF_CODES
GIP_REF_CODES_RV_MEANING_AL_CC**V.4.4.5.17.3 Check of the column RV_MEANING_AL2 of the table GIP_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.5.17.4 Server validation rule of the column RV_MEANING_AL2 of the table GIP_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.4.5.17.5 List of all dependencies of the table column RV_MEANING_AL2**

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.5.17.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.5.18 List of keys of the table GIP_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.5.19 Key KEY_1 of the table GIP_REF_CODES

V.4.4.5.19.1 Card of the key KEY_1 of the table GIP_REF_CODES

Name	Key_1
Code	KEY_1
Table	GIP_REF_CODES

V.4.4.5.19.2 Code preview of the key KEY_1 of the table GIP_REF_CODES

alter table GIP_REF_CODES

add constraint GIP_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.5.19.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.5.19.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
GIP_REF_CODES_PK	GIP_REF_CODES_PK	Index

V.4.4.5.20 List of indexes of the table GIP_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
GIP_REF_CODES_PK	GIP_REF_CODE_S_PK	X		X		

V.4.4.5.21 Index GIP_REF_CODES_PK of the table GIP_REF_CODES**V.4.4.5.21.1 Card of the index GIP_REF_CODES_PK of the table GIP_REF_CODES**

Name	GIP_REF_CODES_PK
Code	GIP_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	GIP_REF_CODES

V.4.4.5.21.2 Code preview of the index GIP_REF_CODES_PK of the table GIP_REF_CODES

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.4.5.21.3 List of index columns of the index GIP_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.6 Table PAM_REF_CODES**V.4.4.6.1 Card of table PAM_REF_CODES**

Name	Dizionario PAM_REF_CODES
Code	PAM_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.6.2 Check constraint name of table PAM_REF_CODES

PAM_REF_CODES_CT

V.4.4.6.3 Server validation rule of table PAM_REF_CODES

%RULES%

V.4.4.6.4 Code preview of table PAM_REF_CODES

```
/*
 * Table: PAM_REF_CODES
 */
create table PAM_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
```

comment on table PAM_REF_CODES is
 'RCAM - Reference Codes di Anagrafe Matricolare';

```
alter table PAM_REF_CODES
  add constraint PAM_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.6.5 List of diagrams containing the table PAM_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.6.6 List of incoming references of the table PAM_REF_CODES

Name	Code
rv_domain = 'SESSO' /*ON PARENT*/ rv_domain = 'NOSI' /*INTE parent*/ rv_domain = 'NOSI' /*SEAF parent*/ rv_domain = 'CATEGORIE_PROTETTE.CATEGORIA' /*parent*/ rv_domain = 'CLASSI_RAPPORTO.DOTAZIONE' /*Parent*/ rv_domain = 'SINO' /*AMM Parent*/ rv_domain = 'CLASSI_RAPPORTO.CAT_FISCALE' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.CAT_INAIL' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.CONCORSO' /*Parent*/ rv_domain = 'SINO' /*ENES Parent*/ rv_domain = 'CLASSI_RAPPORTO.GIURIDICO' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.PRESENZA' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.RETRIBUTIVO' /*Parent*/ rv_domain = 'CLASSI_RAPPORTO.VORTALE' /*Parent*/ rv_domain = 'CONDIZIONI_NON_PROFESSINALI.INA BILE' /*Parent*/ rv_domain ='PARENTELE.CARICO_FIS' /*Parent*/ rv_domain ='PARENTELE.NUCLEO_FAM' /*Parent*/ rv_domain = 'SINO' /*parent*/ rv_domain = 'TITOLI_STUDIO.CONTO_ANNUALE' /*Parent*/	ANAG_RECO_SESSO ANFA_RECO_INTE ANFA_RECO_SEAF CAPR_RECO_CATE CLRA_PEGI_DOTAZIONE CLRA_RECO_AMM CLRA_RECO_CAT_FISCALE CLRA_RECO_CAT_INAIL CLRA_RECO_CONCORSO CLRA_RECO_ENTE_ESTERNO CLRA_RECO_GIURIDICO CLRA_RECO_PRESENZA CLRA_RECO_RETributivo CLRA_RECO_VORTALE CNPR_RECO_IN PARE_RECO_CF PARE_RECO_NF STCI_RECO TIST_RECO_CA

V.4.4.6.7 List of all dependencies of the table PAM_REF_CODES

Name	Code	Class Name
Dizionario PAM_REF_CODES	PAM_REF_CODES	Shortcut of table
Dizionario PAM_REF_CODES	PAM_REF_CODES	Shortcut of table
Dizionario PAM_REF_CODES	PAM_REF_CODES	Shortcut of table
rv_domain = 'SESSO' /*ON PARENT*/	ANAG_RECO_SESSO	Reference
rv_domain = 'NOSI' /*INTE parent*/	ANFA_RECO_INTE	Reference
rv_domain = 'NOSI' /*SEAF parent*/	ANFA_RECO_SEAF	Reference
rv_domain = 'CATEGORIE_PROTETTE.CATEGORIA' /*parent*/	CAPR_RECO_CATE	Reference
rv_domain = 'CLASSI_RAPPORTO.DOTAZIONE' /*Parent*/	CLRA_PEGI_DOTAZIONE	Reference
rv_domain = 'SINO' /*AMM Parent*/	CLRA_RECO_AMM	Reference
rv_domain = 'CLASSI_RAPPORTO.CAT_FISCALE' /*Parent*/	CLRA_RECO_CAT_FISCALE	Reference
rv_domain = 'CLASSI_RAPPORTO.CAT_INAIL' /*Parent*/	CLRA_RECO_CAT_INAIL	Reference
rv_domain = 'CLASSI_RAPPORTO.CONCORSO' /*Parent*/	CLRA_RECO_CONCORSO	Reference
rv_domain = 'SINO' /*ENES Parent*/	CLRA_RECO_ENTE_ESTERNO	Reference
rv_domain = 'CLASSI_RAPPORTO.GIURIDICO' /*Parent*/	CLRA_RECO_GIURIDICO	Reference
rv_domain = 'CLASSI_RAPPORTO.PRESENZA' /*Parent*/	CLRA_RECO_PRESENZA	Reference
rv_domain = 'CLASSI_RAPPORTO.RETRIBUTIVO' /*Parent*/	CLRA_RECO_RETributivo	Reference
rv_domain = 'CLASSI_RAPPORTO.VORTALE' /*Parent*/	CLRA_RECO_VORTALE	Reference
rv_domain = 'CONDIZIONI_NON_PROFESSONALI.INABILE' /*Parent*/	CNPR_RECO_IN	Reference
rv_domain = 'PARENTELE.CARICO_FIS' /*Parent*/	PARE_RECO_CF	Reference
rv_domain = 'PARENTELE.NUCLEO_FAM' /*Parent*/	PARE_RECO_NF	Reference

Ref_Codes	REF_CODES	View
rv_domain = 'SINO' /*parent*/	STCI_RECO	Reference
rv_domain = 'TITOLI_STUDIO.CONTO_ANNUALE' /*Parent*/	TIST_RECO_CA	Reference

V.4.4.6.8 List of extended attributes of the table PAM_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.6.9 List of columns of the table PAM_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.6.10 Column RV_LOW_VALUE of the table PAM_REF_CODES**V.4.4.6.10.1 Card of the column RV_LOW_VALUE of the table PAM_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.6.10.2 Check constraint name of the column RV_LOW_VALUE of the table PAM_REF_CODES

PAM_REF_CODES_RV_LOW_VALUE_CC

V.4.4.6.10.3 Check of the column RV_LOW_VALUE of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

V.4.4.6.10.4 Server validation rule of the column RV_LOW_VALUE of the table PAM_REF_CODES %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.10.5 List of all dependencies of the table column RV_LOW_VALUE

V.4.4.6.10.6 List of extended attributes of the table column RV LOW VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.11 Column RV HIGH VALUE of the table PAM REF CODES

V.4.4.6.11.1 Card of the column RV HIGH VALUE of the table PAM REF CODES

Name RV HIGH VALUE

Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.6.11.2 Check constraint name of the column RV_HIGH_VALUE of the table PAM_REF_CODES
PAM_REF_CODES_RV_HIGH_VALUE_CC**

V.4.4.6.11.3 Check of the column RV_HIGH_VALUE of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.6.11.4 Server validation rule of the column RV_HIGH_VALUE of the table PAM_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.6.11.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.6.11.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.12 Column RV_ABBREVIATION of the table PAM_REF_CODES

V.4.4.6.12.1 Card of the column RV_ABBREVIATION of the table PAM_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.6.12.2 Check constraint name of the column RV_ABBREVIATION of the table PAM_REF_CODES
PAM_REF_CODES_RV_ABBREVIATI_CC

V.4.4.6.12.3 Check of the column RV_ABBREVIATION of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.6.12.4 Server validation rule of the column RV_ABBREVIATION of the table PAM_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.12.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.6.12.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.13 Column RV_DOMAIN of the table PAM_REF_CODES

V.4.4.6.13.1 Card of the column RV_DOMAIN of the table PAM_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.6.13.2 Check constraint name of the column RV_DOMAIN of the table PAM_REF_CODES
PAM_REF_CODES_RV_DOMAIN_CC

V.4.4.6.13.3 Check of the column RV_DOMAIN of the table PAM_REF_CODES

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.6.13.4 Server validation rule of the column RV_DOMAIN of the table PAM_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.13.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.6.13.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.14 Column RV_MEANING of the table PAM_REF_CODES

V.4.4.6.14.1 Card of the column RV_MEANING of the table PAM_REF_CODES

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.6.14.2 Check constraint name of the column RV_MEANING of the table PAM_REF_CODES

PAM_REF_CODES_RV_MEANING_CC

V.4.4.6.14.3 Check of the column RV_MEANING of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.6.14.4 Server validation rule of the column RV_MEANING of the table PAM_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.14.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.6.14.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.15 Column RV_TYPE of the table PAM_REF_CODES

V.4.4.6.15.1 Card of the column RV_TYPE of the table PAM_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.6.15.2 Check constraint name of the column RV_TYPE of the table PAM_REF_CODES

PAM_REF_CODES_RV_TYPE_CC

V.4.4.6.15.3 Check of the column RV_TYPE of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.6.15.4 Server validation rule of the column RV_TYPE of the table PAM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.15.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.6.15.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.16 Column RV_MEANING_AL1 of the table PAM_REF_CODES**V.4.4.6.16.1 Card of the column RV_MEANING_AL1 of the table PAM_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.6.16.2 Check constraint name of the column RV_MEANING_AL1 of the table PAM_REF_CODES

PAM_REF_CODES_RV_MEANING_AL_CC

V.4.4.6.16.3 Check of the column RV_MEANING_AL1 of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.6.16.4 Server validation rule of the column RV_MEANING_AL1 of the table PAM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.16.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.6.16.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.17 Column RV_MEANING_AL2 of the table PAM_REF_CODES**V.4.4.6.17.1 Card of the column RV_MEANING_AL2 of the table PAM_REF_CODES**

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.6.17.2 Check constraint name of the column RV_MEANING_AL2 of the table PAM_REF_CODES

PAM_REF_CODES_RV_MEANING_AL_CC

V.4.4.6.17.3 Check of the column RV_MEANING_AL2 of the table PAM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.6.17.4 Server validation rule of the column RV_MEANING_AL2 of the table PAM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.6.17.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.6.17.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.6.18 List of keys of the table PAM_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.6.19 Key KEY_1 of the table PAM_REF_CODES**V.4.4.6.19.1 Card of the key KEY_1 of the table PAM_REF_CODES**

Name	Key_1
Code	KEY_1
Table	PAM_REF_CODES

V.4.4.6.19.2 Code preview of the key KEY_1 of the table PAM_REF_CODES

```
alter table PAM_REF_CODES
add constraint PAM_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.6.19.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.6.19.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PAM_REF_CODES_PK	PAM_REF_CODES_PK	Index

V.4.4.6.20 List of indexes of the table PAM_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PAM_REF_CO DES_PK	PAM_REF_COD ES_PK	X		X		

V.4.4.6.21 Index PAM_REF_CODES_PK of the table PAM_REF_CODES

V.4.4.6.21.1 Card of the index PAM_REF_CODES_PK of the table PAM_REF_CODES

Name	PAM_REF_CODES_PK
Code	PAM_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PAM_REF_CODES

V.4.4.6.21.2 Code preview of the index PAM_REF_CODES_PK of the table PAM_REF_CODES

- The preview is empty because of the setting.
- Check the generation option.

V.4.4.6.21.3 List of index columns of the index PAM_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.7 Table PCW_REF_CODES**V.4.4.7.1 Card of table PCW_REF_CODES**

Name	PCW_REF_CODES
Code	PCW_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.7.2 Check constraint name of table PCW_REF_CODES

PCW_REF_CODES_CT

V.4.4.7.3 Server validation rule of table PCW_REF_CODES

%RULES%

V.4.4.7.4 Code preview of table PCW_REF_CODES

```
/*
 * Table: PCW_REF_CODES
 */
create table PCW_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
```

```

RV_TYPE      VARCHAR2(10),
RV_MEANING_AL1  VARCHAR2(240),
RV_MEANING_AL2  VARCHAR2(240)
);

```

```

alter table PCW_REF_CODES
add constraint PCW_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

```

V.4.4.7.5 List of diagrams containing the table PCW_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES DEFINIZIONE

V.4.4.7.6 List of all dependencies of the table PCW_REF_CODES

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.7.7 List of extended attributes of the table PCW_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.7.8 List of columns of the table PCW_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.7.9 Column RV_LOW_VALUE of the table PCW_REF_CODES

V.4.4.7.9.1 Card of the column RV_LOW_VALUE of the table PCW_REF_CODES

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.7.9.2 Check constraint name of the column RV_LOW_VALUE of the table PCW_REF_CODES

PCW_REF_CODES_RV_LOW_VALUE_CC

V.4.4.7.9.3 Check of the column RV_LOW_VALUE of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.9.4 Server validation rule of the column RV_LOW_VALUE of the table PCW_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.9.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.7.9.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.10 Column RV_HIGH_VALUE of the table PCW_REF_CODES**V.4.4.7.10.1 Card of the column RV_HIGH_VALUE of the table PCW_REF_CODES**

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.7.10.2 Check constraint name of the column RV_HIGH_VALUE of the table PCW_REF_CODES

PCW_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.7.10.3 Check of the column RV_HIGH_VALUE of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.10.4 Server validation rule of the column RV_HIGH_VALUE of the table PCW_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.10.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.7.10.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.11 Column RV_ABBREVIATION of the table PCW_REF_CODES**V.4.4.7.11.1 Card of the column RV_ABBREVIATION of the table PCW_REF_CODES**

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.7.11.2 Check constraint name of the column RV_ABBREVIATION of the table PCW_REF_CODES

PCW_REF_CODES_RV_ABBREVIATI_CC

V.4.4.7.11.3 Check of the column RV_ABBREVIATION of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.11.4 Server validation rule of the column RV_ABBREVIATION of the table PCW_REF_CODES
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.11.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.7.11.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.12 Column RV_DOMAIN of the table PCW_REF_CODES

V.4.4.7.12.1 Card of the column RV_DOMAIN of the table PCW_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.7.12.2 Check constraint name of the column RV_DOMAIN of the table PCW_REF_CODES

PCW_REF_CODES_RV_DOMAIN_CC

V.4.4.7.12.3 Check of the column RV_DOMAIN of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.12.4 Server validation rule of the column RV_DOMAIN of the table PCW_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.7.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.13 Column RV_MEANING of the table PCW_REF_CODES**V.4.4.7.13.1 Card of the column RV_MEANING of the table PCW_REF_CODES**

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.7.13.2 Check constraint name of the column RV_MEANING of the table PCW_REF_CODES

PCW_REF_CODES_RV_MEANING_CC

V.4.4.7.13.3 Check of the column RV_MEANING of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.13.4 Server validation rule of the column RV_MEANING of the table PCW_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.7.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.14 Column RV_TYPE of the table PCW_REF_CODES

V.4.4.7.14.1 Card of the column RV_TYPE of the table PCW_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.7.14.2 Check constraint name of the column RV_TYPE of the table PCW_REF_CODES

PCW_REF_CODES_RV_TYPE_CC

V.4.4.7.14.3 Check of the column RV_TYPE of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.14.4 Server validation rule of the column RV_TYPE of the table PCW_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.7.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.15 Column RV_MEANING_AL1 of the table PCW_REF_CODES**V.4.4.7.15.1 Card of the column RV_MEANING_AL1 of the table PCW_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.7.15.2 Check constraint name of the column RV_MEANING_AL1 of the table PCW_REF_CODES
PCW_REF_CODES_RV_MEANING_AL_CC****V.4.4.7.15.3 Check of the column RV_MEANING_AL1 of the table PCW_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.7.15.4 Server validation rule of the column RV_MEANING_AL1 of the table PCW_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.4.7.15.5 List of all dependencies of the table column RV_MEANING_AL1**

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.7.15.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

	erred		Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.16 Column RV_MEANING_AL2 of the table PCW_REF_CODES

V.4.4.7.16.1 Card of the column RV_MEANING_AL2 of the table PCW_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.7.16.2 Check constraint name of the column RV_MEANING_AL2 of the table PCW_REF_CODES PCW_REF_CODES_RV_MEANING_AL_CC

V.4.4.7.16.3 Check of the column RV_MEANING_AL2 of the table PCW_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.7.16.4 Server validation rule of the column RV_MEANING_AL2 of the table PCW_REF_CODES %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.7.16.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.7.16.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.7.17 List of keys of the table PCW_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.7.18 Key KEY_1 of the table PCW_REF_CODES**V.4.4.7.18.1 Card of the key KEY_1 of the table PCW_REF_CODES**

Name	Key_1
Code	KEY_1
Table	PCW_REF_CODES

V.4.4.7.18.2 Code preview of the key KEY_1 of the table PCW_REF_CODES

```
alter table PCW_REF_CODES
add constraint PCW_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.7.18.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.7.18.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PCW_REF_CODES_PK	PCW_REF_CODES_PK	Index

V.4.4.7.19 List of indexes of the table PCW_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PCW_REF_CODES_PK	PCW_REF_CODES_PK	X		X		

V.4.4.7.20 Index PCW_REF_CODES_PK of the table PCW_REF_CODES**V.4.4.7.20.1 Card of the index PCW_REF_CODES_PK of the table PCW_REF_CODES**

Name	PCW_REF_CODES_PK
Code	PCW_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No

Alternate Key	No
Table	PCW_REF_CODES

V.4.4.7.20.2 Code preview of the index PCW_REF_CODES_PK of the table PCW_REF_CODES

- The preview is empty because of the setting.
- Check the generation option.

V.4.4.7.20.3 List of index columns of the index PCW_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.8 Table PEB_REF_CODES**V.4.4.8.1 Card of table PEB_REF_CODES**

Name	PEB_REF_CODES
Code	PEB_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.8.2 Check constraint name of table PEB_REF_CODES

PEB_REF_CODES_CT

V.4.4.8.3 Server validation rule of table PEB_REF_CODES

%RULES%

V.4.4.8.4 Code preview of table PEB_REF_CODES

```
/*=====
/* Table: PEB_REF_CODES */ */
/*=====*/
create table PEB_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
```

```
alter table PEB_REF_CODES
add constraint PEB_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.8.5 List of diagrams containing the table PEB_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.8.6 List of all dependencies of the table PEB_REF_CODES

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.8.7 List of extended attributes of the table PEB_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.8.8 List of columns of the table PEB_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.8.9 Column RV_LOW_VALUE of the table PEB_REF_CODES**V.4.4.8.9.1 Card of the column RV_LOW_VALUE of the table PEB_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.8.9.2 Check constraint name of the column RV_LOW_VALUE of the table PEB_REF_CODES

PEB_REF_CODES_RV_LOW_VALUE_CC

V.4.4.8.9.3 Check of the column RV_LOW_VALUE of the table PEB_REF_CODES

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.9.4 Server validation rule of the column RV_LOW_VALUE of the table PEB_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.9.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.8.9.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.10 Column RV_HIGH_VALUE of the table PEB_REF_CODES**V.4.4.8.10.1 Card of the column RV_HIGH_VALUE of the table PEB_REF_CODES**

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.8.10.2 Check constraint name of the column RV_HIGH_VALUE of the table PEB_REF_CODES

PEB_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.8.10.3 Check of the column RV_HIGH_VALUE of the table PEB_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.10.4 Server validation rule of the column RV_HIGH_VALUE of the table PEB_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.10.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.8.10.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.11 Column RV_ABBREVIATION of the table PEB_REF_CODES

V.4.4.8.11.1 Card of the column RV_ABBREVIATION of the table PEB_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.8.11.2 Check constraint name of the column RV_ABBREVIATION of the table PEB_REF_CODES
PEB_REF_CODES_RV_ABBREVIATI_CC

V.4.4.8.11.3 Check of the column RV_ABBREVIATION of the table PEB_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.11.4 Server validation rule of the column RV_ABBREVIATION of the table PEB_REF_CODES
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.11.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.8.11.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.12 Column RV_DOMAIN of the table PEB_REF_CODES

V.4.4.8.12.1 Card of the column RV_DOMAIN of the table PEB_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.8.12.2 Check constraint name of the column RV_DOMAIN of the table PEB_REF_CODES

PEB_REF_CODES_RV_DOMAIN_CC

V.4.4.8.12.3 Check of the column RV_DOMAIN of the table PEB_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.12.4 Server validation rule of the column RV_DOMAIN of the table PEB_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name

Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.8.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.13 Column RV_MEANING of the table PEB_REF_CODES

V.4.4.8.13.1 Card of the column RV_MEANING of the table PEB_REF_CODES

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.8.13.2 Check constraint name of the column RV_MEANING of the table PEB_REF_CODES

PEB_REF_CODES_RV_MEANING_CC

V.4.4.8.13.3 Check of the column RV_MEANING of the table PEB_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.13.4 Server validation rule of the column RV_MEANING of the table PEB_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.8.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.14 Column RV_TYPE of the table PEB_REF_CODES**V.4.4.8.14.1 Card of the column RV_TYPE of the table PEB_REF_CODES**

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.8.14.2 Check constraint name of the column RV_TYPE of the table PEB_REF_CODES

PEB_REF_CODES_RV_TYPE_CC

V.4.4.8.14.3 Check of the column RV_TYPE of the table PEB_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.14.4 Server validation rule of the column RV_TYPE of the table PEB_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.8.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.4.8.15 Column **RV_MEANING_AL1** of the table **PEB_REF_CODES**

V.4.4.8.15.1 Card of the column **RV_MEANING_AL1** of the table **PEB_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.8.15.2 Check constraint name of the column **RV_MEANING_AL1** of the table **PEB_REF_CODES**

PEB_REF_CODES_RV_MEANING_AL_CC

V.4.4.8.15.3 Check of the column **RV_MEANING_AL1** of the table **PEB_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.15.4 Server validation rule of the column **RV_MEANING_AL1** of the table **PEB_REF_CODES**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.8.15.5 List of all dependencies of the table column **RV_MEANING_AL1**

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.8.15.6 List of extended attributes of the table column **RV_MEANING_AL1**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.16 Column **RV_MEANING_AL2** of the table **PEB_REF_CODES**

V.4.4.8.16.1 Card of the column RV_MEANING_AL2 of the table PEB_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.8.16.2 Check constraint name of the column RV_MEANING_AL2 of the table PEB_REF_CODES
PEB_REF_CODES_RV_MEANING_AL_CC**V.4.4.8.16.3 Check of the column RV_MEANING_AL2 of the table PEB_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.8.16.4 Server validation rule of the column RV_MEANING_AL2 of the table PEB_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.4.8.16.5 List of all dependencies of the table column RV_MEANING_AL2**

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.8.16.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.8.17 List of keys of the table PEB_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.8.18 Key KEY_1 of the table PEB_REF_CODES

V.4.4.8.18.1 Card of the key KEY_1 of the table PEB_REF_CODES

Name	Key_1
Code	KEY_1
Table	PEB_REF_CODES

V.4.4.8.18.2 Code preview of the key KEY_1 of the table PEB_REF_CODES

alter table PEB_REF_CODES

add constraint PEB_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.8.18.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.8.18.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PEB_REF_CODES_PK	PEB_REF_CODES_PK	Index

V.4.4.8.19 List of indexes of the table PEB_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PEB_REF_CODES_PK	PEB_REF_CODES_PK	X		X		

V.4.4.8.20 Index PEB_REF_CODES_PK of the table PEB_REF_CODES**V.4.4.8.20.1 Card of the index PEB_REF_CODES_PK of the table PEB_REF_CODES**

Name	PEB_REF_CODES_PK
Code	PEB_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PEB_REF_CODES

V.4.4.8.20.2 Code preview of the index PEB_REF_CODES_PK of the table PEB_REF_CODES

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.4.8.20.3 List of index columns of the index PEB_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.9 Table PEC_REF_CODES**V.4.4.9.1 Card of table PEC_REF_CODES**

Name	Dizionario PEC_REF_CODES
Code	PEC_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.9.2 Check constraint name of table PEC_REF_CODES

PEC_REF_CODES_CT

V.4.4.9.3 Server validation rule of table PEC_REF_CODES

%RULES%

V.4.4.9.4 Code preview of table PEC_REF_CODES

```
/*
 * Table: PEC_REF_CODES
 */
create table PEC_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
```

comment on table PEC_REF_CODES is
 'RCEC - Reference Codes di Economico Contabile';

```
alter table PEC_REF_CODES
  add constraint PEC_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.9.5 List of diagrams containing the table PEC_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.9.6 List of incoming references of the table PEC_REF_CODES

Name	Code
rv_domain = 'MAPPATURA_CODICI.CHIAVE' /*on Parent*/	MACO_RECO_CHIAVE
rv_domain = 'MAPPATURA_CODICI.TABELLA' /*on parent*/	MACO_RECO_TAB

V.4.4.9.7 List of all dependencies of the table PEC_REF_CODES

Name	Code	Class Name
rv_domain = 'MAPPATURA_CODICI.CHIAVE' /*on Parent*/	MACO_RECO_CHIAVE	Reference
rv_domain = 'MAPPATURA_CODICI.TABELLA' /*on parent*/	MACO_RECO_TAB	Reference
Dizionario PEC_REF_CODES	PEC_REF_CODES	Shortcut of table
Ref Codes	REF_CODES	View

V.4.4.9.8 List of extended attributes of the table PEC_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.9.9 List of columns of the table PEC_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.9.10 Column RV_LOW_VALUE of the table PEC_REF_CODES

V.4.4.9.10.1 Card of the column RV_LOW_VALUE of the table PEC_REF_CODES

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

**V.4.4.9.10.2 Check constraint name of the column RV_LOW_VALUE of the table PEC_REF_CODES
PEC_REF_CODES_RV_LOW_VALUE_CC**

V.4.4.9.10.3 Check of the column RV_LOW_VALUE of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.9.10.4 Server validation rule of the column RV_LOW_VALUE of the table PEC_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.9.10.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column
?	?	Reference Join
?	?	Reference Join

V.4.4.9.10.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.11 Column RV_HIGH_VALUE of the table PEC_REF_CODES

V.4.4.9.11.1 Card of the column RV_HIGH_VALUE of the table PEC_REF_CODES

Name	RV_HIGH_VALUE
------	---------------

Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.9.11.2 Check constraint name of the column RV_HIGH_VALUE of the table PEC_REF_CODES
PEC_REF_CODES_RV_HIGH_VALUE_CC**

V.4.4.9.11.3 Check of the column RV_HIGH_VALUE of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.9.11.4 Server validation rule of the column RV_HIGH_VALUE of the table PEC_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.9.11.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column
?	?	Reference Join

V.4.4.9.11.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.12 Column RV_ABBREVIATION of the table PEC_REF_CODES

V.4.4.9.12.1 Card of the column RV_ABBREVIATION of the table PEC_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.9.12.2 Check constraint name of the column RV_ABBREVIATION of the table PEC_REF_CODES
PEC_REF_CODES_RV_ABBREVIATION_CC**

V.4.4.9.12.3 Check of the column RV_ABBREVIATION of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.9.12.4 Server validation rule of the column RV_ABBREVIATION of the table PEC_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.9.12.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.9.12.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.13 Column RV_DOMAIN of the table PEC_REF_CODES

V.4.4.9.13.1 Card of the column RV_DOMAIN of the table PEC_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

**V.4.4.9.13.2 Check constraint name of the column RV_DOMAIN of the table PEC_REF_CODES
PEC_REF_CODES_RV_DOMAIN_CC**

V.4.4.9.13.3 Check of the column RV_DOMAIN of the table PEC_REF_CODES

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.9.13.4 Server validation rule of the column RV_DOMAIN of the table PEC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.9.13.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.9.13.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.14 Column RV_MEANING of the table PEC_REF_CODES**V.4.4.9.14.1 Card of the column RV_MEANING of the table PEC_REF_CODES**

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.9.14.2 Check constraint name of the column RV_MEANING of the table PEC_REF_CODES

PEC_REF_CODES_RV_MEANING_CC

V.4.4.9.14.3 Check of the column RV_MEANING of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.9.14.4 Server validation rule of the column RV_MEANING of the table PEC_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.9.14.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.9.14.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.15 Column RV_TYPE of the table PEC_REF_CODES

V.4.4.9.15.1 Card of the column RV_TYPE of the table PEC_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.9.15.2 Check constraint name of the column RV_TYPE of the table PEC_REF_CODES

PEC_REF_CODES_RV_TYPE_CC

V.4.4.9.15.3 Check of the column RV_TYPE of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.9.15.4 Server validation rule of the column RV_TYPE of the table PEC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.9.15.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.9.15.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.16 Column RV_MEANING_AL1 of the table PEC_REF_CODES**V.4.4.9.16.1 Card of the column RV_MEANING_AL1 of the table PEC_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.9.16.2 Check constraint name of the column RV_MEANING_AL1 of the table PEC_REF_CODES

PEC_REF_CODES_RV_MEANING_AL_CC

V.4.4.9.16.3 Check of the column RV_MEANING_AL1 of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.9.16.4 Server validation rule of the column RV_MEANING_AL1 of the table PEC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.9.16.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.9.16.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.17 Column RV_MEANING_AL2 of the table PEC_REF_CODES**V.4.4.9.17.1 Card of the column RV_MEANING_AL2 of the table PEC_REF_CODES**

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.9.17.2 Check constraint name of the column RV_MEANING_AL2 of the table PEC_REF_CODES

PEC_REF_CODES_RV_MEANING_AL_CC

V.4.4.9.17.3 Check of the column RV_MEANING_AL2 of the table PEC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.9.17.4 Server validation rule of the column RV_MEANING_AL2 of the table PEC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.9.17.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.9.17.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.9.18 List of keys of the table PEC_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.9.19 Key KEY_1 of the table PEC_REF_CODES**V.4.4.9.19.1 Card of the key KEY_1 of the table PEC_REF_CODES**

Name	Key_1
Code	KEY_1
Table	PEC_REF_CODES

V.4.4.9.19.2 Code preview of the key KEY_1 of the table PEC_REF_CODES

alter table PEC_REF_CODES

add constraint PEC_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.9.19.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.9.19.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PEC_REF_CODES_PK	PEC_REF_CODES_PK	Index

V.4.4.9.20 List of indexes of the table PEC_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PEC_REF_CODES_PK	PEC_REF_CODES_PK	X		X		

V.4.4.9.21 Index PEC_REF_CODES_PK of the table PEC_REF_CODES

V.4.4.9.21.1 Card of the index PEC_REF_CODES_PK of the table PEC_REF_CODES

Name	PEC_REF_CODES_PK
Code	PEC_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PEC_REF_CODES

V.4.4.9.21.2 Code preview of the index PEC_REF_CODES_PK of the table PEC_REF_CODES

- The preview is empty because of the setting.
- Check the generation option.

V.4.4.9.21.3 List of index columns of the index PEC_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.10 Table PGC_REF_CODES**V.4.4.10.1 Card of table PGC_REF_CODES**

Name	PGC_REF_CODES
Code	PGC_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.10.2 Check constraint name of table PGC_REF_CODES

PGC_REF_CODES_CT

V.4.4.10.3 Server validation rule of table PGC_REF_CODES

%RULES%

V.4.4.10.4 Code preview of table PGC_REF_CODES

```
/*=====
/* Table: PGC_REF_CODES */ */
create table PGC_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
```

```
RV_TYPE      VARCHAR2(10)
);
```

```
alter table PGC_REF_CODES
add constraint PGC_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.10.5 List of diagrams containing the table PGC_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.10.6 List of all dependencies of the table PGC_REF_CODES

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.10.7 List of extended attributes of the table PGC_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.10.8 List of columns of the table PGC_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE

V.4.4.10.9 Column RV_LOW_VALUE of the table PGC_REF_CODES

V.4.4.10.9.1 Card of the column RV_LOW_VALUE of the table PGC_REF_CODES

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.10.9.2 Check constraint name of the column RV_LOW_VALUE of the table PGC_REF_CODES

PGC_REF_CODES_RV_LOW_VALUE_CC

V.4.4.10.9.3 Check of the column RV_LOW_VALUE of the table PGC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.10.9.4 Server validation rule of the column RV_LOW_VALUE of the table PGC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.10.9.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.10.9.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.10.10 Column RV_HIGH_VALUE of the table PGC_REF_CODES**V.4.4.10.10.1 Card of the column RV_HIGH_VALUE of the table PGC_REF_CODES**

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.10.10.2 Check constraint name of the column RV_HIGH_VALUE of the table PGC_REF_CODES

PGC_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.10.10.3 Check of the column RV_HIGH_VALUE of the table PGC_REF_CODES

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.10.10.4 Server validation rule of the column RV_HIGH_VALUE of the table PGC_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.10.10.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.10.10.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.10.11 Column RV_ABBREVIATION of the table PGC_REF_CODES

V.4.4.10.11.1 Card of the column RV_ABBREVIATION of the table PGC_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.10.11.2 Check constraint name of the column RV_ABBREVIATION of the table PGC_REF_CODES

PGC_REF_CODES_RV_ABBREVIATI_CC

V.4.4.10.11.3 Check of the column RV_ABBREVIATION of the table PGC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

V.4.4.10.11.4 Server validation rule of the column RV_ABBREVIATION of the table PGC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.10.11.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.10.11.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.10.12 Column RV_DOMAIN of the table PGC_REF_CODES

V.4.4.10.12.1 Card of the column RV_DOMAIN of the table PGC_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.10.12.2 Check constraint name of the column RV_DOMAIN of the table PGC_REF_CODES

PGC_REF_CODES_RV_DOMAIN_CC

V.4.4.10.12.3 Check of the column RV_DOMAIN of the table PGC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.10.12.4 Server validation rule of the column RV_DOMAIN of the table PGC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.10.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.10.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.10.13 Column RV_MEANING of the table PGC_REF_CODES**V.4.4.10.13.1 Card of the column RV_MEANING of the table PGC_REF_CODES**

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.10.13.2 Check constraint name of the column RV_MEANING of the table PGC_REF_CODES

PGC_REF_CODES_RV_MEANING_CC

V.4.4.10.13.3 Check of the column RV_MEANING of the table PGC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.10.13.4 Server validation rule of the column RV_MEANING of the table PGC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.10.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.10.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.10.14 Column RV_TYPE of the table PGC_REF_CODES**V.4.4.10.14.1 Card of the column RV_TYPE of the table PGC_REF_CODES**

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.10.14.2 Check constraint name of the column RV_TYPE of the table PGC_REF_CODES

PGC_REF_CODES_RV_TYPE_CC

V.4.4.10.14.3 Check of the column RV_TYPE of the table PGC_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.10.14.4 Server validation rule of the column RV_TYPE of the table PGC_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.10.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.10.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.10.15 List of keys of the table PGC_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.10.16 Key KEY_1 of the table PGC_REF_CODES**V.4.4.10.16.1 Card of the key KEY_1 of the table PGC_REF_CODES**

Name	Key_1
Code	KEY_1
Table	PGC_REF_CODES

V.4.4.10.16.2 Code preview of the key KEY_1 of the table PGC_REF_CODES

alter table PGC_REF_CODES

add constraint PGC_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.10.16.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.10.16.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PGC_REF_CODES_PK	PGC_REF_CODES_PK	Index

V.4.4.10.17 List of indexes of the table PGC_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PGC_REF_CODES_PK	PGC_REF_CODES_PK	X		X		

V.4.4.10.18 Index PGC_REF_CODES_PK of the table PGC_REF_CODES

V.4.4.10.18.1 Card of the index PGC_REF_CODES_PK of the table PGC_REF_CODES

Name	PGC_REF_CODES_PK
Code	PGC_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PGC_REF_CODES

V.4.4.10.18.2 Code preview of the index PGC_REF_CODES_PK of the table PGC_REF_CODES

- The preview is empty because of the setting.
- Check the generation option.

V.4.4.10.18.3 List of index columns of the index PGC_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.11 Table PGF_REF_CODES**V.4.4.11.1 Card of table PGF_REF_CODES**

Name	Dizionario PGF_REF_CODES
Code	PGF_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.11.2 Check constraint name of table PGF_REF_CODES

PGF_REF_CODES_CT

V.4.4.11.3 Server validation rule of table PGF_REF_CODES

%RULES%

V.4.4.11.4 Code preview of table PGF_REF_CODES

```
/*=====
/* Table: PGF_REF_CODES */=====
create table PGF_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)           not null,
    RV_MEANING        VARCHAR2(240),
```

```

RV_TYPE      VARCHAR2(10),
RV_MEANING_AL1  VARCHAR2(240),
RV_MEANING_AL2  VARCHAR2(240)
);

```

comment on table PGF_REF_CODES is
'RCGF - Reference Codes di Gestione Fondi';

```

alter table PGF_REF_CODES
  add constraint PGF_REF_CODES_PK primary key (RV_LOW_VALUE, RV_DOMAIN);

```

V.4.4.11.5 List of diagrams containing the table PGF_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.11.6 List of extended attributes of the table PGF_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.11.7 List of columns of the table PGF_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.11.8 Column RV_LOW_VALUE of the table PGF_REF_CODES

V.4.4.11.8.1 Card of the column RV_LOW_VALUE of the table PGF_REF_CODES

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.11.8.2 Check constraint name of the column RV_LOW_VALUE of the table PGF_REF_CODES

PGF_REF_CODES_RV_LOW_VALUE_CC

V.4.4.11.8.3 Check of the column RV_LOW_VALUE of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.8.4 Server validation rule of the column RV_LOW_VALUE of the table PGF_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.8.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.11.8.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.9 Column RV_HIGH_VALUE of the table PGF_REF_CODES

V.4.4.11.9.1 Card of the column RV_HIGH_VALUE of the table PGF_REF_CODES

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.11.9.2 Check constraint name of the column RV_HIGH_VALUE of the table PGF_REF_CODES

PGF_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.11.9.3 Check of the column RV_HIGH_VALUE of the table PGF_REF_CODES

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.9.4 Server validation rule of the column RV_HIGH_VALUE of the table PGF_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.9.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.11.9.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.10 Column RV_ABBREVIATION of the table PGF_REF_CODES

V.4.4.11.10.1 Card of the column RV_ABBREVIATION of the table PGF_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.11.10.2 Check constraint name of the column RV_ABBREVIATION of the table PGF_REF_CODES

PGF_REF_CODES_RV_ABBREVIATI_CC

V.4.4.11.10.3 Check of the column RV_ABBREVIATION of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.10.4 Server validation rule of the column RV_ABBREVIATION of the table**PGF_REF_CODES**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.10.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.11.10.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.11 Column RV_DOMAIN of the table PGF_REF_CODES**V.4.4.11.11.1Card of the column RV_DOMAIN of the table PGF_REF_CODES**

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.11.11.2Check constraint name of the column RV_DOMAIN of the table PGF_REF_CODES

PGF_REF_CODES_RV_DOMAIN_CC

V.4.4.11.11.3Check of the column RV_DOMAIN of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.11.4 Server validation rule of the column RV_DOMAIN of the table PGF_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.11.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.11.11.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.12 Column RV_MEANING of the table PGF_REF_CODES**V.4.4.11.12.1 Card of the column RV_MEANING of the table PGF_REF_CODES**

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.11.12.2 Check constraint name of the column RV_MEANING of the table PGF_REF_CODES

PGF_REF_CODES_RV_MEANING_CC

V.4.4.11.12.3 Check of the column RV_MEANING of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.12.4 Server validation rule of the column RV_MEANING of the table PGF_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.12.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.11.12.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.13 Column RV_TYPE of the table PGF_REF_CODES**V.4.4.11.13.1 Card of the column RV_TYPE of the table PGF_REF_CODES**

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.11.13.2 Check constraint name of the column RV_TYPE of the table PGF_REF_CODES

PGF_REF_CODES_RV_TYPE_CC

V.4.4.11.13.3 Check of the column RV_TYPE of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.13.4 Server validation rule of the column RV_TYPE of the table PGF_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.13.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.11.13.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.14 Column RV_MEANING_AL1 of the table PGF_REF_CODES**V.4.4.11.14.1 Card of the column RV_MEANING_AL1 of the table PGF_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.11.14.2 Check constraint name of the column RV_MEANING_AL1 of the table PGF_REF_CODES

PGF_REF_CODES_RV_MEANING_AL_CC

V.4.4.11.14.3 Check of the column RV_MEANING_AL1 of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.14.4 Server validation rule of the column RV_MEANING_AL1 of the table PGF_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.4.11.14.5 List of all dependencies of the table column RV_MEANING_AL1**

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.11.14.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.4.11.15 Column RV_MEANING_AL2 of the table PGF_REF_CODES

V.4.4.11.15.1 Card of the column RV_MEANING_AL2 of the table PGF_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.11.15.2 Check constraint name of the column RV_MEANING_AL2 of the table PGF_REF_CODES

PGF_REF_CODES_RV_MEANING_AL_CC

V.4.4.11.15.3 Check of the column RV_MEANING_AL2 of the table PGF_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.11.15.4 Server validation rule of the column RV_MEANING_AL2 of the table PGF_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.11.15.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.11.15.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.11.16 List of keys of the table PGF_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.11.17 Key KEY_1 of the table PGF_REF_CODES**V.4.4.11.17.1 Card of the key KEY_1 of the table PGF_REF_CODES**

Name	Key_1
Code	KEY_1
Table	PGF_REF_CODES

V.4.4.11.17.2 Code preview of the key KEY_1 of the table PGF_REF_CODES

alter table PGF_REF_CODES

add constraint PGF_REF_CODES_PK primary key (RV_LOW_VALUE, RV_DOMAIN);

V.4.4.11.17.3 List of columns of the table key KEY_1

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_DOMAIN	RV_DOMAIN

V.4.4.12 Table PGM_REF_CODES**V.4.4.12.1 Card of table PGM_REF_CODES**

Name	Dizionario PGM_REF_CODES
Code	PGM_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.12.2 Check constraint name of table PGM_REF_CODES

PGM_REF_CODES_CT

V.4.4.12.3 Server validation rule of table PGM_REF_CODES

%RULES%

V.4.4.12.4 Code preview of table PGM_REF_CODES

```
/*=====
/* Table: PGM_REF_CODES */=====
create table PGM_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
```

```

RV_HIGH_VALUE      VARCHAR2(240),
RV_ABBREVIATION   VARCHAR2(240),
RV_DOMAIN          VARCHAR2(100)           not null,
RV_MEANING         VARCHAR2(240),
RV_TYPE            VARCHAR2(10),
RV_MEANING_AL1    VARCHAR2(240),
RV_MEANING_AL2    VARCHAR2(240)
);

```

comment on table PGM_REF_CODES is
 'RCGM - Reference Codes di Giuridico Matricolare
 ';

```

alter table PGM_REF_CODES
  add constraint PGM_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

```

V.4.4.12.5 List of diagrams containing the table PGM_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.12.6 List of all dependencies of the table PGM_REF_CODES

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.12.7 List of extended attributes of the table PGM_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.12.8 List of columns of the table PGM_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.12.9 Column RV_LOW_VALUE of the table PGM_REF_CODES**V.4.4.12.9.1 Card of the column RV_LOW_VALUE of the table PGM_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.12.9.2 Check constraint name of the column RV_LOW_VALUE of the table PGM_REF_CODES

PGM_REF_CODES_RV_LOW_VALUE_CC

V.4.4.12.9.3 Check of the column RV_LOW_VALUE of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.12.9.4 Server validation rule of the column RV_LOW_VALUE of the table PGM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.9.5 List of all dependencies of the table column RV_LOW_VALUE

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.12.9.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.10 Column RV_HIGH_VALUE of the table PGM_REF_CODES**V.4.4.12.10.1 Card of the column RV_HIGH_VALUE of the table PGM_REF_CODES**

Name	RV_HIGH_VALUE
------	---------------

Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.12.10.2 Check constraint name of the column RV_HIGH_VALUE of the table PGM_REF_CODES
PGM_REF_CODES_RV_HIGH_VALUE_CC**

V.4.4.12.10.3 Check of the column RV_HIGH_VALUE of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.12.10.4 Server validation rule of the column RV_HIGH_VALUE of the table PGM_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.12.10.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.12.10.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.11 Column RV_ABBREVIATION of the table PGM_REF_CODES

V.4.4.12.11.1 Card of the column RV_ABBREVIATION of the table PGM_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.12.11.2 Check constraint name of the column RV_ABBREVIATION of the table PGM_REF_CODES

PGM_REF_CODES_RV_ABBREVIATI_CC

V.4.4.12.11.3 Check of the column RV_ABBREVIATION of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.12.11.4 Server validation rule of the column RV_ABBREVIATION of the table PGM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.11.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.12.11.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.12 Column RV_DOMAIN of the table PGM_REF_CODES

V.4.4.12.12.1 Card of the column RV_DOMAIN of the table PGM_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.12.12.2 Check constraint name of the column RV_DOMAIN of the table PGM_REF_CODES

PGM_REF_CODES_RV_DOMAIN_CC

V.4.4.12.12.3 Check of the column RV_DOMAIN of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.12.12.4 Server validation rule of the column RV_DOMAIN of the table PGM_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.12.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.13 Column RV_MEANING of the table PGM_REF_CODES

V.4.4.12.13.1 Card of the column RV_MEANING of the table PGM_REF_CODES

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.12.13.2 Check constraint name of the column RV_MEANING of the table PGM_REF_CODES
PGM_REF_CODES_RV_MEANING_CC

V.4.4.12.13.3 Check of the column RV_MEANING of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.12.13.4 Server validation rule of the column RV_MEANING of the table PGM_REF_CODES
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.12.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.14 Column RV_TYPE of the table PGM_REF_CODES

V.4.4.12.14.1 Card of the column RV_TYPE of the table PGM_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.12.14.2 Check constraint name of the column RV_TYPE of the table PGM_REF_CODES

PGM_REF_CODES_RV_TYPE_CC

V.4.4.12.14.3 Check of the column RV_TYPE of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.12.14.4 Server validation rule of the column RV_TYPE of the table PGM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.12.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.15 Column RV_MEANING_AL1 of the table PGM_REF_CODES**V.4.4.12.15.1 Card of the column RV_MEANING_AL1 of the table PGM_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.12.15.2 Check constraint name of the column RV_MEANING_AL1 of the table
PGM_REF_CODES**

PGM_REF_CODES_RV_MEANING_AL_CC

V.4.4.12.15.3 Check of the column RV_MEANING_AL1 of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.12.15.4 Server validation rule of the column RV_MEANING_AL1 of the table
PGM_REF_CODES**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.15.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.12.15.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.16 Column RV_MEANING_AL2 of the table PGM_REF_CODES

V.4.4.12.16.1 Card of the column RV_MEANING_AL2 of the table PGM_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.12.16.2 Check constraint name of the column RV_MEANING_AL2 of the table PGM_REF_CODES

PGM_REF_CODES_RV_MEANING_AL_CC

V.4.4.12.16.3 Check of the column RV_MEANING_AL2 of the table PGM_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.12.16.4 Server validation rule of the column RV_MEANING_AL2 of the table PGM_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.12.16.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.12.16.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.12.17 List of keys of the table PGM_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.12.18 Key KEY_1 of the table PGM_REF_CODES**V.4.4.12.18.1 Card of the key KEY_1 of the table PGM_REF_CODES**

Name	Key_1
Code	KEY_1
Table	PGM_REF_CODES

V.4.4.12.18.2 Code preview of the key KEY_1 of the table PGM_REF_CODES

alter table PGM_REF_CODES

add constraint PGM_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.12.18.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.13 Table PMT_REF_CODES**V.4.4.13.1 Card of table PMT_REF_CODES**

Name	PMT REF CODES
Code	PMT_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.13.2 Check constraint name of table PMT_REF_CODES

PMT_REF_CODES_CT**V.4.4.13.3 Server validation rule of table PMT_REF_CODES**

%RULES%

V.4.4.13.4 Code preview of table PMT_REF_CODES

```
/*=====
/* Table: PMT_REF_CODES
/*=====*/
create table PMT_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)          not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
```

comment on table PMT_REF_CODES is
 'RCMT - Reference Codes di Missioni Trasferte';

alter table PMT_REF_CODES
 add constraint PMT_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.13.5 List of diagrams containing the table PMT_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.13.6 List of all dependencies of the table PMT_REF_CODES

Name	Code	Class Name
Ref Codes	REF_CODES	View

V.4.4.13.7 List of extended attributes of the table PMT_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.13.8 List of columns of the table PMT_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.13.9 Column **RV_LOW_VALUE** of the table **PMT_REF_CODES**

V.4.4.13.9.1 Card of the column **RV_LOW_VALUE** of the table **PMT_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.13.9.2 Check constraint name of the column **RV_LOW_VALUE** of the table **PMT_REF_CODES**

PMT_REF_CODES_RV_LOW_VALUE_CC

V.4.4.13.9.3 Check of the column **RV_LOW_VALUE** of the table **PMT_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.13.9.4 Server validation rule of the column **RV_LOW_VALUE** of the table **PMT_REF_CODES**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.13.9.5 List of all dependencies of the table column **RV_LOW_VALUE**

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.13.9.6 List of extended attributes of the table column RV_LOW_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.10 Column RV_HIGH_VALUE of the table PMT_REF_CODES**V.4.4.13.10.1 Card of the column RV_HIGH_VALUE of the table PMT_REF_CODES**

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.13.10.2 Check constraint name of the column RV_HIGH_VALUE of the table PMT_REF_CODES
PMT_REF_CODES_RV_HIGH_VALUE_CC****V.4.4.13.10.3 Check of the column RV_HIGH_VALUE of the table PMT_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.13.10.4 Server validation rule of the column RV_HIGH_VALUE of the table PMT_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.4.13.10.5 List of all dependencies of the table column RV_HIGH_VALUE**

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.13.10.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

e			Si4)
---	--	--	------

V.4.4.13.11 Column **RV_ABBREVIATION** of the table **PMT_REF_CODES**

V.4.4.13.11.1 Card of the column **RV_ABBREVIATION** of the table **PMT_REF_CODES**

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.13.11.2 Check constraint name of the column **RV_ABBREVIATION** of the table **PMT_REF_CODES**

PMT_REF_CODES_RV_ABBREVIATI_CC

V.4.4.13.11.3 Check of the column **RV_ABBREVIATION** of the table **PMT_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.13.11.4 Server validation rule of the column **RV_ABBREVIATION** of the table **PMT_REF_CODES**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.13.11.5 List of all dependencies of the table column **RV_ABBREVIATION**

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.13.11.6 List of extended attributes of the table column **RV_ABBREVIATION**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.12 Column RV_DOMAIN of the table PMT_REF_CODES**V.4.4.13.12.1 Card of the column RV_DOMAIN of the table PMT_REF_CODES**

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

**V.4.4.13.12.2 Check constraint name of the column RV_DOMAIN of the table PMT_REF_CODES
PMT_REF_CODES_RV_DOMAIN_CC****V.4.4.13.12.3 Check of the column RV_DOMAIN of the table PMT_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.13.12.4 Server validation rule of the column RV_DOMAIN of the table PMT_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****V.4.4.13.12.5 List of all dependencies of the table column RV_DOMAIN**

Name	Code	Class Name
Key_1	KEY_1	Key
RV DOMAIN	RV DOMAIN	Index Column
RV DOMAIN	RV DOMAIN	View Column

V.4.4.13.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.13 Column RV_MEANING of the table PMT_REF_CODES**V.4.4.13.13.1 Card of the column RV_MEANING of the table PMT_REF_CODES**

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.13.13.2 Check constraint name of the column RV_MEANING of the table PMT_REF_CODES
PMT_REF_CODES_RV_MEANING_CC

V.4.4.13.13.3 Check of the column RV_MEANING of the table PMT_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.13.13.4 Server validation rule of the column RV_MEANING of the table PMT_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.13.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.13.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.14 Column RV_TYPE of the table PMT_REF_CODES

V.4.4.13.14.1 Card of the column RV_TYPE of the table PMT_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.13.14.2 Check constraint name of the column RV_TYPE of the table PMT_REF_CODES

PMT_REF_CODES_RV_TYPE_CC

V.4.4.13.14.3 Check of the column RV_TYPE of the table PMT_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.13.14.4 Server validation rule of the column RV_TYPE of the table PMT_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.13.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.13.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.15 Column RV_MEANING_AL1 of the table PMT_REF_CODES**V.4.4.13.15.1 Card of the column RV_MEANING_AL1 of the table PMT_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.13.15.2 Check constraint name of the column RV_MEANING_AL1 of the table PMT_REF_CODES

PMT_REF_CODES_RV_MEANING_AL_CC

V.4.4.13.15.3 Check of the column RV_MEANING_AL1 of the table PMT_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.13.15.4 Server validation rule of the column RV_MEANING_AL1 of the table PMT_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.13.15.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.13.15.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.16 Column RV_MEANING_AL2 of the table PMT_REF_CODES

V.4.4.13.16.1 Card of the column RV_MEANING_AL2 of the table PMT_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.13.16.2 Check constraint name of the column RV_MEANING_AL2 of the table PMT_REF_CODES

PMT_REF_CODES_RV_MEANING_AL_CC

V.4.4.13.16.3 Check of the column RV_MEANING_AL2 of the table PMT_REF_CODES

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.13.16.4 Server validation rule of the column RV_MEANING_AL2 of the table PMT_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.13.16.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.13.16.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.13.17 List of keys of the table PMT_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.13.18 Key KEY_1 of the table PMT_REF_CODES

V.4.4.13.18.1 Card of the key KEY_1 of the table PMT_REF_CODES

Name	Key_1
Code	KEY_1
Table	PMT_REF_CODES

V.4.4.13.18.2 Code preview of the key KEY_1 of the table PMT_REF_CODES

```
alter table PMT_REF_CODES
add constraint PMT_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.13.18.3 List of columns of the table key KEY_1

Name	Code

RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.13.18.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PMT_REF_CODES_PK	PMT_REF_CODES_PK	Index

V.4.4.13.19 List of indexes of the table PMT_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PMT_REF_CO DES_PK	PMT_REF_COD ES_PK	X		X		

V.4.4.13.20 Index PMT_REF_CODES_PK of the table PMT_REF_CODES**V.4.4.13.20.1 Card of the index PMT_REF_CODES_PK of the table PMT_REF_CODES**

Name	PMT_REF_CODES_PK
Code	PMT_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PMT_REF_CODES

V.4.4.13.20.2 Code preview of the index PMT_REF_CODES_PK of the table PMT_REF_CODES

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.4.13.20.3 List of index columns of the index PMT_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.14 Table PPA_REF_CODES**V.4.4.14.1 Card of table PPA_REF_CODES**

Name	PPA_REF_CODES
Code	PPA_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.14.2 Check constraint name of table PPA_REF_CODES

PPA_REF_CODES_CT

V.4.4.14.3 Server validation rule of table PPA_REF_CODES

%RULES%

V.4.4.14.4 Code preview of table PPA_REF_CODES

```
/*
 * Table: PPA_REF_CODES
 */
create table PPA_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)          not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
alter table PPA_REF_CODES
    add constraint PPA_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.14.5 List of diagrams containing the table PPA_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES DEFINIZIONE

V.4.4.14.6 List of all dependencies of the table PPA_REF_CODES

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.14.7 List of extended attributes of the table PPA_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.14.8 List of columns of the table PPA_REF_CODES

Name	Code

RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION
RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.14.9 Column **RV_LOW_VALUE** of the table PPA_REF_CODES

V.4.4.14.9.1 Card of the column **RV_LOW_VALUE** of the table PPA_REF_CODES

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.14.9.2 Check constraint name of the column **RV_LOW_VALUE** of the table PPA_REF_CODES

PPA_REF_CODES_RV_LOW_VALUE_CC

V.4.4.14.9.3 Check of the column **RV_LOW_VALUE** of the table PPA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.9.4 Server validation rule of the column **RV_LOW_VALUE** of the table PPA_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.9.5 List of all dependencies of the table column **RV_LOW_VALUE**

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.14.9.6 List of extended attributes of the table column **RV_LOW_VALUE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.10 Column RV_HIGH_VALUE of the table PPA_REF_CODES

V.4.4.14.10.1 Card of the column RV_HIGH_VALUE of the table PPA_REF_CODES

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.14.10.2 Check constraint name of the column RV_HIGH_VALUE of the table PPA_REF_CODES PPA_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.14.10.3 Check of the column RV_HIGH_VALUE of the table PPA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.10.4 Server validation rule of the column RV_HIGH_VALUE of the table PPA_REF_CODES %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.10.5 List of all dependencies of the table column RV_HIGH_VALUE

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.14.10.6 List of extended attributes of the table column RV_HIGH_VALUE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.11 Column *RV_ABBREVIATION* of the table *PPA_REF_CODES*

V.4.4.14.11.1 Card of the column *RV_ABBREVIATION* of the table *PPA_REF_CODES*

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.14.11.2 Check constraint name of the column *RV_ABBREVIATION* of the table *PPA_REF_CODES*

PPA_REF_CODES_RV_ABBREVIATION_CC

V.4.4.14.11.3 Check of the column *RV_ABBREVIATION* of the table *PPA_REF_CODES*

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.11.4 Server validation rule of the column *RV_ABBREVIATION* of the table *PPA_REF_CODES*

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.11.5 List of all dependencies of the table column *RV_ABBREVIATION*

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.14.11.6 List of extended attributes of the table column *RV_ABBREVIATION*

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.12 Column *RV_DOMAIN* of the table *PPA_REF_CODES*

V.4.4.14.12.1 Card of the column RV_DOMAIN of the table PPA_REF_CODES

Name	RV_DOMAIN
Code	RV_DOMAIN
Data Type	VARCHAR2(100)
Mandatory	Yes

V.4.4.14.12.2 Check constraint name of the column RV_DOMAIN of the table PPA_REF_CODES

PPA_REF_CODES_RV_DOMAIN_CC

V.4.4.14.12.3 Check of the column RV_DOMAIN of the table PPA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.12.4 Server validation rule of the column RV_DOMAIN of the table PPA_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.14.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.13 Column RV_MEANING of the table PPA_REF_CODES**V.4.4.14.13.1 Card of the column RV_MEANING of the table PPA_REF_CODES**

Name	RV_MEANING
Code	RV_MEANING

Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.14.13.2 Check constraint name of the column RV_MEANING of the table PPA_REF_CODES
PPA_REF_CODES_RV_MEANING_CC**

V.4.4.14.13.3 Check of the column RV_MEANING of the table PPA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.14.13.4 Server validation rule of the column RV_MEANING of the table PPA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.14.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.14.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.14 Column RV_TYPE of the table PPA_REF_CODES

V.4.4.14.14.1 Card of the column RV_TYPE of the table PPA_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.14.14.2 Check constraint name of the column RV_TYPE of the table PPA_REF_CODES

PPA_REF_CODES_RV_TYPE_CC

V.4.4.14.14.3 Check of the column RV_TYPE of the table PPA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.14.4 Server validation rule of the column RV_TYPE of the table PPA_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.14.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.15 Column RV_MEANING_AL1 of the table PPA_REF_CODES

V.4.4.14.15.1 Card of the column RV_MEANING_AL1 of the table PPA_REF_CODES

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.14.15.2 Check constraint name of the column RV_MEANING_AL1 of the table PPA_REF_CODES

PPA_REF_CODES_RV_MEANING_AL_CC

V.4.4.14.15.3 Check of the column RV_MEANING_AL1 of the table PPA_REF_CODES

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.15.4 Server validation rule of the column RV_MEANING_AL1 of the table PPA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.15.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.14.15.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.16 Column RV_MEANING_AL2 of the table PPA_REF_CODES

V.4.4.14.16.1 Card of the column RV_MEANING_AL2 of the table PPA_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.14.16.2 Check constraint name of the column RV_MEANING_AL2 of the table PPA_REF_CODES

PPA_REF_CODES_RV_MEANING_AL_CC

V.4.4.14.16.3 Check of the column RV_MEANING_AL2 of the table PPA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.14.16.4 Server validation rule of the column RV_MEANING_AL2 of the table PPA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.14.16.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.14.16.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.14.17 List of keys of the table PPA_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.14.18 Key KEY_1 of the table PPA_REF_CODES

V.4.4.14.18.1 Card of the key KEY_1 of the table PPA_REF_CODES

Name	Key_1
Code	KEY_1
Table	PPA_REF_CODES

V.4.4.14.18.2 Code preview of the key KEY_1 of the table PPA_REF_CODES

alter table PPA_REF_CODES

add constraint PPA_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.14.18.3 List of columns of the table key KEY_1

Name	Code
RV DOMAIN	RV_DOMAIN
RV LOW VALUE	RV_LOW_VALUE

V.4.4.14.18.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PPA_REF_CODES_PK	PPA_REF_CODES_PK	Index

V.4.4.14.19 List of indexes of the table PPA_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PPA_REF_CODES_PK	PPA_REF_CODE_S_PK	X		X		

V.4.4.14.20 Index PPA_REF_CODES_PK of the table PPA_REF_CODES**V.4.4.14.20.1 Card of the index PPA_REF_CODES_PK of the table PPA_REF_CODES**

Name	PPA_REF_CODES_PK
Code	PPA_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PPA_REF_CODES

V.4.4.14.20.2 Code preview of the index PPA_REF_CODES_PK of the table PPA_REF_CODES

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.4.14.20.3 List of index columns of the index PPA_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.15 Table PSA_REF_CODES**V.4.4.15.1 Card of table PSA_REF_CODES**

Name	PSA_REF_CODES
Code	PSA_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.15.2 Check constraint name of table PSA_REF_CODES

PSA_REF_CODES_CT**V.4.4.15.3 Server validation rule of table PSA_REF_CODES**

%RULES%

V.4.4.15.4 Code preview of table PSA_REF_CODES

```
/*=====
/* Table: PSA_REF_CODES
/*=====*/
create table PSA_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(100),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(240)          not null,
    RV_MEANING        VARCHAR2(240),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240),
    RV_TYPE           VARCHAR2(10)
);
alter table PSA_REF_CODES
    add constraint PSA_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.15.5 List of diagrams containing the table PSA_REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.15.6 List of all dependencies of the table PSA_REF_CODES

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.15.7 List of extended attributes of the table PSA_REF_CODES

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.15.8 List of columns of the table PSA_REF_CODES

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION

RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2
RV_TYPE	RV_TYPE

V.4.4.15.9 Column **RV_LOW_VALUE** of the table **PSA_REF_CODES**

V.4.4.15.9.1 Card of the column **RV_LOW_VALUE** of the table **PSA_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.15.9.2 Check constraint name of the column **RV_LOW_VALUE** of the table **PSA_REF_CODES** PSA_REF_CODES_RV_LOW_VALUE_CC

V.4.4.15.9.3 Check of the column **RV_LOW_VALUE** of the table **PSA_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.15.9.4 Server validation rule of the column **RV_LOW_VALUE** of the table **PSA_REF_CODES** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.15.9.5 List of all dependencies of the table column **RV_LOW_VALUE**

Name	Code	Class Name
KEY_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.15.9.6 List of extended attributes of the table column **RV_LOW_VALUE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.4.15.10 Column *RV_HIGH_VALUE* of the table *PSA_REF_CODES***V.4.4.15.10.1 Card of the column *RV_HIGH_VALUE* of the table *PSA_REF_CODES***

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(100)
Mandatory	No

V.4.4.15.10.2 Check constraint name of the column *RV_HIGH_VALUE* of the table *PSA_REF_CODES*
PSA_REF_CODES_RV_HIGH_VALUE_CC**V.4.4.15.10.3 Check of the column *RV_HIGH_VALUE* of the table *PSA_REF_CODES***

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.15.10.4 Server validation rule of the column *RV_HIGH_VALUE* of the table *PSA_REF_CODES*
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**V.4.4.15.10.5 List of all dependencies of the table column *RV_HIGH_VALUE***

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.15.10.6 List of extended attributes of the table column *RV_HIGH_VALUE*

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.11 Column *RV_ABBREVIATION* of the table *PSA_REF_CODES*

V.4.4.15.11.1 Card of the column RV_ABBREVIATION of the table PSA_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.15.11.2 Check constraint name of the column RV_ABBREVIATION of the table PSA_REF_CODES

PSA_REF_CODES_RV_ABBREVIATION_CC

V.4.4.15.11.3 Check of the column RV_ABBREVIATION of the table PSA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.15.11.4 Server validation rule of the column RV_ABBREVIATION of the table PSA_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.15.11.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.15.11.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.12 Column RV_DOMAIN of the table PSA_REF_CODES**V.4.4.15.12.1 Card of the column RV_DOMAIN of the table PSA_REF_CODES**

Name	RV_DOMAIN
Code	RV_DOMAIN

Data Type	VARCHAR2(240)
Mandatory	Yes

**V.4.4.15.12.2 Check constraint name of the column RV_DOMAIN of the table PSA_REF_CODES
PSA_REF_CODES_RV_DOMAIN_CC**

V.4.4.15.12.3 Check of the column RV_DOMAIN of the table PSA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.15.12.4 Server validation rule of the column RV_DOMAIN of the table PSA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.15.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
KEY_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.15.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.13 Column RV_MEANING of the table PSA_REF_CODES

V.4.4.15.13.1 Card of the column RV_MEANING of the table PSA_REF_CODES

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.15.13.2 Check constraint name of the column RV_MEANING of the table PSA_REF_CODES
PSA_REF_CODES_RV_MEANING_CC**

V.4.4.15.13.3 Check of the column RV_MEANING of the table PSA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.15.13.4 Server validation rule of the column RV_MEANING of the table PSA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.15.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.15.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.14 Column RV_MEANING_AL1 of the table PSA_REF_CODES

V.4.4.15.14.1 Card of the column RV_MEANING_AL1 of the table PSA_REF_CODES

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.15.14.2 Check constraint name of the column RV_MEANING_AL1 of the table
PSA_REF_CODES**

PSA_REF_CODES_RV_MEANING_AL_CC

V.4.4.15.14.3 Check of the column RV_MEANING_AL1 of the table PSA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.15.14.4 Server validation rule of the column RV_MEANING_AL1 of the table PSA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.15.14.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.15.14.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.15 Column RV_MEANING_AL2 of the table PSA_REF_CODES

V.4.4.15.1 Card of the column RV_MEANING_AL2 of the table PSA_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.15.2 Check constraint name of the column RV_MEANING_AL2 of the table PSA_REF_CODES

PSA_REF_CODES_RV_MEANING_AL_CC

V.4.4.15.3 Check of the column RV_MEANING_AL2 of the table PSA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.15.15.4 Server validation rule of the column RV_MEANING_AL2 of the table PSA_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.15.15.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.15.15.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.16 Column RV_TYPE of the table PSA_REF_CODES

V.4.4.15.16.1 Card of the column RV_TYPE of the table PSA_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

V.4.4.15.16.2 Check constraint name of the column RV_TYPE of the table PSA_REF_CODES

PSA_REF_CODES_RV_TYPE_CC

V.4.4.15.16.3 Check of the column RV_TYPE of the table PSA_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.15.16.4 Server validation rule of the column RV_TYPE of the table PSA_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.15.16.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.15.16.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.15.17 List of keys of the table PSA_REF_CODES

Name	Code	Primary
KEY_1	KEY_1	X

V.4.4.15.18 Key KEY_1 of the table PSA_REF_CODES**V.4.4.15.18.1 Card of the key KEY_1 of the table PSA_REF_CODES**

Name	KEY_1
Code	KEY_1
Table	PSA_REF_CODES

V.4.4.15.18.2 Code preview of the key KEY_1 of the table PSA_REF_CODES

alter table PSA_REF_CODES

add constraint PSA_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);

V.4.4.15.18.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.15.18.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PSA_REF_CODES_PK	PSA_REF_CODES_PK	Index

V.4.4.15.19 List of indexes of the table PSA_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PSA_REF_CODES_PK	PSA_REF_CODES_PK	X		X		

V.4.4.15.20 Index PSA_REF_CODES_PK of the table PSA_REF_CODES**V.4.4.15.20.1 Card of the index PSA_REF_CODES_PK of the table PSA_REF_CODES**

Name	PSA_REF_CODES_PK
Code	PSA_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PSA_REF_CODES

V.4.4.15.20.2 Code preview of the index PSA_REF_CODES_PK of the table PSA_REF_CODES

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.4.15.20.3 List of index columns of the index PSA_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.4.4.16 Table PSP_REF_CODES**V.4.4.16.1 Card of table PSP_REF_CODES**

Name	Dizionario PSP_REF_CODES
Code	PSP_REF_CODES
DBMS	ORACLE Version 8i2 (for Si4)

V.4.4.16.2 Check constraint name of table PSP_REF_CODES

PSP_REF_CODES_CT

V.4.4.16.3 Server validation rule of table PSP_REF_CODES

%RULES%

V.4.4.16.4 *Code preview of table PSP_REF_CODES*

```
/*
 * Table: PSP_REF_CODES
 */
create table PSP_REF_CODES (
    RV_LOW_VALUE      VARCHAR2(240)          not null,
    RV_HIGH_VALUE     VARCHAR2(240),
    RV_ABBREVIATION   VARCHAR2(240),
    RV_DOMAIN         VARCHAR2(100)          not null,
    RV_MEANING        VARCHAR2(240),
    RV_TYPE           VARCHAR2(10),
    RV_MEANING_AL1   VARCHAR2(240),
    RV_MEANING_AL2   VARCHAR2(240)
);
```

comment on table PSP_REF_CODES is
 'RCSP - Reference Codes di Sistema Premiante';

```
alter table PSP_REF_CODES
  add constraint PSP_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.16.5 *List of diagrams containing the table PSP_REF_CODES*

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.4.4.16.6 *List of all dependencies of the table PSP_REF_CODES*

Name	Code	Class Name
Ref_Codes	REF_CODES	View

V.4.4.16.7 *List of extended attributes of the table PSP_REF_CODES*

Name	Data Type	Value	Target Name
ExtTableType	ExtTableTypeList		ORACLE Version 8i2 (for Si4)

V.4.4.16.8 *List of columns of the table PSP_REF_CODES*

Name	Code
RV_LOW_VALUE	RV_LOW_VALUE
RV_HIGH_VALUE	RV_HIGH_VALUE
RV_ABBREVIATION	RV_ABBREVIATION

RV_DOMAIN	RV_DOMAIN
RV_MEANING	RV_MEANING
RV_TYPE	RV_TYPE
RV_MEANING_AL1	RV_MEANING_AL1
RV_MEANING_AL2	RV_MEANING_AL2

V.4.4.16.9 Column **RV_LOW_VALUE** of the table **PSP_REF_CODES**

V.4.4.16.9.1 Card of the column **RV_LOW_VALUE** of the table **PSP_REF_CODES**

Name	RV_LOW_VALUE
Code	RV_LOW_VALUE
Data Type	VARCHAR2(240)
Mandatory	Yes

V.4.4.16.9.2 Check constraint name of the column **RV_LOW_VALUE** of the table **PSP_REF_CODES** PSP_REF_CODES_RV_LOW_VALUE_CC

V.4.4.16.9.3 Check of the column **RV_LOW_VALUE** of the table **PSP_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.16.9.4 Server validation rule of the column **RV_LOW_VALUE** of the table **PSP_REF_CODES** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.16.9.5 List of all dependencies of the table column **RV_LOW_VALUE**

Name	Code	Class Name
Key_1	KEY_1	Key
RV_LOW_VALUE	RV_LOW_VALUE	Index Column
RV_LOW_VALUE	RV_LOW_VALUE	View Column

V.4.4.16.9.6 List of extended attributes of the table column **RV_LOW_VALUE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)

ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)
--------------------------	----------	--	------------------------------

V.4.4.16.10 Column **RV_HIGH_VALUE** of the table **PSP_REF_CODES**

V.4.4.16.10.1 Card of the column **RV_HIGH_VALUE** of the table **PSP_REF_CODES**

Name	RV_HIGH_VALUE
Code	RV_HIGH_VALUE
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.16.10.2 Check constraint name of the column **RV_HIGH_VALUE** of the table **PSP_REF_CODES** PSP_REF_CODES_RV_HIGH_VALUE_CC

V.4.4.16.10.3 Check of the column **RV_HIGH_VALUE** of the table **PSP_REF_CODES**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.16.10.4 Server validation rule of the column **RV_HIGH_VALUE** of the table **PSP_REF_CODES** %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.16.10.5 List of all dependencies of the table column **RV_HIGH_VALUE**

Name	Code	Class Name
RV_HIGH_VALUE	RV_HIGH_VALUE	View Column

V.4.4.16.10.6 List of extended attributes of the table column **RV_HIGH_VALUE**

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDefined		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintName	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.11 Column **RV_ABBREVIATION** of the table **PSP_REF_CODES**

V.4.4.16.11.1 Card of the column RV_ABBREVIATION of the table PSP_REF_CODES

Name	RV_ABBREVIATION
Code	RV_ABBREVIATION
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.16.11.2 Check constraint name of the column RV_ABBREVIATION of the table PSP_REF_CODES

PSP_REF_CODES_RV_ABBREVIATION_CC

V.4.4.16.11.3 Check of the column RV_ABBREVIATION of the table PSP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.16.11.4 Server validation rule of the column RV_ABBREVIATION of the table PSP_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.16.11.5 List of all dependencies of the table column RV_ABBREVIATION

Name	Code	Class Name
RV_ABBREVIATION	RV_ABBREVIATION	View Column

V.4.4.16.11.6 List of extended attributes of the table column RV_ABBREVIATION

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.12 Column RV_DOMAIN of the table PSP_REF_CODES**V.4.4.16.12.1 Card of the column RV_DOMAIN of the table PSP_REF_CODES**

Name	RV_DOMAIN
Code	RV_DOMAIN

Data Type	VARCHAR2(100)
Mandatory	Yes

**V.4.4.16.12.2 Check constraint name of the column RV_DOMAIN of the table PSP_REF_CODES
PSP_REF_CODES_RV_DOMAIN_CC**

V.4.4.16.12.3 Check of the column RV_DOMAIN of the table PSP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.16.12.4 Server validation rule of the column RV_DOMAIN of the table PSP_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.16.12.5 List of all dependencies of the table column RV_DOMAIN

Name	Code	Class Name
Key_1	KEY_1	Key
RV_DOMAIN	RV_DOMAIN	Index Column
RV_DOMAIN	RV_DOMAIN	View Column

V.4.4.16.12.6 List of extended attributes of the table column RV_DOMAIN

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.13 Column RV_MEANING of the table PSP_REF_CODES

V.4.4.16.13.1 Card of the column RV_MEANING of the table PSP_REF_CODES

Name	RV_MEANING
Code	RV_MEANING
Data Type	VARCHAR2(240)
Mandatory	No

**V.4.4.16.13.2 Check constraint name of the column RV_MEANING of the table PSP_REF_CODES
PSP_REF_CODES_RV_MEANING_CC**

V.4.4.16.13.3 Check of the column RV_MEANING of the table PSP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**V.4.4.16.13.4 Server validation rule of the column RV_MEANING of the table PSP_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

V.4.4.16.13.5 List of all dependencies of the table column RV_MEANING

Name	Code	Class Name
RV_MEANING	RV_MEANING	View Column

V.4.4.16.13.6 List of extended attributes of the table column RV_MEANING

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.14 Column RV_TYPE of the table PSP_REF_CODES

V.4.4.16.14.1 Card of the column RV_TYPE of the table PSP_REF_CODES

Name	RV_TYPE
Code	RV_TYPE
Data Type	VARCHAR2(10)
Mandatory	No

**V.4.4.16.14.2 Check constraint name of the column RV_TYPE of the table PSP_REF_CODES
PSP_REF_CODES_RV_TYPE_CC**

V.4.4.16.14.3 Check of the column RV_TYPE of the table PSP_REF_CODES

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.16.14.4 Server validation rule of the column RV_TYPE of the table PSP_REF_CODES

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.16.14.5 List of all dependencies of the table column RV_TYPE

Name	Code	Class Name
RV_TYPE	RV_TYPE	View Column

V.4.4.16.14.6 List of extended attributes of the table column RV_TYPE

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.15 Column RV_MEANING_AL1 of the table PSP_REF_CODES**V.4.4.16.15.1 Card of the column RV_MEANING_AL1 of the table PSP_REF_CODES**

Name	RV_MEANING_AL1
Code	RV_MEANING_AL1
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.16.15.2 Check constraint name of the column RV_MEANING_AL1 of the table PSP_REF_CODES

PSP_REF_CODES_RV_MEANING_AL_CC

V.4.4.16.15.3 Check of the column RV_MEANING_AL1 of the table PSP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.16.15.4 Server validation rule of the column RV_MEANING_AL1 of the table PSP_REF_CODES
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.16.15.5 List of all dependencies of the table column RV_MEANING_AL1

Name	Code	Class Name
RV_MEANING_AL1	RV_MEANING_AL1	View Column

V.4.4.16.15.6 List of extended attributes of the table column RV_MEANING_AL1

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.16 Column RV_MEANING_AL2 of the table PSP_REF_CODES

V.4.4.16.16.1 Card of the column RV_MEANING_AL2 of the table PSP_REF_CODES

Name	RV_MEANING_AL2
Code	RV_MEANING_AL2
Data Type	VARCHAR2(240)
Mandatory	No

V.4.4.16.16.2 Check constraint name of the column RV_MEANING_AL2 of the table PSP_REF_CODES

PSP_REF_CODES_RV_MEANING_AL_CC

V.4.4.16.16.3 Check of the column RV_MEANING_AL2 of the table PSP_REF_CODES

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

V.4.4.16.16.4 Server validation rule of the column RV_MEANING_AL2 of the table PSP_REF_CODES
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

V.4.4.16.16.5 List of all dependencies of the table column RV_MEANING_AL2

Name	Code	Class Name
RV_MEANING_AL2	RV_MEANING_AL2	View Column

V.4.4.16.16.6 List of extended attributes of the table column RV_MEANING_AL2

Name	Data Type	Value	Target Name
ExtColumnDeferOption	ExtConstraintDef erred		ORACLE Version 8i2 (for Si4)
ExtNotNullConstraintNam e	(String)		ORACLE Version 8i2 (for Si4)

V.4.4.16.17 List of keys of the table PSP_REF_CODES

Name	Code	Primary
Key_1	KEY_1	X

V.4.4.16.18 Key KEY_1 of the table PSP_REF_CODES

V.4.4.16.18.1 Card of the key KEY_1 of the table PSP_REF_CODES

Name	Key_1
Code	KEY_1
Table	PSP_REF_CODES

V.4.4.16.18.2 Code preview of the key KEY_1 of the table PSP_REF_CODES

```
alter table PSP_REF_CODES
add constraint PSP_REF_CODES_PK primary key (RV_DOMAIN, RV_LOW_VALUE);
```

V.4.4.16.18.3 List of columns of the table key KEY_1

Name	Code
RV_DOMAIN	RV_DOMAIN
RV_LOW_VALUE	RV_LOW_VALUE

V.4.4.16.18.4 List of all dependencies of the table key KEY_1

Name	Code	Class Name
PSP_REF_CODES_PK	PSP_REF_CODES_PK	Index

V.4.4.16.19 List of indexes of the table PSP_REF_CODES

Name	Code	Unique	Cluster	Primary	Foreign Key	Alternate Key
PSP_REF_CODES_PK	PSP_REF_CODE_S_PK	X		X		

V.4.4.16.20 Index PSP_REF_CODES_PK of the table PSP_REF_CODES**V.4.4.16.20.1 Card of the index PSP_REF_CODES_PK of the table PSP_REF_CODES**

Name	PSP_REF_CODES_PK
Code	PSP_REF_CODES_PK
Unique	Yes
Cluster	No
Primary	Yes
Foreign Key	No
Alternate Key	No
Table	PSP_REF_CODES

V.4.4.16.20.2 Code preview of the index PSP_REF_CODES_PK of the table PSP_REF_CODES

-- The preview is empty because of the setting.

-- Check the generation option.

V.4.4.16.20.3 List of index columns of the index PSP_REF_CODES_PK

Name	Code	Sort
RV_DOMAIN	RV_DOMAIN	Ascending
RV_LOW_VALUE	RV_LOW_VALUE	Ascending

V.5 Trigger Items

V.5.1 List of trigger items

Name	Code
CustomIntegrityProcedure	CUSTOMINTEGRITYPROCEDURE
CustomIntegrityTrigger	CUSTOMINTEGRITYTRIGGER
Declaration	DECLARATION
Exception	EXCEPTION
InsertCheckPK	INSERTCHECKPK
InsertChildParentExist	INSERTCHILD PARENTEXIST
InsertIntegrityCheck	INSERTINTEGRITYCHECK
InsertIntegrityProcedure	INSERTINTEGRITYPROCEDURE
InsertSequenceColumn	INSERTSEQUENCECOLUMN
InsertTooManyChildren	INSERTTOOMANYCHILDREN
NextFunctionalNestLevel	NEXTFUNCTIONALNESTLEVEL
PrevFunctionalNestLevel	PREVFUNCTIONALNESTLEVEL
UpdateBeforeIntegrityTrigger	UPDATEBEFOREINTEGRITYTRIGGER
UpdateChangeColumn	UPDATECHANGECOLUMN
UpdateChildChangeParent	UPDATECHILDCHANGE PARENT
UpdateChildParentExist	UPDATECHILD PARENTEXIST
UpdateIntegrityCheck	UPDATEINTEGRITYCHECK
UpdateIntegrityProcedure	UPDATEINTEGRITYPROCEDURE
UpdateParentRestrict	UPDATEPARENTRESTRICT

V.5.2 Trigger item CUSTOMINTEGRITYPROCEDURE

V.5.2.1 Card of trigger item CUSTOMINTEGRITYPROCEDURE

Name	CustomIntegrityProcedure
Code	CUSTOMINTEGRITYPROCEDURE
Parent	<Model>

V.5.3 Trigger item CUSTOMINTEGRITYTRIGGER

V.5.3.1 Card of trigger item CUSTOMINTEGRITYTRIGGER

Name	CustomIntegrityTrigger
Code	CUSTOMINTEGRITYTRIGGER
Parent	<Model>

V.5.4 Trigger item DECLARATION

V.5.4.1 Card of trigger item DECLARATION

Name	Declaration
Code	DECLARATION
Parent	<Model>

V.5.5 Trigger item EXCEPTION

V.5.5.1 Card of trigger item EXCEPTION

Name	Exception
Code	EXCEPTION
Parent	<Model>

V.5.6 Trigger item INSERTCHECKPK

V.5.6.1 Card of trigger item INSERTCHECKPK

Name	InsertCheckPK
Code	INSERTCHECKPK
Parent	<Model>

V.5.7 Trigger item INSERTCHILD PARENTEXIST

V.5.7.1 Card of trigger item INSERTCHILD PARENTEXIST

Name	InsertChildParentExist
Code	INSERTCHILD PARENTEXIST
Parent	<Model>

V.5.8 Trigger item INSERTINTEGRITYCHECK

V.5.8.1 Card of trigger item INSERTINTEGRITYCHECK

Name	InsertIntegrityCheck
Code	INSERTINTEGRITYCHECK
Parent	<Model>

V.5.9 Trigger item *INSERTINTEGRITYPROCEDURE*

V.5.9.1 Card of trigger item *INSERTINTEGRITYPROCEDURE*

Name	InsertIntegrityProcedure
Code	INSERTINTEGRITYPROCEDURE
Parent	<Model>

V.5.10 Trigger item *INSERTSEQUENCECOLUMN*

V.5.10.1 Card of trigger item *INSERTSEQUENCECOLUMN*

Name	InsertSequenceColumn
Code	INSERTSEQUENCECOLUMN
Parent	<Model>

V.5.11 Trigger item *INSERTTOOMANYCHILDREN*

V.5.11.1 Card of trigger item *INSERTTOOMANYCHILDREN*

Name	InsertTooManyChildren
Code	INSERTTOOMANYCHILDREN
Parent	<Model>

V.5.12 Trigger item *NEXTFUNCTIONALNESTLEVEL*

V.5.12.1 Card of trigger item *NEXTFUNCTIONALNESTLEVEL*

Name	NextFunctionalNestLevel
Code	NEXTFUNCTIONALNESTLEVEL
Parent	<Model>

V.5.13 Trigger item *PREVFUNCTIONALNESTLEVEL*

V.5.13.1 Card of trigger item *PREVFUNCTIONALNESTLEVEL*

Name	PrevFunctionalNestLevel
Code	PREVFUNCTIONALNESTLEVEL
Parent	<Model>

V.5.14 *Trigger item UPDATEBEFOREINTEGRITYTRIGGER*

V.5.14.1 Card of trigger item UPDATEBEFOREINTEGRITYTRIGGER

Name	UpdateBeforeIntegrityTrigger
Code	UPDATEBEFOREINTEGRITYTRIGGER
Parent	<Model>

V.5.15 *Trigger item UPDATECHANGECOLUMN*

V.5.15.1 Card of trigger item UPDATECHANGECOLUMN

Name	UpdateChangeColumn
Code	UPDATECHANGECOLUMN
Parent	<Model>

V.5.16 *Trigger item UPDATECHILDCHANGEPARENT*

V.5.16.1 Card of trigger item UPDATECHILDCHANGEPARENT

Name	UpdateChildChangeParent
Code	UPDATECHILDCHANGEPARENT
Parent	<Model>

V.5.17 *Trigger item UPDATECHILD PARENTEXIST*

V.5.17.1 Card of trigger item UPDATECHILD PARENTEXIST

Name	UpdateChildParentExist
Code	UPDATECHILD PARENTEXIST
Parent	<Model>

V.5.18 *Trigger item UPDATEINTEGRITYCHECK*

V.5.18.1 Card of trigger item UPDATEINTEGRITYCHECK

Name	UpdateIntegrityCheck
Code	UPDATEINTEGRITYCHECK
Parent	<Model>

V.5.19 Trigger item UPDATEINTEGRITYPROCEDURE**V.5.19.1 Card of trigger item UPDATEINTEGRITYPROCEDURE**

Name	UpdateIntegrityProcedure
Code	UPDATEINTEGRITYPROCEDURE
Parent	<Model>

V.5.20 Trigger item UPDATEPARENTRESTRICT**V.5.20.1 Card of trigger item UPDATEPARENTRESTRICT**

Name	UpdateParentRestrict
Code	UPDATEPARENTRESTRICT
Parent	<Model>

V.6 Users

V.6.1 List of users

Name	Code
P00	P00

V.6.2 User P00

V.6.2.1 Card of user P00

Name	P00
Code	P00

V.6.2.2 List of all dependencies of the user P00

Name	Code	Class Name
PUBLIC	PUBLIC	Group
VISTA_LOADER	VISTA_LOADER	View

V.7 Views

V.7.1 Views from Package Ambiente_Applicativo

V.7.1.1 List of views

Name	Code
ELENCO_STAMPE_UTENTE	ELENCO_STAMPE_UTENTE
SIA_DIFF_INDICI_UNIQUE	SIA_DIFF_INDICI_UNIQUE
SIA_DIFFERENZA_COL_CONSTRAINTS	SIA_DIFFERENZA_COL_CONSTRAINTS
SIA_DIFFERENZA_COL_INDICI	SIA_DIFFERENZA_COL_INDICI
SIA_DIFFERENZA_CONSTRAINTS	SIA_DIFFERENZA_CONSTRAINTS
SIA_DIFFERENZA_INDICI	SIA_DIFFERENZA_INDICI
VISTA_LOADER	VISTA_LOADER
VISTA_OGGETTI_INVALIDI	VISTA_OGGETTI_INVALIDI
VISTA_PARAMETRI	VISTA_PARAMETRI
VISTA_PRENOTAZIONI	VISTA_PRENOTAZIONI
VISTA_PRODUS_FILE_TESTO	VISTA_PRODUS_FILE_TESTO
VISTA_STAMPE	VISTA_STAMPE

V.7.1.2 View ELENCO_STAMPE_UTENTE

V.7.1.2.1 Card of view ELENCO_STAMPE_UTENTE

Name	ELENCO_STAMPE_UTENTE
Code	ELENCO_STAMPE_UTENTE

V.7.1.2.2 SQL query of view ELENCO_STAMPE_UTENTE

```

SELECT view_name nome_stampa
  FROM user_views
 WHERE view_name LIKE 'STAMPA_UTENTE_%'
   AND EXISTS
  (SELECT 1 FROM registro WHERE chiave LIKE 'PRODUCTS/%' || view_name)
UNION
SELECT view_name nome_stampa
  FROM user_views
 WHERE view_name LIKE 'ESTRAZIONE_UTENTE_%'
   AND EXISTS
  (SELECT 1 FROM registro WHERE chiave LIKE 'PRODUCTS/%' || view_name)

```

V.7.1.2.3 Code preview of view ELENCO_STAMPE_UTENTE

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.2.4 List of diagrams containing the view ELENCO_STAMPE_UTENTE

Name	Code
Generale	GENERALE

V.7.1.2.5 List of extended attributes of the view ELENCO_STAMPE_UTENTE

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.3 View SIA_DIFF_INDICI_UNIQUE***V.7.1.3.1 Card of view SIA_DIFF_INDICI_UNIQUE***

Name	SIA_DIFF_INDICI_UNIQUE
Code	SIA_DIFF_INDICI_UNIQUE

V.7.1.3.2 SQL query of view SIA_DIFF_INDICI_UNIQUE

```

select substr(user,1,20) utente
      , table_name
      , index_name
      , uniqueness
  from user_indexes x
 where exists ( select 'x'
                  from sia_default_indici
                 where index_name = x.index_name
                   and table_name = x.table_name
                   and nvl(uniqueness,'X') != nvl(x.uniqueness,'Y')
                )
   and index_name not like 'SYS%'
UNION ALL
select 'DEFAULT'
      , table_name
      , index_name
      , uniqueness
  from sia_default_indici x
 where exists ( select 'x'
                  from user_indexes
                 where index_name = x.index_name
                   and table_name = x.table_name
                )

```

```

        and nvl(uniqueness,'X') != nvl(x.uniqueness,'Y')
    )

```

V.7.1.3.3 *Code preview of view SIA_DIFF_INDICI_UNIQUE*

-- The preview is empty because of the setting.

-- Check the generation option.

V.7.1.3.4 *List of diagrams containing the view SIA_DIFF_INDICI_UNIQUE*

Name	Code
Generale	GENERALE

V.7.1.3.5 *List of extended attributes of the view SIA_DIFF_INDICI_UNIQUE*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.4 View SIA_DIFFERENZA_COL_CONSTRAINTS

V.7.1.4.1 *Card of view SIA_DIFFERENZA_COL_CONSTRAINTS*

Name	SIA_DIFFERENZA_COL_CONSTRAINTS
Code	SIA_DIFFERENZA_COL_CONSTRAINTS

V.7.1.4.2 *SQL query of view SIA_DIFFERENZA_COL_CONSTRAINTS*

```

select substr(user,1,20) utente
      ,uccol.table_name
      ,uccol.CONSTRAINT_NAME
      ,uccol.column_name
      ,uccol.POSITION
  from user_cons_columns uccol
      ,user_constraints ucon
 where uccol.CONSTRAINT_NAME = ucon.CONSTRAINT_NAME
   and ucon.constraint_type in ('R','P','U')
   and ucon.constraint_name not like 'SYS%'
minus
select substr(user,1,20)
      ,table_name
      ,CONSTRAINT_NAME
      ,column_name

```

```

, POSITION
from sia_default_constraints_col
where constraint_name not like 'SYS%'
UNION ALL
select 'DEFAULT'
, table_name
, CONSTRAINT_NAME
, column_name
, POSITION
from sia_default_constraints_col
where constraint_name not like 'SYS%'
minus
select 'DEFAULT'
, uccol.table_name
, uccol.CONSTRAINT_NAME
, uccol.column_name
, uccol.POSITION
from user_cons_columns uccol
, user_constraints ucon
where uccol.CONSTRAINT_NAME = ucon.CONSTRAINT_NAME
and ucon.constraint_type in ('R','P','U')
and ucon.constraint_name not like 'SYS%'

```

V.7.1.4.3 Code preview of view SIA_DIFFERENZA_COL_CONSTRAINTS

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.4.4 List of diagrams containing the view SIA_DIFFERENZA_COL_CONSTRAINTS

Name	Code
Generale	GENERALE

V.7.1.4.5 List of extended attributes of the view SIA_DIFFERENZA_COL_CONSTRAINTS

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.5 View SIA_DIFFERENZA_COL_INDICI

V.7.1.5.1 Card of view SIA_DIFFERENZA_COL_INDICI

Name	SIA_DIFFERENZA_COL_INDICI
Code	SIA_DIFFERENZA_COL_INDICI

V.7.1.5.2 SQL query of view SIA_DIFFERENZA_COL_INDICI

```

select substr(user,1,20) utente
      , table_name
      , index_name
      , column_name
      , column_position
from user_ind_columns
where index_name not like 'SYS%'
minus
select substr(user,1,20)
      , table_name
      , index_name name
      , column_name
      , column_position
from sia_default_indici_col
UNION ALL
select 'DEFAULT'
      , table_name
      , index_name name
      , column_name
      , column_position
from sia_default_indici_col
minus
select 'DEFAULT'
      , table_name
      , index_name
      , column_name
      , column_position
from user_ind_columns
where index_name not like 'SYS%'
```

V.7.1.5.3 Code preview of view SIA_DIFFERENZA_COL_INDICI

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.1.5.4 List of diagrams containing the view SIA_DIFFERENZA_COL_INDICI

Name	Code
Generale	GENERALE

V.7.1.5.5 List of extended attributes of the view SIA_DIFFERENZA_COL_INDICI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.6 View SIA_DIFFERENZA_CONSTRAINTS

V.7.1.6.1 Card of view SIA_DIFFERENZA_CONSTRAINTS

Name	SIA_DIFFERENZA_CONSTRAINTS
Code	SIA_DIFFERENZA_CONSTRAINTS

V.7.1.6.2 SQL query of view SIA_DIFFERENZA_CONSTRAINTS

```

select substr(user,1,20) utente
      , constraint_name
      , constraint_type
      , table_name
      , r_constraint_name
      , index_name
  from user_constraints
 where constraint_type in ('R','P','U')
   and constraint_name not like 'SYS%'
minus
select substr(user,1,20) utente
      , constraint_name
      , constraint_type
      , table_name
      , r_constraint_name
      , index_name
  from sia_default_constraints
 where constraint_name not like 'SYS%'
UNION ALL
select 'DEFAULT' utente
      , constraint_name
      , constraint_type
      , table_name
      , r_constraint_name
      , index_name

```

```

from sia_default_constraints
where constraint_name not like 'SYS%'
minus
select 'DEFAULT' utente
    , constraint_name
    , constraint_type
    , table_name
    , r_constraint_name
    , index_name
from user_constraints
where constraint_type in ('R','P','U')
and constraint_name not like 'SYS%'

```

V.7.1.6.3 Code preview of view SIA_DIFFERENZA_CONSTRAINTS

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.6.4 List of diagrams containing the view SIA_DIFFERENZA_CONSTRAINTS

Name	Code
Generale	GENERALE

V.7.1.6.5 List of extended attributes of the view SIA_DIFFERENZA_CONSTRAINTS

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.7 View SIA_DIFFERENZA_INDICI

V.7.1.7.1 Card of view SIA_DIFFERENZA_INDICI

Name	SIA_DIFFERENZA_INDICI
Code	SIA_DIFFERENZA_INDICI

V.7.1.7.2 SQL query of view SIA_DIFFERENZA_INDICI

```

select substr(user,1,20) utente,table_name, index_name
from user_indexes
where index_name not like 'SYS%'
minus
select substr(user,1,20),table_name, index_name

```

```

from sia_default_indici
UNION ALL
select 'DEFAULT', table_name, index_name
from sia_default_indici
minus
select 'DEFAULT', table_name, index_name
from user_indexes
where index_name not like 'SYS%'

```

V.7.1.7.3 Code preview of view SIA_DIFFERENZA_INDICI

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.7.4 List of diagrams containing the view SIA_DIFFERENZA_INDICI

Name	Code
Generale	GENERALE

V.7.1.7.5 List of extended attributes of the view SIA_DIFFERENZA_INDICI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.8 View VISTA_LOADER

V.7.1.8.1 Card of view VISTA_LOADER

Name	VISTA_LOADER
Code	VISTA LOADER

V.7.1.8.2 SQL query of view VISTA_LOADER

```

SELECT LOAD.LOADER_ID
    ,LOAD.VOCE_MENU
    ,LOAD.CTL_FILE
    ,LOAD.DAT_FILE
    ,LOAD.LOG_FILE
    ,LOAD.BAD_FILE
    ,LOAD.UTENTE
    ,LOAD.DATA_AGG

```

```

,LOAD.NOME_DAT_FILE
,DECODE(utente
      ,
      ,
      ,DECODE(ad4_utente.get_nominativo(utente, 1, 0)
      ,
      ,utente
      ,ad4_utente.get_nominativo(utente, 1, 0))) nominativo_agg
      ,gps_pkg.get_titolo_voce(voce_menu) titolo
FROM loader LOAD

```

V.7.1.8.3 Code preview of view VISTA_LOADER

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.8.4 List of diagrams containing the view VISTA_LOADER

Name	Code
Generale	GENERALE

V.7.1.8.5 List of extended attributes of the view VISTA_LOADER

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.9 View VISTA_OGGETTI_INVALIDI

V.7.1.9.1 Card of view VISTA_OGGETTI_INVALIDI

Name	VISTA_OGGETTI_INVALIDI
Code	VISTA_OGGETTI_INVALIDI

V.7.1.9.2 SQL query of view VISTA_OGGETTI_INVALIDI

```

SELECT user_objects.object_name
      ,user_objects.object_type
      ,user_objects.status
      ,user_triggers.table_name
      ,user_triggers.status trigger_status
FROM user_objects
      ,user_triggers

```

```

WHERE (user_objects.object_name = user_triggers.trigger_name(+))
AND ((user_triggers.status = 'DISABLED') OR
     (user_objects.status = 'INVALID'))
and user_objects.object_name not like 'BIN$%'
UNION
SELECT user_constraints.constraint_name
      , 'CONSTRAINT'
      , "
      ,user_constraints.table_name
      ,user_constraints.status
FROM user_constraints
WHERE user_constraints.status = 'DISABLED'
and user_constraints.constraint_name not like 'BIN$%'

```

V.7.1.9.3 Code preview of view VISTA_OGGETTI_INVALIDI

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.1.9.4 List of diagrams containing the view VISTA_OGGETTI_INVALIDI

Name	Code
Generale	GENERALE

V.7.1.9.5 List of extended attributes of the view VISTA_OGGETTI_INVALIDI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.10 View VISTA_PARAMETRI

V.7.1.10.1 Card of view VISTA_PARAMETRI

Name	VISTA_PARAMETRI
Code	VISTA_PARAMETRI

V.7.1.10.2 SQL query of view VISTA_PARAMETRI

```

SELECT sele.descrizione
      ,para.valore
      ,pren.no_prenotazione
      ,pren.voce_menu

```

```

,sele.sequenza
FROM a_parametri para
,a_prenotazioni pren
,a_selezioni sele
WHERE para.no_prenotazione = pren.no_prenotazione
AND sele.voce_menu = pren.voce_menu
AND sele.parametro = para.parametro

```

V.7.1.10.3 *Code preview of view VISTA_PARAMETRI*

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.10.4 *List of diagrams containing the view VISTA_PARAMETRI*

Name	Code
Generale	GENERALE

V.7.1.10.5 *List of extended attributes of the view VISTA_PARAMETRI*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.11 View VISTA_PRENOTAZIONI

V.7.1.11.1 *Card of view VISTA_PRENOTAZIONI*

Name	VISTA_PRENOTAZIONI
Code	VISTA_PRENOTAZIONI

V.7.1.11.2 *SQL query of view VISTA_PRENOTAZIONI*

```

select pren.NO_PRENOTAZIONE
,pren.DATA_PRENOTAZIONE
,pren.UTENTE
,pren.VOCE_MENU
,pren.STATO
,pren.DATA_STATO
,pren.PRIORITA
,pren.NUMERO_PASSO
,pren.AMBIENTE
,pren.ENTE

```

```

,pren.GRUPPO_LING
,pren.ERRORE
,pren.PROSSIMO_PASSO
,ad4_utente.get_nominativo(utente) nominativo
,vome.titolo
,substr(nvl(rv_meaning, nvl(rv_meaning_all, rv_meaning_all2)), 1, 8) desc_stato
,decode(aerr.errore, null, pren.errore, aerr.descrizione) desc_errore
,vome.titolo elaborazione
from a_prenotazioni pren
,a_voci_menu vome
,a00_ref_codes
,a_errori aerr
where vome.voce_menu = pren.voce_menu
and substr(rv_low_value, 1, 1) = pren.stato
and rv_domain = 'STATO'
and pren.errore = aerr.errore(+)

```

V.7.1.11.3 *Code preview of view VISTA_PRENOTAZIONI*

- The preview is empty because of the setting.
- Check the generation option.

V.7.1.11.4 *List of diagrams containing the view VISTA_PRENOTAZIONI*

Name	Code
Generale	GENERALE

V.7.1.11.5 *List of extended attributes of the view VISTA_PRENOTAZIONI*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.12 View VISTA_PRODUFZ_FILE_TESTO

V.7.1.12.1 *Card of view VISTA_PRODUFZ_FILE_TESTO*

Name	VISTA_PRODUFZ_FILE_TESTO
Code	VISTA_PRODUFZ_FILE_TESTO

V.7.1.12.2 *SQL query of view VISTA_PRODUFZ_FILE_TESTO*

```

select ptxt.FILENAME
    ,ptxt.VOCE_MENU
    ,ptxt.TESTO
    ,ptxt.NOTE
    ,ptxt.DATA_AGG
    ,ptxt.UTENTE
    ,uten.nominativo
    ,vome.titolo || '(' || ptxt.voce_menu || ')' titolo
from produz_file_testo ptxt
    ,a_voci_menu      vome
    ,ad4_utenti      uten
where ptxt.voce_menu = vome.voce_menu
and ptxt.utente = uten.utente

```

V.7.1.12.3 *Code preview of view VISTA_PRODUFZ_FILE_TESTO*

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.1.12.4 *List of diagrams containing the view VISTA_PRODUFZ_FILE_TESTO*

Name	Code
Generale	GENERALE

V.7.1.12.5 *List of all dependencies of the view VISTA_PRODUFZ_FILE_TESTO*

Name	Code	Class Name
PRODUFZ_FILE_TESTO	PRODUFZ_FILE_TESTO	Table

V.7.1.12.6 *List of extended attributes of the view VISTA_PRODUFZ_FILE_TESTO*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.1.13 View VISTA_STAMPE

V.7.1.13.1 *Card of view VISTA_STAMPE*

Name	VISTA_STAMPE
Code	VISTA_STAMPE

V.7.1.13.2 SQL query of view VISTA_STAMPE

```

SELECT prefisso || TO_CHAR (no_stampa) nome_stampa
      , stam.data_preparazione
      , stam.voce_menu
      , vome.titolo_elaborazione
      , cats.titolo titolo
      , stam.stampa
      , stam.gruppo
      , stam.utente
      , stam.no_prenotazione
      , stam.no_stampa
FROM a_stampe stam
      , a_catalogo_stampe cats
      , a_voci_menu vome
WHERE stam.stampa = cats.stampa
AND stam.voce_menu = vome.voce_menu

```

V.7.1.13.3 Code preview of view VISTA_STAMPE

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.1.13.4 List of diagrams containing the view VISTA_STAMPE

Name	Code
Generale	GENERALE

V.7.1.13.5 List of extended attributes of the view VISTA_STAMPE

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2 Views from Package Anagrafe_Matricolare**V.7.2.1 List of views**

Name	Code
ANAGRAFE	ANAGRAFE
COMUNI	COMUNI
Familiari	FAMILIARI
INDIVIDUI	INDIVIDUI
Titoli Personalisi	TITOLI_PERSONALI

Vista Anagrafica Individui	VISTA_ANAGRAFICA_INDIVIDUI
VISTA_ANAGRAFICI	VISTA_ANAGRAFICI
vista_dati_disabili	VISTA_DATI_DISABILI
VISTA_DISABILI_PROSPETTO	VISTA_DISABILI_PROSPETTO
vista_familiari	VISTA_FAMILIARI
Vista Rapporti Individuali	VISTA_RAPPORTI_INDIVIDUALI
vista_valori_default	VISTA_VALORI_DEFAULT

V.7.2.2 View ANAGRAFE

V.7.2.2.1 Card of view ANAGRAFE

Name	ANAGRAFE
Code	ANAGRAFE

V.7.2.2.2 SQL query of view ANAGRAFE

```
SELECT NI
      ,COGNOME
      ,NOME
      ,SESSO
      ,DATA_NAS
      ,PROVINCIA_NAS
      ,COMUNE_NAS
      ,LUOGO_NAS
      ,DAL
      ,AL
      ,CODICE_FISCALE
      ,CITTADINANZA
      ,INDIRIZZO_RES
      ,INDIRIZZO_RES_AL1
      ,INDIRIZZO_RES_AL2
      ,PROVINCIA_RES
      ,COMUNE_RES
      ,CAP_RES
      ,TEL_RES
      ,PRESSO
      ,INDIRIZZO_DOM
      ,INDIRIZZO_DOM_AL1
      ,INDIRIZZO_DOM_AL2
      ,PROVINCIA_DOM
      ,COMUNE_DOM
      ,CAP_DOM
      ,TEL_DOM
      ,STATO_CIVILE
```

```

,COGNOME_CONIUGE
,TITOLO_STUDIO
,TITOLO
,CATEGORIA_PROTETTA
,GRUPPO_LING
,PARTITA_IVA
,TESSERA_SAN
,NUMERO_USL
,PROVINCIA_USL
,TIPO_DOC
,NUMERO_DOC
,PROVINCIA_DOC
,COMUNE_DOC
,NOTE
,CODICE_FISCALE_ESTERO
,FAX_RES
,FAX_DOM
,AMBIENTE_PROP
,TELEFONO_UFFICIO
,FAX_UFFICIO
,E_MAIL
,DENOMINAZIONE
,DENOMINAZIONE_AL1
,DENOMINAZIONE_AL2
,COMPETENZA_ESCLUSIVA
,FLAG_TRG
,STATO_CEE
,TIPO_SOGGETTO
,FINE_VALIDITA
,PROVINCIA_PRO
,COMUNE_PRO
,UTENTE
,DATA_AGG
FROM anagrafici
WHERE al IS NULL

```

V.7.2.2.3 Code preview of view ANAGRAFE

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.2.4 List of diagrams containing the view ANAGRAFE

Name	Code
Generale	GENERALE

V.7.2.2.5 List of extended attributes of the view ANAGRAFE

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.2.6 List of extended influent objects of the view **ANAGRAFE**

Stereotype	Influent Object	Influent Object Type
	ANAGRAFICI	Table

V.7.2.3 View COMUNI

V.7.2.3.1 Card of view **COMUNI**

Name	COMUNI
Code	COMUNI

V.7.2.3.2 SQL query of view **COMUNI**

```

select COMU.provincia_stato      COD_PROVINCIA
      , COMU.comune          COD_COMUNE
      , COMU.denominazione   DESCRIZIONE
      , COMU.denominazione_al1 DESCRIZIONE_AL1
      , COMU.denominazione_al2 DESCRIZIONE_AL2
      , COMU.denominazione_breve DESCRIZIONE_BREVE
      , COMU.denominazione_breve_al1 DESCRIZIONE_BREVE_AL1
      , COMU.denominazione_breve_al2 DESCRIZIONE_BREVE_AL2
      , COMU.CAPOLUOGO_PROVINCIA
      , lpad(comu.cap,5,'0')    CAP
      , COMU.provincia_tribunale COD_PROVINCIA_TRIBUNALE
      , COMU.comune_tribunale   COD_COMUNE_TRIBUNALE
      , COMU.provincia_distretto COD_PROVINCIA_DISTRETTO
      , COMU.comune_distretto   COD_COMUNE_DISTRETTO
      , COMU.DATA_SOPPRESSIONE
      , COMU.provincia_fusione  COD_PROVINCIA_FUSIONE
      , COMU.comune_fusione     COD_COMUNE_FUSIONE
      , COMU.sigla_cfis        CODICE_CATASTO
      , COMU.CONSOLATO
      , COMU.TIPO_CONSOLATO
      , decode( sign(comu.provincia_stato - 199)
              , -1, prov.sigla
              , decode( sign(comu.comune - 500)

```

```

, -1 , stte.sigla
, decode( comu.provincia_stato
, 701, 'FU'
, 702, 'PL'
, 703, 'ZA'
, stte.sigla
)
)
)
)          SIGLA_PROVINCIA
, PROV.denominazione      DENOMINAZIONE_PROVINCIA
, PROV.REGIONE
, REGI.denominazione      DENOMINAZIONE_REGIONE
from A_REGIONI      REGI
, A_STATI_TERRITORI STTE
, A_PROVINCIE      PROV
, A_COMUNI        COMU
where REGI.REGIONE      (+) = PROV.REGIONE
and PROV.PROVINCIA      (+) = COMU.PROVINCIA_STATO
and STTE.STATO_TERRITORIO (+) = COMU.PROVINCIA_STATO

```

V.7.2.3.3 Code preview of view *COMUNI*

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.3.4 List of diagrams containing the view *COMUNI*

Name	Code
Generale	GENERALE

V.7.2.3.5 List of extended attributes of the view *COMUNI*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.3.6 List of extended influent objects of the view *COMUNI*

Stereotype	Influent Object	Influent Object Type
	A_COMUNI	Synonym
	A_PROVINCIE	Synonym
	A_REGIONI	Synonym
	A_STATI_TERRITORI	Synonym

V.7.2.4 View FAMILIARI

V.7.2.4.1 Card of view *FAMILIARI*

Name	Familiari
Code	FAMILIARI

V.7.2.4.2 SQL query of view *FAMILIARI*

```

select anfa.ni
      ,anfa.ni_familiare
      ,anfa.relazione
      ,anag.cognome
      ,anag.nome
      ,anag.data_nas
      ,anag.provincia_nas
      ,anag.comune_nas
      ,anag.codice_fiscale
      ,anfa.dal
      ,anfa.al
      ,anfa.condizione_pro
      ,anfa.se_affido_figli
      ,anfa.data_ingresso_famiglia
      ,anfa.intestatario
      ,anfa.origine
      ,anfa.utente
from anagrafici anag
      ,anagrafe_familiari anfa
where anag.ni = anfa.ni_familiare
  and nvl(anfa.al, to_date(3333333, 'j'))
    between anag.dal
      and nvl(anag.al, to_date(3333333, 'j'))

```

V.7.2.4.3 Code preview of view *FAMILIARI*

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.4.4 List of diagrams containing the view *FAMILIARI*

Name	Code
Generale	GENERALE

V.7.2.4.5 List of extended attributes of the view *FAMILIARI*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.5 View INDIVIDUI

V.7.2.5.1 Card of view INDIVIDUI

Name	INDIVIDUI
Code	INDIVIDUI

V.7.2.5.2 SQL query of view INDIVIDUI

```

select
    NI,
    COGNOME,
    NOME,
    SESSO,
    DATA_NAS
from
    ANAGRAFICI anag
where
    AL is null
  
```

V.7.2.5.3 Code preview of view INDIVIDUI

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.5.4 List of diagrams containing the view INDIVIDUI

Name	Code
Generale	GENERALE

V.7.2.5.5 List of extended attributes of the view INDIVIDUI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

			Si4)
--	--	--	------

V.7.2.5.6 List of extended influent objects of the view INDIVIDUI

Stereotype	Influent Object	Influent Object Type
	ANAGRAFICI	Table

V.7.2.6 View TITOLI_PERSONALI**V.7.2.6.1 Card of view TITOLI_PERSONALI**

Name	Titoli Personali
Code	TITOLI_PERSONALI

V.7.2.6.2 SQL query of view TITOLI_PERSONALI

```
select titolo sequenza
      , descrizione titolo
  from tipi_titolo
```

V.7.2.6.3 Code preview of view TITOLI_PERSONALI

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.2.6.4 List of diagrams containing the view TITOLI_PERSONALI

Name	Code
Generale	GENERALE

V.7.2.6.5 List of extended attributes of the view TITOLI_PERSONALI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.7 View VISTA_ANAGRAFICA_INDIVIDUI**V.7.2.7.1 Card of view VISTA_ANAGRAFICA_INDIVIDUI**

Name	Vista Anagrafica Individui
Code	VISTA_ANAGRAFICA_INDIVIDUI

V.7.2.7.2 SQL query of view VISTA_ANAGRAFICA_INDIVIDUI

```

SELECT anag.ni
      ,anag.cognome
      ,anag.nome
      ,anag.sesso
      ,anag.data_nas
      ,anag.provincia_nas
      ,anag.comune_nas
      ,cnas.denominazione
      ,pnas.denominazione
      ,pnas.sigla
      ,anag.luogo_nas
      ,anag.codice_fiscale
      ,anag.codice_fiscale_estero
      ,anag.partita_iva
      ,anag.cittadinanza
      ,stte.desc_cittadinanza
      ,anag.gruppo_ling
      ,anag.indirizzo_res
      ,anag.provincia_res
      ,anag.comune_res
      ,cres.denominazione
      ,pres.denominazione
      ,pres.sigla
      ,anag.cap_res
      ,anag.tel_res
      ,anag.fax_res
      ,anag.presso
      ,anag.indirizzo_dom
      ,anag.provincia_dom
      ,anag.comune_dom
      ,cdom.denominazione
      ,pdom.denominazione
      ,pdom.sigla
      ,anag.cap_dom
      ,anag.tel_dom
      ,anag.fax_dom
      ,anag.note
      ,anag.dal
      ,anag.al
      ,anag.stato_civile
      ,stci.descrizione
      ,anag.cognome_coniuge
      ,anag.titolo_studio
      ,data_nascita
      ,cod_provincia_nascita
      ,cod_comune_nascita
      ,descr_comune_nascita
      ,descr_provincia_nascita
      ,sigla_provincia_nascita
      ,luogo_nascita
      ,descr_cittadinanza
      ,gruppo_linguistico
      ,indirizzo_residenza
      ,cod_provincia_residenza
      ,cod_comune_residenza
      ,descr_comune_residenza
      ,descr_provincia_residenza
      ,sigla_provincia_residenza
      ,CAP_residenza
      ,telefono_residenza
      ,fax_residenza
      ,presso
      ,indirizzo_domicilio
      ,cod_provincia_domicilio
      ,cod_comune_domicilio
      ,descr_comune_domicilio
      ,descr_provincia_domicilio
      ,sigla_provincia_domicilio
      ,CAP_domicilio
      ,telefono_domicilio
      ,fax_domicilio
      ,codice_stato_civile
      ,descr_stato_civile
      ,codice_titolo_studio

```

,tist.descrizione	descr_titolo_studio
,tipe.titolo	titolo_onorifico
,anag.categoria_protetta	codice_categoria_protetta
,capr.descrizione	descr_categoria_protetta
,anag.tessera_san	numero_tessera_sanitaria
,anag.numero_usl	numero_usl
,anag.provincia_usl	provincia_usl
,anag.tipo_doc	tipo_documento
,evgi.descrizione	descr_tipo_documento
,anag.numero_doc	numero_documento
,anag.provincia_doc	provincia_documento
,anag.comune_doc	comune_documento
,cdoc.denominazione	descr_comune_documento
,pdoc.sigla	sigla_provincia_documento
,anag.utente	utente_modifica
,anag.data_agg	data_modifica
,anag.telefono_ufficio	
,anag.fax_ufficio	
,anag.e_mail	
,stato_cee	
FROM stati_civili stci	
,titoli_studio tist	
,titoli_personali tipe	
,categorie_protette capr	
,eventi_giuridici evgi	
,a_comuni cdoc	
,a_provincie pdoc	
,a_comuni cnas	
,a_provincie pnas	
,a_stati_territori stte	
,a_comuni cres	
,a_provincie pres	
,a_comuni cdom	
,a_provincie pdom	
,anagrafici anag	
WHERE stci.codice(+) = anag.stato_civile	
AND tist.codice(+) = anag.titolo_studio	
AND tipe.sequenza(+) = anag.titolo	
AND capr.codice(+) = anag.categoria_protetta	
AND evgi.codice(+) = anag.tipo_doc	
AND cdoc.provincia_stato(+) = anag.provincia_doc	
AND cdoc.comune(+) = anag.comune_doc	
AND pdoc.provincia(+) = cdoc.provincia_stato	
AND cnas.provincia_stato(+) = anag.provincia_nas	
AND cnas.comune(+) = anag.comune_nas	
AND pnas.provincia(+) = cnas.provincia_stato	

```

AND stte.stato_territorio(+) = DECODE (GREATEST (anag.cittadinanza, '999'), '999',
anag.cittadinanza, NULL)
AND cres.provincia_stato(+) = anag.provincia_res
AND cres.comune(+) = anag.comune_res
AND pres.provincia(+) = cres.provincia_stato
AND cdom.provincia_stato(+) = anag.provincia_dom
AND cdom.comune(+) = anag.comune_dom
AND pdom.provincia(+) = cdom.provincia_stato
AND nvl(tipo_soggetto,'T') = 'T'

```

V.7.2.7.3 Code preview of view VISTA_ANAGRAFICA_INDIVIDUI

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.7.4 List of diagrams containing the view VISTA_ANAGRAFICA_INDIVIDUI

Name	Code
Generale	GENERALE

V.7.2.7.5 List of extended attributes of the view VISTA_ANAGRAFICA_INDIVIDUI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.8 View VISTA_ANAGRAFICI

V.7.2.8.1 Card of view VISTA_ANAGRAFICI

Name	VISTA_ANAGRAFICI
Code	VISTA_ANAGRAFICI

V.7.2.8.2 SQL query of view VISTA_ANAGRAFICI

```

SELECT ANAG.NI,
       ANAG.COGNOME,
       ANAG.NOME,
       ANAG.SESSO,
       ANAG.DATA_NAS,
       ANAG.PROVINCIA_NAS,
       ANAG.COMUNE_NAS,
       CNAS.DENOMINAZIONE DES_COMUNE_NAS,

```

PNAS.SIGLA DES_SIGLA_NAS,
PNAS.DENOMINAZIONE DES_PROVINCIA_NAS,
ANAG.LUOGO_NAS,
ANAG.CODICE_FISCALE,
ANAG.CODICE_FISCALE_ESTERO,
ANAG.PARTITA_IVA,
ANAG.CITTADINANZA,
STTE.DESC_CITTADINANZA,
ANAG.GRUPPO_LING,
ANAG.INDIRIZZO_RES,
ANAG.PROVINCIA_RES,
ANAG.COMUNE_RES,
CRES.DENOMINAZIONE DES_COMUNE_RES,
PRES.SIGLA DES_SIGLA_RES,
PRES.DENOMINAZIONE DES_PROVINCIA_RES,
ANAG.CAP_RES,
ANAG.TEL_RES,
ANAG.FAX_RES,
ANAG.PRESSO,
ANAG.INDIRIZZO_DOM,
ANAG.PROVINCIA_DOM,
ANAG.COMUNE_DOM,
CDOM.DENOMINAZIONE DES_COMUNE_DOM,
PDOM.SIGLA DES_SIGLA_DOM,
PDOM.DENOMINAZIONE DES_PROVINCIA_DOM,
ANAG.CAP_DOM,
ANAG.TEL_DOM,
ANAG.FAX_DOM,
ANAG.E_MAIL,
ANAG.NOTE,
decode(greatest(nvl(ANAG.DAL,to_date('2222222','j'))
, nvl(ANAG.DAL,to_date('2222222','j'))
)
, to_date('2222222','j'), ANAG.DATA_NAS
, greatest(nvl(ANAG.DAL,to_date('2222222','j'))
, nvl(ANAG.DAL,to_date('2222222','j'))
)
) DAL,
decode(least(nvl(ANAG.AL,to_date('3333333','j'))
, nvl(ANAG.AL,to_date('3333333','j'))
)
, to_date('3333333','j'), to_date(null)
, least(nvl(ANAG.AL,to_date('3333333','j'))
, nvl(ANAG.AL,to_date('3333333','j'))
)
) AL,

ANAG.STATO_CIVILE,
STCI.DESCRIZIONE DES_STATO_CIVILE,
ANAG.COGNOME_CONIUGE,
ANAG.TITOLO_STUDIO,
TIST.DESCRIZIONE DES_TITOLO_STUDIO,
ANAG.TITOLO,
TIPE.TITOLO DES_TITOLO_ONORIFICO,
ANAG.CATEGORIA_PROTETTA,
CAPR.DES_CATEGORIA DES_CATEGORIA_PROTETTA,
CAPR.AREA AREA_PROTETTA,
CAPR.DES_AREA DES_AREA_PROTETTA,
CAPR.COD_L68 L_68,
CAPR.DES_L68 DES_L_68,
ANAG.TESSERA_SAN,
ANAG.NUMERO_USL,
ANAG.PROVINCIA_USL,
ANAG.TIPO_DOC,
EVGI.DESCRIZIONE DES_TIPO_DOC,
ANAG.NUMERO_DOC,
ANAG.PROVINCIA_DOC,
ANAG.COMUNE_DOC,
CDOC.DENOMINAZIONE DES_COMUNE_DOC,
PDOC.SIGLA DES_SIGLA_DOC
FROM STATI_CIVILI STCI
, TITOLI_STUDIO TIST
, TITOLI_PERSONALI TIPE
, DIZIONARIO_CATEGORIE_PROTETTE CAPR
, EVENTI_GIURIDICI EVGI
, A_COMUNI CDOC
, A_PROVINCIE PDOC
, A_COMUNI CNAS
, A_PROVINCIE PNAS
, A_STATI_TERRITORI STTE
, A_COMUNI CRES
, A_PROVINCIE PRES
, A_COMUNI CDOM
, A_PROVINCIE PDOM
, ANAGRAFICI ANAG
WHERE STCI.CODICE (+) = ANAG.STATO_CIVILE
AND TIST.CODICE (+) = ANAG.TITOLO_STUDIO
AND TIPE.SEQUENZA (+) = ANAG.TITOLO
AND CAPR.CATEGORIA (+) = ANAG.CATEGORIA_PROTETTA
AND EVGI.CODICE (+) = ANAG.TIPO_DOC
AND CDOC.PROVINCIA_STATO (+) = ANAG.PROVINCIA_DOC
AND CDOC.COMUNE (+) = ANAG.COMUNE_DOC
AND PDOC.PROVINCIA (+) = CDOC.PROVINCIA_STATO

```

AND CNAS.PROVINCIA_STATO (+) = ANAG.PROVINCIA_NAS
AND CNAS.COMUNE      (+) = ANAG.COMUNE_NAS
AND PNAS.PROVINCIA (+)  = CNAS.PROVINCIA_STATO
AND STTE.STATO_TERRITORIO(+) = decode( greatest(ANAG.CITTADINANZA,'999')
                                         , '999', ANAG.CITTADINANZA
                                         , null
                                         )
AND CRES.PROVINCIA_STATO (+) = ANAG.PROVINCIA_RES
AND CRES.COMUNE      (+) = ANAG.COMUNE_RES
AND PRES.PROVINCIA (+)  = CRES.PROVINCIA_STATO
AND CDOM.PROVINCIA_STATO (+) = ANAG.PROVINCIA_DOM
AND CDOM.COMUNE      (+) = ANAG.COMUNE_DOM
AND PDOM.PROVINCIA (+)  = CDOM.PROVINCIA_STATO
;

```

V.7.2.8.3 Code preview of view VISTA_ANAGRAFICI

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.8.4 List of diagrams containing the view VISTA_ANAGRAFICI

Name	Code
Generale	GENERALE

V.7.2.8.5 List of extended attributes of the view VISTA_ANAGRAFICI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.8.6 List of extended influent objects of the view VISTA_ANAGRAFICI

Stereotype	Influent Object	Influent Object Type
	EVENTI GIURIDICI	Table
	ANAGRAFICI	Table

V.7.2.9 View VISTA_DATI_DISABILI

V.7.2.9.1 Card of view VISTA_DATI_DISABILI

Name	vista_dati_disabili
Code	VISTA_DATI_DISABILI

V.7.2.9.2 SQL query of view VISTA_DATI_DISABILI

```

select rain.ni, rain.ci,
rain.rapporto,
anag.cognome || ' ' || anag.nome dipendente,
codice_fiscale,
to_char(anag.dal, 'dd/mm/yyyy') dal,
to_char(anag.al, 'dd/mm/yyyy') al,
perc_invalidita,
codice,
descrizione,
categoria,
reco(rv_meaning desc_categoria,
perc_legge,
sequenza
from anagrafici anag,
categorie_protette capr,
ref_codes reco,
rapporti_individuali rain
where anag.ni in ( select ni from anagrafici where categoria_protetta is not null
or perc_invalidita is not null )
and codice (+) = categoria_protetta
and reco(rv_domain (+) like 'CATEGORIE_PROTETTE.CATEGORIA'
and reco(rv_prefix (+)= 'PAM'
and capr.categoria = reco(rv_low_value (+)
and rain.ni = anag.ni

```

V.7.2.9.3 Code preview of view VISTA_DATI_DISABILI

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.2.9.4 List of diagrams containing the view VISTA_DATI_DISABILI

Name	Code
Generale	GENERALE

V.7.2.9.5 List of extended attributes of the view VISTA_DATI_DISABILI

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)

ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)
--------------	-----------	------	------------------------------

V.7.2.10 View VISTA_DISABILI_PROSPETTO

V.7.2.10.1 *Card of view VISTA_DISABILI_PROSPETTO*

Name	VISTA_DISABILI_PROSPETTO
Code	VISTA_DISABILI_PROSPETTO

V.7.2.10.2 *SQL query of view VISTA_DISABILI_PROSPETTO*

```

select dipa.dipa_id
      ,dipa.anno dipa_anno
      ,dipa.gestione dipa_gestione
      ,to_char(to_date('3112' || dipa.anno, 'ddmm-yyyy'), 'yyyy-mm-dd') data_riferimento
      ,dipa.num_lavoratori_forza nlavoratorinazionali
      ,'A' categoriaazienda
      ,to_date(null) dataprimaassunzione
      ,to_date(null) datasecondaassunzione
      ,'N' nessunaassunzioneaggiuntiva
      ,decode(ente_pkg.get_tipo_ente(rapporti_individuali_pkg.get_azienda_id(rain_lav.ci,0))
              , 'PRI', 'A', 'C') tipologiadichiarante
      ,rpad(gest.codice_fiscale, 16, ' ') codicefiscale
      ,gest.nome denominazione
      ,substr(substr(gest.codice_attivita, 1, 2) || '.' ||
              substr(gest.codice_attivita, 3, 2) || '.' ||
              substr(gest.codice_attivita, 5, 2)
             ,1
            ,7) settore
      ,rpad(gest.contratto_inps, 3, ' ') ccnl
      ,comu_a.codice_catasto comuneselegale
      ,comu_a.descrizione des_comunesedelegale
      ,gest.cap capsedelegale
      ,gest.indirizzo_res||',||gest.numero_civico indirizzosedelegal
      ,gest.tel_res telefonosedelegal
      ,gest.fax_res faxsedelegal
      ,substr(gest.e_mail, 1, 80) emailsedelegale
      ,anag_ref.codice_fiscale codicefiscalreferente
      ,anag_ref.cognome cognomereferente
      ,anag_ref.nome nomereferente
      ,nvl(pamcpidi.get_indirizzo_referente(rain_ref.ci, to_date('3112' || dipa.anno, 'ddmm-yyyy'))
           ,anag_ref.indirizzo_res) indirizzoreferente
      ,comu_r.codice_catasto comunereferente
      ,nvl(pamcpidi.get_comune_referente(rain_ref.ci, to_date('3112' || dipa.anno, 'ddmm-yyyy'))
           ,comu_r.descrizione) des_comunereferente

```

```
,nvl(pamcpidi.get_cap_referente(rain_ref.ci, to_date('3112' || dipa.anno, 'ddmmyyyy')))  
    ,anag_ref.cap_res) capreferente  
,rain_ref.telefono_ufficio telefonoreferente  
,rain_ref.fax_ufficio faxreferente  
,substr(rain_ref.e_mail, 1, 80) emailreferente  
," dataatto  
," estremiatto  
," datatrasformazione  
," percentuale  
,lpad(dipa.provincia, 3, '0') provincia  
,anag_ref.cognome cognomerefprovincia  
,anag_ref.nome nomerefprovincia  
,nvl(pamcpidi.get_indirizzo_referente(rain_ref.ci, to_date('3112' || dipa.anno, 'ddmmyyyy')))  
    ,anag_ref.indirizzo_res) indirizzorefprovincia  
,comu_r.codice_catasto comunerefprovincia  
,nvl(pamcpidi.get_comune_referente(rain_ref.ci, to_date('3112' || dipa.anno, 'ddmmyyyy')))  
    ,comu_r.descrizione) des_comunerefprovincia  
,nvl(pamcpidi.get_cap_referente(rain_ref.ci, to_date('3112' || dipa.anno, 'ddmmyyyy')))  
    ,anag_ref.cap_res) caprefprovincia  
,rain_ref.telefono_ufficio telefonorefprovincia  
,rain_ref.fax_ufficio faxrefprovincia  
,substr(rain_ref.e_mail, 1, 80) emailrefprovincia  
,0 ncentralini  
,nvl(dipa.num_lavoratori_forza,0) nlavoratori  
,nvl(dipa.lav_disabili,0) disabili  
,nvl(dipa.lav_cat_protette,0) categorieprotette  
,nvl(dipa.lav_centralinisti,0) centralinisti  
,0 massofisioterapisti  
,nvl(dipa.dirigenti,0) dirigenti  
," apprendisti  
," reinserimento  
,nvl(dipa.lav_part_time, 0) partime  
,nvl(dipa.lav_termine, 0) termine  
,nvl(dipa.lav_cfl, 0) cfl  
," domicilio  
," soci  
," edilizia  
," intermittenti  
," nonamministrativo  
," viaggiante  
,nvl(dipa.lav_telelavoro,0) telelavoro  
,nvl(dipa.lav_estero, 0) estero  
,nvl(dipa.lav_lsu, 0) lsu  
," ripartiti  
," altri  
,nvl(dipa.part_time_ripropozionati, 0) parttimeintermrifprop
```

,0 intermittentiriprop
,0 caprcontatecomedisabili
,nvl(dipa.base_computo,0) basecomputo
,anag_lav.codice_fiscale codicefiscalelavoratore
,anag_lav.cognome cognomelavoratore
,anag_lav.nome nomelavoratore
,anag_lav.sesso sessolavoratore
,to_char(anag_lav.data_nas,'yyyy-mm-dd') datanascitalavoratore
,comu_n.codice_catasto comunenascitalavoratore
,comu_n.descrizione des_comunenascitalavoratore
,to_char(dipi.data_inizio_rapporto,'yyyy-mm-dd') datainizio
,substr(dipi.tipologia_contrattuale, 1, 7) tipologiaccontr
,to_char(dipi.data_FINE_rapporto,'yyyy-mm-dd') datafine
,dipi.qualifica_istat qualifica
,dipi.tipo_assunzione tipoassunzione
,lpad(trunc(dipi.ore_contrattuali), 2, '0') || ':' ||
lpad((dipi.ore_contrattuali - trunc(dipi.ore_contrattuali)) * 60, 2, '0') orariosettimanale
,lpad(trunc(dipi.ore_lavorate), 2, '0') || ':' ||
lpad((dipi.ore_lavorate - trunc(dipi.ore_lavorate)) * 60, 2, '0') orariosettimanaleparttime
,dipi.categoria_soggetto categoriasoggetto
,dipi.categoria_assunzione categoriaassunzione
, " qualificaprof
, " mansione
, " nposti
, " categoriasogg
, " comuneass
, " categoriaass
, " provinciacomp
, " categoriacomp
, " numero
, " categoriasoggcomp
, " autocompensazione
, " causale
, " datainiziososp
, " datafinesosp
, " numerolavoratori
, " nassunzioni
, " statoeson
, " finoal
, " percentualeeson
, " statoconv
, " notequadro2
,lpad(dipa.provincia, 3, '0') provinciariepilogo
,lpad(dipa.base_computo, 6, '0') numlavoratoririepilogo
, " suspensioni
, " categoriacompdisabili

```

," numerocompdisabili
," categoriacompcatprotette
," numerocompcatprotette
," convenzioni
,lpad(nvl(dipa.lav_disabili,0), 6, '0') disabiliriepilogo
,lpad(nvl(dipa.lav_cat_protette,0), 6, '0') categorieprotetteriepilogo
," notequadro3
,to_char(sysdate, 'yyyy-mm-dd') || ' T' || to_char(sysdate, 'hh24:mi:ss') data_invio
from disabili_prosp_azienda dipa
,disabili_prosp_individuali dipi
,gestioni          gest
,comuni            comu_a
,comuni            comu_r
,comuni            comu_n
,anagrafici        anag_ref
,rapporti_individuali rain_ref
,anagrafici        anag_lav
,rapporti_individuali rain_lav
where dipa.dipa_id = dipi.dipa_id
and gest.codice = dipa.gestione
and comu_a.cod_provincia = gest.provincia_res
and comu_a.cod_comune = gest.comune_res
and comu_r.cod_provincia = anag_ref.provincia_res
and comu_r.cod_comune = anag_ref.comune_res
and rain_ref.ci = gest.referente_disabili
and anag_ref.ni = rain_ref.ni
and to_date('3112' || dipa.anno, 'ddmmyyyy') between anag_ref.dal and
      nvl(anag_ref.al, to_date(3333333, 'j'))
and rain_lav.ci = dipi.ci
and anag_lav.ni = rain_lav.ni
and to_date('3112' || dipa.anno, 'ddmmyyyy') between anag_lav.dal and
      nvl(anag_lav.al, to_date(3333333, 'j'))
and comu_n.cod_provincia = anag_lav.provincia_nas
and comu_n.cod_comune = anag_lav.comune_nas;

```

V.7.2.10.3 *Code preview of view VISTA_DISABILI_PROSPETTO*

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.10.4 *List of diagrams containing the view VISTA_DISABILI_PROSPETTO*

Name	Code
Denuncia_Disabili	DENUNCIA_DISABILI

V.7.2.10.5 *List of extended attributes of the view VISTA_DISABILI_PROSPETTO*

Name	Data Type	Value	Target Name
------	-----------	-------	-------------

ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.11 View VISTA_FAMILIARI

V.7.2.11.1 Card of view *VISTA_FAMILIARI*

Name	vista_familiari
Code	VISTA_FAMILIARI

V.7.2.11.2 SQL query of view *VISTA_FAMILIARI*

```

select fami.ni
      ,anag.cognome
      ,anag.nome
      ,anag.data_nas
      ,anag.codice_fiscale
      ,anag_fam.ni ni_fam
      ,anag_fam.cognome cognome_fam
      ,anag_fam.nome nome_fam
      ,anag_fam.data_nas data_nas_fam
      ,anag_fam.codice_fiscale codice_fiscale_fam
      ,fami.dal
      ,fami.al
      ,parentele_tpk.get_des_abb(fami.relazione) relazione
      ,parentele_tpk.get_descrizione(fami.relazione) parentela
from familiari fami
      ,anagrafici anag
      ,anagrafici anag_fam
where anag.ni = fami.ni
  and anag.tipo_soggetto = 'I'
  and anag.al is null
  and anag_fam.ni = fami.ni_familiare
  and anag_fam.tipo_soggetto = 'I'
  and anag_fam.al is null

```

V.7.2.11.3 Code preview of view *VISTA_FAMILIARI*

-- The preview is empty because of the setting.
-- Check the generation option.

V.7.2.11.4 List of diagrams containing the view *VISTA_FAMILIARI*

Name	Code
Generale	GENERALE

V.7.2.11.5 List of extended attributes of the view *VISTA_FAMILIARI*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.12 View *VISTA_RAPPORTI_INDIVIDUALI*

V.7.2.12.1 Card of view *VISTA_RAPPORTI_INDIVIDUALI*

Name	Vista Rapporti Individuali
Code	VISTA_RAPPORTI_INDIVIDUALI

V.7.2.12.2 SQL query of view *VISTA_RAPPORTI_INDIVIDUALI*

```

SELECT rain.ci
      ,rain.cognome
      ,rain.nome
      ,rain.ni
      ,rain.data_nas
      ,rain.rapporto codice_rapporto
      ,clra.descrizione descrizione_rapporto
      ,clra.retributivo
      ,clra.presenza
      ,clra.giuridico
      ,clra.concorso
      ,clra.cat_fiscale categoria_fiscale
      ,clra.cat_inail categoria_inail
      ,clra.vortale
      ,rain.cc
      ,rain.dal
      ,rain.al
      ,rain.gruppo codice_gruppo
      ,grra.descrizione descrizione_gruppo
      ,grra.rilevanza rilevanza_gruppo
      ,grra.note note_gruppo
      ,grra.oggetto oggetto_gruppo
      ,rain.note

```

```

, rain.ambiente
, rain.tipo_ni
, rain.fascicolo
, rain.telefono_ufficio
, rain.fax_ufficio
, rain.e_mail
, rain.indirizzo_rec
, rain.indirizzo_rec_all
, rain.indirizzo_rec_al2
, rain.provincia_rec
, rain.comune_rec
, rain.cap_rec
, rain.tel_rec
, rain.fax_rec
, DECODE(ente_pkg.get_pubblicazione_cedolino(rapporti_individuali_pkg.get_azienda_id(rain.ci,
0))
,1
,DECODE(rain.mail_cedolino, 1, 'Posta', 'E-Mail')
,DECODE(rain.mail_cedolino, 1, 'E-Mail', 'Posta')) mail_cedolino
FROM rapporti_individuali rain
, classi_rapporto clra
, gruppi_rapporto grra
WHERE rain.rapporto = clra.codice(+)
AND rain.gruppo = grra.gruppo(+)

```

V.7.2.12.3 *Code preview of view VISTA_RAPPORTI_INDIVIDUALI*

- The preview is empty because of the setting.
- Check the generation option.

V.7.2.12.4 *List of diagrams containing the view VISTA_RAPPORTI_INDIVIDUALI*

Name	Code
Generale	GENERALE

V.7.2.12.5 *List of extended attributes of the view VISTA_RAPPORTI_INDIVIDUALI*

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.2.13 View VISTA_VALORI_DEFAULT

V.7.2.13.1 Card of view VISTA_VALORI_DEFAULT

Name	vista_valori_default
Code	VISTA_VALORI_DEFAULT

V.7.2.13.2 SQL query of view VISTA_VALORI_DEFAULT

```

select vade.ENTITA
      ,vade.COLONNA
      ,vade.RAPPORTO
      ,vade.VALORE_DEFAULT
      ,vade.MODIFICABILE
      ,vade.NON_VISIBILE
      ,ref_codes_pkg.get_rv_meaning(entita
          , 'VALORI_DEFAULT.TABELLA'
          , 'PGM') DES_ENTITA
      ,classi_rapporto_tpk.get_descrizione(rapporto) des_rapporto
      ,ref_codes_pkg.get_rv_meaning(COLONNA, ENTITA || '.COLONNA', 'PGM') DES_COLONNA
      ,VALORI_DEFAULT_PKG.get_descrizione_valore(entita
          ,colonna
          ,valore_default) DES_VALORE_DEFAULT
from valori_default vade

```

V.7.2.13.3 Code preview of view VISTA_VALORI_DEFAULT

-- The preview is empty because of the setting.

-- Check the generation option.

V.7.2.13.4 List of diagrams containing the view VISTA_VALORI_DEFAULT

Name	Code
Generale	GENERALE

V.7.2.13.5 List of extended attributes of the view VISTA_VALORI_DEFAULT

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.7.3 Views from Package Ref_Codes

V.7.3.1 List of views

Name	Code
Ref_Codes	REF_CODES

V.7.3.2 View REF_CODES

V.7.3.2.1 Card of view REF_CODES

Name	Ref_Codes
Code	REF_CODES

V.7.3.2.2 SQL query of view REF_CODES

```

select
    'GIP' RV_PREFIX,
    GIP_REF_CODES.RV_DOMAIN,
    GIP_REF_CODES.RV_LOW_VALUE,
    GIP_REF_CODES.RV_HIGH_VALUE,
    GIP_REF_CODES.RV_ABBREVIATION,
    GIP_REF_CODES.RV_MEANING,
    GIP_REF_CODES.RV_MEANING_AL1,
    GIP_REF_CODES.RV_MEANING_AL2,
    GIP_REF_CODES.RV_TYPE
from
    GIP_REF_CODES
UNION
select
    'PAM' RV_PREFIX,
    PAM_REF_CODES.RV_DOMAIN,
    PAM_REF_CODES.RV_LOW_VALUE,
    PAM_REF_CODES.RV_HIGH_VALUE,
    PAM_REF_CODES.RV_ABBREVIATION,
    PAM_REF_CODES.RV_MEANING,
    PAM_REF_CODES.RV_MEANING_AL1,
    PAM_REF_CODES.RV_MEANING_AL2,
    PAM_REF_CODES.RV_TYPE
from
    PAM_REF_CODES
UNION
select
    'PEC' RV_PREFIX,
    PEC_REF_CODES.RV_DOMAIN,
    PEC_REF_CODES.RV_LOW_VALUE,
```

```
PEC_REF_CODES.RV_HIGH_VALUE,
PEC_REF_CODES.RV_ABBREVIATION,
PEC_REF_CODES.RV_MEANING,
PEC_REF_CODES.RV_MEANING_AL1,
PEC_REF_CODES.RV_MEANING_AL2,
PEC_REF_CODES.RV_TYPE
from
  PEC_REF_CODES
UNION
select
  'PGC' RV_PREFIX,
  PGC_REF_CODES.RV_DOMAIN,
  PGC_REF_CODES.RV_LOW_VALUE,
  PGC_REF_CODES.RV_HIGH_VALUE,
  PGC_REF_CODES.RV_ABBREVIATION,
  PGC_REF_CODES.RV_MEANING,
  PGC_REF_CODES.RV_MEANING_AL1,
  PGC_REF_CODES.RV_MEANING_AL2,
  PGC_REF_CODES.RV_TYPE
from
  PGC_REF_CODES
UNION
select
  'PGM' RV_PREFIX,
  PGM_REF_CODES.RV_DOMAIN,
  PGM_REF_CODES.RV_LOW_VALUE,
  PGM_REF_CODES.RV_HIGH_VALUE,
  PGM_REF_CODES.RV_ABBREVIATION,
  PGM_REF_CODES.RV_MEANING,
  PGM_REF_CODES.RV_MEANING_AL1,
  PGM_REF_CODES.RV_MEANING_AL2,
  PGM_REF_CODES.RV_TYPE
from
  PGM_REF_CODES
UNION
select
  'PMT' RV_PREFIX,
  PMT_REF_CODES.RV_DOMAIN,
  PMT_REF_CODES.RV_LOW_VALUE,
  PMT_REF_CODES.RV_HIGH_VALUE,
  PMT_REF_CODES.RV_ABBREVIATION,
  PMT_REF_CODES.RV_MEANING,
  PMT_REF_CODES.RV_MEANING_AL1,
  PMT_REF_CODES.RV_MEANING_AL2,
  PMT_REF_CODES.RV_TYPE
from
```

```
PMT_REF_CODES
UNION
select
'PPA' RV_PREFIX,
PPA_REF_CODES.RV_DOMAIN,
PPA_REF_CODES.RV_LOW_VALUE,
PPA_REF_CODES.RV_HIGH_VALUE,
PPA_REF_CODES.RV_ABBREVIATION,
PPA_REF_CODES.RV_MEANING,
PPA_REF_CODES.RV_MEANING_AL1,
PPA_REF_CODES.RV_MEANING_AL2,
PPA_REF_CODES.RV_TYPE
from
PPA_REF_CODES
UNION
select
'PCW' RV_PREFIX,
PCW_REF_CODES.RV_DOMAIN,
PCW_REF_CODES.RV_LOW_VALUE,
PCW_REF_CODES.RV_HIGH_VALUE,
PCW_REF_CODES.RV_ABBREVIATION,
PCW_REF_CODES.RV_MEANING,
PCW_REF_CODES.RV_MEANING_AL1,
PCW_REF_CODES.RV_MEANING_AL2,
PCW_REF_CODES.RV_TYPE
from
PCW_REF_CODES
UNION
select
'PEB' RV_PREFIX,
PEB_REF_CODES.RV_DOMAIN,
PEB_REF_CODES.RV_LOW_VALUE,
PEB_REF_CODES.RV_HIGH_VALUE,
PEB_REF_CODES.RV_ABBREVIATION,
PEB_REF_CODES.RV_MEANING,
PEB_REF_CODES.RV_MEANING_AL1,
PEB_REF_CODES.RV_MEANING_AL2,
PEB_REF_CODES.RV_TYPE
from
PEB_REF_CODES
UNION
select
'PSA' RV_PREFIX,
PSA_REF_CODES.RV_DOMAIN,
PSA_REF_CODES.RV_LOW_VALUE,
PSA_REF_CODES.RV_HIGH_VALUE,
```

```

PSA_REF_CODES.RV_ABBREVIATION,
PSA_REF_CODES.RV_MEANING,
PSA_REF_CODES.RV_MEANING_AL1,
PSA_REF_CODES.RV_MEANING_AL2,
PSA_REF_CODES.RV_TYPE

```

from

```
PSA_REF_CODES
```

UNION

select

```

'PSP' RV_PREFIX,
PSP_REF_CODES.RV_DOMAIN,
PSP_REF_CODES.RV_LOW_VALUE,
PSP_REF_CODES.RV_HIGH_VALUE,
PSP_REF_CODES.RV_ABBREVIATION,
PSP_REF_CODES.RV_MEANING,
PSP_REF_CODES.RV_MEANING_AL1,
PSP_REF_CODES.RV_MEANING_AL2,
PSP_REF_CODES.RV_TYPE

```

from

```
PSP_REF_CODES
```

UNION

select

```

'PGF' RV_PREFIX,
PGF_REF_CODES.RV_DOMAIN,
PGF_REF_CODES.RV_LOW_VALUE,
PGF_REF_CODES.RV_HIGH_VALUE,
PGF_REF_CODES.RV_ABBREVIATION,
PGF_REF_CODES.RV_MEANING,
PGF_REF_CODES.RV_MEANING_AL1,
PGF_REF_CODES.RV_MEANING_AL2,
PGF_REF_CODES.RV_TYPE

```

from

```
PGF_REF_CODES;
```

V.7.3.2.3 Code preview of view REF_CODES

- The preview is empty because of the setting.
- Check the generation option.

V.7.3.2.4 List of diagrams containing the view REF_CODES

Name	Code
PhysicalDiagram_1	REF_CODES_DEFINIZIONE

V.7.3.2.5 List of all dependencies of the view REF_CODES

Name	Code	Class Name

Gip Ref Codes	GIP_REF_CODES	Table
Dizionario PAM_REF_CODES	PAM_REF_CODES	Table
PCW_REF_CODES	PCW_REF_CODES	Table
PEB_REF_CODES	PEB_REF_CODES	Table
Dizionario PEC_REF_CODES	PEC_REF_CODES	Table
PGC_REF_CODES	PGC_REF_CODES	Table
Dizionario PGM_REF_CODES	PGM_REF_CODES	Table
PMT_REF_CODES	PMT_REF_CODES	Table
PPA_REF_CODES	PPA_REF_CODES	Table
PSA_REF_CODES	PSA_REF_CODES	Table
Dizionario PSP_REF_CODES	PSP_REF_CODES	Table

V.7.3.2.6 List of extended attributes of the view REF_CODES

Name	Data Type	Value	Target Name
ExtObjOIDList	(String)		ORACLE Version 8i2 (for Si4)
ExtObjViewType	(String)		ORACLE Version 8i2 (for Si4)
ExtViewForce	(Boolean)	true	ORACLE Version 8i2 (for Si4)

V.8 Synonyms

V.8.1 Synonyms from Package Anagrafe_Matricolare

V.8.1.1 List of synonyms

Name	Code
A_COMPETENZE	A_COMPETENZE
A_COMUNI	A_COMUNI
A_PROVINCIE	A_PROVINCIE
A_REGIONI	A_REGIONI
A_STATI_TERRITORI	A_STATI_TERRITORI

V.8.1.2 Synonym A_COMPETENZE

V.8.1.2.1 Card of synonym A_COMPETENZE

Name	A_COMPETENZE
Code	A_COMPETENZE
Comment	
DBMS	ORACLE Version 8i2 (for Si4)
Type	
Base Object	<None>

V.8.1.2.2 Code preview of synonym A_COMPETENZE

- The preview is empty because of the setting.
- Check the generation option.

V.8.1.3 Synonym A_COMUNI

V.8.1.3.1 Card of synonym A_COMUNI

Name	A_COMUNI
Code	A_COMUNI
Comment	
DBMS	ORACLE Version 8i2 (for Si4)
Type	
Base Object	<None>

V.8.1.3.2 List of all dependencies of the synonym A_COMUNI

Name	Code	Class Name
COMUNI	COMUNI	View

V.8.1.3.3 Code preview of synonym A_COMUNI

- The preview is empty because of the setting.
- Check the generation option.

V.8.1.4 Synonym A_PROVINCIE***V.8.1.4.1 Card of synonym A_PROVINCIE***

Name	A_PROVINCIE
Code	A_PROVINCIE
Comment	
DBMS	ORACLE Version 8i2 (for Si4)
Type	
Base Object	<None>

V.8.1.4.2 List of all dependencies of the synonym A_PROVINCIE

Name	Code	Class Name
COMUNI	COMUNI	View

V.8.1.4.3 Code preview of synonym A_PROVINCIE

- The preview is empty because of the setting.
- Check the generation option.

V.8.1.5 Synonym A_REGIONI***V.8.1.5.1 Card of synonym A_REGIONI***

Name	A_REGIONI
Code	A_REGIONI
Comment	
DBMS	ORACLE Version 8i2 (for Si4)
Type	
Base Object	<None>

V.8.1.5.2 List of all dependencies of the synonym A_REGIONI

Name	Code	Class Name
COMUNI	COMUNI	View

V.8.1.5.3 Code preview of synonym A_REGIONI

- The preview is empty because of the setting.
- Check the generation option.

V.8.1.6 Synonym A_STATI_TERRITORI

V.8.1.6.1 Card of synonym A_STATI_TERRITORI

Name	A_STATI_TERRITORI
Code	A_STATI_TERRITORI
Comment	
DBMS	ORACLE Version 8i2 (for Si4)
Type	
Base Object	<None>

V.8.1.6.2 List of all dependencies of the synonym A_STATI_TERRITORI

Name	Code	Class Name
COMUNI	COMUNI	View

V.8.1.6.3 Code preview of synonym A_STATI_TERRITORI

- The preview is empty because of the setting.
- Check the generation option.

