

Week 4 Quiz

LATEST SUBMISSION GRADE

100%

1. What is produced at the end of this snippet of R code?

1 / 1 point

```
1 set.seed(1)
2 rpois(5, 2)
```

- ☒ A vector with the numbers 1, 1, 2, 4, 1
- ☐ A vector with the numbers 1, 4, 1, 1, 5
- ☐ A vector with the numbers 3.3, 2.5, 0.5, 1.1, 1.7
- ☐ It is impossible to tell because the result is random

✓ **Correct**

Because the `set.seed()` function is used, `rpois()` will always output the same vector in this code.

2. What R function can be used to generate standard Normal random variables?

1 / 1 point

- ☐ pnorm
- ☒ rnorm
- ☐ qnorm
- ☐ dnorm

✓ **Correct**

Functions beginning with the ``r'` prefix are used to simulate random variates.

3. When simulating data, why is using the `set.seed()` function important? Select all that apply.

1 / 1 point

- ☐ It can be used to generate non-uniform random numbers.
- ☒ It can be used to specify which random number generating algorithm R should use, ensuring consistency and reproducibility.

✓ **Correct**

- ☐ It ensures that the sequence of random numbers is truly random.
- ☐ It ensures that the random numbers generated are within specified boundaries.

4. Which function can be used to evaluate the inverse cumulative distribution function for the Poisson distribution?

1 / 1 point

- ☒ qpois
- ☐ ppois
- ☐ dpois
- ☐ rpois



Correct

Probability distribution functions beginning with the `q` prefix are used to evaluate the quantile (inverse cumulative distribution) function.

5. What does the following code do?

1 / 1 point

```
1 set.seed(10)
2 x <- rep(0:1, each = 5)
3 e <- rnorm(10, 0, 20)
4 y <- 0.5 + 2 * x + e
```

- ☐ Generate data from a Poisson generalized linear model
- ☒ Generate data from a Normal linear model
- ☐ Generate uniformly distributed random data
- ☐ Generate random exponentially distributed data



Correct

6. What R function can be used to generate Binomial random variables?

1 / 1 point

- ☐ qbinom
- ☐ dbinom
- ☒ rbinom
- ☐ pbinom



Correct

7. What aspect of the R runtime does the profiler keep track of when an R expression is evaluated?

1 / 1 point

- ☐ the package search list
- ☐ the global environment
- ☒ the function call stack
- ☐ the working directory



Correct

8. Consider the following R code

1 / 1 point

```
1 library(datasets)
2 Rprof()
3 fit <- lm(y ~ x1 + x2)
4 Rprof(NULL)
```

(Assume that y, x1, and x2 are present in the workspace.) Without running the code, what percentage of the run time is spent in the 'lm' function, based on the 'by.total' method of normalization shown in 'summaryRprof()'?

- ☒ 100%
- ☐ 23%
- ☐ It is not possible to tell
- ☐ 50%



Correct

When using 'by.total' normalization, the top-level function (in this case, 'lm()') always takes 100% of the time.

9. When using 'system.time()', what is the user time?

1 / 1 point

- ☐ It is the "wall-clock" time it takes to evaluate an expression
- ☐ It is a measure of network latency
- ☒ It is the time spent by the CPU evaluating an expression
- ☐ It is the time spent by the CPU waiting for other tasks to finish



Correct

10. If a computer has more than one available processor and R is able to take advantage of that, then which of the following is true when using 'system.time()'?

1 / 1 point

- ☐ user time is 0
- ☒ elapsed time may be smaller than user time
- ☐ user time is always smaller than elapsed time
- ☐ elapsed time is 0



Correct