
ASISGUARD

ASISGUARD

About Us

ASISGUARD has high-end engineering capabilities through which the company has developed national and domestic critical solutions, some of which are the first in our country, with Electro-Optical Sight and Border Security Systems, Military Vehicle Electronics Systems, Rotary Wing Armed/Unarmed Drone Systems, Screen System solutions. All systems of ASISGUARD™ such as original hardware design, embedded software design, system engineering are performed by experts in their respective fields and delivered to the end user.

ASISGUARD, with the expertise to design and revise projects and solutions according to customer demands, and to keep the technologies and products it has developed up-to-date; the company has developed a cutting-edge specialization to design image stabilization, moving object tracking, object recognition and classification algorithms by using artificial intelligence and big data technologies.

ASISGUARD, Offering many domestic and national products in the field of defense to Turkiye, NATO and allied countries; constantly considers the needs and satisfaction of internal and external stakeholders, aims to develop its technological and engineering competence and to direct the technologies of the future.

Mission

To contribute to the strengthening of the Turkish Defense Industry with innovative technology and military solutions, to share the developed products and systems with allied countries.

Vision

To become a leading global brand by creating local and global solutions with high value-added critical technologies.

Our untiring soldiers and law-enforcement forces who put their lifes at risk without a second thought have the utmost importance for us. Therefore, we take on the mantle of guardian angel for our army and law enforcement agencies via our domestically and nationally developed technology.

Sınırların Ötesinde Teknoloji
Technology Beyond Borders

A subsidiary of HAVELSAN

AG-D-GCS 2251

YKİ | CONTROL/CONSOLE FAMILY

Ground Control Station

AG-D-GCS-2251 YKİ (GROUND CONTROL STATION)

AG-D-GCS-2251 Ground Control Station (GCS) facilitates the operation of unmanned vehicles, enabling the configuration of semi-autonomous and autonomous driving missions, as well as conducting reconnaissance and imaging tasks. This system is designed for effective use by security personnel and armed forces.



AREAS OF USE

- Control of unmanned vehicles
- Control of payloads on unmanned vehicles
- Reconnaissance and imaging system



GENERAL FEATURES

Accessories

- Carry Case
- Charging Adapter
- Car Charger Adapter
- 2 System Battery

General Features

- 2 pcs 1920 x 1080 px Touch Screen
- 15 Toggle Switches, 32 Push Buttons, 1 5-Way Selection Button
- 3 Axis Joystick with 2 Buttons and 3 Proportional Outputs
- 1 Emergency Stop Button
- Replaceable Lithium- Ion Battery
- Logitech K310 Keyboard

Physical Features

- 120 x 60 x 30 cm (Closed box)/120 x 60 x 80 cm (Open box)

Computer System

- Intel 9th Gen 8 Core 3.5 GHZ Processor
- 32 GB DDR4 Ram
- 1 TB SSD SATA 3.0 Data Storage Disc

Communication System

- Intel 9th Gen 8 Core 3.5 GHZ Processor
- 32 GB DDR4 Ram
- 1 TB SSD SATA 3.0 Data Storage Disc

Computer System

- 3.5 mm Jack Headphone and Microphone Connection
- 2 X USB2.0/2 X USB3.0/4 X Gbps Ethernet
- 8 x SMA Connector (LTE/GPS/WIFI)
- SIM Card Interface
- Operator Recognition Camera
- Charging Socket Interface

Accesories

- Operating Temperature: -20°C, +50°C
- Storage Temperature: -40°C to +60°C
- Environmental Conditions: MIL-STD-810G Compliant
- Voltage Protection: MIL-STD-1275E Compliant
- Protection Level: IP65 (Bag Closed)



AG-H-GCS- 1050

YKİ

Ground Control Station

CONTROL/CONSOLE FAMILY

AG-H-GCS-1050 YKİ (GROUND CONTROL STATION)

AG-H-GCS-1050 Ground Control Station (GCS) allows for the management of unmanned vehicles, including the oversight of semi-autonomous and autonomous driving functions. It also facilitates reconnaissance and imaging operations, making it suitable for deployment in security and military settings.



AREAS OF USE

- Control of unmanned vehicles
- Semi-autonomous and autonomous control
- Reconnaissance and imaging system



GENERAL FEATURES

Accessories

- Carry Case
- Charging Adapter
- Car Charger Adapter
- External Charger
- System Documents
- 2 System Battery

General Features

- 1280 x 800px 10.1” General Features
- 5 pcs Toggle Switch, 18 pcs Push Button
- 2 pcs Proportional Output Finger Joystick
- 1 pc Emergency Stop Button Replaceable Lithium- Ion Battery
- Replaceable Lithium- Ion Battery

Physical Features

- 52.6 x 32.8 x 13.5 cm

Communication System

- Communication via 4G/LTE
- Communication via WIFI
- Ability to communicate via Tactical Link connected to 1000Base-T ethernet port

Computer System

- 4-Core ARM Cortex-A76 MPCore Processor
- 16 GB LPDDR 4X RAM
- 128 GB SSD SATA3.0 Data Storage Disc

Interface

- 3.5 mm Jack Headphone and Microphone Connection
- 2 X USB3.0/1 X Gbps Ethernet
- 3 X SMA Connector (LTE/GNSS/WIFI)
- SIM Card Interface
- D38999 Military Connector with 19V Power Output
- POE Military Interface Connector
- Operator Recognition Camera
- Charging Socket Interface

System Features

- Operating Temperature: -20°C, +50°C
- Storage Temperature: -40°C to +60°CEn-vironmental Conditions: MIL-STD-810G Compliant
- Voltage Protection: MIL-STD-1275E Compliant
- Voltage Protection: MIL-STD-1275E Compliant
- Protection Level: IP65 (Bag Closed)



AG-H-GCS- 1051

YKİ

Ground Control Station

CONTROL/CONSOLE FAMILY

AG-H-GCS-1051 YKİ (GROUND CONTROL STATION)

AG-H-GCS-1051 Ground Control Station (GCS) enables the operation of unmanned vehicles, including the management of semi-autonomous and autonomous driving capabilities, and supports reconnaissance and imaging tasks. It is designed for use in security and military applications.

AREA OF USE

- Control of unmanned vehicles
- Semi-autonomous and autonomous control
- Reconnaissance and imaging system



GENERAL FEATURES

Accessories
Sunshade
Neck Strap
Carrying Strap
Carrying Box
External Adapter

General Features
Domestic / Original Design
Aluminium Mechanical Body
Hand Portable
Safety Precautionary Shooting
System Dimensions: 450*250*10mm
Weight < 4.5kg
Replaceable Li-Ion Battery
Customised datalink integration
Operating Time > 2 hours

Computer System
1920 x 1200 Resolution Display
10.1” Display
1000 Nit Display Brightness
10 Finger Capacitive Touch Screen
Windows 11 Operating System
Intel Core i5-10310U Processor
512 GB SSD
16 GB RAM
8 Functional Button
3 Functional Joystick
2 Functional Round Button
External USB Port
External ETH Port
Military Standard Connector
Operating Voltage: 24V

Meteorological Conditions
Operating Temperature: -10°C ~50°C
Storage Temperature: -10°C ~50°C





ASISGUARD

Detailed Information

sales@asisguard.com.tr
info@asisguard.com.tr

www.asisguard.com.tr