

Loading...

addresses

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Autoincrement Primary Key.	
line1	varchar(100)	No			Line 1 of address.	
line2	varchar(100)	Yes	NULL		Line 2 of address. Optional	
city	varchar(100)	No			city	
state	varchar(100)	No			state	
zip	varchar(10)	No			zip code	
plus_four	varchar(4)	No			plus four code. US specific thing	
country	varchar(50)	No			Country	
country_code	varchar(255)	No			Country Code	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Columnn	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

amendment_histories

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Primary Key. Autoincrement	
amendmentID	int(10)	No		amendments -> id	Foreign key to amendments table.	
created_by	int(10)	No		users -> id	Foreign key to users table.	
amendment_status	int(10)	No			Amendment Status	
amendment_note	text	Yes	NULL		Amendment Note	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname		Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY		BTREE	Yes	No	id	0	A	No	
amendment_histories_amendmentid_foreign		BTREE	No	No	amendmentID	0	A	No	
amendment_histories_created_by_foreign		BTREE	No	No	created_by	0	A	No	

amendments

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Primary Key. Autoincrement	
pid	int(10)	No		patient_datas -> pid	Foreign key to patient_datas table	
created_by	int(10)	No		users -> id	Foreign key to users table. This is the user who created amendment	
modified_by	int(10)	No		users -> id	Foreign key to users table. This is the user who modified amendment	
amendment_date	date	No			Amendment Date	
amendment_status	int(10)	No			Ammendment Status. 0->rejected, 1->accepted, 2->>null	
amendment_by	varchar(255)	No			Amendment requested from	
amendment_desc	text	Yes	NULL		Amendment Description	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
amendments_pid_foreign	BTREE	No	No	pid	0	A	No	
amendments_created_by_foreign	BTREE	No	No	created_by	0	A	No	
amendments_modified_by_foreign	BTREE	No	No	modified_by	0	A	No	

facilities

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
addressID	int(10)	No		addresses -> id	Foreign key to addresses table.	
name	varchar(255)	No			Facility Name	
federal_ein	varchar(255)	No			Tax Identifier for the business.	
phone	varchar(10)	No			Phone Number	
fax	varchar(10)	No			Fax Number	
website	varchar(255)	No			Web Site	
email	varchar(255)	No			Email Id	
service_location	tinyint(1)	No	0		Type of facility that shows up in the encounter form as a Service Location.	
billing_location	tinyint(1)	No	0		Shows up in the form_encounter in the dropdown for Billing Facility.	
accept_assignment	tinyint(1)	No	0		Flag to control payments processing.	
pos_code	int(10)	No			Vital code that is pulled from the Service Facility in an encounter that indicates what type of place of service it is, such as Office, Inpatient Hospital, Home, Mental Health Facility, etc.	
attn	varchar(255)	No			Field of value like Claims Department, or John the Billing Desk Guy	
domain_identifier	varchar(255)	No				
facility_npi	varchar(255)	No			Defines Group National Provider Identifier, or a kind of UUID.	
tax_id_type	varchar(2)	No			Indicates that if it is a Employer ID Number or Personal Tax Number.	
color	varchar(7)	No			To mark the physical location of a appointment is so the user can visually sort them.	
primary_business_entity	varchar(255)	No			Identifies if this facility is a listing for the actual business running everything.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
facilities_addressid_foreign	BTREE	No	No	addressID	0	A	No	

form_aftercare_plans

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	

date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
client_name	varchar(255)	No			Name of Patient.	
admit_date	date	No			Date when patient is admitted	
discharged	date	Yes	NULL		Date when patient is dischanrged.	
goal_a_acute_intoxication	text	Yes	NULL		Look at form UI.	
goal_a_acute_intoxication_I	text	Yes	NULL		Look at form UI.	
goal_a_acute_intoxication_II	text	Yes	NULL		Look at form UI.	
goal_b_emotional_behavioal_conditions	text	Yes	NULL		Look at form UI.	
goal_b_emotional_behavioal_conditions_I	text	Yes	NULL		Look at form UI.	
goal_c_relapse_potential	text	Yes	NULL		Look at form UI.	
goal_c_relapse_potential_I	text	Yes	NULL		Look at form UI.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_aftercare_plans_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_aftercare_plans_pid_foreign	BTREE	No	No	pid	0	A	No	
form_aftercare_plans_userid_foreign	BTREE	No	No	userID	0	A	No	
form_aftercare_plans_provider_index	BTREE	No	No	provider	0	A	No	

form_ankleinjuries

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
date	datetime	No			Date when this form filled.	
ankle_date_of_injury	datetime	No			Date of Injury.	
ankle_work_related	tinyint(1)	No	0		0 -> Off, 1 -> On	
ankle_foot	varchar(255)	Yes	NULL		Which foot is? Left or right?	
ankle_severity_of_pain	varchar(255)	Yes	NULL		Pain Severity	
ankle_significant_swelling	tinyint(1)	No	0		0 -> no significant swelling 1 -> There is significant swelling.	
ankle_onset_of_swelling	varchar(255)	Yes	NULL		When swelling happend? Like within minutes or hours	
ankle_how_did_injury_occur	text	Yes	NULL		Reason for injury.	
ankle_ottawa_bone_tenderness	varchar(255)	Yes	NULL		Bone Tenderness	
ankle_able_to_bear_weight_steps	tinyint(1)	No	0		Whether able to bear weight? 0 -> No 1 -> Yes	
ankle_x_ray_interpretation	varchar(255)	No			Interpretation of X-Ray	
ankle_additional_x_ray_notes	text	Yes	NULL		Additional X-Ray Notes.	

ankle_diagnosis_1	varchar(255)	Yes	NULL		Further Diagnosis.	
ankle_diagnosis_2	varchar(255)	Yes	NULL		Further Diagnosis.	
ankle_diagnosis_3	varchar(255)	Yes	NULL		Further Diagnosis.	
ankle_diagnosis_4	varchar(255)	Yes	NULL		Further Diagnosis.	
ankle_plan	text	No			Prescription by doctor	
ankle_additional_diagnosis	text	Yes	NULL		Additional Diagnosis.	
cpt_codes	varchar(255)	Yes	NULL		CPT Code	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_ankleinjuries_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_ankleinjuries_pid_foreign	BTREE	No	No	pid	0	A	No	
form_ankleinjuries_userid_foreign	BTREE	No	No	userID	0	A	No	
form_ankleinjuries_provider_index	BTREE	No	No	provider	0	A	No	

form_annotate_diagrams

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Autoincrement. Primary Key	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
data	text	Yes	NULL		Annotated Data.	
imagedata	varchar(255)	Yes	NULL		Image Data Dorectoeoy	
dyntitle	varchar(255)	No			Digram name	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_annotate_diagrams_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_annotate_diagrams_pid_foreign	BTREE	No	No	pid	0	A	No	
form_annotate_diagrams_userid_foreign	BTREE	No	No	userID	0	A	No	
form_annotate_diagrams_provider_index	BTREE	No	No	provider	0	A	No	

form_bronchitis

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Autoincrement. Primary Key.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	

userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
bronchitis_date_of_illness	date	No			Bronchitis date of illness.	
bronchitis_hpi	text	Yes	NULL		HPI	
bronchitis_ops_fever	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_cough	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_dizziness	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_chest_pain	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_dyspnea	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_sweating	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_wheezing	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_malaise	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_sputum	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_ops_appearance	text	No			Appearance	
bronchitis_ops_all_reviewed	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_review_of_pmh	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_review_of_allergies	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_review_of_sh	tinyint(1)	No	0		0 -> No 1 -> Yes Social History	
bronchitis_review_of_fh	tinyint(1)	No	0		0 -> No 1 -> Yes Family History	
bronchitis_tms_normal_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_normal_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_nares_normal_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_nares_normal_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_thickened_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_thickened_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_af_level_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_af_level_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_nares_swelling_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_nares_swelling_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_nares_discharge_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_nares_discharge_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_bulging_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_bulging_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_perforated_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_perforated_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_tms_nares_not_examined	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_no_sinus_tenderness	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_oropharynx_normal	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_sinus_tenderness_frontal_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_sinus_tenderness_frontal_left	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_oropharynx_erythema	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_oropharynx_exudate	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_oropharynx_abcess	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_oropharynx_ulcers	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_sinus_tenderness_maxillary_right	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_sinus_tenderness_maxillary_left	tinyint(1)	No	0		0 -> No 1 -> Yes	

bronchitis_oropharynx_appearance	text	Yes	NULL		Oropharnyx Appearance	
bronchitis_sinus_tenderness_not_examined	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_oropharynx_not_examined	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_heart_pmi	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_heart_s3	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_heart_s4	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_heart_click	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_heart_rub	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_heart_murmur	text	Yes	NULL		Murmer	
bronchitis_heart_grade	text	Yes	NULL		Grade	
bronchitis_heart_location	text	Yes	NULL		Location	
bronchitis_heart_normal	tinyint(1)	No	0		0 -> No 1 -> Yes Normal Cardiac Exam	
bronchitis_heart_not_examined	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_bs_normal	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_bs_reduced	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_bs_increased	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_crackles_LLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_crackles_RLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_crackles_BLL	tinyint(1)	No	0		0 -> No 1 -> Yes Bilateral	
bronchitis_lungs_rubs_LLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_rubs_RLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_rubs_BLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_wheezes_LLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_wheezes_RLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_wheezes_BLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_lungs_wheezes_DLL	tinyint(1)	No	0		0 -> No 1 -> Yes	
bronchitis_diagnostic_tests	text	Yes	NULL		0 -> No 1 -> Yes	
diagnosis1_bronchitis_form	varchar(255)	Yes	NULL		Diagnosis_1	
diagnosis2_bronchitis_form	varchar(255)	Yes	NULL		Diagnosis_2	
diagnosis3_bronchitis_form	varchar(255)	Yes	NULL		Diagnosis_3	
diagnosis4_bronchitis_form	varchar(255)	Yes	NULL		Diagnosis_4	
bronchitis_additional_diagnosis	varchar(255)	Yes	NULL		Additional Diagnosis	
bronchitis_treatment	varchar(255)	Yes	NULL		Treatment	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_bronchitis_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_bronchitis_pid_foreign	BTREE	No	No	pid	0	A	No	
form_bronchitis_userid_foreign	BTREE	No	No	userID	0	A	No	
form_bronchitis_provider_index	BTREE	No	No	provider	0	A	No	

form_clinical_instructions

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee	

					sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
instruction	text	Yes	NULL		Instruction Provided.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_clinical_instructions_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_clinical_instructions_pid_foreign	BTREE	No	No	pid	0	A	No	
form_clinical_instructions_userid_foreign	BTREE	No	No	userID	0	A	No	
form_clinical_instructions_provider_index	BTREE	No	No	provider	0	A	No	

form_dictations

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Autoincrement Primary key.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
dictation	text	Yes	NULL		Dictation	
additional_notes	text	Yes	NULL		Additional Notes	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_dictations_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_dictations_pid_foreign	BTREE	No	No	pid	0	A	No	
form_dictations_userid_foreign	BTREE	No	No	userID	0	A	No	
form_dictations_provider_index	BTREE	No	No	provider	0	A	No	

form_encounters

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement.	
facilityID	int(10)	No		facilities -> id	Foreign key to facilities table.	
pid	int(10)	No		patient_datas -> pid	Foreign key to Patients table.	
provider_id	int(10)	No		users -> id	Foreign key to users table.	

date	datetime	No			Date of service.	
reason	text	No			Description of this encounter.	
facility	varchar(255)	No			Facility Name	
encounter	int(10)	No			Encounter id. More relevant to reference.	
onset_date	datetime	No			The date that the patient reports current issue is linked to.	
sensitivity	varchar(30)	No			A flag that restrict access for VIPs or anyone who requests it.	
billing_note	text	Yes	NULL		An accounting note that applies to just this encounter (but not the patient level, or the line-item level.)	
pc_catid	int(10)	No			The encounter category which is actually from the calendar categories for appointment type.	
last_level_billed	int(10)	No	0		Flag that tells you if billed to Primary, Secondary, Tertiary Insurance etc. This should be an incremental flag as payments get processed.	
last_level_closed	int(10)	No	0		Refer as above.	
last_stmt_date	datetime	Yes	NULL		Refer as above.	
stmt_count	int(10)	No			How many statements have been sent out?	
supervisor_id	int(10)	No			Supervising provider. If any for this visit.	
ordering_physician	int(10)	No			Ordering provider. If any for this visit.	
referring_physician	int(10)	No			Referring provider, if any, for this visit.	
contract_physician	int(10)	No			Contract provider, if any, for this visit.	
invoice_refno	varchar(31)	No			Billing stuff.	
referral_source	int(10)	No			Should be an ID from the users table. Can be from an address book entry.	
billing_facility	int(10)	No			Facilities table billing entity.	
external_id	int(10)	Yes	NULL		External ID	
eft_number	int(10)	Yes	NULL		eft number.	
claim_number	varchar(255)	Yes	NULL		Claim Number. Related to insurance.	
document_image	varchar(255)	Yes	NULL		Document of patient.	
seq_number	varchar(255)	Yes	NULL		Sequence Number.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_encounters_encounter_unique	BTREE	Yes	No	encounter	0	A	No	
form_encounters_facilityid_foreign	BTREE	No	No	facilityID	0	A	No	
form_encounters_pid_foreign	BTREE	No	No	pid	0	A	No	
form_encounters_provider_id_foreign	BTREE	No	No	provider_id	0	A	No	
form_encounters_pc_catid_index	BTREE	No	No	pc_catid	0	A	No	
form_encounters_supervisor_id_index	BTREE	No	No	supervisor_id	0	A	No	
form_encounters_ordering_physician_index	BTREE	No	No	ordering_physician	0	A	No	
form_encounters_referring_physician_index	BTREE	No	No	referring_physician	0	A	No	
form_encounters_contract_physician_index	BTREE	No	No	contract_physician	0	A	No	

form_misc_billing_options

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number)	

					then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
employment_related	tinyint(1)	No	0		0 -> No 1 -> Yes	
auto_accident	tinyint(1)	No	0		0 -> No 1 -> Yes	
accident_state	varchar(2)	No			Accident State Code	
other_accident	tinyint(1)	No	0		0 -> No 1 -> Yes	
medicaid_referral_code	varchar(2)	Yes	NULL		Medical Referral Code. In UI it is EPSDT Referral Code.	
epsdt_flag	tinyint(1)	No	0		EPSDT Flag	
provider_qualifier_code	varchar(2)	Yes	NULL		Provider Qualifier Code	
is_outside_lab	tinyint(1)	No	0		Outside Lab Used? 0 -> No 1 -> Yes	
lab_amount	decimal(5,2)	No	0.00		Lab Cost	
is_unable_to_work	tinyint(1)	No	0		Unable to work. 0 -> No 1 -> Yes	
off_work_from	date	Yes	NULL		Date when not able to work.	
off_work_to	date	Yes	NULL		Date till not able to work. It is to be noticed that if this field(and off_work_from) is filled then only is_unable_to_work is true else not.	
is_hospitalised	tinyint(1)	No	0		Is patient hospitalised? 0 -> No 1 -> Yes	
hospitalization_date_from	date	Yes	NULL		Date when hospitalised.	
hospitalization_date_to	date	Yes	NULL		Date till hospitalised. If this and hospitalization_date_from is filled then only is_hospitalised is true.	
medicaid_resubmission_code	varchar(10)	Yes	NULL		ICD9 Code	
medicaid_original_reference	varchar(15)	Yes	NULL		Reference Number	
prior_auth_number	varchar(255)	No			Authorization Number.	
comments	varchar(255)	Yes	NULL		Comment	
replacement_claim	tinyint(1)	No	0		X12 Replacement Claim	
icn_resubmission_number	varchar(255)	No			X12 ICN Resubmission Number	
box_14_date_equal	date	No			onset_date from form_encounter.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_misc_billing_options_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_misc_billing_options_pid_foreign	BTREE	No	No	pid	0	A	No	
form_misc_billing_options_userid_foreign	BTREE	No	No	userID	0	A	No	
form_misc_billing_options_provider_index	BTREE	No	No	provider	0	A	No	

form_notes

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	

note_type	varchar(255)	No			Type of Note. Viz Work Note or School Note.	
message	text	No			Message in Note.	
doctor	varchar(255)	No			Doctor giving this note.	
date_of_signature	date	No			When note created by doctor.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_notes_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_notes_pid_foreign	BTREE	No	No	pid	0	A	No	
form_notes_userid_foreign	BTREE	No	No	userID	0	A	No	
form_notes_provider_index	BTREE	No	No	provider	0	A	No	

form_painmaps

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key Autoincrement.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
data	text	Yes	NULL		Data of annotated form.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_painmaps_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_painmaps_pid_foreign	BTREE	No	No	pid	0	A	No	
form_painmaps_userid_foreign	BTREE	No	No	userID	0	A	No	
form_painmaps_provider_index	BTREE	No	No	provider	0	A	No	

form_physical_exam_diagnoses

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
line_id	varchar(255)	No		form_physical_exams -> line_id	Foreign Key. References form_physical_exams table	
ordering	int(10)	No			Diagnosis Order	
diagnosis	varchar(255)	No			Diagnosis information	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
---------	------	--------	--------	--------	-------------	-----------	------	---------

PRIMARY	BTREE	Yes	No	id	0	A	No	
form_physical_exam_diagnoses_line_id_foreign	BTREE	No	No	line_id	0	A	No	

form_physical_exams

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Autoincrement. Primary Key	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
line_id	varchar(255)	No			A kind of key to be used to refer this form.	
wnl	tinyint(1)	No	0		0 -> No 1 -> Yes	
abn	tinyint(1)	No	0		0 -> No 1 -> Yes	
diagnosis	varchar(255)	Yes	NULL		Diagnosis related to this line	
comments	varchar(255)	Yes	NULL		Comment	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_physical_exams_line_id_unique	BTREE	Yes	No	line_id	0	A	No	
form_physical_exams_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_physical_exams_pid_foreign	BTREE	No	No	pid	0	A	No	
form_physical_exams_userid_foreign	BTREE	No	No	userID	0	A	No	
form_physical_exams_provider_index	BTREE	No	No	provider	0	A	No	

form_prior_auths

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Autoincrement Primary Key.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
prior_auth_number	varchar(35)	No			Auth Number	
comments	varchar(255)	Yes	NULL		Comment.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_prior_auths_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_prior_auths_pid_foreign	BTREE	No	No	pid	0	A	No	
form_prior_auths_userid_foreign	BTREE	No	No	userID	0	A	No	
form_prior_auths_provider_index	BTREE	No	No	provider	0	A	No	

form_reviewofs

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Autoincrement. Primary Key	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
fever	tinyint(1)	No	0			
chills	tinyint(1)	No	0			
night_sweats	tinyint(1)	No	0			
weight_loss	tinyint(1)	No	0			
poor_appetite	tinyint(1)	No	0			
insomnia	tinyint(1)	No	0			
fatigued	tinyint(1)	No	0			
depressed	tinyint(1)	No	0			
hyperactive	tinyint(1)	No	0			
exposure_to_foreign_countries	tinyint(1)	No	0			
cataracts	tinyint(1)	No	0			
cataract_surgery	tinyint(1)	No				
glaucoma	tinyint(1)	No	0			
double_vision	tinyint(1)	No	0			
blurred_vision	tinyint(1)	No	0			
poor_hearing	tinyint(1)	No	0			
headaches	tinyint(1)	No	0			
ringing_in_ears	tinyint(1)	No	0			
bloody_nose	tinyint(1)	No	0			
sinusitis	tinyint(1)	No	0			
sinus_surgery	tinyint(1)	No	0			
dry_mouth	tinyint(1)	No	0			
strep_throat	tinyint(1)	No	0			
tonsillectomy	tinyint(1)	No	0			
swollen_lymph_nodes	tinyint(1)	No	0			
throat_cancer	tinyint(1)	No	0			
throat_cancer_surgery	tinyint(1)	No	0			
heart_attack	tinyint(1)	No	0			
irregular_heart_beat	tinyint(1)	No	0			
chest_pains	tinyint(1)	No	0			
shortness_of_breath	tinyint(1)	No	0			
high_blood_pressure	tinyint(1)	No	0			

heart_failure	tinyint(1)	No	0			
poor_circulation	tinyint(1)	No	0			
vascular_surgery	tinyint(1)	No	0			
cardiac_catheterization	tinyint(1)	No	0			
coronary_artery_bypass	tinyint(1)	No	0			
heart_transplant	tinyint(1)	No	0			
stress_test	tinyint(1)	No	0			
emphysema	tinyint(1)	No	0			
chronic_bronchitis	tinyint(1)	No	0			
interstitial_lung_disease	tinyint(1)	No	0			
shortness_of_breath_2	tinyint(1)	No	0			
lung_cancer	tinyint(1)	No	0			
lung_cancer_surgery	tinyint(1)	No	0			
pneumothorax	tinyint(1)	No	0			
stomach_pains	tinyint(1)	No	0			
peptic_ulcer_disease	tinyint(1)	No	0			
gastritis	tinyint(1)	No	0			
endoscopy	tinyint(1)	No	0			
polyps	tinyint(1)	No	0			
colonoscopy	tinyint(1)	No	0			
colon_cancer	tinyint(1)	No	0			
colon_cancer_surgery	tinyint(1)	No	0			
ulcerative_colitis	tinyint(1)	No	0			
crohns_disease	tinyint(1)	No	0			
appendectomy	tinyint(1)	No	0			
diverticulitis	tinyint(1)	No	0			
diverticulitis_surgery	tinyint(1)	No	0			
gall_stones	tinyint(1)	No	0			
cholecystectomy	tinyint(1)	No	0			
hepatitis	tinyint(1)	No	0			
cirrhosis_of_the_liver	tinyint(1)	No	0			
splenectomy	tinyint(1)	No	0			
kidney_failure	tinyint(1)	No	0			
kidney_stones	tinyint(1)	No	0			
kidney_cancer	tinyint(1)	No	0			
kidney_infections	tinyint(1)	No	0			
bladder_infections	tinyint(1)	No	0			
bladder_cancer	tinyint(1)	No	0			
prostate_problems	tinyint(1)	No	0			
prostate_cancer	tinyint(1)	No	0			
kidney_transplant	tinyint(1)	No	0			
sexually_transmitted_disease	tinyint(1)	No	0			
burning_with_urination	tinyint(1)	No	0			
discharge_from_urethra	tinyint(1)	No	0			
rashes	tinyint(1)	No	0			
infections	tinyint(1)	No	0			
ulcerations	tinyint(1)	No	0			
pemphigus	tinyint(1)	No	0			
herpes	tinyint(1)	No	0			
osteoarthritis	tinyint(1)	No	0			
rheumatoid_arthritis	tinyint(1)	No	0			
lupus	tinyint(1)	No	0			
ankylosing_spondylitis	tinyint(1)	No	0			
swollen_joints	tinyint(1)	No	0			
stiff_joints	tinyint(1)	No	0			

broken_bones	tinyint(1)	No	0			
neck_problems	tinyint(1)	No	0			
back_problems	tinyint(1)	No	0			
back_surgery	tinyint(1)	No	0			
scoliosis	tinyint(1)	No	0			
herniated_disc	tinyint(1)	No	0			
shoulder_problems	tinyint(1)	No	0			
elbow_problems	tinyint(1)	No	0			
wrist_problems	tinyint(1)	No	0			
hand_problems	tinyint(1)	No	0			
hip_problems	tinyint(1)	No	0			
knee_problems	tinyint(1)	No	0			
ankle_problems	tinyint(1)	No	0			
foot_problems	tinyint(1)	No	0			
insulin_dependent_diabetes	tinyint(1)	No	0			
noninsulin_dependent_diabetes	tinyint(1)	No	0			
hypothyroidism	tinyint(1)	No	0			
hyperthyroidism	tinyint(1)	No	0			
cushing_syndrom	tinyint(1)	No	0			
addison_syndrom	tinyint(1)	No	0			
additional_notes	text	Yes	NULL		Notes	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_reviewofs_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_reviewofs_pid_foreign	BTREE	No	No	pid	0	A	No	
form_reviewofs_userid_foreign	BTREE	No	No	userID	0	A	No	
form_reviewofs_provider_index	BTREE	No	No	provider	0	A	No	

form_ros

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Autoincrement Primary Key	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
weight_change	int(10)	No	0			
weakness	int(10)	No	0			
fatigue	int(10)	No	0			
anorexia	int(10)	No	0			
fever	int(10)	No	0			
chills	int(10)	No	0			
night_sweats	int(10)	No	0			

insomnia	int(10)	No	0			
irritability	int(10)	No	0			
heat_or_cold	int(10)	No	0			
intolerance	int(10)	No	0			
change_in_vision	int(10)	No	0			
glaucoma_history	int(10)	No	0			
eye_pain	int(10)	No	0			
irritation	int(10)	No	0			
redness	int(10)	No	0			
excessive_tearing	int(10)	No	0			
double_vision	int(10)	No	0			
blind_spots	int(10)	No	0			
photophobia	int(10)	No	0			
hearing_loss	int(10)	No	0			
discharge	int(10)	No	0			
pain	int(10)	No	0			
vertigo	int(10)	No	0			
tinnitus	int(10)	No	0			
frequent_colds	int(10)	No	0			
sore_throat	int(10)	No	0			
sinus_problems	int(10)	No	0			
post_nasal_drip	int(10)	No	0			
nosebleed	int(10)	No	0			
snoring	int(10)	No	0			
apnea	int(10)	No	0			
breast_mass	int(10)	No	0			
breast_discharge	int(10)	No	0			
biopsy	int(10)	No	0			
abnormal_mammogram	int(10)	No	0			
cough	int(10)	No	0			
sputum	int(10)	No	0			
shortness_of_breath	int(10)	No	0			
wheezing	int(10)	No	0			
hemoptysis	int(10)	No	0			
asthma	int(10)	No	0			
copd	int(10)	No	0			
chest_pain	int(10)	No	0			
palpitation	int(10)	No	0			
syncope	int(10)	No	0			
pnd	int(10)	No	0			
doe	int(10)	No	0			
orthopnea	int(10)	No	0			
peripheal	int(10)	No	0			
edema	int(10)	No	0			
legpain_cramping	int(10)	No	0			
history_murmur	int(10)	No	0			
arrythmia	int(10)	No	0			
heart_problem	int(10)	No	0			
dysphagia	int(10)	No	0			
heartburn	int(10)	No	0			
bloating	int(10)	No	0			
belching	int(10)	No	0			
flatulence	int(10)	No	0			
nausea	int(10)	No	0			
vomiting	int(10)	No	0			

hematemesis	int(10)	No	0			
gastro_pain	int(10)	No	0			
food_intolerance	int(10)	No	0			
hepatitis	int(10)	No	0			
jaundice	int(10)	No	0			
hematochezia	int(10)	No	0			
changed_bowel	int(10)	No	0			
diarrhea	int(10)	No	0			
constipation	int(10)	No	0			
polyuria	int(10)	No	0			
polydypsia	int(10)	No	0			
dysuria	int(10)	No	0			
hematuria	int(10)	No	0			
frequency	int(10)	No	0			
urgency	int(10)	No	0			
incontinence	int(10)	No	0			
renal_stones	int(10)	No	0			
utis	int(10)	No	0			
hesitancy	int(10)	No	0			
dribbling	int(10)	No	0			
stream	int(10)	No	0			
nocturia	int(10)	No	0			
erections	int(10)	No	0			
ejaculations	int(10)	No	0			
g	int(10)	No	0			
p	int(10)	No	0			
ap	int(10)	No	0			
lc	int(10)	No	0			
mearche	int(10)	No	0			
menopause	int(10)	No	0			
lmp	int(10)	No	0			
f_frequency	int(10)	No	0			
f_flow	int(10)	No	0			
f_symptoms	int(10)	No	0			
abnormal_hair_growth	int(10)	No	0			
f_hirsutism	int(10)	No	0			
joint_pain	int(10)	No	0			
swelling	int(10)	No	0			
m_redness	int(10)	No	0			
m_warm	int(10)	No	0			
m_stiffness	int(10)	No	0			
muscle	int(10)	No	0			
m_aches	int(10)	No	0			
fms	int(10)	No	0			
arthritis	int(10)	No	0			
loc	int(10)	No	0			
seizures	int(10)	No	0			
stroke	int(10)	No	0			
tia	int(10)	No	0			
n_numbness	int(10)	No	0			
n_weakness	int(10)	No	0			
paralysis	int(10)	No	0			
intellectual_decline	int(10)	No	0			
memory_problems	int(10)	No	0			
dementia	int(10)	No	0			

n_headache	int(10)	No	0			
s_cancer	int(10)	No	0			
psoriasis	int(10)	No	0			
s_acne	int(10)	No	0			
s_other	int(10)	No	0			
s_disease	int(10)	No	0			
p_diagnosis	int(10)	No	0			
p_medication	int(10)	No	0			
depression	int(10)	No	0			
anxiety	int(10)	No	0			
social_difficulties	int(10)	No	0			
thyroid_problems	int(10)	No	0			
diabetes	int(10)	No	0			
abnormal_blood	int(10)	No	0			
anemia	int(10)	No	0			
fh_blood_problems	int(10)	No	0			
bleeding_problems	int(10)	No	0			
allergies	int(10)	No	0			
frequent_illness	int(10)	No	0			
hiv	int(10)	No	0			
hai_status	int(10)	No	0			
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_ros_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_ros_pid_foreign	BTREE	No	No	pid	0	A	No	
form_ros_userid_foreign	BTREE	No	No	userID	0	A	No	
form_ros_provider_index	BTREE	No	No	provider	0	A	No	

form_soaps

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
subjective	text	Yes	NULL		Subjective Part	
objective	text	Yes	NULL		Objective Part	
assessment	text	Yes	NULL		Assessment Part	
plan	text	Yes	NULL		Nullable Part	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_soaps_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_soaps_pid_foreign	BTREE	No	No	pid	0	A	No	
form_soaps_userid_foreign	BTREE	No	No	userID	0	A	No	
form_soaps_provider_index	BTREE	No	No	provider	0	A	No	

form_track_anything_results

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
track_anything_id	int(10)	No		form_track_anythings -> id	Foreign key to form_track_anythings table.	
itemid	int(10)	No		form_track_anything_types -> id	Foreign key to form_track_anything_types table	
track_timestamp	datetime	No			Timestamp of track created.	
result	varchar(255)	No			Result	
comment	varchar(255)	Yes	NULL		Comment on result.	
notes	varchar(255)	Yes	NULL		Notes	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_track_anything_results_track_anything_id_foreign	BTREE	No	No	track_anything_id	0	A	No	
form_track_anything_results_itemid_foreign	BTREE	No	No	itemid	0	A	No	

form_track_anything_types

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
name	varchar(255)	No			Name of Type.	
description	text	Yes	NULL		Description of Type.	
parent	int(10)	No	0		Parent of any type. This happens in the case when you edit the type and enters a position of another type. Initially it will contain 0 as default value, indicating no parent.	
position	int(10)	No	0		At which position it should appear in the list.	
active	tinyint(1)	No	0		Whether this type is enabled or not. Disable from Configure Track. 0 -> False 1 -> True.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

form_track_anythings

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an	

					encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
procedure_type_id	int(10)	No		form_track_anything_types -> id	Foreign key to form_track_anything_types.	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
comment	varchar(255)	Yes	NULL		Comment	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_track_anythings_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_track_anythings_pid_foreign	BTREE	No	No	pid	0	A	No	
form_track_anythings_userid_foreign	BTREE	No	No	userID	0	A	No	
form_track_anythings_procedure_type_id_foreign	BTREE	No	No	procedure_type_id	0	A	No	
form_track_anythings_provider_index	BTREE	No	No	provider	0	A	No	

form_transfer_summaries

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Auto Increment. Primary Key	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
client_name	varchar(255)	No			This is basically patient name.	
transfer_to	varchar(255)	No			To whom it is transferred?	
transfer_date	date	No			When transfer is done?	
status_of_admission	text	Yes	NULL		State of Admission	
diagnosis	text	Yes	NULL		Diagnosis	
intervention_provided	text	Yes	NULL		Intervention	
overall_status_of_discharge	text	Yes	NULL		Staus of Discharge	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_transfer_summaries_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_transfer_summaries_pid_foreign	BTREE	No	No	pid	0	A	No	
form_transfer_summaries_userid_foreign	BTREE	No	No	userID	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
form_transfer_summaries_provider_index	BTREE	No	No	provider	0	A	No	

form_treatment_plans

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
client_name	varchar(255)	No			Patient Name	
admit_date	date	No			When Patient was Admitted.	
presenting_issues	text	Yes	NULL		Issues	
patient_history	text	Yes	NULL		Patient History	
medications	text	Yes	NULL		Medication	
anyother_relevant_information	text	Yes	NULL		Extra Information	
diagnosis	text	Yes	NULL		Diagnosis Report.	
treatment_received	text	Yes	NULL		Treatment given to Patient.	
recomendation_for_follow_up	text	Yes	NULL		Follow up recomendations.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_treatment_plans_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_treatment_plans_pid_foreign	BTREE	No	No	pid	0	A	No	
form_treatment_plans_userid_foreign	BTREE	No	No	userID	0	A	No	
form_treatment_plans_provider_index	BTREE	No	No	provider	0	A	No	

form_vitals

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Autoincrement. Primary Key	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to form_encounters table.	
pid	int(10)	No		patient_datas -> pid	Foreign Key to patient_datas table.	
userID	int(10)	No		users -> id	Foreign key to users table.	
provider	int(10)	No			Initially provider is set to be user, but when an encounter has a fee sheet filled out (billing table items are associated with that encounter number) then the feesheet sets the Provider fields to equal the Rendering Provider choice in the fee sheet	
date	datetime	No			Date when this form filled.	
authorized	tinyint(1)	No	0		Means a clinician (physician, etc...) has verified this form as part of the client record	
activity	tinyint(1)	No	1		A delete flag. 0 -> Yes 1 -> No	
bps	decimal(5,2)	No	0.00		BP Systolic	

bpd	decimal(5,2)	No	0.00		BP Diastolic	
weight	decimal(5,2)	No	0.00		Weight of Patient.	
height	decimal(5,2)	No	0.00		Height of Person.	
temperature	decimal(5,2)	No	0.00		Temperature	
temp_method	varchar(255)	Yes	NULL		Temp Location	
pulse	decimal(5,2)	No	0.00		Pulse Rate	
respiration	decimal(5,2)	No	0.00		Respiration	
BMI	decimal(5,2)	No	0.00		Body Mass Index	
waist_circ	decimal(5,2)	No	0.00		Waist Circumference	
head_circ	decimal(5,2)	No	0.00		Head Circumference	
oxygen_saturation	decimal(8,2)	No	0.00		Percentage Oxygen Saturation	
external_id	int(10)	Yes	NULL		To hold an ID number from some other system, such as another EHR, an assigned ID that exists on a proprietary medical device or the like.	
note	text	Yes	NULL		Note	
BMI_status	text	Yes	NULL		BMI status.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
form_vitals_encounter_foreign	BTREE	No	No	encounter	0	A	No	
form_vitals_pid_foreign	BTREE	No	No	pid	0	A	No	
form_vitals_userid_foreign	BTREE	No	No	userID	0	A	No	
form_vitals_provider_index	BTREE	No	No	provider	0	A	No	

forms

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement	
date	datetime	No			Date when a new form is registered with that particular user encounter.	
encounter	int(10)	No		form_encounters -> encounter	Foreign key to encounter table.	
pid	int(10)	No		patient_datas -> pid	Foreign key to patients table.	
userID	int(10)	No		users -> id	Foreign key to users table. User who is registering form.	
form_name	varchar(255)	No			Name of form, like bronchitis, ankle injury, etc.	
form_id	int(10)	No			Id of form which is related to that encounter. Basically this is like, an encounter for a particular patient can have many forms and a single form can be related to other patient as well.	
authorized	tinyint(1)	No	0		Is form authorized by physician or doctor? 0 -> No, 1 -> yes	
deleted	tinyint(1)	No	0		Is form deleted from patient encounter? 0 -> No, 1 -> yes	
formdir	text	Yes	NULL		Directory of form.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
forms_encounter_foreign	BTREE	No	No	encounter	0	A	No	
forms_pid_foreign	BTREE	No	No	pid	0	A	No	
forms_userid_foreign	BTREE	No	No	userID	0	A	No	
forms_form_id_index	BTREE	No	No	form_id	0	A	No	

libreehr_calendar_categories

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No				
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

libreehr_calendar_events

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No				
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

migrations

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No				
migration	varchar(255)	No				
batch	int(11)	No				

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	44	A	No	

password_resets

Column	Type	Null	Default	Links to	Comments	MIME
email	varchar(255)	No				
token	varchar(255)	No				
created_at	timestamp	Yes	NULL			

Indexes

Keyname		Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
password_resets_email_index		BTREE	No	No	email	0	A	No	

patient_contact_communications

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Primary key Auto Increment	
pid	int(10)	No		patient_datas -> pid	creates foreign key to link patient_datas table.	
contactId	int(10)	No		patient_contacts -> id	creates foreign key to link patient_contacts table.	
mailMode	tinyint(1)	No	0		Allow through email. Initially set to be 0. Previously hippa_mail.	
voiceMode	tinyint(1)	No	0		Allow voice message. Initially set to be 0. Previously hippa_voice.	

message	varchar(255)	No			What message to be sent. Previously hippa_message.	
messageMode	tinyint(1)	No	0		Allow text sms. Initially set to be 0. Previously hippa_allowsms.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_contact_communications_pid_foreign	BTREE	No	No	pid	0	A	No	
patient_contact_communications_contactid_foreign	BTREE	No	No	contactId	0	A	No	

patient_contact_links

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement.	
contactsId	int(10)	No		patient_contacts -> id	This will be foreign key to link patient_contacts table.	
pid	int(10)	No		patient_datas -> pid	Foreign key to patient_datas table.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_contact_links_contactsid_foreign	BTREE	No	No	contactsId	0	A	No	
patient_contact_links_pid_foreign	BTREE	No	No	pid	0	A	No	

patient_contacts

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key, Autoincrement	
providerId	int(11)	No			Provider Id	
refProviderId	int(11)	No			Reference Provider Id	
home_phone	varchar(10)	No			Contact home phone	
work_phone	varchar(10)	No			Contact business phone	
contact_phone	varchar(10)	No			Personal contact phone number.	
contact_relationship	varchar(100)	No			what relationship does contact have with patient.	
patient_email	varchar(100)	No			Additional field added. Contact email id.	
county	varchar(10)	No			county	
country_code	varchar(10)	No			country code of patient.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_contacts_patient_email_unique	BTREE	Yes	No	patient_email	0	A	No	

patient_datas

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key Autoincrement.	
pid	int(10)	No			pid is patient id. More reasonable in case of medical information.	
title	varchar(5)	No			title viz Mr., Ms., Mrs., etc.	
occupation	varchar(255)	No			occupation of patient.	
industry	varchar(255)	No			industry in which patient work.	

addressId	int(10)	No		addresses -> id	This will be used as foreign key for address linking to patient.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_datas_pid_unique	BTREE	Yes	No	pid	0	A	No	
patient_datas_addressid_foreign	BTREE	No	No	addressId	0	A	No	

patient_employers

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Primary Key. Autoincrement.	
pid	int(10)	No		patient_datas -> pid	Foreign key to patient_datas table.	
addressId	int(10)	No		addresses -> id	To create link with addresses table.	
name	varchar(100)	No			Employers Name	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_employers_addressid_foreign	BTREE	No	No	addressId	0	A	No	
patient_employers_pid_foreign	BTREE	No	No	pid	0	A	No	

patient_face_sheets

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Autoincrement Primary Key	
pid	int(10)	No		patient_datas -> pid	Foreign key to patient_datas table.	
f_name	varchar(100)	No			First Name of patient.	
m_name	varchar(100)	Yes	NULL		Middle Name of Patient. Optional	
l_name	varchar(100)	No			Last Name of Patient	
DOB	date	No			Date of Birth of Patient.	
marietal_status	varchar(10)	No			Marietal Status of Patient.	
license_id	varchar(255)	No			License Id of patient.	
email	varchar(255)	No			Email Id of Patient	
sex	varchar(6)	No			Sex of Patient	
billing_note	text	Yes	NULL		Billing Note	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_face_sheets_license_id_unique	BTREE	Yes	No	license_id	0	A	No	
patient_face_sheets_email_unique	BTREE	Yes	No	email	0	A	No	
patient_face_sheets_pid_foreign	BTREE	No	No	pid	0	A	No	

patient_privacy_contacts

Column	Type	Null	Default	Links to	Comments	MIME
id <i>(Primary)</i>	int(10)	No			Primary Key. Autoincrement	

pid	int(10)	No		patient_datas -> pid	Foreign key to patient_datas table.	
contactId	int(10)	No		patient_contacts -> id	Foreign key to patient_contacts table.	
allow_patient_portal	tinyint(1)	No	0		Allow patient portal. Initially allowed to be false.	
allow_health_info_ex	tinyint(1)	No	0		Allow health information exchange. Initially allowed to be false.	
allow_imm_info_share	tinyint(1)	No	0		Allow immunization information share. Initially allowed to be false.	
allow_imm_reg_use	tinyint(1)	No	0		Allow immunization registration info. Initially allowed to be false.	
vfc	tinyint(1)	No	0		Allow vfc. Initially allowed to be false.	
secure_email	varchar(100)	No			Previously email_direct. Secure email of patient.	
deceased_reason	varchar(100)	Yes	NULL		Reason for deaceasing.	
deceased_date	date	Yes	NULL		Deceased date	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_privacy_contacts_pid_foreign	BTREE	No	No	pid	0	A	No	
patient_privacy_contacts_contactid_foreign	BTREE	No	No	contactId	0	A	No	

patient_social_statistics

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary key Autoincrement.	
pid	int(10)	No		patient_datas -> pid	Foreign key to patient_datas table.	
ethnicity	varchar(255)	No			Ethnicity.	
religion	varchar(255)	No			Religion	
interpreter	varchar(255)	No			Interpreter	
migrant_seasonal	varchar(255)	No			Whetehr Migrant or Seasonal?	
family_size	int(11)	No			Family Size of Patient	
monthly_income	decimal(5,2)	No			Mothly income of patient.	
homeless	tinyint(1)	No	0		Is homeless or not? 0 -> No 1 -> Yes	
financial_review	datetime	No			Financial Review Date	
language	varchar(100)	No			Language.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
patient_social_statistics_pid_foreign	BTREE	No	No	pid	0	A	No	

user_addr_books

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary Key. Auto Increment.	
userID	int(10)	No		users -> id	Foreign key to linke users table.	
title	varchar(10)	No			Title	
email	varchar(255)	No			Email Id of user. Earlier we had two fields email and email_direct. Taking one email id.	
url	varchar(255)	No			User website url.	

assistant	varchar(255)	No			Assistant	
organization	varchar(255)	No			User Organization	
valedictory	varchar(255)	No			Field that should be converted to something to store credentials, like M.D., so that you do not get user and provider last names like Gupta M.D.	
speciality	varchar(255)	No			User Speciality like physician, etc.	
notes	text	Yes	NULL		To store user notes.	
abook_type	varchar(255)	No			Address Book Type	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_addr_books_email_unique	BTREE	Yes	No	email	0	A	No	
user_addr_books_userid_foreign	BTREE	No	No	userID	0	A	No	

user_communications

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary key. Autoincrement	
userID	int(10)	No		users -> id	Used to create link with users table.	
contact_number	varchar(255)	No			Contact number.	
type	int(11)	No			Contact Number Type. 0 -> home_phone 1 -> work_phone 2 -> mobile 3 -> fax 4 -> alternate_work_phone	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_communications_userid_foreign	BTREE	No	No	userID	0	A	No	

user_facility_links

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary Key. Autoincrement	
userID	int(10)	No		users -> id	Foreign key to users table.	
facilityId	int(10)	No		facilities -> id	Foreign key to facilities table.	
isDefault	tinyint(1)	No	0		Is the current facility default? Note that it must be updated if any edit in UI.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_facility_links_userid_foreign	BTREE	No	No	userID	0	A	No	
user_facility_links_facilityid_foreign	BTREE	No	No	facilityId	0	A	No	

user_password_histories

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary Key. Autoincrement	

userID	int(10)	No		users -> id	To create link with users table.	
password	varchar(255)	No			Store password.	
last_update	timestamp	No	CURRENT_TIMESTAMP		Store timestamp of last updated password.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_password_histories_userid_foreign	BTREE	No	No	userID	0	A	No	

user_resedential_links

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary Key. Autoincrement.	
addressID	int(10)	No		addresses -> id	To create link with addresses table.	
userID	int(10)	No		users -> id	To create link with user_infos table.	
type	int(11)	No	0		What type of address is? 0 -> primary address 1 -> alternate address.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_resedential_links_addressid_foreign	BTREE	No	No	addressID	0	A	No	
user_resedential_links_userid_foreign	BTREE	No	No	userID	0	A	No	

user_secures

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Auto increment primary key of table.	
userID	int(10)	No		users -> id	To be used as foreign key to users.	
username	varchar(255)	No			username of user.	
password	varchar(255)	No			Password of user.	
active	tinyint(1)	No	0		Is user active? 0 -> No, 1 -> Yes.	
authorized	tinyint(1)	No	0		Is user authorised? 0 -> No, 1 -> Yes.	
pwd_expiration_date	timestamp	No	CURRENT_TIMESTAMP		Set password expiration date. Initially it is set from globals.	
remember_token	varchar(100)	Yes	NULL		Remember me token. Can be dropped if not used.	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_secures_username_unique	BTREE	Yes	No	username	0	A	No	
user_secures_userid_foreign	BTREE	No	No	userID	0	A	No	

user_settings

Column	Type	Null	Default	Links to	Comments	MIME
id (Primary)	int(10)	No			Primary key. Autoincrement.	
userID	int(10)	No		users -> id	To create foreign key to users table	
setting_label	varchar(255)	No			Setting Label	

setting_value	int(11)	No			Setting Value	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
user_settings_userid_foreign	BTREE	No	No	userID	0	A	No	
user_settings_setting_label_index	BTREE	No	No	setting_label	0	A	No	

users

Column	Type	Null	Default	Links to	Comments	MIME
id (<i>Primary</i>)	int(10)	No			Primary Key. Autoincrement.	
fname	varchar(255)	No			User First Name. Required.	
mname	varchar(255)	Yes	NULL		User Middle Name. Null allowed.	
lname	varchar(255)	No			User Last Name. Required.	
federalTaxId	varchar(255)	No			Federal Tax ID.	
federalDrugId	varchar(255)	No			Federal Drug ID. DEA Number	
see_auth	int(11)	No			See Authorization. 0 -> None 1 -> All 2 -> Only Mine	
npi	int(11)	No			National Provider Identifier.	
suffix	varchar(255)	No			User Suffix	
taxonomy	varchar(255)	No			Taxonomy	
calendar_ui	varchar(255)	No			Calendar Preference. viz Outlook, Original and Fancy	
info	text	Yes	NULL		Information About User.	
newcrop_user_role	varchar(255)	No			Role of created user. Like admin, nurse, doctor, etc.	
access_control	varchar(255)	No			Access Control of user. Viz Accounting, Administrators, Clinicians, etc.	
inCalendar	tinyint(1)	No	1		If user wants calendar or not. 0 -> No 1 -> Yes	
created_at	timestamp	Yes	NULL			
updated_at	timestamp	Yes	NULL			

Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
users_federaltaxid_unique	BTREE	Yes	No	federalTaxId	0	A	No	
users_federaldrugid_unique	BTREE	Yes	No	federalDrugId	0	A	No	