SHOULD BE REPLACED ON REQUIRED TITLE PAGE

## *Instruction*

1. Open needed docx template (folder "title"/<your department or bach if bachelor student>.docx).

2. Put Thesis topic, supervisor's and your name in appropriate places on both English and Russian languages.

3. Put current year (last row).

4. Convert it to "title.pdf," replace the existing one in the root folder.

# Contents

**1 Introduction** **7**

1.1 Spacing & Type . . . . . 7

1.1.1 Creating a Subsection . . . . . 8

1.2 Theorems, Corollaries, Lemmas, Proofs, Remarks, Definitions and Examples . . . . . 10

1.3 Optional table of contents heading . . . . . 11

**2 Literature Review** **12**

2.1 Another Section . . . . . 13

**3 Methodology** **17**

**4 Implementation** **19**

**5 Evaluation and Discussion** **20**

**6 Conclusion** **21**

**Bibliography cited** **22**

**A Extra Stuff** **23**

**B Even More Extra Stuff 24**

# List of Tables

1.1 This is the title I want to appear in the List of Tables . . . . . 8

2.1 This is the title I want to appear in the List of Tables . . . . . 14

3.1 This is the title I want to appear in the List of Tables . . . . . 17

# List of Figures

1.1 One kernel at $x_s$ (*dotted kernel*) or two kernels at $x_i$ and $x_j$ (*left and right*) lead to the same summed estimate at $x_s$. This shows a figure consisting of different types of lines. Elements of the figure described in the caption should be set in italics, in parentheses, as shown in this sample caption. . . . . 9

2.1 One kernel at $x_s$ (*dotted kernel*) or two kernels at $x_i$ and $x_j$ (*left and right*) lead to the same summed estimate at $x_s$. This shows a figure consisting of different types of lines. Elements of the figure described in the caption should be set in italics, in parentheses, as shown in this sample caption. . . . . 15

## Abstract

My abstract starts from here.

# Chapter 1

# Introduction

## 1.1 Spacing & Type

This is a section. This is a citation without brackets. and this is one with brackets [1]. Multiple [1]–[3] Here's a reference to a subsection: 1.1.1. Citation of an online article [4]. Citation of an online proceeding [5]. The body of the text and abstract must be double-spaced except for footnotes or long quotations. Fonts such as Times Roman, Bookman, New Century Schoolbook, Garamond, Palatine, and Courier are acceptable and commonly found on most computers. The same type must be used throughout the body of the text. The font size must be 10 point or larger and footnotes[1] must be two sizes smaller than the text[2] but no smaller than eight points. Chapter, section, or other headings should be of a consistent font and size throughout the ETD, as should labels for illustrations, charts, and figures.

[1] This is a footnote.

[2] This is another footnote.

### 1.1.1 Creating a Subsection

#### Creating a Subsubsection

#### Creating a Subsubsection

#### Creating a Subsubsection

**This is a heading level below subsubsection** And this is a quote:

> Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is a table:

TABLE 1.1
This Is a Table Example

| A | B | C |
|---|---|---|
| a1 | b1 | c1 |
| a2 | b2 | c2 |
| a3 | b3 | c3 |
| a4 | b4 | c4 |



Fig. 1.1. One kernel at $x_s$ (*dotted kernel*) or two kernels at $x_i$ and $x_j$ (*left and right*) lead to the same summed estimate at $x_s$. This shows a figure consisting of different types of lines. Elements of the figure described in the caption should be set in italics, in parentheses, as shown in this sample caption.

---

The package "upgreek" allows us to use non-italicized lower-case greek letters. See for yourself: $\upbeta$, $\upbeta$, $\beta$, $\beta$. Next is a numbered equation:

$$\|\boldsymbol{X}\|_{2,1} = \underbrace{\sum_{j=1}^{n} f_j(\boldsymbol{X})}_{\text{convex}} = \sum_{j=1}^{n} \|\boldsymbol{X}_{\cdot,j}\|_2 \tag{1.1}$$

The reference to equation (1.1) is clickable.

## 1.2 Theorems, Corollaries, Lemmas, Proofs, Remarks, Definitions,and Examples

**Theorem 1.** *Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.*

*Proof.* I'm a (very short) proof. □

**Lemma 1.** *I'm a lemma.*

**Corollary 1.** *I include a reference to Thm. 1.*

**Proposition 1.** *I'm a proposition.*

*Remark.* I'm a remark.

**Definition 1.** I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition. I'm a definition.

*Example.* I'm an example.

## 1.3 Section with linebreaks in the name

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

# Chapter 2

# Literature Review

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be

written in of the original language. There is no need for special content, but the length of words should match the language.

## 2.1 Another Section

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

With the widespread of computing systems, information processing, and net working, the practice of replacing paper documentation to electronic documentation has become more and more common. Electronic documentation within the workplace has several advantages over the traditional one, such as being easy to share, copy and edit the document. However, these advantages also present a problem. A malefactor, having access to the system, can easily copy and leak the document, without leaving any trace. Such actions are virtually undetectable in most systems, so, the malefactor goes unpunished. In this thesis, we propose one solution to the problem: digital watermarking.

Every electronic document within the protected system is marked with an invisible digital watermark, containing information about the user, accessing this particular document. Therefore, in case the protected company discovers the leaked document, they will be able to identify the machine of the malicious person and time when the document was leaked. This will allow inflicting punishment on the malefactor, recovering the costs of the leak, and potentially preventing future ones.

TABLE 2.1
Simulation Parameters

| A | B |
|---|---|
| **Parameter** | **Value** |
| Number of vehicles | $\mid \mathcal{V} \mid$ |
| Number of RSUs | $\mid \mathcal{U} \mid$ |
| RSU coverage radius | 150 m |
| V2V communication radius | 30 m |
| Smart vehicle antenna height | 1.5 m |

| A | B |
|---|---|
| RSU antenna height | 25 m |
| Smart vehicle maximum speed | $v_{max}$ m/s |
| Smart vehicle minimum speed | $v_{min}$ m/s |
| Common smart vehicle cache capacities | $[50, 100, 150, 200, 250]$ mb |
| Common RSU cache capacities | $[5000, 1000, 1500, 2000, 2500]$ mb |
| Common backhaul rates | $[75, 100, 150]$ mb/s |



Fig. 2.1. One kernel at $x_s$ (*dotted kernel*) or two kernels at $x_i$ and $x_j$ (*left and right*) lead to the same summed estimate at $x_s$. This shows a figure consisting of different types of lines. Elements of the figure described in the caption should be set in italics, in parentheses, as shown in this sample caption.

This description implies several essential properties of the task at hand:

1. Watermark must contain all necessary information, but still, be placeable and recognizable even on smaller images. The produced watermark must be compact but have the possibility to store enough information.

2. To prevent easy tampering, the watermark must be invisible to the naked eye (and, preferably, to basic image parsing tools). If malefactor does not know about the existence of watermark, they might not even try to remove it and disable it.

# Chapter 3

# Methodology

Referencing other chapters 2, 3, 4, 5 and 6

TABLE 3.1
Simulation Parameters

| A | B |
|---|---|
| **Parameter** | **Value** |
| Number of vehicles | $\mid \mathcal{V} \mid$ |
| Number of RSUs | $\mid \mathcal{U} \mid$ |
| RSU coverage radius | 150 m |
| V2V communication radius | 30 m |
| Smart vehicle antenna height | 1.5 m |
| RSU antenna height | 25 m |
| Smart vehicle maximum speed | $v_{max}$ m/s |
| Smart vehicle minimum speed | $v_{min}$ m/s |
| Common smart vehicle cache capacities | $[50, 100, 150, 200, 250]$ mb |
| Common RSU cache capacities | $[5000, 1000, 1500, 2000, 2500]$ mb |

| A | B |
|---|---|
| Common backhaul rates | $[75, 100, 150]$ mb/s |

...

# Chapter 4

# Implementation

...

# Chapter 5

# Evaluation and Discussion

...

# Chapter 6

# Conclusion

...

# Bibliography cited


[1] A. A. Aardvark, "Article title," *Journal Title*, vol. 1, no. 1, pp. 1–8, 1900.

[2] P. Sweetser, "Title of chapter in the book," in *Title of Published Book*, 1st ed., Hingham, Massachusetts, USA: Charles River Media, 2004, pp. 627–637.

[3] A. A. Abramson, B. B. Barbie, and C. C. Rider, "Article title," *Journal Three*, vol. 1, no. 1, pp. 192–244, 1900.

[4] J.K.Author, "Article title," *Journal Three*, vol. 1, no. 1, pp. 192–244, Jun. 1900, Accessed: June 19, 2005. doi: 10.1109/TTHZ.2016.2544142. [Online]. Available: https://ieeexplore.ieee.org/document/7463081.

[5] J. K. Author, "Title of paper," in *Abbreviated Name of Conf.*, 1900, pp. 16–19. Accessed: June 19, 2005. [Online]. Available: http://www.computer.org/csdl/proceedings/dac/2003/2394/00/2394001-abs.html.

# Appendix A

# Extra Stuff

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

# Appendix B

# Even More Extra Stuff

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.