

```
Query  Query History
1  --numero1 - Insertar propietario
2  insert into owners(First_name, last_name, company_name, email,phone, country)
3  values('Liduvina','Ponce','alojamientos S.A.','edlidu2712@gmail.com','71124061',
```

```
Query  Query History
4
5  --numero2 - Insertar alojamiento
6  --insert into accomodations(name, address, description, image, created_at, updated_at)
7  --values('Hotel camino Real','Sonsacate, Sonsonate','Habitaciones cómodas y piscina','edlidu2712@gmail
```

```
Query  Query History
9  --numero3 - Registra huesped y reserva
10 /*insert into guests(first_name, last_name, email,phone, date_of_birth, nationality, passport_number
11 emergency_contact_name,
12 emergency_contact_phone,
13 created_at,
14 updated_at)
15 values('Liduvina','Ponce','edelmira.duran.publicos711@clases.edu.sv',
16 '22906318','1975-12-27','Salvadoreña',
17 '002807953',
18 'Ingrid de Elías',
19 '70488936',
20 NOW(),
21 NOW())
22 );
23 */
```

```
25 -- Paso3: Registrar la reserva vinculada a ese huésped y al alojamiento
26 --Insertar el estado 'Confirmado' en la tabla maestra (si ya existe, puedes saltar este paso)'bookin
27 --insert into booking_statuses(booking_status_id, status_name, description)
28 --values(
29 --1,'Confirmado','La reserva ha sido pagada o asegurada por el huésped')
```

```
32 --numero 4- Insertar pago (registrar pago)
33 insert into payments(booking_id, payment_date, amount,
34 payment_method, payment_status,
35 transaction_reference,
36 notes, created_at)
37 values(1,NOW(),350.00,'Tarjeta de Crédito','Completado','Es-2026-123456',
38 'Pago completado por la estancia de 5 noches',
39 NOW());
40
```

```
41 --numero5 - Alojamientos activos(filtrar activos)
42 select accommodation_id, name, base_price_per_night, currency_code
43 from accomodations
44 where is_active=TRUE;
```

Tables (14)		Data Output		Messages		Notifications	
- accommodation_amenities - accommodation_types - accommodations - Columns (16) - accommodation_id bigint - owner_id bigint - accommodation_type_id bigint - location_id bigint - name character varying (150) - description text - max_guests integer - bedroom_count integer - bathroom_count integer - base_price_per_night numeric (10,2) - currency_code character (3)							
		accommodation_id [PK] bigint	name character varying (150)	base_price_per_night numeric (10,2)	currency_code character (3)		
1		1	Rustic Lodge Ville	354.37	USD		
2		2	Rustic Hideaway Ville	129.59	USD		
3		3	Boutique Retreat Ville	230.50	BRL		
4		5	Panoramic Stay Ville	560.30	USD		
5		6	Rustic Getaway de la Monta...	306.16	MXN		
6		7	Panoramic Getaway dan	285.34	BRL		
7		8	Cozy Lodge Ville	44.03	MXN		
8		9	Boutique Nest boeuf	445.08	GBP		
9		10	Rustic Lodge boeuf	523.75	EUR		
10		11	Boutique Stay Ville	142.75	USD		
11		12	Rustic Retreat Ville	309.56	MXN		

```

57 --numero6 SELECT - Huéspedes por país(filtrar por nacionalidad)
58 --
59 select guest_id, first_name, last_name, email
60 from guests
61 where nationality='Salvadoreña';
62

```

bookings		Data Output		Messages		Notifications	
- Columns (19) - booking_id bigint - guest_id bigint - accommodation_id bigint - room_id bigint - booking_status_id int - check_in_date date - check_out_date date - adult_count integer - child_count integer - total_nights integer - subtotal_amount numeric							
		booking_id [PK] bigint	accommodation_id bigint	guest_id bigint	check_in_date date	check_out_date date	
1		20	7	33	2026-06-17	2026-06-29	
2		50	15	72	2026-06-25	2026-07-04	
3		64	18	87	2026-06-23	2026-06-29	

```

62 -- numero7 SELECT - Reservas por fechas
63
64 select booking_id, accommodation_id, guest_id, check_in_date, check_out_date
65 from bookings
66 where check_in_date BETWEEN '2026-06-01' AND '2026-06-30'

```

```
70 --numero8 UPDATE - Actualizar precio
71 update accommodations
72 set
73     base_price_per_night=175.00,
74     updated_at=NOW()
75 where
76     accommodation_id=1
77
78
79
80
81
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 134 msec.

```
78 --numero9 UPDATE (Estado reserva) Actualizar estado
79 --
80 update bookings
81 set booking_status_id=2
82 where booking_id=1;
83
84
85
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 44 msec.

```
87 -- numero10 DELETE Elimina reseña
88 update bookings
89 set booking_status_id=2
90 where booking_id=1;
91
92 --numero10 DELETE Eliminar reseña DELETE WHERE
93
94 delete from reviews
95 where review_id=4;
96
97
```

Data Output Messages Notifications

DELETE 0

Query returned successfully in 129 msec.

```
89 --numero10 DELETE Eliminar reseña DELETE WHERE
90 delete from reviews
91 where review_id=4;
92
93 -- 10. DELETE - Eliminar reseñas con baja calificación
94 DELETE FROM reviews
95 WHERE rating = 1;
96
```

bookings

Columns (19)

booking_id bigint

guest_id bigint

accommodation_id bigint

room_id bigint

booking_status_id integer

check_in_date date

check_out_date date

adult_count integer

child_count integer

total_nights integer

subtotal_amount numeric(10,2)

tax_amount numeric(10,2)

discount_amount numeric(10,2)

total_amount numeric(10,2)

special_requests text

booking_reference character varying(50)

booked_at timestamp

created_at timestamp

updated_at timestamp

Constraints

Indexes

Query

Query History

```
--numero11 JOIN Reservas + huésped INNER JOIN
select
b.booking_id,
b.check_in_date,
b.check_out_date,
g.first_name,
g.last_name,
g.email
FROM bookings b
INNER JOIN guests g ON b.guest_id = g.guest_id;
```

Data Output

Messages

Notifications

Showing rows: 1 to 100

Page No: 1 of 1

	booking_id bigint	check_in_date date	check_out_date date	first_name character varying (100)	last_name character varying (100)	email character varying (150)
1	2	2025-06-08	2025-06-16	Karl-Josef	Louis	bernwardputz@example.com
2	3	2025-06-11	2025-06-25	Irmtraut	Hettner	jordan10@example.com
3	4	2025-05-27	2025-05-29	Henri	Schmidtke	schneidereric@example.com
4	5	2025-07-31	2025-08-03	Claude	Miller	mauriciomoliner@example.net
5	6	2026-04-08	2026-04-21	Thomas	Gutiérrez	hurtadocarolina@example.net
6	7	2026-05-16	2026-05-26	Tiburcio	Acuña	mireiagiralt@example.net
7	8	2025-11-02	2025-11-12	Isaac	Cotto	grauseverino@example.com

Total rows: 100 Query complete 00:00:00.137 CRLF Ln 96

accommodations

Columns (16)

accommodation_id bigint

owner_id bigint

accommodation_type_id integer

location_id bigint

name character varying(100)

description text

max_guests integer

bedroom_count integer

bathroom_count integer

base_price_per_night numeric(10,2)

currency_code character varying(3)

check_in_time time

check_out_time time

is_active boolean

created_at timestamp

updated_at timestamp

Constraints

Indexes

RLS Policies

Rules

Triggers

Query

Query History

--numero12 JOIN - Alojamiento completo (INNER JOIN múltiple)
SELECT
a.accommodation_id,
a.name AS accommodation_name,
t.type_name AS accommodation_type,
o.first_name AS owner_first_name,
o.last_name AS owner_last_name,
o.email AS owner_email
FROM accommodations a
INNER JOIN accommodation_types t ON a.accommodation_type_id = t.accommodation_type_id
INNER JOIN owners o ON a.owner_id = o.owner_id;

Data Output

Messages


Notifications

Showing rows: 1 to 20

Page No: 1 of 1

	accommodation_id bigint	accommodation_name character varying (150)	accommodation_type character varying (50)	owner_first_name character varying (100)	owner_last_name character varying (100)	owner_email character varying (255)
1	2	Rustic Hideaway Ville	Hostel	Ismael	Jacquot	victoria95@example.com
2	3	Boutique Retreat Ville	Resort	Ignacio	Stafford	jbinner@example.com
3	4	Modern Escape Ville	House	Ignacio	Stafford	jbinner@example.com
4	5	Panoramic Stay Ville	House	Ignacio	Stafford	jbinner@example.com
5	6	Rustic Getaway de la Montaña	Apartment	Zacharie	Hethur	jessica99@example.com
6	7	Panoramic Getaway dan	Guesthouse	Miguel Ángel	Hodge	de-sousaemma@example.com

Total rows: 20 Query complete 00:00:00.155 CRLF Ln 108, Col 12



payments

Columns (9)

- payment_id bigint
- booking_id bigint
- payment_date timestamp
- amount numeric(10,2)
- payment_method character varying(50)
- payment_status character varying(50)
- transaction_reference character varying(50)
- notes text
- created_at timestamp

Constraints

Indexes

RLS Policies

Rules

Triggers

reviews

Columns (9)

- review_id bigint
- booking_id bigint
- guest_id bigint
- accommodation_id bigint
- rating integer

Query

```
--numero13 JOIN - Pagos + reservas (JOIN combinado)
--JOIN - Pagos + reservas (JOIN combinado)
--Cruza la información de los cobros realizados con las fechas de la reserva correspondiente.
SELECT
    p.payment_id,
    p.amount,
    p.payment_status,
    b.booking_id,
    b.check_in_date,
    b.check_out_date
FROM payments p
INNER JOIN bookings b ON p.booking_id = b.booking_id;
```


Query History

Data Output Messages Notifications

Showing rows: 1 to 92 Page No: 1 of 1

	payment_id bigint	amount numeric(10,2)	payment_status character varying(50)	booking_id bigint	check_in_date date	check_out_date date
1	1	2447.60	Completed	1	2025-06-11	2025-06-23
2	2	2437.43	Failed	2	2025-06-08	2025-06-16
3	3	199.38	Refunded	3	2025-06-11	2025-06-25
4	4	136.97	Refunded	4	2025-05-27	2025-05-29
5	5	602.10	Refunded	5	2025-07-31	2025-08-03

Total rows: 92 Query complete 00:00:00.178 CRLF Ln 131, Col 54



accommodations

Columns (16)

- accommodation_id bigint
- owner_id bigint
- accommodation_type_id integer
- location_id bigint
- name character varying(150)
- description text
- max_guests integer
- bedroom_count integer
- bathroom_count integer
- base_price_per_night numeric(10,2)
- currency_code character(3)
- check_in_time time without time zone
- check_out_time time without time zone
- is_active boolean
- created_at timestamp without time zone
- updated_at timestamp without time zone

Query

```
--numero 14 LEFT JOIN - Sin reseñas (Incluye nu
select
    a.accommodation_id,
    a.name AS accommodation_name,
    r.review_id
FROM accommodations a
LEFT JOIN reviews r ON a.accommodation_id = r.accommodation_id
WHERE r.review_id IS NULL;
```

Query History

Data Output Messages Notifications

Showing rows: 1 to 92 Page No: 1 of 1

	accommodation_id bigint	accommodation_name character varying(150)	review_id bigint
--	----------------------------	--	---------------------

bookings

Columns (19)

- booking_id bigint
- guest_id bigint
- accommodation_id bigint
- room_id bigint
- booking_status_id integer
- check_in_date date
- check_out_date date
- adult_count integer
- child_count integer
- total_nights integer
- subtotal_amount numeric(10,2)
- tax_amount numeric(10,2)
- discount_amount numeric(10,2)
- total_amount numeric(10,2)
- special_requests text
- booking_reference character varying(100)
- booked_at timestamp without time zone
- created_at timestamp without time zone
- updated_at timestamp without time zone

Constraints

Indexes

Query

```
--numero15. LEFT JOIN - Sin reservas (Filtrar null)
SELECT
    g.guest_id,
    g.first_name,
    g.last_name,
    g.email
FROM guests g
LEFT JOIN bookings b ON g.guest_id = b.guest_id
WHERE b.booking_id IS NULL; -- Si el ID de reserva es NULL, significa que nunca reservó
```

Data Output

Showing rows: 1 to 38

	guest_id [PK] bigint	first_name character varying (100)	last_name character varying (100)	email character varying (150)
1	82	Edelmira	Ponce	edelmira.duran.publicos711...
2	17	Rosario	Richard	xpons@example.org
3	34	Renata	Pozo	victor43@example.org
4	10	Marcel	Lejeune	blanca28@example.com
5	98	Philippine	Franklin	anais99@example.net
6	64	Thomas	Hartmann	strejo@example.net
7	71	Katalin	Davis	pradoliliana@example.com
8	15	Willibald	Artigas	rachel90@example.org

Total rows: 38 Query complete 00:00:00.215 Rows selected: 1 Changes staged: Updated: 1 CRLF Ln 24, Col 1

payments

Columns (9)

- payment_id bigint
- booking_id bigint
- payment_date timestamp without time zone
- amount numeric(10,2)
- payment_method character varying(100)
- payment_status character varying(100)
- transaction_reference character varying(100)
- notes text
- created_at timestamp without time zone

Constraints

Indexes

RLS Policies

Rules

Query

```
--numero16. AGG - Total ingresos (SUM)
SELECT SUM(amount) AS total_ingresos_completados
FROM payments
WHERE payment_status = 'Completado';
```

Data Output

Showing rows: 1 to 1

	total_ingresos_completados numeric
1	700.00

reviews

Columns (9)

- review_id bigint
- booking_id bigint
- guest_id bigint
- accommodation_id bigint
- rating integer
- review_title character varying(100)
- review_text text
- review_date timestamp without time zone
- created_at timestamp without time zone

Constraints

Indexes

RLS Policies

Query

```
--numero17. AGG - Promedio rating (AVG)
SELECT AVG(rating) AS promedio_puntuacion_global
FROM reviews;
```

Data Output

Showing rows: 1 to 1

	promedio_puntuacion_global numeric
1	3.9090909090909091

accommodations

Columns (16)

- accommodation_id bigint
- owner_id bigint
- accommodation_type_id integer
- location_id bigint
- name character varying(150)
- description text
- max_guests integer
- bedroom_count integer
- bathroom_count integer
- base_price_per_night numeric
- currency_code character(3)
- check_in_time time without time zone
- check_out_time time without time zone
- is_active boolean
- created_at timestamp without time zone
- updated_at timestamp without time zone

Constraints

Indexes

Query

```
28
29 --numero18. AGG - Top alojamientos (COUNT + LIMIT)
30 --alojamiento con mayor cantidad de reserva registrada
31 SELECT
32     accommodation_id,
33     COUNT(booking_id) AS total_reservas
34 FROM bookings
35 GROUP BY accommodation_id
36 ORDER BY total_reservas DESC
37 LIMIT 3;
38
39
```

Query History

Data Output Messages Notifications

Showing rows: 1 to 3 of 1

	accommodation_id bigint	total_reservas bigint
1	18	9
2	5	8
3	11	6

guests

Columns (12)

- guest_id bigint
- first_name character varying(100)
- last_name character varying(100)
- email character varying(150)
- phone character varying(30)
- date_of_birth date
- nationality character varying(100)
- passport_number character varying(100)
- emergency_contact_name character varying(100)
- emergency_contact_phone character varying(30)
- created_at timestamp without time zone
- updated_at timestamp without time zone

Constraints

Indexes

RLS Policies

Rules

Query

```
39 --numero19. HAVING - Más de 3 reservas (GROUP BY + HAVING)
40 --Filtra y Selecciona por huesped, loc clientes frecuentes que tiene mas de 3 reservaciones
41 SELECT
42     guest_id,
43     COUNT(booking_id) AS total_reservas
44 FROM bookings
45 GROUP BY guest_id
46 HAVING COUNT(booking_id) > 3;
47
48
49
50
```

Query History

Data Output Messages Notifications

Showing rows: 1 to 1 of 1

	guest_id bigint	total_reservas bigint
1	89	4

accommodations

Columns (16)

- accommodation_id bigint
- owner_id bigint
- accommodation_type_id integer
- location_id bigint
- name character varying(150)
- description text
- max_guests integer
- bedroom_count integer
- bathroom_count integer
- base_price_per_night numeric
- currency_code character(3)
- check_in_time time without time zone
- check_out_time time without time zone
- is_active boolean
- created_at timestamp without time zone
- updated_at timestamp without time zone

Query

```
48 --numero20. Subconsulta - Alojamiento más caro (Subquery)
49 --subconsulta de forma dinamica el registro que iguale el precio mas alto, sin escribir el num
50 SELECT
51     accommodation_id,
52     name AS accommodation_name,
53     base_price_per_night,
54     currency_code
55 FROM accommodations
56 WHERE base_price_per_night = (
57     SELECT MAX(base_price_per_night)
58     FROM accommodations
59 );
```

Query History

Data Output Messages Notifications

Showing rows: 1 to 1 of 1

	accommodation_id [PK] bigint	accommodation_name character varying (150)	base_price_per_night numeric (10,2)	currency_code character (3)
1	13	Panoramic Suite Ville	597.44	MXN