






NTC.MDD F L-A DEGs with abs(logFC)>.3 and zero prop.>2% in half of capture areas
(background indicates whether term was enriched/depleted)



NTC.MDD F L-A DEGs with abs(logFC)>.3 and zero prop.>2% in half of capture areas
(background indicates whether term was enriched/depleted)




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

HBB


PRECAST (smoothed)

L-A sig: adj p < 5e-04 logFC = 1.23



Seurat labels


L-A sig: adj p < 1e-07 logFC = 1.33



HBA2


PRECAST (smoothed)

L-A sig: adj p < 4e-03 logFC = 0.93



Seurat labels


L-A sig: adj p < 8e-07 logFC = 1.05



HBA1


PRECAST (smoothed)

L-A sig: adj p < 1e-02 logFC = 0.77



Seurat labels


L-A sig: adj p < 9e-07 logFC = 0.95



CD14


PRECAST (smoothed)

L-A sig: adj p < 1e-03 logFC = 0.76



Seurat labels


L-A sig: adj p < 1e-04 logFC = 0.8



C1QB


PRECAST (smoothed)

L-A sig: adj p < 4e-03 logFC = 0.84



Seurat labels


L-A sig: adj p < 7e-04 logFC = 0.86



GADD45A


PRECAST (smoothed)

L-A sig: adj p < 5e-03 logFC = 0.5



Seurat labels


L-A sig: adj p < 1e-03 logFC = 0.51



TNFRSF6B


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.6



Seurat labels


L-A sig: adj p < 3e-02 logFC = 0.57



CHI3L1


PRECAST (smoothed)

L-A sig: adj p < 2e-06 logFC = 1.3



Seurat labels

L-A sig: adj p < 3e-09 logFC = 1.43




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

FABP5


PRECAST (smoothed)

L-A sig: adj p < 4e-03 logFC = 0.32



Seurat labels


L-A sig: adj p < 2e-04 logFC = 0.33



SLCO4A1


PRECAST (smoothed)

L-A sig: adj p < 4e-04 logFC = 0.71



Seurat labels


L-A sig: adj p < 8e-05 logFC = 0.74



PER1


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 0.42



Seurat labels


L-A sig: adj p < 5e-04 logFC = 0.42



LGALS3


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.38



Seurat labels


L-A sig: adj p < 2e-02 logFC = 0.36



ALDH1L1


PRECAST (smoothed)

L-A sig: adj p < 1e-02 logFC = 0.38



Seurat labels


L-A sig: adj p < 9e-03 logFC = 0.37



C1R


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = 0.49



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.53



SERPING1


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.3



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.33



DEPP1


PRECAST (smoothed)

L-A sig: adj p < 6e-05 logFC = 1.02



Seurat labels

L-A sig: adj p < 5e-06 logFC = 1.02




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

HILPDA


PRECAST (smoothed)

L-A sig: adj p < 3e-07 logFC = 1.31



Seurat labels


L-A sig: adj p < 7e-09 logFC = 1.34



CEBPD


PRECAST (smoothed)

L-A sig: adj p < 1e-06 logFC = 0.76



Seurat labels


L-A sig: adj p < 9e-09 logFC = 0.78



GADD45B


PRECAST (smoothed)

L-A sig: adj p < 6e-05 logFC = 1.03



Seurat labels


L-A sig: adj p < 5e-07 logFC = 1.08



C11orf96


PRECAST (smoothed)

L-A sig: adj p < 8e-03 logFC = 0.66



Seurat labels


L-A sig: adj p < 3e-04 logFC = 0.73



APOLD1


PRECAST (smoothed)

L-A sig: adj p < 6e-04 logFC = 0.76



Seurat labels


L-A sig: adj p < 2e-05 logFC = 0.78



DDIT4


PRECAST (smoothed)

L-A sig: adj p < 3e-05 logFC = 0.78



Seurat labels


L-A sig: adj p < 6e-06 logFC = 0.74



JUN


PRECAST (smoothed)

L-A sig: adj p < 5e-03 logFC = 0.39



Seurat labels


L-A sig: adj p < 1e-03 logFC = 0.4



HSPA1A


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.53



Seurat labels

L-A sig: adj p < 2e-03 logFC = 0.54




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

FOS


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.85



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = 0.86



BTG2


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.57



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = 0.58



VEGFA


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = 0.6



Seurat labels


L-A sig: adj p < $3\text{e-}06$ logFC = 0.67



BCL6


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.37



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = 0.36



CHSY1


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.36



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = 0.34



ARRDC3


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.35



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.34



ZNF395


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.36



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.37



ABCC9


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.5



Seurat labels

L-A sig: adj p < $7\text{e-}03$ logFC = 0.49




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

PNRC1


PRECAST (smoothed)

L-A sig: adj p < 1e-04 logFC = 0.32



Seurat labels


L-A sig: adj p < 3e-05 logFC = 0.33



RHOBTB3


PRECAST (smoothed)

L-A sig: adj p < 5e-02 logFC = 0.31



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.33



PDK4


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.52



Seurat labels


L-A sig: adj p < 3e-02 logFC = 0.5



SGK1


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.39



Seurat labels


L-A sig: adj p < 2e-02 logFC = 0.38



TXNIP


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = 0.45



Seurat labels


L-A sig: adj p < 7e-03 logFC = 0.47



ZFP36L1


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 0.49



Seurat labels


L-A sig: adj p < 3e-04 logFC = 0.51



CNN3


PRECAST (smoothed)

L-A sig: adj p < 5e-03 logFC = 0.37



Seurat labels


L-A sig: adj p < 2e-04 logFC = 0.39



MRVI1


PRECAST (smoothed)

L-A sig: adj p < 5e-03 logFC = 0.5



Seurat labels

L-A sig: adj p < 1e-03 logFC = 0.53




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

STOM


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.33



Seurat labels


L-A sig: adj p < $3\text{e-}03$ logFC = 0.37



RELL1


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = 0.42



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.42



TIPARP


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = 0.68



Seurat labels


L-A sig: adj p < $3\text{e-}05$ logFC = 0.69



FGF2


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.54



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.54



PLSCR4


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = 0.42



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.42



PALLD


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = 0.34



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.37



BTG1


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}04$ logFC = 0.35



Seurat labels


L-A sig: adj p < $5\text{e-}04$ logFC = 0.34



MT1E


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = 0.58



Seurat labels

L-A sig: adj p < $8\text{e-}06$ logFC = 0.57




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

FKBP5


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}06$ logFC = 1.01



Seurat labels


L-A sig: adj p < $1\text{e-}07$ logFC = 0.99



MT1X


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}09$ logFC = 1.22



Seurat labels


L-A sig: adj p < $9\text{e-}13$ logFC = 1.22



ANGPTL4


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = 1.14



Seurat labels


L-A sig: adj p < $6\text{e-}05$ logFC = 1.07



PLSCR1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}04$ logFC = 0.64



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = 0.64



BAG3


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = 0.86



Seurat labels


L-A sig: adj p < $5\text{e-}06$ logFC = 0.93



MT2A


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}08$ logFC = 0.79



Seurat labels


L-A sig: adj p < $2\text{e-}10$ logFC = 0.77



MT1M


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}09$ logFC = 1.03



Seurat labels


L-A sig: adj p < $9\text{e-}13$ logFC = 1.03



YBX3


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = 0.93



Seurat labels

L-A sig: adj p < $5\text{e-}08$ logFC = 1.04




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

SRGN


PRECAST (smoothed)

L-A sig: adj p < 6e-07 logFC = 0.76



Seurat labels


L-A sig: adj p < 1e-09 logFC = 0.82



ZFP36


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 1.08



Seurat labels


L-A sig: adj p < 2e-04 logFC = 1.11



HSPB1


PRECAST (smoothed)

L-A sig: adj p < 7e-04 logFC = 0.5



Seurat labels


L-A sig: adj p < 4e-05 logFC = 0.5



TNFRSF1A


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.44



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.44



PXDC1


PRECAST (smoothed)

L-A sig: adj p < 1e-02 logFC = 0.47



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.5



TAP1


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 0.48



Seurat labels


L-A sig: adj p < 4e-04 logFC = 0.55



TIMP1


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.46



Seurat labels


L-A sig: adj p < 7e-03 logFC = 0.51



NUPR1


PRECAST (smoothed)

L-A sig: adj p < 8e-03 logFC = 0.53



Seurat labels

L-A sig: adj p < 2e-03 logFC = 0.55




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

RAB13


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.42



Seurat labels


L-A sig: adj p < 7e-03 logFC = 0.46



MGST1


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.41



Seurat labels


L-A sig: adj p < 6e-03 logFC = 0.39



TMEM176B


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.49



Seurat labels


L-A sig: adj p < 2e-02 logFC = 0.49



IFITM3


PRECAST (smoothed)

L-A sig: adj p < 2e-05 logFC = 0.75



Seurat labels


L-A sig: adj p < 4e-07 logFC = 0.77



IFITM2


PRECAST (smoothed)

L-A sig: adj p < 5e-04 logFC = 0.75



Seurat labels


L-A sig: adj p < 2e-05 logFC = 0.79



PLAAT4


PRECAST (smoothed)

L-A sig: adj p < 7e-03 logFC = 0.54



Seurat labels


L-A sig: adj p < 1e-03 logFC = 0.58



ITGB4


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 0.8



Seurat labels


L-A sig: adj p < 1e-04 logFC = 0.84



TMBIM1


PRECAST (smoothed)

L-A sig: adj p < 7e-03 logFC = 0.5



Seurat labels

L-A sig: adj p < 2e-03 logFC = 0.52




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

IFI16


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.48



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.48



NEAT1


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}03$ logFC = 0.43



Seurat labels


L-A sig: adj p < $6\text{e-}04$ logFC = 0.47



LMNA


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.37



Seurat labels


L-A sig: adj p < $3\text{e-}03$ logFC = 0.39



WASF2


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.31



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.3



PLIN3


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.54



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.53



SPP1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}03$ logFC = 0.72



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.73



EFNA1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.51



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = 0.56



AQP1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}03$ logFC = 0.91



Seurat labels

L-A sig: adj p < $2\text{e-}04$ logFC = 1




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

FBLN7


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = -0.45



Seurat labels


L-A sig: adj p < $7\text{e-}03$ logFC = -0.46



KCNK1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.45



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.42



SPON2


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}06$ logFC = -0.84



Seurat labels


L-A sig: adj p < $2\text{e-}07$ logFC = -0.87



CA4


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = -0.53



Seurat labels


L-A sig: adj p < $7\text{e-}06$ logFC = -0.56



CORT


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = -0.61



Seurat labels


L-A sig: adj p < $1\text{e-}04$ logFC = -0.56



SST


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}03$ logFC = -0.74



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = -0.74



TMIE


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.37



Seurat labels


L-A sig: adj p < $8\text{e-}03$ logFC = -0.43



GBA


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = -0.31



Seurat labels

L-A sig: adj p < $9\text{e-}05$ logFC = -0.31




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

NEUROD6


PRECAST (smoothed)

L-A sig: adj p < $2e-02$ logFC = -0.36



Seurat labels


L-A sig: adj p < $1e-03$ logFC = -0.38



VGF


PRECAST (smoothed)

L-A sig: adj p < $3e-05$ logFC = -0.5



Seurat labels


L-A sig: adj p < $2e-06$ logFC = -0.5



NME5


PRECAST (smoothed)

L-A sig: adj p < $1e-02$ logFC = -0.32



Seurat labels


L-A sig: adj p < $2e-02$ logFC = -0.32



ARL4D


PRECAST (smoothed)

L-A sig: adj p < $3e-02$ logFC = -0.33



Seurat labels


L-A sig: adj p < $2e-02$ logFC = -0.34



WNT7A


PRECAST (smoothed)

L-A sig: adj p < $3e-02$ logFC = -0.39



Seurat labels


L-A sig: adj p < $4e-02$ logFC = -0.4



TRIB2


PRECAST (smoothed)

L-A sig: adj p < $5e-03$ logFC = -0.35



Seurat labels


L-A sig: adj p < $9e-04$ logFC = -0.39



SPRY4


PRECAST (smoothed)

L-A sig: adj p < $3e-02$ logFC = -0.44



Seurat labels


L-A sig: adj p < $1e-02$ logFC = -0.47



DUSP4


PRECAST (smoothed)

L-A sig: adj p < $1e-02$ logFC = -0.82



Seurat labels

L-A sig: adj p < $6e-03$ logFC = -0.81




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

RBM3


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = -0.31



Seurat labels


L-A sig: adj p < 5e-04 logFC = -0.32



RAMP2


PRECAST (smoothed)

L-A sig: adj p < 6e-07 logFC = -0.65



Seurat labels


L-A sig: adj p < 1e-07 logFC = -0.64



MUSTN1


PRECAST (smoothed)

L-A sig: adj p < 7e-04 logFC = -0.6



Seurat labels


L-A sig: adj p < 1e-03 logFC = -0.5



ABCG2


PRECAST (smoothed)

L-A sig: adj p < 6e-07 logFC = -0.8



Seurat labels


L-A sig: adj p < 3e-08 logFC = -0.8



SLC38A5


PRECAST (smoothed)

L-A sig: adj p < 6e-07 logFC = -0.83



Seurat labels


L-A sig: adj p < 1e-07 logFC = -0.88



SOX4


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = -0.37



Seurat labels


L-A sig: adj p < 5e-02 logFC = -0.37



ITIH5


PRECAST (smoothed)

L-A sig: adj p < 5e-02 logFC = -0.33



Seurat labels


L-A sig: adj p < 2e-02 logFC = -0.36



PTPRB


PRECAST (smoothed)

L-A sig: adj p < 1e-02 logFC = -0.35



Seurat labels

L-A sig: adj p < 5e-02 logFC = -0.3




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

A2M


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}05$ logFC = -0.49



Seurat labels


L-A sig: adj p < $3\text{e-}06$ logFC = -0.46



ITM2A


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}03$ logFC = -0.32



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = -0.34



TTC32


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}03$ logFC = 0.48



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = 0.45



SNORC


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.3



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = -0.3



IFI27


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = -0.37



Seurat labels


L-A sig: adj p < $2\text{e-}03$ logFC = -0.36



HSPA1B


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.53



Seurat labels


L-A sig: adj p < $5\text{e-}03$ logFC = 0.54



ZNF331


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = 0.41



Seurat labels


L-A sig: adj p < $2\text{e-}05$ logFC = 0.42



ZBTB16


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}04$ logFC = 0.31



Seurat labels

L-A sig: adj p < $2\text{e-}04$ logFC = 0.31




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

CCDC30


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.33



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = 0.34



HIST1H4C


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}02$ logFC = 0.48



Seurat labels


L-A sig: adj p < $5\text{e-}02$ logFC = 0.45



RPS6KA5


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}03$ logFC = 0.32



Seurat labels


L-A sig: adj p < $7\text{e-}03$ logFC = 0.32



ZNF92


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.35



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.37



AL355075.4


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.64



Seurat labels


L-A sig: adj p < $3\text{e-}03$ logFC = 0.68



LINC00632


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.55



Seurat labels


L-A sig: adj p < $2\text{e-}04$ logFC = 0.54



ZNF91


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}05$ logFC = 0.42



Seurat labels


L-A sig: adj p < $8\text{e-}06$ logFC = 0.43



AC245060.5


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}03$ logFC = 0.58



Seurat labels

L-A sig: adj p < $5\text{e-}04$ logFC = 0.63




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

FAM13A


PRECAST (smoothed)

L-A sig: adj p < 3e-05 logFC = 0.36



Seurat labels


L-A sig: adj p < 1e-04 logFC = 0.35



ZNF436-AS1


PRECAST (smoothed)

L-A sig: adj p < 4e-03 logFC = 0.41



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.4



ANKRD37


PRECAST (smoothed)

L-A sig: adj p < 1e-02 logFC = 0.38



Seurat labels


L-A sig: adj p < 8e-03 logFC = 0.39



RASD1


PRECAST (smoothed)

L-A sig: adj p < 1e-09 logFC = 0.66



Seurat labels


L-A sig: adj p < 1e-11 logFC = 0.61



ELK1

PRECAST (smoothed)

L-A sig: adj p < 3e-05 logFC = 0.42



Seurat labels

L-A sig: adj p < 5e-06 logFC = 0.42

