




NTC.MDD F L-A top DEGs in term supplemented with top DEGs (abs logFC>.5) not in terms



NTC.MDD F L-A DEGs with abs(logFC)>.5 (background indicates whether term was enriched/depleted)



NTC.MDD F L-A DEGs with $\text{abs}(\log\text{FC}) > .5$ (background indicates whether term was enriched/depleted)




All genes with $\text{abs}(\log\text{FC}) > .5$

IFITM3


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = 0.75



Seurat labels


L-A sig: adj p < $4\text{e-}07$ logFC = 0.77



IFITM2


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}04$ logFC = 0.75



Seurat labels


L-A sig: adj p < $2\text{e-}05$ logFC = 0.79



CLIC1


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.5



Seurat labels


L-A sig: adj p < $9\text{e-}03$ logFC = 0.53



RAB13


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.42



Seurat labels


L-A sig: adj p < $7\text{e-}03$ logFC = 0.46



NUPR1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}03$ logFC = 0.53



Seurat labels


L-A sig: adj p < $2\text{e-}03$ logFC = 0.55



TMEM176B


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.49



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.49



LIMK2


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.55



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = 0.53



AQP1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}03$ logFC = 0.91



Seurat labels

L-A sig: adj p < $2\text{e-}04$ logFC = 1




All genes with $\text{abs}(\log\text{FC}) > .5$

EFNA1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.51



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = 0.56



PLAAT4


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.54



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.58



ITGB4


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}03$ logFC = 0.8



Seurat labels


L-A sig: adj p < $1\text{e-}04$ logFC = 0.84



CD44


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = 1.24



Seurat labels


L-A sig: adj p < $2\text{e-}07$ logFC = 1.48



TMBIM1


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.5



Seurat labels


L-A sig: adj p < $2\text{e-}03$ logFC = 0.52



IFI16


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.48



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.48



CHST3


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}03$ logFC = 0.67



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = 0.69



PLIN3


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.54



Seurat labels

L-A sig: adj p < $2\text{e-}02$ logFC = 0.53




All genes with $\text{abs}(\log\text{FC}) > .5$

TIPARP


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = 0.68



Seurat labels


L-A sig: adj p < $3\text{e-}05$ logFC = 0.69



FGF2


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.54



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.54



APOL6


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}03$ logFC = 0.68



Seurat labels


L-A sig: adj p < $3\text{e-}03$ logFC = 0.7



MRVI1


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}03$ logFC = 0.5



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.53



PLSCR1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}04$ logFC = 0.64



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = 0.64



OSMR


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}05$ logFC = 1.14



Seurat labels


L-A sig: adj p < $7\text{e-}06$ logFC = 1.21



BAG3


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = 0.86



Seurat labels


L-A sig: adj p < $5\text{e-}06$ logFC = 0.93



MT1M


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}09$ logFC = 1.03



Seurat labels

L-A sig: adj p < $9\text{e-}13$ logFC = 1.03




All genes with $\text{abs}(\log\text{FC}) > .5$

MT2A


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}08$ logFC = 0.79



Seurat labels


L-A sig: adj p < $2\text{e-}10$ logFC = 0.77



ANGPTL4


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = 1.14



Seurat labels


L-A sig: adj p < $6\text{e-}05$ logFC = 1.07



MT1X


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}09$ logFC = 1.22



Seurat labels


L-A sig: adj p < $9\text{e-}13$ logFC = 1.22



TAP1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}03$ logFC = 0.48



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = 0.55



PXDC1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.47



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = 0.5



YBX3


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = 0.93



Seurat labels


L-A sig: adj p < $5\text{e-}08$ logFC = 1.04



EMP1


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.99



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = 1.06



SRGN


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}07$ logFC = 0.76



Seurat labels


L-A sig: adj p < $1\text{e-}09$ logFC = 0.82




All genes with $\text{abs}(\log\text{FC}) > .5$

ZFP36

PRECAST (smoothed)
L-A sig: adj p < $3\text{e-}03$ logFC = 1.08




Seurat labels
L-A sig: adj p < $2\text{e-}04$ logFC = 1.11




HSPB1

PRECAST (smoothed)
L-A sig: adj p < $7\text{e-}04$ logFC = 0.5




Seurat labels
L-A sig: adj p < $4\text{e-}05$ logFC = 0.5




SOCS3

PRECAST (smoothed)
L-A sig: adj p < $4\text{e-}05$ logFC = 1.93




Seurat labels
L-A sig: adj p < $2\text{e-}06$ logFC = 1.86




CDKN1A

PRECAST (smoothed)
L-A sig: adj p < $2\text{e-}05$ logFC = 1.24




Seurat labels
L-A sig: adj p < $2\text{e-}07$ logFC = 1.26




RPS8

PRECAST (smoothed)
L-A sig: adj p < $3\text{e-}02$ logFC = 0.19




Seurat labels
L-A sig: adj p < $3\text{e-}02$ logFC = 0.17




RPS15A

PRECAST (smoothed)
L-A sig: adj p < $4\text{e-}02$ logFC = 0.18




Seurat labels
L-A sig: adj p < $4\text{e-}02$ logFC = 0.17




HBB

PRECAST (smoothed)
L-A sig: adj p < $5\text{e-}04$ logFC = 1.23




Seurat labels
L-A sig: adj p < $1\text{e-}07$ logFC = 1.33




HBA2

PRECAST (smoothed)
L-A sig: adj p < $4\text{e-}03$ logFC = 0.93



Seurat labels
L-A sig: adj p < $8\text{e-}07$ logFC = 1.05




All genes with $\text{abs}(\log\text{FC}) > .5$

HBA1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.77



Seurat labels


L-A sig: adj p < $9\text{e-}07$ logFC = 0.95



MT1E


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = 0.58



Seurat labels


L-A sig: adj p < $8\text{e-}06$ logFC = 0.57



HIST1H1C


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.59



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = 0.54



HSPA1A


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.53



Seurat labels


L-A sig: adj p < $2\text{e-}03$ logFC = 0.54



BTG2


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.57



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = 0.58



FOS


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.85



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = 0.86



PGAM2


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}05$ logFC = 0.99



Seurat labels


L-A sig: adj p < $7\text{e-}05$ logFC = 0.95



RPS20


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = 0.2



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.19




All genes with $\text{abs}(\log\text{FC}) > .5$

FYB1

PRECAST (smoothed)
L-A sig: adj p < 2e-02 logFC = 0.68




Seurat labels
L-A sig: adj p < 6e-03 logFC = 0.77




PDK4

PRECAST (smoothed)
L-A sig: adj p < 3e-02 logFC = 0.52




Seurat labels
L-A sig: adj p < 3e-02 logFC = 0.5




PNRC1

PRECAST (smoothed)
L-A sig: adj p < 1e-04 logFC = 0.32




Seurat labels
L-A sig: adj p < 3e-05 logFC = 0.33




ABCC9

PRECAST (smoothed)
L-A sig: adj p < 7e-03 logFC = 0.5




Seurat labels
L-A sig: adj p < 7e-03 logFC = 0.49




ZFP36L1

PRECAST (smoothed)
L-A sig: adj p < 3e-03 logFC = 0.49




Seurat labels
L-A sig: adj p < 3e-04 logFC = 0.51




TNFRSF1B

PRECAST (smoothed)
L-A sig: adj p < 3e-02 logFC = 0.62




Seurat labels
L-A sig: adj p < 2e-02 logFC = 0.7




GBP1

PRECAST (smoothed)
L-A sig: adj p < 1e-02 logFC = 0.84




Seurat labels
L-A sig: adj p < 1e-03 logFC = 0.94




SPP1

PRECAST (smoothed)
L-A sig: adj p < 8e-03 logFC = 0.72



Seurat labels
L-A sig: adj p < 1e-03 logFC = 0.73




All genes with abs(logFC)>.5

ALOX5AP


PRECAST (smoothed)

L-A sig: adj p< 7e-03 logFC = 0.94



Seurat labels


L-A sig: adj p< 2e-03 logFC = 1.01



FCGR3A


PRECAST (smoothed)

L-A sig: adj p< 8e-04 logFC = 1.2



Seurat labels


L-A sig: adj p< 8e-05 logFC = 1.22



C1QB


PRECAST (smoothed)

L-A sig: adj p< 4e-03 logFC = 0.84



Seurat labels


L-A sig: adj p< 7e-04 logFC = 0.86



FCER1G


PRECAST (smoothed)

L-A sig: adj p< 3e-03 logFC = 0.89



Seurat labels


L-A sig: adj p< 2e-03 logFC = 0.85



FCGR2A


PRECAST (smoothed)

L-A sig: adj p< 5e-04 logFC = 1.13



Seurat labels


L-A sig: adj p< 1e-04 logFC = 1.17



HK2


PRECAST (smoothed)

L-A sig: adj p< 2e-02 logFC = 0.88



Seurat labels


L-A sig: adj p< 2e-03 logFC = 1.05



SLC2A5


PRECAST (smoothed)

L-A sig: adj p< 3e-02 logFC = 0.62



Seurat labels


L-A sig: adj p< 2e-02 logFC = 0.6



FPR1


PRECAST (smoothed)

L-A sig: adj p< 2e-04 logFC = 1.52



Seurat labels

L-A sig: adj p< 1e-04 logFC = 1.41




All genes with $\text{abs}(\log\text{FC}) > .5$

CD14


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}03$ logFC = 0.76



Seurat labels


L-A sig: adj p < $1\text{e-}04$ logFC = 0.8



VEGFA


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = 0.6



Seurat labels


L-A sig: adj p < $3\text{e-}06$ logFC = 0.67



CEBPB


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.28



Seurat labels


L-A sig: adj p < $3\text{e-}03$ logFC = 0.3



SLCO4A1


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}04$ logFC = 0.71



Seurat labels


L-A sig: adj p < $8\text{e-}05$ logFC = 0.74



MAFF


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.8



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.84



PER1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}03$ logFC = 0.42



Seurat labels


L-A sig: adj p < $5\text{e-}04$ logFC = 0.42



CHI3L1


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}06$ logFC = 1.3



Seurat labels


L-A sig: adj p < $3\text{e-}09$ logFC = 1.43



HAMP


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}05$ logFC = 1.28



Seurat labels

L-A sig: adj p < $2\text{e-}06$ logFC = 1.3




All genes with $\text{abs}(\log\text{FC}) > .5$

GADD45A


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}03$ logFC = 0.5



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.51



TNFRSF12A


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.99



Seurat labels


L-A sig: adj p < $4\text{e-}03$ logFC = 1.04



C1R


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = 0.49



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = 0.53



FKBP5


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}06$ logFC = 1.01



Seurat labels


L-A sig: adj p < $1\text{e-}07$ logFC = 0.99



CP


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = 1.74



Seurat labels


L-A sig: adj p < $9\text{e-}06$ logFC = 1.66



SERPINA3


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}05$ logFC = 2.65



Seurat labels


L-A sig: adj p < $2\text{e-}08$ logFC = 2.83



BAALC-AS1


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}07$ logFC = 1.28



Seurat labels


L-A sig: adj p < $2\text{e-}08$ logFC = 1.34



SLC11A1


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = 0.73



Seurat labels

L-A sig: adj p < $1\text{e-}02$ logFC = 0.74




All genes with abs(logFC)>.5

IFI30


PRECAST (smoothed)

L-A sig: adj p< 5e-02 logFC = 0.74



Seurat labels


L-A sig: adj p< 5e-02 logFC = 0.73



SLC16A3


PRECAST (smoothed)

L-A sig: adj p< 4e-02 logFC = 0.65



Seurat labels


L-A sig: adj p< 2e-02 logFC = 0.68



IGFLR1


PRECAST (smoothed)

L-A sig: adj p< 4e-02 logFC = 0.55



Seurat labels


L-A sig: adj p< 3e-02 logFC = 0.61



TNFRSF6B


PRECAST (smoothed)

L-A sig: adj p< 3e-02 logFC = 0.6



Seurat labels


L-A sig: adj p< 3e-02 logFC = 0.57



ADM


PRECAST (smoothed)

L-A sig: adj p< 6e-04 logFC = 1.25



Seurat labels


L-A sig: adj p< 1e-04 logFC = 1.23



HILPDA


PRECAST (smoothed)

L-A sig: adj p< 3e-07 logFC = 1.31



Seurat labels


L-A sig: adj p< 7e-09 logFC = 1.34



ADAMTS9


PRECAST (smoothed)

L-A sig: adj p< 4e-03 logFC = 0.85



Seurat labels


L-A sig: adj p< 3e-03 logFC = 0.84



COL4A1


PRECAST (smoothed)

L-A sig: adj p< 3e-02 logFC = 0.54



Seurat labels

L-A sig: adj p< 3e-03 logFC = 0.72




All genes with $\text{abs}(\log\text{FC}) > .5$

DEPP1


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}05$ logFC = 1.02



Seurat labels


L-A sig: adj p < $5\text{e-}06$ logFC = 1.02



IL1R1


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}03$ logFC = 0.96



Seurat labels


L-A sig: adj p < $8\text{e-}04$ logFC = 1.04



C11orf96


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}03$ logFC = 0.66



Seurat labels


L-A sig: adj p < $3\text{e-}04$ logFC = 0.73



GADD45B


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}05$ logFC = 1.03



Seurat labels


L-A sig: adj p < $5\text{e-}07$ logFC = 1.08



CEBPD


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}06$ logFC = 0.76



Seurat labels


L-A sig: adj p < $9\text{e-}09$ logFC = 0.78



KCNE4


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}03$ logFC = 0.97



Seurat labels


L-A sig: adj p < $4\text{e-}03$ logFC = 0.96



CRISPLD2


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.66



Seurat labels


L-A sig: adj p < $7\text{e-}03$ logFC = 0.73



RGS1


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}04$ logFC = 1.66



Seurat labels

L-A sig: adj p < $3\text{e-}06$ logFC = 1.73




All genes with $\text{abs}(\log\text{FC}) > .5$

APOLD1


PRECAST (smoothed)

L-A sig: adj p < 6e-04 logFC = 0.76



Seurat labels


L-A sig: adj p < 2e-05 logFC = 0.78



DDIT4


PRECAST (smoothed)

L-A sig: adj p < 3e-05 logFC = 0.78



Seurat labels


L-A sig: adj p < 6e-06 logFC = 0.74



DGCR10


PRECAST (smoothed)

L-A sig: adj p < 5e-02 logFC = -0.84



Seurat labels


L-A sig: adj p < 3e-02 logFC = -0.8



PRPH2


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = -0.53



Seurat labels


L-A sig: adj p < 3e-02 logFC = -0.6



AC140125.2


PRECAST (smoothed)

L-A sig: adj p < 6e-03 logFC = 1.06



Seurat labels


L-A sig: adj p < 9e-04 logFC = 1.11



AC007922.3


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = -1.25



Seurat labels


L-A sig: adj p < 4e-03 logFC = -1.25



MRPL12


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = -0.2



Seurat labels


L-A sig: adj p < 4e-03 logFC = -0.23



YJEFN3


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = -0.29



Seurat labels

L-A sig: adj p < 3e-03 logFC = -0.27




All genes with $\text{abs}(\log\text{FC}) > .5$

ADGRB1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.19



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = -0.21



BEGAIN


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}03$ logFC = -0.26



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.27



KCNG1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.45



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.42



SPON2


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}06$ logFC = -0.84



Seurat labels


L-A sig: adj p < $2\text{e-}07$ logFC = -0.87



CA4


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = -0.53



Seurat labels


L-A sig: adj p < $7\text{e-}06$ logFC = -0.56



NCALD


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = -0.17



Seurat labels


L-A sig: adj p < $5\text{e-}03$ logFC = -0.18



TOMM40


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.2



Seurat labels


L-A sig: adj p < $7\text{e-}03$ logFC = -0.21



VGF


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}05$ logFC = -0.5



Seurat labels

L-A sig: adj p < $2\text{e-}06$ logFC = -0.5




All genes with $\text{abs}(\log\text{FC}) > .5$

NSG2


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.16



Seurat labels


L-A sig: adj p < $8\text{e-}03$ logFC = -0.17



CDK5R2


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.23



Seurat labels


L-A sig: adj p < $8\text{e-}03$ logFC = -0.23



CACNG3


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = -0.18



Seurat labels


L-A sig: adj p < $5\text{e-}02$ logFC = -0.17



SST


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}03$ logFC = -0.74



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = -0.74



CORT


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = -0.61



Seurat labels


L-A sig: adj p < $1\text{e-}04$ logFC = -0.56



WNT7A


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.39



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.4



DUSP4


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.82



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = -0.81



CRH


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}07$ logFC = -0.74



Seurat labels


L-A sig: adj p < $2\text{e-}06$ logFC = -0.73




All genes with $\text{abs}(\log\text{FC}) > .5$

LRP8

PRECAST (smoothed)
L-A sig: adj p < $3\text{e-}02$ logFC = -0.22




Seurat labels
L-A sig: adj p < $4\text{e-}02$ logFC = -0.22




AC245060.5

PRECAST (smoothed)
L-A sig: adj p < $5\text{e-}03$ logFC = 0.58




Seurat labels
L-A sig: adj p < $5\text{e-}04$ logFC = 0.63




LINC00632

PRECAST (smoothed)
L-A sig: adj p < $4\text{e-}03$ logFC = 0.55




Seurat labels
L-A sig: adj p < $2\text{e-}04$ logFC = 0.54




AL355075.4

PRECAST (smoothed)
L-A sig: adj p < $3\text{e-}02$ logFC = 0.64




Seurat labels
L-A sig: adj p < $3\text{e-}03$ logFC = 0.68




SESN1

PRECAST (smoothed)
L-A sig: adj p < $5\text{e-}05$ logFC = 0.29




Seurat labels
L-A sig: adj p < $5\text{e-}05$ logFC = 0.3




FNIP2

PRECAST (smoothed)
L-A sig: adj p < $3\text{e-}02$ logFC = 0.2




Seurat labels
L-A sig: adj p < $8\text{e-}03$ logFC = 0.22




RASD1

PRECAST (smoothed)
L-A sig: adj p < $1\text{e-}09$ logFC = 0.66




Seurat labels
L-A sig: adj p < $1\text{e-}11$ logFC = 0.61




AC009407.1

PRECAST (smoothed)
L-A sig: adj p < $3\text{e-}02$ logFC = 0.49



Seurat labels
L-A sig: adj p < $4\text{e-}02$ logFC = 0.53




All genes with $\text{abs}(\log\text{FC}) > .5$

NBPF19


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.73



Seurat labels


L-A sig: adj p < $2\text{e-}03$ logFC = 0.78



HSPA1B


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.53



Seurat labels


L-A sig: adj p < $5\text{e-}03$ logFC = 0.54



GIMAP7


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.67



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.65



GIMAP6


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}02$ logFC = -0.57



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.59



LSR


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = -0.51



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.54



CAVIN3


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = -0.53



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.57



RAMP2


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}07$ logFC = -0.65



Seurat labels


L-A sig: adj p < $1\text{e-}07$ logFC = -0.64



MUSTN1


PRECAST (smoothed)

L-A sig: adj p < $7\text{e-}04$ logFC = -0.6



Seurat labels

L-A sig: adj p < $1\text{e-}03$ logFC = -0.5




All genes with $\text{abs}(\log\text{FC}) > .5$

SLC38A5


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}07$ logFC = -0.83



Seurat labels


L-A sig: adj p < $1\text{e-}07$ logFC = -0.88



CD34


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = -0.53



Seurat labels


L-A sig: adj p < $2\text{e-}03$ logFC = -0.55



RERGL


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}05$ logFC = -0.99



Seurat labels


L-A sig: adj p < $2\text{e-}05$ logFC = -0.98



ABCG2


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}07$ logFC = -0.8



Seurat labels


L-A sig: adj p < $3\text{e-}08$ logFC = -0.8



TNFSF10


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}07$ logFC = -1.24



Seurat labels


L-A sig: adj p < $2\text{e-}07$ logFC = -1.18



SLC6A1


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = -0.18



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.17



COL5A3


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.38



Seurat labels


L-A sig: adj p < $1\text{e-}02$ logFC = -0.38



SURF1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}04$ logFC = -0.31



Seurat labels

L-A sig: adj p < $5\text{e-}04$ logFC = -0.31




All genes with $\text{abs}(\log\text{FC}) > .5$

MRPL41


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = -0.13



Seurat labels


L-A sig: adj p < 4e-02 logFC = -0.13



AL592183.1


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.75



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.74



RBM3


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = -0.31



Seurat labels


L-A sig: adj p < 5e-04 logFC = -0.32



SLC6A12


PRECAST (smoothed)

L-A sig: adj p < 5e-02 logFC = -0.38



Seurat labels


L-A sig: adj p < 5e-02 logFC = -0.4



IFI6

PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = -0.22



Seurat labels

L-A sig: adj p < 4e-02 logFC = -0.2

