



NTC.BPD F Reactome


S of sig. terms as fill color (0 if not sig.)



PRECAST (smoothed) L2



PRECAST (smoothed) L3.4



Node size linearly corresponds to the number of sm_L3.4 LR DEGs within leading edge.
Smallest node = 1 DEG(s), largest node = 3 DEGs

Seurat labels L2.3

Respiratory
Electron Transport,
ATP Synthesis By
Chemiosmotic
Coupling, Heat
Production By
Uncoupling Proteins

NGF-stimulated
Transcription

Nuclear Events
(Kinase And
Transcription
Factor Activation)

Transport Of Small
Molecules

Signaling By GPCR

GPCR Downstream
Signaling

G Alpha (I)
Signaling Events

GPCR Ligand Binding


Class A/1
(Rhodopsin-like
Receptors)

Peptide
Ligand-Binding
Receptors


- Depleted (with LR DEG)
- Depleted (with LR paired DEG)
- Enriched (with LR DEG)
- Enriched (with LR paired DEG)

Node size linearly corresponds to the number of se_L2.3 LR DEGs within leading edge.
Smallest node = 1 DEG(s), largest node = 5 DEGs

Seurat labels L4




PRECAST (smoothed) L5




Node size linearly corresponds to the number of sm_L5 LR DEGs within leading edge.
Smallest node = 1 DEG(s), largest node = 3 DEGs


Seurat labels L5



PRECAST (smoothed) L6



Seurat labels L6



Node size linearly corresponds to the number of se_L6 LR DEGs within leading edge.
Smallest node = 1 DEG(s), largest node = 8 DEGs