



NTC.BPD F L - A top DEGs in term PLUS top DEGs (abs logFC>.3, zero prop n50= 2%) not in terms



NTC.BPD F L-A DEGs with abs(logFC)>.3 and zero prop.>2% in half of capture areas
(background indicates whether term was enriched/depleted)

GSEA term genes




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

AOPEP


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = -0.34



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.35



NINJ2


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.62



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.58



HAPLN2


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}03$ logFC = -0.5



Seurat labels


L-A sig: adj p < $7\text{e-}03$ logFC = -0.5



CERCAM


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.57



Seurat labels


L-A sig: adj p < $6\text{e-}03$ logFC = -0.6



CA2


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.41



Seurat labels


L-A sig: adj p < $4\text{e-}03$ logFC = -0.43



RNASE1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}05$ logFC = -0.59



Seurat labels


L-A sig: adj p < $7\text{e-}06$ logFC = -0.59



TTYH2


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}02$ logFC = -0.3



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.3



HSPA2


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}02$ logFC = -0.3



Seurat labels

L-A sig: adj p < $4\text{e-}02$ logFC = -0.3




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

TMEM125


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.58



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.52



PLEKHH1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.45



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.43



OPALIN


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}03$ logFC = -0.5



Seurat labels


L-A sig: adj p < $9\text{e-}03$ logFC = -0.5



MYRF


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.4



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.4



MAG


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}04$ logFC = -0.71



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = -0.67



CNP


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.35



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.35



KLK6


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.61



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.54



CAPN3


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.47



Seurat labels


L-A sig: adj p < $8\text{e-}03$ logFC = -0.52




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

CARNS1

PRECAST (smoothed)
L-A sig: adj p < $2e-02$ logFC = -0.5




Seurat labels
L-A sig: adj p < $1e-02$ logFC = -0.5




PLL

PRECAST (smoothed)
L-A sig: adj p < $1e-02$ logFC = -0.4




Seurat labels
L-A sig: adj p < $2e-02$ logFC = -0.3




TMEM144

PRECAST (smoothed)
L-A sig: adj p < $2e-03$ logFC = -0.5




Seurat labels
L-A sig: adj p < $2e-03$ logFC = -0.5




EVI2A

PRECAST (smoothed)
L-A sig: adj p < $3e-03$ logFC = -0.57




Seurat labels
L-A sig: adj p < $1e-02$ logFC = -0.52




PLP1

PRECAST (smoothed)
L-A sig: adj p < $6e-04$ logFC = -0.52




Seurat labels
L-A sig: adj p < $2e-03$ logFC = -0.5




CLDN11

PRECAST (smoothed)
L-A sig: adj p < $6e-05$ logFC = -0.7




Seurat labels
L-A sig: adj p < $2e-04$ logFC = -0.6




TF

PRECAST (smoothed)
L-A sig: adj p < $1e-05$ logFC = -0.76




Seurat labels
L-A sig: adj p < $5e-05$ logFC = -0.7




ENPP2

PRECAST (smoothed)
L-A sig: adj p < $2e-04$ logFC = -0.6



Seurat labels
L-A sig: adj p < $2e-04$ logFC = -0.6




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

CNDP1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}07$ logFC = -0.8



Seurat labels


L-A sig: adj p < $2\text{e-}08$ logFC = -0.8



HHIP


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.53



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.5



GPR37


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}04$ logFC = -0.6



Seurat labels


L-A sig: adj p < $2\text{e-}04$ logFC = -0.6



UGT8


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.54



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.49



FA2H


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}03$ logFC = -0.56



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.5



SURF1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}12$ logFC = -0.56



Seurat labels


L-A sig: adj p < $2\text{e-}11$ logFC = -0.54



RBM3


PRECAST (smoothed)

L-A sig: adj p < $5\text{e-}04$ logFC = -0.35



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = -0.34



FABP3


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}04$ logFC = -0.36



Seurat labels

L-A sig: adj p < $1\text{e-}03$ logFC = -0.32




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

TRIB2


PRECAST (smoothed)

L-A sig: adj p < 6e-04 logFC = -0.41



Seurat labels


L-A sig: adj p < 5e-04 logFC = -0.42



PER2


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = -0.46



Seurat labels


L-A sig: adj p < 3e-02 logFC = -0.44



DUSP4


PRECAST (smoothed)

L-A sig: adj p < 6e-04 logFC = -1.02



Seurat labels


L-A sig: adj p < 6e-04 logFC = -0.99



DUSP6


PRECAST (smoothed)

L-A sig: adj p < 6e-04 logFC = -0.63



Seurat labels


L-A sig: adj p < 5e-05 logFC = -0.65



PHLDA2


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = -0.61



Seurat labels


L-A sig: adj p < 2e-03 logFC = -0.59



NPTX2


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = -0.47



Seurat labels


L-A sig: adj p < 1e-02 logFC = -0.48



ARL4D


PRECAST (smoothed)

L-A sig: adj p < 7e-03 logFC = -0.38



Seurat labels


L-A sig: adj p < 1e-02 logFC = -0.38



VGF


PRECAST (smoothed)

L-A sig: adj p < 9e-04 logFC = -0.4



Seurat labels

L-A sig: adj p < 2e-03 logFC = -0.3




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

ADCYAP1


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.44



Seurat labels


L-A sig: adj p < $8\text{e-}03$ logFC = -0.45



PENK


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.71



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.58



CA4


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.35



Seurat labels


L-A sig: adj p < $5\text{e-}02$ logFC = -0.33



ADRA1D


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}02$ logFC = -0.5



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.48



CRH


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}04$ logFC = -0.59



Seurat labels


L-A sig: adj p < $4\text{e-}04$ logFC = -0.6



PNOC


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}03$ logFC = -0.48



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.48



CORT


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}10$ logFC = -0.9



Seurat labels


L-A sig: adj p < $4\text{e-}10$ logFC = -0.85



SST


PRECAST (smoothed)

L-A sig: adj p < $6\text{e-}10$ logFC = -1.37



Seurat labels

L-A sig: adj p < $1\text{e-}11$ logFC = -1.34




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. $> 2\%$ in half of capture areas

ARHGAP20


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}03$ logFC = -0.36



Seurat labels


L-A sig: adj p < $9\text{e-}03$ logFC = -0.34



PCP4


PRECAST (smoothed)

L-A sig: adj p < $9\text{e-}04$ logFC = -0.51



Seurat labels


L-A sig: adj p < $1\text{e-}04$ logFC = -0.51



HSPA8


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = -0.4



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = -0.39



TAC1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}03$ logFC = -0.62



Seurat labels


L-A sig: adj p < $9\text{e-}03$ logFC = -0.55



GAD1


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}03$ logFC = -0.43



Seurat labels


L-A sig: adj p < $9\text{e-}03$ logFC = -0.39



LGI2


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = -0.44



Seurat labels


L-A sig: adj p < $4\text{e-}02$ logFC = -0.41



SLC32A1


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = -0.57



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = -0.53



TRBC2


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}03$ logFC = -0.54



Seurat labels

L-A sig: adj p < $1\text{e-}02$ logFC = -0.52




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

ITM2A


PRECAST (smoothed)

L-A sig: adj p < 5e-03 logFC = -0.35



Seurat labels


L-A sig: adj p < 2e-04 logFC = -0.38



SLC38A5


PRECAST (smoothed)

L-A sig: adj p < 2e-03 logFC = -0.58



Seurat labels


L-A sig: adj p < 8e-04 logFC = -0.64



SLCO2B1


PRECAST (smoothed)

L-A sig: adj p < 1e-02 logFC = -0.39



Seurat labels


L-A sig: adj p < 9e-03 logFC = -0.38



IFI27


PRECAST (smoothed)

L-A sig: adj p < 9e-03 logFC = -0.37



Seurat labels


L-A sig: adj p < 2e-03 logFC = -0.37



RAMP2


PRECAST (smoothed)

L-A sig: adj p < 2e-04 logFC = -0.52



Seurat labels


L-A sig: adj p < 3e-04 logFC = -0.49



PTPRB


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = -0.39



Seurat labels


L-A sig: adj p < 1e-02 logFC = -0.37



LMO2


PRECAST (smoothed)

L-A sig: adj p < 1e-04 logFC = -0.51



Seurat labels


L-A sig: adj p < 5e-05 logFC = -0.53



ABCG2


PRECAST (smoothed)

L-A sig: adj p < 1e-03 logFC = -0.59



Seurat labels

L-A sig: adj p < 2e-04 logFC = -0.61




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

A2M


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}03$ logFC = -0.38



Seurat labels


L-A sig: adj p < $3\text{e-}03$ logFC = -0.35



TGFBR2


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}02$ logFC = -0.42



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = -0.41



ELK1


PRECAST (smoothed)

L-A sig: adj p < $8\text{e-}09$ logFC = 0.54



Seurat labels


L-A sig: adj p < $4\text{e-}10$ logFC = 0.56



NR1D1


PRECAST (smoothed)

L-A sig: adj p < $4\text{e-}03$ logFC = 0.43



Seurat labels


L-A sig: adj p < $1\text{e-}03$ logFC = 0.45



TEF


PRECAST (smoothed)

L-A sig: adj p < $2\text{e-}06$ logFC = 0.35



Seurat labels


L-A sig: adj p < $1\text{e-}07$ logFC = 0.4



PRKAB2


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.34



Seurat labels


L-A sig: adj p < $2\text{e-}02$ logFC = 0.35



KRBOX4


PRECAST (smoothed)

L-A sig: adj p < $1\text{e-}02$ logFC = 0.35



Seurat labels


L-A sig: adj p < $3\text{e-}02$ logFC = 0.31



CWF19L2


PRECAST (smoothed)

L-A sig: adj p < $3\text{e-}02$ logFC = 0.35



Seurat labels

L-A sig: adj p < $3\text{e-}02$ logFC = 0.37




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

SOGA3


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = 0.45



Seurat labels


L-A sig: adj p < 3e-02 logFC = 0.49



AC245060.5


PRECAST (smoothed)

L-A sig: adj p < 1e-04 logFC = 0.75



Seurat labels


L-A sig: adj p < 3e-06 logFC = 0.82



PEX6


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = 0.37



Seurat labels


L-A sig: adj p < 2e-02 logFC = 0.42



GALNT16


PRECAST (smoothed)

L-A sig: adj p < 4e-03 logFC = 0.3



Seurat labels


L-A sig: adj p < 2e-03 logFC = 0.31



PER1


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.35



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.36



HILPDA


PRECAST (smoothed)

L-A sig: adj p < 4e-02 logFC = 0.69



Seurat labels


L-A sig: adj p < 3e-02 logFC = 0.69



APOLD1


PRECAST (smoothed)

L-A sig: adj p < 5e-04 logFC = 0.8



Seurat labels


L-A sig: adj p < 1e-05 logFC = 0.82



MT1X


PRECAST (smoothed)

L-A sig: adj p < 2e-02 logFC = 0.61



Seurat labels

L-A sig: adj p < 9e-03 logFC = 0.59




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

MT1M


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.5



Seurat labels


L-A sig: adj p < 1e-02 logFC = 0.49



GADD45B


PRECAST (smoothed)

L-A sig: adj p < 3e-02 logFC = 0.71



Seurat labels


L-A sig: adj p < 7e-03 logFC = 0.73



S100A13


PRECAST (smoothed)

L-A sig: adj p < 1e-03 logFC = 0.37



Seurat labels


L-A sig: adj p < 2e-04 logFC = 0.35



MT2A


PRECAST (smoothed)

L-A sig: adj p < 5e-02 logFC = 0.39



Seurat labels


L-A sig: adj p < 3e-02 logFC = 0.36



DDIT4


PRECAST (smoothed)

L-A sig: adj p < 6e-03 logFC = 0.6



Seurat labels


L-A sig: adj p < 3e-03 logFC = 0.58



B3GAT2


PRECAST (smoothed)

L-A sig: adj p < 9e-03 logFC = 0.37



Seurat labels


L-A sig: adj p < 2e-02 logFC = 0.37



AQP1


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 0.9



Seurat labels


L-A sig: adj p < 8e-03 logFC = 0.83



HBB


PRECAST (smoothed)

L-A sig: adj p < 5e-06 logFC = 1.54



Seurat labels

L-A sig: adj p < 1e-09 logFC = 1.51




All genes with $\text{abs}(\log\text{FC}) > .3$ and zero prop. > 2% in half of capture areas

HBA1


PRECAST (smoothed)

L-A sig: adj p < 3e-03 logFC = 0.87



Seurat labels


L-A sig: adj p < 9e-06 logFC = 0.9



HBA2

PRECAST (smoothed)

L-A sig: adj p < 1e-04 logFC = 1.18



Seurat labels

L-A sig: adj p < 4e-08 logFC = 1.16

