


BayesSpace cluster 1

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 2

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 3

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 4

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 5

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 6

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 7

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC




total = 11293 variables

BayesSpace cluster 8

Adult vs. non-Adult

● Not sig. ● Log (base 2) FC ● FDR ● FDR & Log (base 2) FC



total = 11293 variables