Due: Mar. 13 beginning of class

This problem set will give you practice with imputing missing data and automating the process of creating reports of summary tables and model estimates.

As with the previous problem sets, you will submit this problem set by pushing the document to *your* (private) fork of the class repository. You will put this and all other problem sets in the path /DScourseS18/ProblemSets/PS7/ and name the file PS7_LastName.*. Your OSCER home directory and GitHub repository should be perfectly in sync, such that I should be able to find these materials by looking in either place. Your directory should contain at least three files:

- PS7_LastName.R (you can also do this in Python or Julia if you prefer)
- PS7_LastName.tex
- PS7_LastName.pdf
- 1. Type git pull origin master from your OSCER DScourseS18 folder to make sure your OSCER folder is synchronized with your GitHub repository.
- 2. Synchronize your fork with the class repository by doing a git fetch upstream and then merging the resulting branch.
- 3. Install the following R packages (if you don't already have them installed):
 - MixedDataImpute
 - mice
 - stargazer

The first two packages are useful for imputing missing data. stargazer is useful to researchers by taking summary statistics tables or output from statistical models and converting them to LATEX tables automatically. (If you'd like to use Python for this assignment, the Python version of stargazer is the summary_col function of the library statsmodels.api. I don't know of a package like this that exists in Julia.)

- 4. Using R or Python, load the file wages.csv (located on our GitHub course page, in the "Modeling" folder) in as a data frame. This data set contains information on ≈ 2,250 women who were working in the US in 1988. The variables should be self-explanatory, except for tenure, which refers to how long (in years) each woman has been at her current employer, and hgc, which refers to how many years of schooling each woman has completed.
- 5. Drop observations where either hgc or tenure are missing.

beginning of class

6. Use stargazer to produce a summary table of this data frame.

If you have never used this package before, consult the online documentation available here. The package will output LATEX code in the R console which you can copy and paste into your writeup for this homework.

At what rate are log wages missing? Do you think the logwage variable is most likely to be MCAR, MAR, or MNAR?

7. Perform the following imputation methods for missing logwage observations. For each imputation method, estimate the following linear regression model:

$$logwage_i = \beta_0 + \beta_1 hgc_i + \beta_2 college_i + \beta_3 tenure_i + \beta_4 tenure_i^2 + \beta_5 age_i + \beta_6 married_i + \varepsilon_i$$

Our coefficient of interest is β_1 which can be interpreted as the returns to schooling (where schooling is thought of as an "investment" in "human capital"—we are curious what the Return On Investment is).

- estimate the regression using only complete cases (i.e. do listwise deletion on the log wage variable ... this assumes log wages are Missing Completely At Random)
- perform mean imputation to fill in missing log wages
- impute missing log wages as their predicted values from the complete cases regression above (i.e. this would be consistent with the "Missing at Random" assumption)
- use the mice package to perform a multiple imputation regression model (follow the steps here)
- use the MixedDataImpute package to impute missing log wages

Once you have finished all of this, use stargazer to create one regression table which has the estimates of the first three regression models. (mice and MixedDataImpute do not produce output that is compatible with stargazer.) Include this table in your .tex writeup.

The true value of $\hat{\beta}_1 = 0.093$. Comment on the differences of $\hat{\beta}_1$ across the models. What patterns do you see? What can you conclude about the veracity of the various imputation methods? Also discuss what the estimates of $\hat{\beta}_1$ are for the last two methods.

- beginning of class
- 8. Tell me about the progress you've made on your project. What data are you using? What kinds of modeling approaches do you think you're going to take?
- 9. Compile your .tex file, download the PDF and .tex file, and transfer it to your cloned repository on OSCER using your SFTP client of choice (or via scp from your laptop terminal). You may also copy and paste your .tex file from your browser directly into your terminal via nano if you prefer, but you will need to use SFTP or scp to transer the PDF.¹
- 10. You should turn in the following files: .tex, .pdf, and any additional scripts (e.g. .R, .py, or .jl) required to reproduce your work. Make sure that these files each have the correct naming convention (see top of this problem set for directions) and are located in the correct directory (i.e. ~/DScourseS18/ProblemSets/PS7).
- 11. Synchronize your local git repository (in your OSCER home directory) with your GitHub fork by using the commands in Problem Set 2 (i.e. git add, git commit—m "message", and git push origin master). Once you have done this, issue a git pull from the location of your other local git repository (e.g. on your personal computer). Verify that the PS7 files appear in the appropriate place in your other local repository.

¹If you want to try out something different, you can compile your .tex file on OSCER by typing pdflatex myfile.tex at the command prompt of the appropriate directory. This will create the PDF directly on OSCER, removing the requirement to use SFTP or scp to move the file over.