

Integrator Guide

ABDM ABHA V3 APIs

Version 1.2

Version History:

Version	Release Date	Created By	Reviewed by	Approved by	Nature of changes
1.0	07-08-2024	Priyanka Varude	Prasad Vishwanath	Sachin Yadav	Document Approved
1.1	19-09-2024	Priyanka Varude	Prasad Vishwanath	Nitesh Jain	Updated document with QR code API details
1.2	04-10-2024	Priyanka Varude	Prasad Vishwanath	Nitesh Jain	Updated Password Uses Cases

Table Of Contents

ABHA APIs.....	6
1.0 Generate session token	6
2.0 Encrypt data (Aadhaar/Mobile/OTP/Password)	7
3.0 ABHA creation via Aadhaar	8
Step 1: Generate Aadhaar OTP	8
Step 2: Resend Aadhaar OTP	9
Step 3: Enrol ABHA	10
Step 4: ABHA Mobile Verification	16
a) Send OTP	16
b) Verify OTP	17
Step 5: Email Verification	19
Step 6: ABHA Suggestions and ABHA Address creation	20
4.0 ABHA Creation via Driving License	22
Step 1: Generate OTP	22
Step 2: Verify Mobile OTP	23
Step 3: Verify DL documents.	25
5.0 ABHA creation via Demo Auth.....	27
6.0 ABHA verification.....	29
6.1 Login via Aadhaar OTP	29
6.2 Login via Abha OTP	33
6.3 Login via Mobile OTP	36
7.0 Update Profile	41
7.1 Update Mobile.....	41
7.2 Update Email.....	44
7.3 Delete/Deactivate ABHA Number	45
7.3.1 Delete ABHA Via Aadhaar	45

7.3.2 Delete ABHA Via ABHA OTP	48
7.3.3 Delete ABHA Via Password	51
7.4 Deactivate ABHA Number	53
7.4.1 Deactivate ABHA Via Aadhaar	53
7.4.2 Deactivate ABHA Via ABHA OTP	56
7.4.3 Deactivate ABHA Via Password	59
7.5 Re-activate ABHA Number	60
7.6 Re-KYC	64
8.0 Get Profile.....	66
9.0 Generate QR Code.....	70
10.0 Generate ABHA Card.....	71
11.0 Benefit API's	71
11.1 Create ABHA using Aadhaar	71
Step 1: Generate Aadhaar OTP	71
Step 2: Enrol ABHA	73
11.2 Create ABHA via Biometric	76
11.3 Link OR Delink ABHA With Benefit Name	80
11.3.1 Link ABHA With Benefit Name.....	80
11.3.2 De-link ABHA With Benefit Name.....	82
11.4 Update ABHA Profile Details.....	84
11.4.1 Update Mobile.....	84
11.4.2 Update Profile	86
11.4.3 Update Profile	87
11.5 Search Benefit Details.....	89
11.5.1 Search by Aadhaar.....	89
11.5.2 Search by Health Id Number	90
11.5.3 Search	91
11.6 Find ABHA	92
11.6.1 Search ABHA using Mobile.....	92
11.6.2 Generate OTP	93
11.6.2 Verify OTP	94
11.7 Child ABHA.....	97

11.7.1 Create ABHA	97
11.7.2 Get Child ABHA.....	99
11.7.3 Update Child ABHA	100
12.0 ABHA Address Verification	102
12.1 ABHA Address Verification via Mobile OTP	102
12.2 ABHA Address Verification via Aadhaar OTP	107
12.3 Profile.....	113
12.3.1 Get ABHA address ABHA Profile	113
12.3.2 Get ABHA address ABHA card	115
12.3.3 Get QR Code	115

ABHA APIs

Environment URLs {{base_url}}:

SBX: <https://abhasbx.abdm.gov.in/abha/api>

Prod: <https://abha.abdm.gov.in/api/abha>

Note: Base URLs for ABHA Address verification (applicable to section 12 of this document only):

SBX: <https://abhasbx.abdm.gov.in/abha/api/v3/phr/web>

PROD: <https://phr.abdm.gov.in/api/phr/web/v3>

1.0 Generate session token

This API generates Session token using client_id and client_secret.

V3 Session:

<https://dev.abdm.gov.in/api/hiecm/gateway/v3/sessions>

Method: POST

Request:

Request Body
<pre>{ "clientId": "{{ClientId}}", "clientSecret": "{{ClientSecret}}" }</pre>

Response:

Response
Code: 200 OK
<pre>{ "accessToken": "eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUiIiwia2kiOiA6IChBbFJiNVdDbThUbTIFSI9JZk85ejA2a jlvQ3Y1MXBLS0ZrbkdX1RCdkswn0..hmJ4tmAbpRd8tPMmzZTdQvzGhxE7rQcDJEow2MrL3W1MhSeZk_ CEjGYyHh7NDgFzzfT39oQiUAYf06buXi1KWX8xptkrQk1uitgNecqw8Lel5wufs2Z8dFawsYJtmVHPP_2r DqvUhSeTADGYBp-84tXkpslgp2tjkjsdOOkQsZtpJLaV_vHkLi7QRncl2KG2IfHDS8yebcpqi- MMGYcDmyb42Po5xmQ9Lzw6lwgJzUJsFxKbIQ22m3MaYqXYt4ZOPfxYcunr7ppMhNldJVE55_CMuY- NfWrbaTkc6iLA-y0PCQ-yvyu9l1pN2iwyJbtMotEtV065Uqek0oQ0py2Mw", "expiresIn": 1200, "refreshExpiresIn": 1800, "refreshToken":</pre>

[illegible]

2.0 Encrypt data (Aadhaar/Mobile/OTP/Password)

Step 1 : To encrypt any data(Aadhaar/Mobile/OTP/Password etc) public key can be generated using below API

URL: <https://abhasbx.abdm.gov.in/abha/api/v3/profile/public/certificate>

Request: GET

Request Body

GET

https://abhasbx.abdm.gov.in/abha/api/v3/profile/public/certificate

Send

Params

Auth

Headers (10)

Body

Scripts

Settings

Cookies

none

This request does not have a body

Response

{
 "publicKey":
 "MIICjANBgkqhkiG9w0BAQEFAAOCAg8AMIICGKCAgEASTWB95C5pHLXIYW59qyO4Xb+59KYVm9Hywbo77qETZVAyc6VIsxU+UWWhd/k/Yt
jZibCznB+HaXWX9TVTFs9Nwgv7LRGq5uLczpZQDrU7dnGkl/urRA8p0Jv/f8T0MZdFWQgks91uFffeBmJObs58u68ZRxSYGMPe4hb9XXKDVsg
oSJaRNYviH7RgAl2QhTCwLEiMqlaUX3p1SAc178ZIN8qHXSSGXvhDR1GKM+y2DlYJqlzfk7ID14mDY/I4lcbftib8cv7llkybtjX1AayfZp4XpmIXK
Wv8nRM488/jOAF81Bi13paKgpjQUUuwq9tb5Qd/DChytYgBTBTJFe7irDFcmTlCqPr8+IMB7tXA3YXpP3z605Z6cGoYxezUm2Nz2o6oUmarD
UntDhq/PnkNergmSeSvS8gD9DHBuJkIWZweG3xOPXiKQAUBr92mdFhJGm6fitO5jsBxgpmulxpG0oKDy9lAOLWSqK92JMcbMNHn4wRikdl
9HSiXrri7fLhJYtbyU3I4v5ESdEsayHXuiwO/1C8y56egzKSw44GatEpbAktNEEfK5H5R0QnVBIXOVfeF4tzGvmkfO06nNXU3o/WAdOyV3xSQ
9dqLjY5MEL4sJCGY1iJBIAQ452s8v0ynJG5Yq+8hNhSvCvnlCzAlslzQpnSVDUVEzv17grVaw078CAwEEAAQ==",
 "encryptionAlgorithm": "RSA/ECB/OAEPWithSHA-1AndMGF1Padding"
}

Step 2 : once public key is generated data can be encrypted using below third party API

["https://www.devglan.com/online-tools/rsa-encrypt"](https://www.devglan.com/online-tools/rsa-encrypt)

Step 3: Select Cipher type as **RSA/ECB/OAEPWithSHA-1AndMGF1Padding**

3.0 ABHA creation via Aadhaar

Step 1: Generate Aadhaar OTP

This API accepts encrypted Aadhaar Number and then Generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"), DL_FLOW("dl-flow"), MOBILE_VERIFY("mobile-verify"), EMAIL_VERIFY("email-verify"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	OTP system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{Aadhaar_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "1234567890:20211216223812", "message": "OTP is sent to Aadhaar registered mobile ending xxx001" }</pre>

Step 2: Resend Aadhaar OTP

This API resends Aadhaar OTP

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.

Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"), DL_FLOW("dl-flow"), MOBILE_VERIFY("mobile-verify"), EMAIL_VERIFY("email-verify"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	OTP system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{AadhaarencryptedOutput}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "0658241c-1ad1-4703-8fc2-512a5fb8754b", "message": "OTP sent to Aadhaar registered mobile number ending with *****5852" }</pre>

Step 3: Enrol ABHA

API accepts transaction ID (previous step response) and encrypted OTP along with a primary mobile number for ABHA.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	Otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating ABHA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body

```
{
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{lastResponseTxnId}}",
      "otpValue": "{{OTP_encryption}}",
      "mobile": ""
    }
  },
  "consent": {
    "code": "abha-enrollment",
    "version": "1.4"
  }
}
```

V3 Response

a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK
<pre>{ "message": "Account created successfully", "txnId": "2ec82835-9314-4296-acc0-5d526371998d", "tokens": { "token": "eyJhbGciOiJIUzUxUmMiJ9.eyJpc0t05Y1ZlcmImaWVklj0cnVlClJzdWliOiI5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkjojYwJoYS1wcm9maWxlWFwC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6InNOYW5kYXkiZW9iaWxliJpudWxsLCJhYmhhTnVtYmVYljoIOTETMTYwMS00NTQ0LTEzODAiLCJwcmVmZXYjZWRBYmhhQWRkcmVzcyl6IjlxMTYwMTQ1NDgxMzgwQHNieCislR5cCI6IiRyYW5zYWN0aW9uIiwiaXhwIjoxNzE1ODUwNDY2LCJpYXQiOiE3MTU4NDg2NjYsInR4bklkljoiMmVjODI4MzUtOTMxNC00Mjkl2WFJyZAtNWQ1MjYzNzE5OTthkn0.NXTXyZvRmGVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBJNQ5ZzSS0lIOWBCOU6yW5wDCA9a03W59UUGEOjxs9QXQG0C5eyWVQSMsUyYwxjMXN0yNhQxFTMiXjZfGiXJEUcSHznT5f0UHZINd82dw-bljZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBCSw6pj6WzzuA2AVB0w15yLW3LAdsxMZqFTES-aCx_c_iQ5Jc2HOCGduWQu4L9i5rJLEn8Rn4yx_DDJgtxAtP6Gem5jy-82qQausJUyC30kvuExY5BFpvpnXHarJoAtmkCRwncl_mJf4TLjl8ygfAncXm-ElZhhwV3TXfhCg6lgnbg-YNX66680AoAGCg8G5tljjim6-5yEKJH4bgArhsYJ_0djLKK_UqFjXRpY6CoJ6S_qgNBUvTA1Mw9LOc12Tfj3_P_gK-xoBrPz5AA_aYOIQYsNB5TISI4dzN2HaTrVgeosYDHPHvXNPNHoeXvoBWqhZ_A-oOpY-j9j2-qeRRXOdWiRgl47juFDPO_ze_iBBCgYxZqdfdmf35Hk3JXbe1_Y3Qs12PG8dXB9vgh-3fLkxH_swTMR13JJYWNcU9CAFxHbcirTEDTWngdh2JZNDObz7_Q68_L8rxGM49kZCQcaVW5rJlPsGvJ7Ban3Ur8kk", "expiresIn": 1800, "refreshToken": "eyJhbGciOiJIUzUxUmMiJ9.eyJzdWliOiI5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkjojYwJoYS1wcm9maWxlWFwC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAiOiJSZWZyZXNoliwiZShwIjoxNzE3MTQ0NjY2LCJpYXQiOiE3MTU4NDg2NjYz.feDbP3ZZ5rj-yVHVNTjt2MkecmaRMoorscip-812w899srCCKvdqawh2dwyDsjLQJ56O7tw1g5Bu7qQJdr3GxfQDFzGV3rejVDNyuq8ZRzyUrrWR3x3P54JbZ51msY0W166arm0SSypaKKitaXscQyqkCwbeuGzMjSWWaENcAVH26XOBVUheZez4ctFpi-Int51vH3rp0QOy6ZmeCH7uYprrcihqRWyOabsYV4rOy41ioTyJxLS00dw4m0OOhXiFvZwZnrHvrualawWFPcw1Errv9KQu-Ph33wQ56wWep5Q4wff29BvNcG3LOadboi0biVckH0BxcXmvV0pJybz2gMcrcKJIT3TnpYI2LzuwaNcvN4u1NR0tNWL01iyHk8mMML_DAaqul_x8b0zUkHym4ow7sSul_kIE8_QrT4bGiHa24b_x1XfRLP3V-drvQzAnCHaiCK-PXqPv97q3BuKFTBhpvTqQOrGrDdWqCckB5KmbfLRvPydiY0yhG0hwiMXSiHHUT3Vfgiwulu-vA90re--ZB5hPe_zVeGp3YrP9hnY6N5zYUUTSKG1JD5ntdRTRKRPBhbAOAwI2kpsD6NuQVKKB9AKwzQTWald2Ue_08nN6vz8v4adA-vj94wxegJRutl8A0-kfHZM14PLv5KR5c-HM-iWZMaW5k5yCZNo", "refreshExpiresIn": 1296000 } }, "ABHAPProfile": { "firstName": "Priyanka", "middleName": "Sudhir", "lastName": "Varude", "dob": "26-11-1989", </pre>

```

},
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",

```

```

    "ABHANumber": "91-1601-4548-XXXX",
    "abhaStatus": "ACTIVE"
  },
  "isNew": true
}

```

b) If the primary mobile number is different from Aadhaar linked mobile number.

[illegible]

```

nl8km1zJlFejfCbWGtdbNsW4IHQnrXG67pbWlwSB8jHlpfC16bDxBZZ4EgB+ldcXdnFJaWPrGN9wBFTZ4qhZSeZCjg8FQavDmtDEdThim0uTSAP
E00swHFNzzUM8oUgd6BENxJHlrZcgr6HBFfOvjudLjxHeS05k07AbGOle66pdqLDLk4PK9a+efE3z67OoJ27icnrUylgZlhC0k6jtnpXoGmiKygdYk
AVyOixZmL46V1tjYteuGLOEHsSprLU66W2hqxelbSln8qux+K7MjlulMjOrSokHnbM+hrP1DS9GJ3Rkof9mko02ti25rqdPZ+H7KYAbutbMEsMwD
KQRXm1pbW8RLROWx711WizFztBOKTsi4uT3OguHHiGSRXP3+t20DEHGMZzS6vK0YbJ4rnJoZYw0xGPekrNjk30HXPIuAEhVNUh4iaQkNGfbir
NtFpUbcxbj7irbyaey4WNR6cYrT3VsJfCz3Zz+rSQ6lYmCAsLzg1xslQtWgdVgSg132oWUTIZhg+leezJtvHudmrSErmU1bc+pPCN59s8PWk2ckxjN
dEMkVxnw/iaDw9bqfumNSB7k12Knsa6Tm6kopQaaDS5oAzRyapTgNMSy5HQVeQGoZkwSaRDMjULRDaSO/wAqgE/L1r578TIE1ucrkrrnqa+jd
WJXS52XkBCcfhXzz4kjaS7LsMO3PFZyZtTtS2TeGLbzomYg9a3bm9NohRAQQOMCo/CNp5dshboa37nSB0dyp1rkm/fuzsgvdOelS4bRpbwTv5w
5CJ1A9TUejS21zqkCzNcNbNHIYyno/crjt0raGiTqCLIVNSQ6K6Ng5x6VrGskthOi2zPlt4453EDM0YPyuRgmun8NwOpLvkl2qCLSwpBl4HUctKxm3
XQjHylXPUmpbG0Y8ugzX4C6kDvXKPgonVZ1dogfmK9cV3mqRiWMLR8w6Vg/ZEnJ4+buKVKdh1I30OS8QG0XVY3s7SSWYwlgGKtulPOfY1Vs
bMroryTst3u/dqTnl9xXvZaCrk5yp9qjj8PohByTXV7ZMw9i0Z0ktPNHsnQgjiuTnsHPiqS324zJgfiXqMNH5PIFctLpzt42t9ilpJnVQPSIT30M6isj2zQ
IFtdLggAl2lBn8K2Qe9U7Wlw26lx5UAGrQ/Kus5CQNTs1HmlzQBAooZcjBFKBQaQile2wnuYum9SK8L1/TD58odeYzjG09e/NXnfjXTFhuxdKMJ
MMNgdGrCnsa5rVrbucn4bceQiHgg4ruLMploBA4rgLQGxvSjfdJyMV1un3OchTxFUXVHd7HRLaxyDtjtihrSKEbguT61FBluwH0O9WDMCvLlc
3Of1V33iOPlm6UzTjVsgJjwxNO1W0cTCeFdwHBFYP2dpNQ+0rPOso6kZBrRRutyG2megXRtUtp3AnGcVzkbGS5a4TAVj0qpPlc3Fo0U7GNC
MHYeTUNIGYAkasiD+8xOapJLcV7nTiNZVG5pGto15wKSodPLXJ5pk0uV4qDTSxWumVQQuMVB4e0Zr7xImpkgLbcAeqpC7kO059fzrs/Ddp9l
0uMkfNj8x/GuvDrW5w4l2VjbBz1pwaowaUGuw4iYHNLMohTgaAFppp5ppNlkjbrWbq1jFfWxilXOCCCK02qtORtOamSurFJ21PGtWtfs16VUD5
WK8dqvacbCYC57V1OtR2QhBlhjVn4L471xdudshwePauOpT5VqdtKrzM6uK7CjkkdEvAcS7L5heMhSaha5aND1JHbNc/KdfObr3mQRkVmSS
QtNu3AEelYvJy5lKkeWua2d00b7Vjdcqvrm4U+4leexPLOjpxLkemKZCfcQOFYEjtv+TQLdYiftS4X0Nc5qNp5DnyJmNU6aHKDgrm2t4WUjOCKeL
vK4ziucszcoD5z7s9MCTdDtHXJrFwsQp3ReiBvdRhghIZwD9K9KgQrxlqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6hG0bnBWneQ4U4U0UorcwHil
puaCaAJM00OpNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzjx5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi/P1AHb3rkvDymSCb+8rcVz1tj
ppHUJOY8HtUjXzCWzwapRSBxg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NUmZbX6UwRgnrxUPztzJXUy21u
B8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbyvIHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9lsF0/To4QPmxlj6mtAGmoekD1rutY4L
3DJ7U4UgpaYc80v1oFAEH5NNNXV06U/elFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG40KyYDFLGWUunn5utLmQ3Bnz5r
Md3qVyl7e3lmmuGyqlpYkdunNUPD1jcWtxdx3ELxYfbh1wcjrX0Sdl0/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybyqzdDvT
rVIXDKcNwwrpp0jV2sMis290sZLKOK54z6M6pQ6kEOphV2uPxqZdQTOVbFZ5syDgg4pBZdwxp8qBSaNDJ4IL5z3qM3e7OOTVH7Kw6E1PFaEn
nmhJIHKTJQ5kfPU/yrsVcbqtvJEw5L5z+FcxHb7BjFamkam9pqnVzrCHE8iruzuyTitaM1zGFWd5D0OLp7VLzUyW6FB1/Cpo7NGIHv186OSxTAp
1aC2MRXnOfRqbBGGVYihTQWZQoq01hPukGomt5U6oarmQWN6iiisDpCiiigTKeqRGbT5ox1ZCB+VeKSJhwccV7nMMxmvJtZ042WpSxY+Xdlf
oeIYV1pcug/eaM6lflUrRbl680xU2mp1xjmuQ7TNlt9rElaaLWMjOKOymR1zULRJHTFUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
Eg1iOnYfckGfVh+elQw2cl7eRW0f3pGwD6e9VBZ2nUWh6zbDdCG9qtWjrUVsg8nA+ITxLhDXaedYeo+WnKMUKOBSgUDF7UmKXFFAyaiimah
RRRQAJLUiUis8Uad5sK3Cr8ycN9K66q15brPE8bDlcYNTOPMrEr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHPz
V9YecYqTyQD0oLMkxtmk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3c17n8v51izMP8AVr1716Fo1mLPSreHHzbdfU8mt6Mbyv
2OXESTGxp264WpwuFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPoopmoUUUUAFlwyppaKBPY5PX7YldLIBw45+tZOBIQKJBTOdHt9a
6rW7bzbQsOsZ3fhXLOolx3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxqq3TlRuttSntzlEQstuesUgyPw9KVlOy5gedBPPs+/GBvBz0wf8ajlXQ05mviOf
mc1VbzG+UKcnvWs6lxSPaPvjK00IoHP50rMq9ylyWYD3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKOQK66C925w4h3lYmQcVIBTVH
NPFamI7NFIOKWgBDQKKA0aAHUUUuZUKKKKACiigGQ3EYkjkKcEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qKK572
OrdahgMBmoiCPpRRQwaOk8MwEWktwR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9FFMBvenUUUAf//Z",

"mobile": null,
"email": null,
"phrAddress": [
  "91160145481380@sbx"
],
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
"districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note: If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.

Step 4: ABHA Mobile Verification

a) Send OTP

This API generates OTP for mobile verification (Mobile number not linked with Aadhaar).

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session api

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to /enrollment/enrol/byAadhaarAPI
Scope	abha-enrol mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"), DL_FLOW("dl-flow"), MOBILE_VERIFY("mobile-verify"), EMAIL_VERIFY("email-verify"),
loginHint	mobile	Yes	
loginId	Encrypted Mobile number	Yes	
otpSystem	abdm	Yes	OTP system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre> { "txnId": "{{txnId}}", "scope": ["abha-enrol", "mobile-verify"], "loginHint": "mobile", "loginId": "oEIWeeEnSg4tzWQQ8iPedMACyd/+6pfmdPsnwADBwaj26wWM0emiAHZRMV0lr8W21oa6ai22CxY2XatoT8DhWnQEIU/ g86QaPsqlr/ksMaSBsKSe0TIPwPasB1RwCmfstelj+Zg0yNplvD/sYqyBFvSLHka7FSqk4/Djp4PK3PCji6He8y3mZXy7rNYBBbo7 9VszQkgpoiQCzaynZzzW2iEwEmpGmZ0yJz0L9ynjQh/sVvzpljPz5BUIcnn5Qw5nrPlzR764VcBP15MGjdFleNrDn/m1WGaYlQg 7c+AGelcJ/3XRjoVqR722xB0aicJa631Qy3CIQyoX4hJgMv1vgLfdRHB4AsvnbfofZmHngnCuYnBah44tclSZTOyET3nqP6Y/zPHh mPh4CoMu0DALi3dBKKj96SHWVd44JostStCq6hUDKDrNuzNPzdeQPGFcu+B24LuvflKglQR4DGyhwCH6Jr17Atvk/vAi7fxCPpX PLxPoXj9JRJmsp3Gfe3MjtSddpZbGNG24ds47ijhcyusdchwuXzxRq6nW/iJ4k09qj8WQO1KG7a4b7SLx7OCPoQqiZQFZzV+wGf FrNbqZtZ1toAKGKnu7HS5iY5RACYwUffhZvbpu/hUNblsda+zxKzJ3O3zOAJYMie4SBD0W+ZaNem8hQao3brsE5WqxqeyHGxE iDPpA=", "otpSystem": "abdm" } </pre>

V3 Response:

Response
<pre> { "txnId": "3ec0e997-fd1b-47cd-b0f5-60199d334e73", "message": "OTP sent to mobile number ending with *****3372" } </pre>

b) Verify OTP

This API verifies via Mobile OTP.

V3 URL: {{base_url}}/v3/enrollment/auth/byAbdm

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session api

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	Otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "timeStamp": "{{current_timestamp}}", "txnId": "{{txnId}}", "otpValue": "WyJtOAFee5hyS5gizaNxl3rGNahQe6cO8Ada+gFBKm0PjWLeVpElh1hsd8GzP2GlvyB6flEstF1aUjqYi9B275EWdpqqTchVn13 X0zI94SBnEFR6VcdJ35OQaey1JAdldcVAVaQbbb7M2ih+mLuQ3Y3UsHynt4cUcH5L76Wilk4s2zfB9GZ7PpRPWFJWGJat9LdAs wX1H41Ce7PP3Fqp/hs3yhZkEYF25VeESBZyYQnuCNtdoy+S+D+dPcYBJKB7EhwE+o+18F7tcS+Cqj20LQRHGnLWE39A1nXNxc kEVdUcoZJA8+otLNFvjINrSS0YHu0uud2UxsCkj1HfM6SLkQzu4QEdllkKB10AtpGFaAbAk4NiKyAJSQsneLRsV66fDE7D7RZjJVlrs awxJeqfrTr4xyR+NCEl+90o74T2Im3K/IFxYuMLnUza66pIM0/9NRkk772p9142/F43pY/ntWle8UoZGODUNQySRJuhOhK8JW ExZxdocwgwJI7fo9d3SFQ3gIHfsDswtkyDxWlikrVSWvAnaqoBCKa+WlrXx+Ey76ZtPxGjURZ00tIdMUfHk31X6SzfWlkzOIQUm 3cAaLeJaLYd0hg+QewbDP6k1nWzZiAap2jpkfUnLunJVRfeSyzRE6tEgvdqT/jUI62S3ApJUrLQQgFAPp3VjUU84=" } } }</pre>

V3 Response:

Response
<pre>{ "txnId": "366c8f41-4ef8-49ee-b73a-2e3e44613086", "authResult": "success", "message": "OTP verified successfully" }</pre>

Step 5: Email Verification

V3 URL: {{base_url}}/v3/profile/account/request/emailVerificationLink

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile email-link-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used. abha-profile email-link-verify
loginHint	email	Yes	Type of login
loginId	Encrypted email idr	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "email-link-verify"], "loginHint": "email", "loginId": "pb2Rf4GQ3zq5rIxXWgpn8Td9HMh0sjlb/SbN+6CHpylD422FxcJPHgo9Zyc3SES5etu60JFga4729tdi48PU0mW053M6d2kC3E</pre>

```
W8cd917VNP0hett79+S80JG6VdWYsb3pzF3G7GoGaCEqcmr6pt5ZX2NNkN9YT5f9QXqSUkrNam9/RJVUzUy+KuXo0MbV35
nOU6lO5Bs8Bly+Ggs96kogiTf8iajlxheoO02nVU1Ln6Q9rjgLF11ibyEJ5/wvOp8FvSA3Ed8+CodQpkWeiJbRFokZCMHx9ONlIO8
Zbr0brbCGQsZkfQjRZswgS8vV3lJded1Vx7qY3bqb/QWZSYLWgXN61TFU4EZ/vq1jix0YasluuxjjjWUzTV43qDL/AJPKLnsOhGis
1G+quo7WKzTCAAekjbEEApZNRZL5RYcn3gykXfbNJaSu82tHO4Bke9uXc6ON91QcAhNHeOJFc3zPvftCQu59YYunuiaM3YmX
MCeVtaOYyaO1mLd+OEDCrWTeEyPZCkRf32W0TXjhoTN7UcC+t94hWWv2dAahbVzpMiS+NXVoAMj66/l/7wbUqsem/aK+3j
/tveftXJTyREg7/wjHwBrjUdt8hMFsbinsYs+S7Bpus65Oafqrost5MDdxlu+0g8C3ce0EUDF76sklA1S885gN3KMsqk5cC9hY=",
  "otpSystem": "abdm"
}
```

V3 Response:

Response
Code: 200
No Response

Step 6: ABHA Suggestions and ABHA Address creation

a) Get ABHA Address Suggestion

This API returns ABHA address suggestion.

V3 URL: {{base_url}}/v3/enrollment/enrol/suggestion

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
Transaction_Id	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA.
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters: NA

V3 Request body: NA

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "daa3ec62-60b2-4d06-8dc0-16e38c38d102", "abhaAddressList": ["anchalsing1", "anchal1995", "anchal.singh", "anchal299", "singh299"] }</pre>

b) Create Custom ABHA Address.

API is used to create Custom ABHA Address against that transaction ID.

V3 URL: {{base_url}}/v3/enrollment/enrol/abha-address

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after successful ABHA Address creation
abhaAddress	String	Yes	Custom ABHA Address that the user wants to create
Preferred	Number	Yes	The accepted value is "1" which is used for setting the ABHA Address as the Preferred one.

V3 Request Body:

Request Body
<pre>{ "txnId": "e4a7ebfa-18c5-481f-acd2-a6dc1165ae46", "abhaAddress": "gaurav_22101991", "preferred": 1 }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "e4a7ebfa-18c5-481f-acd2-a6dc1165ae46", "healthIdNumber": "91-6285-4575-XXXX", "preferredAbhaAddress": "gaurav_22101991" }</pre>

4.0 ABHA Creation via Driving License

Step 1: Generate OTP

This is an API that will be invoked to send OTP to a given encrypted mobile number and create transaction id.

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session api

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-enrol mobile-verify dl-flow	Yes	Defines the scope of the current action of the API
loginHint	"mobile"	Yes	Type of login

loginId	Encrypted mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using a Public key
otpSystem	"abdm"	Yes	OTP system to verify hiu/hip/phr login

V3 Request Body:

Request body
<pre>{ "scope": ["abha-enrol", "mobile-verify", "dl-flow"], "loginHint": "mobile", "loginId": "{{Mobile_Encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "34935c59-f57e-4304-a318-3aa0b146c426", "message": "OTP is sent to Aadhaar registered mobile ending *****3603" }</pre>

Step 2: Verify Mobile OTP

This API will verify mobile OTP and update details in the transaction table.

V3 URL: {{base_url}}/v3/enrollment/auth/byAbdm

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end- to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

scope	abha-enrol mobile-verify dl-flow	Yes	Defines the scope of the current action of the API
authMethods	"otp"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol", "mobile-verify", "dl-flow"], "authData": { "authMethods": ["otp"], "otp": { "timeStamp": "{{timestamp}}", "txnId": "{{lastResponseTxnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "649ce755-810e-4f05-a9e6-022741acc42d",
  "authResult": "success",
  "message": "OTP verified successfully."
}
```

Step 3: Verify DL documents.

This is an API to validate the driving license document with NEPIX and create a new account and generate an enrolment number.

V3 URL: {{base_url}}/v3/enrollment/enrol/byDocument

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
documentType	"DRIVING_LICENCE"	Yes	
documentId	MH1320140019054	Yes	Driving license number
frontSidePhoto	BASE 64 ENCODED JPEG	Yes	
backSidePhoto	BASE 64 ENCODED JPEG	Yes	
Dob	Yyyy-mm-dd	Yes	Date of Birth
Consent	{ "code": "abhaenrollment", "version": "1.4" }	Yes	Consent code and consent version

V3 Request Body:

Request Body
<pre>{ "txnId": "{{lastResponseTxnId}}", "documentType": "DRIVING_LICENCE", "documentId": "MH1320140019054", "firstName": "anand", "middleName": "vyankatesh", "lastName": "sunchu", "dob": "1996-07-15", "gender": "M", "frontSidePhoto": "{{BASE 64 ENCODED JPEG}}", "backSidePhoto": "{{BASE 64 ENCODED JPEG}} ", "address": "russia", "state": "maharashtra", "district": "pune", "pinCode": "413005", "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "EnrolProfile": { "enrolmentNumber": "91-6087-5423-XXXX", "enrolmentState": "VERIFIED", "firstName": "anand", "middleName": "V", "lastName": "sunchu", "dob": "1996-7-15", "gender": "M", "mobile": "*****3603", "email": null, "address": "india", "districtCode": "490", "district": "PUNE", "stateCode": "27", "state": "MAHARASHTRA", "abhaType": "STANDARD", "pinCode": "411017", "abhaStatus": "ACTIVE", "phrAddress": ["91608754231330@abdm"] } }</pre>

5.0 ABHA creation via Demo Auth

This API is used to create ABHA using Demo Auth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end- to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	benefit name	Yes	Benefit name of client
Authorization Token	{{accesstoken}}	Yes	Token generated from session api

V3 Body parameters:

Property Name	Value	Mandatory	Description
authMethods	Demo_auth	Yes	Account creation method, currently it is demo
aadhaar	Encryoted aadhaar number	Yes	User Aadhaar number encrypted by RSA
address		No	User personal details. It's optional field.
Mobile		No	User personal details. It's optional field.
dateOfBirth		Yes	User personal details
districtCode		Yes	User personal details
Name		Yes	User personal details
Gender		Yes	User personal details
stateCode		Yes	User personal details
pinCode		No	User personal details
Validity		No	User personal details
profilePhoto		No	User personal details

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["demo_auth"], "demo_auth": {</pre>

```
"aadhaarNumber":
"cRmMrv8dA/an19TRnKxUYuzNlx+xSezheT83aQ/U1lFilzPl+h5U+/SG2uhnIW7hro6I7LnImqAiP5gd+buQ5aa8LeC/tnhlyIESMxtltoQOlyUmr
wOgDFQAO7BLqGyWsXJayWn0sa2yhmzxzrdlpGdaQhDMBW+Z5DFZC4ZWwBqoEeAt69eLH+9qGA9UEmJRrbDD2vl7crHmkhSZjFnn/BcaKv
86DCHkLwmJlAgzODJknBIWglMdlkXhGhJRSNeSaVKFgpxzxzx4xjX2jmQnaW5FtUOjV2THjfgW6ptV0yGpe+lJuevzLcJo7skNpTjPCILtGlhXZqF
PLweDLHzbOumidhOxtrd5kt0mHQXhdR2jPcvw2J+Y/27dLUH05q5xzbIF5Zm5pvGxB9bxs0M8nVmfuc6kPvHSHg3wSbXVMTkRffq/wfV5sa86x
Obsu+ewocCgq5OpMPsEJFUEGdjLWAEvaBgKpMX/pc3XJrrfaD/yGB58QjReoYkucemDCY+vJ0SlmisxvzNZtC+jhj2iVFuG5yRDewC7WR9sYsbLq
2KUUFgZ43M15CSNzmIkOAsBv/UlpcYkMeTIWe5IhRq8/Sd8oiW8x4+uyehDDwPR/F3RZJtnD1U5LBnMQHeKqDmEh6eX43KJXCBS1RCCBOao
OifNfv1CVb2V+ZtQNqBb8TTPyJzQg=",
  "districtCode": "490",
  "stateCode": "27",
  "dateOfBirth": "23-1-1989",
  "gender": "M",
  "name": "Yashraj Chonde",
  "mobile": "*****1670", //Optional Field
  "pinCode": "234562" //Optional Field
}
},
"consent": {
  "code": "abha-enrollment",
  "version": "1.4"
}
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "photo": "/9j/4AAQSkZJRgABAgAAYaAF0vqVVjebUF3OVuJvs1ykkk4Ujsamph3BWlucU8RGtU5oLQ74ONuKjkc=", "gender": "M", "name": "Sushant Kumar Jha", "email": null, "phone": null, "pincode": "847121", "birthdate": "20-11-1997", "careOf": "Avinash Kumar", "house": null, "street": null, "landmark": null, "locality": "dulha", "villageTownCity": "Khairi Banka", "subDist": "Bisfi", "district": "Madhubani", "state": "Bihar", "postOffice": "Keoti Ranway", "aadhaar": null, "txnId": "4ebe8020-17a8-4c35-b39e-201bdb01d417", "healthIdNumber": "91-3111-6864-XXXX", "jwtResponse": { "token": "eNSjzkMI", "expiresIn": 1800, "refreshToken": "eqKGvH-Yfzr0dAVys_MMaQpwrZ1mPoxWrMNGqonL-iKG2yyv22xHC_7iDbVEr7htQWtk", "refreshExpiresIn": 1296000 }, "new": true }</pre>

6.0 ABHA verification

6.1 Login via Aadhaar OTP

Step 1: Generate OTP

This API accepts the encrypted ABHA number and then generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	Abha-number	Yes	Type of login, following are the values that can be used. ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key

otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	---------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "loginHint": "abha-number", "loginId": "eP7sVhb5mxtlleG1xKUUTYDvcUoVBFDeWpYFcA+pwFAOTsvZ/yTEOgyCfRKXcUKG0fTvAjtU73OIR9aJAu2llr6FWM8pwcdWlvZgP8YR6+X/8rxvcuYYyGkBuwb6zoXeHE7ZwTDHNCUwEFyWlWbPnkbYJ+vbtYLlyB7y3fRk+cJtB+ijq/IOQaLYZQoYqR4aTMutqQaopWukaBRz1h/0LSfh2PIfOxfSMKymOFvS33OqVvmqQ6p9aajm5zuFW/dG86oeN5qFZHaPjN/dx2Rv0VWlLvAm8J+ZQGuJovm0OuPmfal+FZgbjJDLPMAmhUYm+WBv9GPqWbxt3sjYtQy2Th6y4j12Nw+O++9eKuWbmZ28Vdo6w/ulp1kmKzZvMdVUGp1piF6h/ru6r5k4nNT+C6ib6BB8rH8qcBs00nrX4WjzJiVgOAuvvZxAsCMzAXf+cep6RXZgeg68ORouvoA9mCv2xyOWKAkc+eJ7Y6GcdT3Vvl0Kqa/awqUpY/Tsppk7RVGAN2w2RL+SX7/V6Sa7o2GwJIJfGgGhihUWIHkX3yaCyS7wCIMFzeLHIC4bTPb0lyoyYnM3MxvPtWl6Rlq08eyZFSUeEhpa+nTfVPjok6j7p2WjBXRln4ynxwr4yYpiiONlgnHtaziUPvcW47B+sb28ZLqU1Gpldfcw8bXJrcHqc=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "01a71f23-b26f-463a-b54b-ea50446eae9", "message": "OTP is sent to Aadhaar registered mobile number ending with *****0161" }</pre>

Step 2: Verify OTP

This API accepts OTP from the user, once the OTP is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

6.2 Login via Abha OTP

Step 1: Generate OTP

This API accepts the encrypted ABHA number and then generates OTP for Abha linked mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	abha-number	Yes	Type of login, following are the values that can be used. ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted Abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key

otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "loginHint": "abha-number", "loginId": "{{Abha_encryptedOutput}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "cef6460d-a068-4c84-ae78-407fe6ad13d4", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

This API accepts encrypted OTP from the user, once the OTP is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "15fbec8b-0168-471d-8691-003c183a24fb", "authResult": "success", "message": "OTP verified successfully", "token": "eyJhbGciOiJSUzUxMiI9.eyJpc0t5Y1ZlcmImaWVkljp0cnVlLCJzdWliOiI5SMS0yNTY4LTcwNzMtNDgxOSIsImNsaWVudElkljoiYWJoYS1wcm9maWxlLWwWcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJtb2JpbGUiOiI5ODcyNjk5MjYwIiwiaWF0Ij0yMTY1NjgtNzA3MjY0ODE5Iiwic</pre>

Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	mobile	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted Mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "loginHint": "mobile", "loginId": "{{Mobile_Encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244", "message": "OTP sent to mobile number ending with *****9260" }</pre>

Step 2: Verify OTP

This API accepts encrypted OTP from the user, once the OTP is successfully validated a session token is generated along with the list of ABHA numbers (ACTIVE and DEACTIVATED) linked with the mobile number.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-login",
    "mobile-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7", "authResult": "success", "message": "OTP verified successfully", "token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiI5ODcyNjk1MjYwIiwiaXNjaW50SWQpOiIhYmhhLXByb2ZpbGUtYXBwLWFWaSI6N5c3RibSI6IjFCSEEtTilsm1vYmIsZSI6Ijlk4NzI2OTkyNjAiLCJ0eXAiOiJ1cmFuc2ZlciIsImV4cCI6MTcwNzEyMzMywWiaWFOljoXNzA3MTIzMDYzFQ.Jn9Xt0UuiVJ61-9paqnrOKWoy9T6pdc2QKQRv5qH6NlCujcoYq-ch8JVM7xHa6CkgDvT4PZj_ ", "expiresIn": 300, "accounts": [{ "ABHNumber": "91-2568-7073-XXXX", "preferredAbhaAddress": "guneetarora@sbx", "name": "Guneet Singh Arora", "gender": "M", "dob": "07-03-1997", "status": "ACTIVE", "profilePhoto": "/9j/zVr7GGNefc7jIEYzjFLKmwZNaotkU4A5qveRooztpXGY3lGe4RNU4kgBSM7j2Fen2MC29vHChJCKFyep964rSYkWcXUzKiQF8xwgb/vc9QCVHHfHvXbWs8dxAs0EkcsbdHjcmDJjgjrXo0YcsTgrT5pBMWWynkX7yxtjnHIFVwvlbY5BuUj589iRzj061dj+YICM5JqNh56O+CcsxBPpk4rUyZFKJ13zQHZE2fkG9Qp7e5x09acl6pco4IOSAQMJg4/MnPHtUdrJ5c/IE8HpVuSBJTuK/OMfOOCMDoOaVgRLFKrqGRgynuDmpw3FY32Sa3Km3fl3AHHB2/Nzz+WfNfLI/7pJbuXkbY2GxfYtyM9QcZyDRRQtQZWn03U70lprt7WLGPKt2lzxj5j/EcADnPTtWzpOnzRafJJYhZJ0lwVbManoQAccgBsZx1zRRTa0EpNGfFcRyXE8SRoojYkBGbg3dgY/Nf++gOatDGOKK82vFRloelSk3HUgcYYnNRR239o38VpnG/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLRSzRAxmJskAHAQTg5BAUdcZD5ycVJBrUqS+ZqViBJtCm4tC2SA24Bh98KPQFs/3T0oor0kizeZnU2ModAwmWbnKsuPmX+E8d8DH1B6dKbp7Smwg81NknllvTH3WlyR+tFFMorz5Vgw6g1owS70Vs+xoopMS3Eb5W9qbjFHcgFwcjIDDqAQQf59DRRSgf/9k=", "kycVerified": true }] } </pre>

Step 3: Verify User.

This API accepts the ABHA number and transaction id, once both are validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify/user

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
T-token	Bearer {{token}}	Yes	Token received in login/verify API. Its' valid for 5mins.

V3 Body parameters:

Property Name	Value	Mandatory	Description
ABHANumber	AbhaNumber_encryption	Yes	encrypted 14-digit ABHA number
txnId	9b4ce0f9-3a27-4598a02a-b889479f4fb0	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login generated from Verify OTP step.

V3 Request Body:

Request Body
<pre>{ "ABHANumber": "{{AbhaNumber_encryption}}", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code :200 OK

```

{
  "token":
"eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI5MS00MTczLTMyNTMtNTQwNiIsImNsaWVudElkljoiYWJ0YS1wcm9maWxllWFwc
C1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJtb2JpbGUiOiI3ODEzMDEwMTYxliwiYWJ0YS1wcm9maWxllWFwc
NDA2liwiLCJzcmVycmVkaWJ0eXN0ZW0iOiI5MTQxNzZmMjUzNTQwNkBiYmRtliwiZXhwIjoxNjc0Njc0OTI1LCJpYXQi
OjE2NzZmNzg5MjUzLnR4bkljoiODY1MjEzODgtZThkNS00NzJlWFmYzEtYjEzE0ZDgyMGM4In0.OiNgxXenYMMliGntNx4OPr29qyXYBunU
a3DSKy2TRRWRNZfP1bW6CWNlz-
9QbKnfgmDx44Q9QMkQwRxBnbaA9A9SmchriMgG1OWc6H1DittwzdUSfhUkNDAbr1eHLbtXcbKqAAIhZ9uWw7nshhxKXkYmMWPGAUm
9T-
N746Lb4P1qQQfo6RQA7r4fq5g_6fyhFxnIz2_HV2XSVy3gyZZ3aJPmM0APZLMjLYbvkoxV8HXWcYXLXYW7EYdRCh8unJ
eY3Px2VDQvdsJr3z8jmsGsbItBTymoJBo3rR243zO2u-wf1dEZuZbsiNko5Yeu67Mu2p3o6z6bAoMzK6crxcus0gw0kuAkUuC8md1Xy4-
FD98TtUmETa5umWW3zs155_J4rk9cd1wmNP0MLRjCt5hRpqfFxmRSWNatw61VdQp6enUAg9Kkf8eLLiaQFv_qSIkyhMgSFXjkk2PBU2nvC3L
uDcqf_YxQxqzWc_rrzOLN2h6MzGYQgtXqf1gsrD_IQ7H14-
BZwkrDeYmVsDSiZCFGqJfDJBLQNIfc7eZKGmkjTFz_IdUL4EaIJ3qX2TbIMCCW5UA2IYbLJPcIPaCLXApf2zpaOnZmBh Ur--
8ycDYTCVnMt6XpZm7J5by-CACaY0v0rTN7H-RbJOEq3loLiooPf4dWZd4UUrTA",
  "expiresIn": 1800,
  "refreshToken": "eyJhbGciOiJSUzUxMiJ9.eyJzdWIiOiI5MS00MTczLTMyNTMtNTQwNiIsImNsaWVudElkljoiYWJ0YS1wcm9maWxllWFwc
C1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAI0iIjZWZyZXNoliwiZXhwIjoxNjc0Njc0OTI1LCJpYXQiOjE2NzZmNzg5MjV
9.cyskKue4BcVt-vpx5rCVUeocEXYtzFAubtmJHaaPUtd4AOdUnhlyOJSBnkHk5IJCwdpqrRntWj5ynpTFJ8nGnRRI2fbP6Cu89y29K0AnPm
SFeaO9kNm1LM53ZA5I9VwAAN3zLqySm8s6ccPFKf_p-ewHvb73k2k2InjpjTswww_kmVtHs4R46EuhzoKXYx48TOVmsraO1ScfAjYm-
R1LZ66T42PXVrJaZ6RSrRmuW6Xc_N7cmDermPjmO3to1ZinEary8jchZXnmTTWCTwXzzST4TFOQ7fQn_t4xmtUQr1QHkCF4M-
mpKCRfbaGBazz6DldpvC2HEkbROIz8_XQDUlgPOon2JX2sMQ27IzobPp4LRwiVTktpAOprTvRVBqW4i6GirYf3i7JXgv4
UOtYQOLfnKOh7IZsbtp4tXflgWWzZ8dzinWRdUUWVEZDP_Fn5oPm1EqH87JDM6mNTQExfrAZ4PxsgAkNXZnxjkV6fCKj
KshwsZmgntJwHiA2Ep48z2aWQnNqEfMxb_cLmfa6ZqDY_2MAVsfddGgj3Hguekdb8kcC_OJ705qaGh2Xwfl567rT
TZSehTC1-UZYXA0sQPSN4FLVY3D-mM4VhHNB7Kp-xEJHOkKS_3Gz7LqpfCiTPyJ4EEOvbvWb1HgMBXHv3kGuuay4srGisZ4mjE",
  "refreshExpiresIn": 1296000
}

```

7.0 Update Profile

7.1_Update Mobile

Step 1: Generate OTP

This API will generate OTP on provided encrypted mobile number.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile mobile-verify	Yes	Defines the scope of the current action of the API
loginHint	mobile	Yes	Type of login
loginId	Mobile	Yes	Actual value of login type. This needs to be RSA encrypted using a Public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "mobile-verify"], "loginHint": "mobile", "loginId": "{{Mobile_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "1234567890:20211216223812", "message": "OTP sent to mobile number ending with *****2418" }</pre>

Step 2: Verify Mobile OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile mobile-verify	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
timestapm	Actual time, format: "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted otpValue	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Response
Code: 200 OK
<pre>{ "scope": ["abha-profile", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "01bb3a4c-4588-4734-aff4-23d3978e50be", "authResult": "success", "message": "Mobile Number linked successfully", "accounts": [{ "ABHANumber": "91-4173-3253-XXXX" }] }</pre>

7.2 Update Email

V3 URL: {{base_url}} /abha/api/v3/profile/account/request/emailVerificationLink

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-profile email-link-verify	Yes	Defines the scope of the current action of the API
loginHint	email	Yes	Type of login

loginId	Encrypted Email	Yes	Actual value of login type. This needs to be RSA encrypted using a Public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "email-link-verify"], "loginHint": "email", "loginId": "pb2Rf4GQ3zq5rlxXWgpn8Td9HMh0sJlb/SbN+6CHpylD422FxcJPHgo9Zyc3SES5etu60JFga4729tdi4BPU0mW053M6d2kC3E W8cd917VNP0hett79+S80JG6VdWYsb3pzF3G7GoGaCEqcmr6pt5ZX2NNkN9YT5f9QXqSUkrNAm9/RJVUzUy+KuXo0MbV35 nOU6IO5Bs8Bly+Ggs96kogiTf8iajlxheoO02nVU1Ln6Q9rjgLFI1ibyEJ5/wvOp8FvSA3Ed8+CodQpkWeiJbRFokZCMHx9ONII08 Zbr0brbCGQsZkfQjRZswgS8vV3lJded1Vx7qY3bqb/QWZSYLWgXN61TFU4EZ/vq1jix0YaslouxjijWUzTV43qDL/AJPKLnsOhGis 1G+quo7WKzTCAAEkjbEEApZNRZL5RYcn3gykXfbNJaSu82tHO4Bke9uXc6ON91QcAhNHeOJFc3zPvftCQu59YYunuiaM3YmX MCeVtaOYyaO1mLd+OEDCrWTeEyPZCkRf32W0TXjhoTN7UcC+t94hWWv2dAahbVzpMiS+NXVoAMj66/l/7wbUqsem/aK+3j /tveftXJTyREg7/wjHwBrjUdt8hMFsbinsYs+S7Bpus65Oafqrost5MDdxlu+0g8C3ce0EUDF76sklA1S885gN3KMsqk5cC9hY=", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
No response

7.3 Delete/Deactivate ABHA Number

7.3.1 Delete ABHA Via Aadhaar

Step 1: Send OTP

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, delete	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-profile delete	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-profile",
    "delete"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5", "authResult": "success", "message": "Your account has been deleted", "accounts": [{ "ABHANumber": "91-8434-1243-XXXX" }] } </pre>

7.3.2 Delete ABHA Via ABHA OTP

Step 1: Send OTP.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system

Authorization Token	{{accesstoken}}	Yes	Token generated from session API
---------------------	-----------------	-----	----------------------------------

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, delete	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile delete	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA profile.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-profile",
    "delete"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5", "authResult": "success", "message": "Your account has been deleted", "accounts": [{ "ABHANumber": "91-8434-1243-XXXX" }] } </pre>

7.3.3 Delete ABHA Via Password

Step 1: Verify Password.

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, delete	Yes	Defines the scope of the current action of the API. delete
authData	authmethods	Yes	Type of authentication method password
reasons		yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "delete"], "authData": { "authMethods": ["password"], "password": { "password": "aEfGh6qnADmgcJHbxPvbnJuPsiocA5XHvg4uYWFOF6g/6ga+yQAKzVMQZoY31vdr367g3aXu9nbCiYiTH9kLYuU3JrnYb29jv7aGEa6ek4luXG9 jakddYDIhkqOdrGx4taTCWP+bv2smYtbWW0N5d5SulOtO41ZEhVQlJtYp6008TE5DE/Hcr25MI4p49mzG9oNUQC7ONwDfyhI9sRjRZ1M4oh p7M4+tZAKiS8qSYGVG2bUuraH9+3VMRWXerumyObI3q9vIcbhF0oXMkseIJaOTDkVGrRbBYL8LaBeJ48p+XYX6wDds83i2O/C4pL4TFE+XCuk mjTfrPXuaWi8qs80kFfL6Gmikp+MJjm6HXy9pzfb1pAnGn+qPUmqdiVAhedn2vdPjsLDRM6jn+I34RCri/0ePNNbhMQRVVGXKuDTZUWmAq0S xcUb+Wnc0qMglUrSjVREaag2EcIlqWfXV77ZkQgTVgQbITdSbdKXFclRq9/3AE6lqwlwFe1/6x6t3bVIWL575VeqyazUfkOCu5R44CBsKE8LNXtaZ Yac5zxc2w5Ee6UlcG2726RaY6XWNI SJ+CZacMM8/8zlcYEZMTZfRmxbnKgm6BcQ+j7HH9pUpmxK/57gIFnVbgGsFG1nbcuz+5Fazd1B96O8ws 9qfdwgrmr8RgADY64ROfElZ0M=" } }, "reasons": ["aaaaa", "bbbb"] }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "authResult": "success",
  "message": "Your account has been deleted.",
  "accounts": [
    {
      "ABHANumber": "91-5555-0357-XXXX"
    }
  ]
}
```

7.4 Deactivate ABHA Number

7.4.1 Deactivate ABHA Via Aadhaar

Step 1: Send OTP.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA de-activate.
Scope	abha-profile, de-activate	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key

otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	---------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, de-activate	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
reasons		Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } }, "reasons": ["aaaaa","bbbb"] }</pre>

V3 Response:

Response
Code: 200 OK

```

{
  "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5",
  "authResult": "success",
  "message": "Your account has been de-activated",
  "accounts": [
    {
      "ABHANumber": "91-8434-1243-XXXX"
    }
  ]
}

```

7.4.2 Deactivate ABHA Via ABHA OTP

Step 1: Send OTP.

V3 URL: {{base_url}}/v3/profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA deactivation.
Scope	abha-profile, deactivate	Yes	Defines the scope of the current action of the API. de-activate/delete
loginHint	Abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key

otpSystem	abdm	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	------	-----	--

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff", "message": "OTP sent to mobile number ending with *****4723" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-profile de-activate	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm")
reasons		Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "de-activate"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } }, "reasons":["aaaaa","bbbb"] }</pre>

V3 Response:

Response
Code: 200 OK

```

{
  "txnId": "890f35c9-a9d5-4db5-861c-d27c17bd37f5",
  "authResult": "success",
  "message": "Your account has been de-activated",
  "accounts": [
    {
      "ABHANumber": "91-8434-1243-XXXX"
    }
  ]
}

```

7.4.3 Deactivate ABHA Via Password

Verify Password.

V3 URL: {{base_url}}/profile/account/verify

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-profile, de-activate	Yes	Defines the scope of the current action of the API. de-activate/delete
authData	authmethods	Yes	Type of authentication method password
reasons		yes	

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-profile",
    "de-activate"
  ],
  "authData": {
    "authMethods": [
      "password"
    ],
    "password": {
      "password":
"aEfgH6qnADmgcJHbxPvbnJuPsiocA5XHvg4uYWFOF6g/6ga+yQAKzVMQZoY31vdr367g3aXu9nbCiYiTH9kLYuU3JrnYb29jv7aGEa6ek4luXG9
jakddYDIhkqOdrqX4taTCWP+bv2smyTbWWON5d5SulOtO41ZEhvQJltYp6008TE5DE/Hcr25MI4p49mzG9oNUQC7ONwDfyhI9sRjRZ1M4oh
p7M4+tZAKIS8qSYGVG2bUuraH9+3VMRWXerumyObI3q9vIcbhF0oXMkseIJaOTDkVGrRbBYL8LaBeJ48p+XYX6wDds83i2O/C4pL4TFE+XCuk
mjTfrPXuaWi8qs80kFfL6Gmikp+MJjm6HXy9pzfb1pAnGn+qPUmqdiVAhedn2vdPjsLDRM6jn+I34RCri/0ePNNbhMQRVVGXKuDTZUWmAqQ5
xcUb+Wnc0qMglUrSjVREaag2EcllqWfXV77ZkQgTVgQbITdSbdKXFclRq9/3AE6IqwlwFe1/6x6t3bVIWL575VeqqyazUfkOCu5R44CBsKE8LNXtaZ
Yac5zxc2w5Ee6UlcG2726RaY6XWniSJ+CZacMM8/8zlcYEZMTZfRmxbnKgm6BcQ+j7HH9pUpmxK/57gIFnVbgGsFG1nbcuz+5Fazd1B96O8ws
9qfdwgrmr8RgADY64ROfEIZ0M="
    }
  },
  "reasons": [
    "aaaa",
    "bbbb"
  ]
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "authResult": "success", "message": " Your account has been de-activate" "accounts": [{ "ABHANumber": "91-5555-0357-XXXX" }] }</pre>

7.5 Re-activate ABHA Number

Step 1: Send OTP.

V3 URL: {{base_url}}/v3 /profile/account/request/otp

V3 Request: POST

V3 Header Parameters:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA reactivation.
Scope	abha-login mobile-verify, re-activate	Yes	Defines the scope of the current action of the API.
loginHint	abha-number	Yes	Type of login
loginId	Encrypted abha number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify", "re-activate"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "3917ca6b-1b3a-46a1-b99a-248e925929ff",
  "message": "OTP sent to mobile number ending with *****4723"
}
```

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login mobile-verify, re-activate	Yes	Defines the scope of the current action of the API
authMethod	otp		Method of verification
Timestamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA re-activation.
otpValue	Encrypted OTP Value	Yes	Otp system to verify hiu/hip/phr login

V3 Request Body:

```

{
  "scope": [
    "abha-login",
    "mobile-verify",
    "re-activate"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}

```

Response

Code: 200 OK

{
 "txnId": "27772bb0-cc0b-460b-8c8f-a940bec9b1fb",
 "authResult": "success",
 "message": "You have successfully reactivated the account",
 "token": "
eyJhbGciOiJSUzUxMij9.eyJpc0t5Y1ZlcmImaWVkljPocnVILCjdWIoiOil5MS03MzMzQ4LTYeNDMtODQzNCIsImNsaVVudElkjl
oYWJoYS1wcm9maWxlWFwcClhcGkiLCZeXNOZW0iOiJBQkhBLU4iLCJtb2JpbGUiOiI5ODE4NTU0NZlziwiYWVoYuS1bWJI
cil6ljxtLTczNDgtMTIOMyO4NDM0MiWiHmVycmVkKqWoYUFkZHJC3MiOm51bGwsInR5cCI6IlRyYW5zYWNoaW9uliwiZX
hwljoxNzEwNmEyMjkvYXYQiOjE3MTA0MTA0OTIsbnR4bkkljorPG6AAy6ek37xyRIRAXMRdstFMZxKgU4xSH6PYI9LCAD
UhS4PVqeCa3bhtOjH_WtiFjqValJ2GHRNdYJ38qZIDGYBzuhLo1OhNDtow3AnZnlUZs2zfPgXicKDLGDgjFlaOcF9nkTjzHYAemN
RFhk9B8kYXqq_mkl0zaBMpO9nWYAenINFNghXtC72OGx2MEKjt22Qn-Fzh2BPsl6lgPv9R7IWWhhmU"

 "expiresIn": 1800,
 "refreshToken": "
eyJhbGciOiJSUzUxMij9.eyJzdWIiOiI5MS03MzMzQ4LTYeNDMtODQzNCIsImNsaVVudElkjljoYiwJoYS1wcm9maWxlWFwcClhcGkiLCJeXNOZ
W0iOiJBQkhBLU4iLCJ0ecNAleOPuvYPPhrsUmWTmlCSdlSedLswJUJZHGHPgi5xW_NWUQUYRVgUAtnZSKsxKd2bsmnNQucv4QB eupzut7uoBC
gs5i6RMpiOdHAHyvoQCgdOIWlns1CYpm2lc0YjgbpMVznSD_isHiun5hhbg7K3V9UGyl75Ci9FktJICgrtztlmsq7dcF_sZURwxtoMzz7tgW6hP84
F_w7623ucNQLklh2Sii_z6_kuyguXSilSTPBq4YYVGsvWajbMLCEZ5rhc0WhWicmA8_ZVORNbjm4RHlJgaXOogbp6zj9no9sXH9RPZdxDncigV
utioTMtfCbvdZ1vZWuzBr5X P4dzTzjVBqn7FHn8"

 "refreshExpiresIn": 1296000,
 "accounts": [
 {
 "ABHANumber": "91-8434-2367-XXXX",
 "preferredAbhaAddress": "jaishwalxx@sbx",
 "name": "Praveen Kumar Jaiswal",
 "status": "ACTIVE",
 "profilePhoto": "
/9j/4AAQSkZRGABAgAAAQAABAAD/LAWSh88yfrUGAIvOnTMgpF5by9mfu5lxz7GJaKKlibLkiywvmSQX/AjrL5kvIMQdw/eOAPxmivIVW1KZR
sy6dZBl4dgIGAGAAVmQFRGKKKLajuW4jHa3cdra8szSthyfQGZGb9Js1ryadbWGjXT6lp59zHAHMAtjldlkcbZ/76tGP5+ttFFDWo0Psw0d+Jmi8s+ZKm
D2CyXRj9lwfoKvpCcKXuYyqhCSB13cjg7xz9VU/hRRU7Or/9k="
 }
]
 }]
}

7.6 Re-KYC

This API used to provide Re-KYC Facility.

Step 1: Generate OTP

V3 URL: {{base_url}}/v3/profile/account/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-profile re-kyc	Yes	abha-profile and re-kyc
loginHint	abha-number	Yes	Login Hint for re-kyc
loginId	Encrypted abha number	No	Encrypted abha number for re-kyc
otp-system	aadhaar	Yes	Select option for Otp system

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "re-kyc"], "loginHint": "abha-number", "loginId": "nJ3WR5UmFR+v2sNXBfgxWQHWDgjja5OFVIJWnmf6lzyjdfxcLiHMKzmtBPmzBRL+4PzDXp+TXIXNSE4BBmEL6/OzWiVoEJphCwhHdHH9Vx SBguYVZ9dLBbK0ntzgsxmacjABNXLg/H1RKio/au7iPCW67tKDfMUXGorZ29HSaQosu86GqC7/nPFxBd97mEXd6vgI9PmREWolywWesJxvBnX mV4Is+73sgAXGM6KZmRyaSH7T/JeknqyWDYdJLeUvoHLf+nTzYykCZS9Ej/1ue3RJWf7NRAxpy+n9a+Ce38n2P2OwoJCU6MEWK3sRSG6zVSH NXFAFre+wme+17ZNcQChE1btboTaPFllqecD39vHmiZoO7vIhVlZJKoOoJesP05P1RM7N+piO1m3GXgQGp8rupBFb7Vhw+ueei6ajLHf+Gf6YEI NK6fKcVUgPQtwMrBi+VzIqXok3pAEBJthTXisOf5YClDymGFIfflSPrmyWWJabhP1+f4O+gkxLcZyGLzCnpFd++WPTjdTP7NPtSKqNq2CbFpqoLK 3cP8/xAj4aj5/1wh5jYkjWA6hJn6rYKDCXVoZO9kT5RDBj52IWoy2KlwWmb9RGVWdrRwD1/Ekdnx3uYEnk/ackTMUYW3UvVPghxOTKLkwj bWEhrnvMG6x4jzMH+2b8GvdLbQYgk=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "99acc695-5b1c-47ee-8ce1-ee55c004978e", "message": "OTP sent to Aadhaar registered mobile number ending with *****5856" }</pre>

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-profile re-kyc	Yes	abha-profile and re-kyc
authData	otp	Yes	Based on preference authMethods otp.
otp-value	Encrypted otp	Yes	Encrypted otp for verification

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "re-kyc"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "YPuOEWGzshYkA1JAOPK7tjBYliiKFu5e1b7Mye7f5+HQJrhJlall5FnIfv2Le9YxCZBUYBkNV1Q/BABhatn144uU5l/HDqRH2ZcUVR9UUZXm/" } } }</pre>

```

5AQDHzI+5N+iacngufcRN/qK0CbEgWn1sPCyNj3tdD3t9EISK/dOQq62YBTKE453o3teoGEEN0dcQlnAz23oGBWNRQmcdlqOyrb/+u8jHDqT
eEV7/QNm6UHVAufjgkLoPDwbcZ0KErcdl6h6jawKV44mlrjFX/WqDsyvy+/tQY/DhnxcTvw9qZ1WdyXglz3NP7OxOzIRkxOEDDrn1d9Ta6JfGT
yVGP1TrnUxZxh+UMWKohXMRA9ctfUhOSvFZbz+E6RDKbnkleq1DV4+iy6bmccRo/fcpooTQKSRndSwsT3YFGHzQEnD0elHixIDWuC6FVFb/
N9GU6QES9ErMCIR5WGIT62h5zni+YDStRmf6aP9ET1AjeWgOpsPyMYZhMetIOciMdU2SC/9+WOBIFfVoLJSog+XUjgSFh696I+IQXo6kAh6r
h9P5hh9RK+BgbqQ2M0d1fhFbzTP044nXIV9ywLwEplc5f5aFkgThEIDsurPx2wSTUXe0oR8zdFGcdea4mvZs0eqx62qGwaB08glcZENhFD6s
d7bJZlpz8sJoYzpnNte1UDfNMPZXhpg="
}
}
}
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "bb548986-e96d-4b48-be1b-1e36741e867d", "authResult": "success", "message": "Re-kyc done successfully", "accounts": [{ "ABHANumber": "91-4173-3253-XXXX" }] } </pre>

8.0 Get Profile

Get Profile API returns the ABHA profile upon successful validation of the JWT access token.

V3 URL: {{ env_url }}/abha/api/v3/profile/account

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{ accesstoken }}	Yes	Token generated from session API

V3 Body parameters: NA

V3 Request body: NA

V3 Response:

Response

[illegible]

[illegible]

LelmVVIOsa9L+JGnNPbWN6gO2F2jkwM8NjBPtkY/4EK4jRLfzb52cZ2jNDdkOKuzZt/KslUE8kDjvWrDqqoo8uEv2Bdgoz/OqdtbFJXn2oXOQGIB
IUftgE/mKvRm0Clppll+eZjCKD+oFcsm7Y8yWhe0/VhcyBjgFHsP8810TW8LL8rYA6+9cWpldngnjcdQUH9cmtzTp5b5VjJ56ZrGaXY2in3LuoW
6RQuVO7jGB1GeP0nrrrUJUzt5/wB8ZAH6Z7CrmqSzI5iDdOKy0eFJB9puVjJ6FnVf59aIWeyCSfcrT6kH4lh8txwCpyD+IY+okXETBT8w5roZbixlb
gxSqOkkZB/IWTe6eiSCWlqgetaxaT2sYsvbuce7NuWSeK734YTn+3p145tW4zj3L/9euK1CAx3pUDhua734aaNL9sm1V1KwxoYyYf4nPUj6Dj/AI
FXyndHFJWdj08NUsbWqvnmp7REmuo03LBHckXUjIBPbNIRowS8danzXTJ4L0jy1WYXUzqMbzdSRKj3CFR+IZurabbW0oQwQsYoZVA3Sltqtzj
5z1yFORnjGT1FjPjMNNCaeaw4qNall+U0DRk3gUjqlvwa1LtBgmsiTg0xFHXYIm0K9jYAgwt1Gccdf3HvXm2h24V58cn5Rn869L1FgdKvAf+eEn/A
Kce8/00Bb67UDGcn8s/wBaiT6GtNLcvXFILLbEQnmqMukR3EMOC0VjYHfcE7iW9MEjBHbnHt6ddp8asgBxm7r7wqJCoT9K5Paul3KClucpFyp
Bp1vbvphbd2KXYXZISf4c85+grS0xWtWdfdq7NbswM0gJAH/flqnEHunKxnCL3FRKbkaJWltVBkuS2WxIM7gec1nXVp59tapG32K32YtHNbK2
92OMszF+vyjnt06cVtX9IKLYSKclaWxhM1sJUHx/AdzThPIV0KUB6M5T+yfysYraCjVnQktNnBbPt2HtzV0WLx2+2UkkDrXVxRoG2yABselZurKg
Q7ewpuo5PUj2aWxw/aaq99EdrfRepr2OytYbK0jtrdFWKNQqgD0/rXk8yNJqduVzwWP4CvVdLOdlsjuJzbx8nv8AKK7YPSxwVvrc05GK5K9ccV
Hn3qRQovSrMT12a9gtpEWerY9/CsxwCftPrjnHsa5jxqyahYSjbRxy2Sn95PuLOQDkKOO97P4Echl/dm80VLIINWlwKgGPzCqMSynaefu8ciot
RsFttJtw8swnd183Er4LISWI+pyeex/AQ5Mtlxl4qQE4PeoVNSA8YpsCC5xsNysw+atq45Q1iTNdmhCK8iLLG8b8o6lWHgDwa4LyXtr7EvDEFcPd
TXe5rB1vTZjMb1MPH12c4K8cn3HH61M11NKct0yO0uCsY9uoresGR+pPP6Vy9q3Ti6VrQXPk47Z2ZrhmT0abujW1yQR2CKB+6DDzAP7uP/w
BVYNnq8ccwa1sZzbcckguNjZP0Vi36VcuL4k7QrMfXPAqG9igUQswLz/vBf50lq4X3iOa+QLb2fmLn5igVFH1JxUuh3lkmfyk2Rbf3gJABab6jlzT7/
AFfJm8tyEYYHJGfgRmqv27ysE9PUU7dAb7mvc+WhLjAJ6fSuY1icgEDjNal3glHzHt8vuKxNRcPjilBakyeHmwQyT3Y8v7+3auehJNeoxRrBCKUY
wiKFX2A4FcT4cskvrp5S5QWsq5AHLsAG6+nl/Xp1rtc8V3wT6nm1JJ6leOvWp4cbuaqg1NC2GqzI6nTpF2KrJkAgggZK45HX3A/+vVq9nSS4VwN
yKB/rMckAJH4fTmsK2b5cZ4qy7lzk9faotqXcrLTx2qNDxUgqhEM/KGSW56mtYUZU/Sse6Xk0Ayy3p5VZEaNXlWBB9xTcc0/oKoRyEkLWly8Mmc
qevqOx/Kpw2VBBYRWWh4gii+yico/mrgBkXlx7noB6e/41gRT89eK5KtPqdtCqnox16lwzgpNtjIwVudBLTLRHuQzR3jijy1yVLAfu+OntWgy+cqkAb
qBpVxOvA4/2SRWUZpaHUtNSneaC8SiX7dkE8qki5H4E2qvDzy+ae57KA87gCK1ho06rlizDuC5NQSQtcCE8Cm6qeiHJ3AtsGGOSvSgMoa5uVij
BJyGci5mJ4HWRhXh21kVNT3ROF8pSxz/EemB+v5VdOF3dnLWqcsqjNl0uPTjMYznzWDHAWBjj37YzWnVOxYr2JmJOSpww/kfxq3XYeenfVC5
56VLD1qIclmrEAORQM04OIWBVeH7tWBUjK4p4qJTTwaBityDWXelyTmrV/dx6fEks4Jld1QsOi5OAT6Cs7VbmaEgi3ZYD/wAvMn3e3AA/9mK+
ozigmU1FaIXIBJWkCq7rZ7jegiu4LFu/GffvWnbQWGP6P5ot4rcbCzTznLx46spIHGBnOMEda5mytTf3MUU2oG2tiwDfvApmOdwQA9T1GARg
evSgyLVtJdGT17VtYkGzFowMmCqbvm3kjaAPHAXWlhbKBOPIru/tFgfEax2+nxRxlOq73yzBcAEA8kZxnPNcw2kzaZdTWE4Jlt5GhLYxu2nG76
HGR7EVjUdtTpwrrp5u5g1JoeHKG0bFXAARv+hqjNanJytZ9xpjP/qmKk+IzXisvNahSza7ICMkjHY1j3GqGTjdWWmK3gbbJlcfWtCDTFLApyz70
WgtwdcpvylsvOe4Xv71v8Ah+3uPseqtbE7o4AzYOPkz836ZqpHZEAGBXdfDfTPOfV7iVQ1qUSAIrYXAJJ+mGA9/wqozuzKrT9x6IPTtMWHQ5N
SVyZn/eGNTyWOBjnrypePUUPfIZF8hDKjntUxncGOOCHHl6/IWr402WstZWzJHIDlhHgbUAWRt9zwO2Fb2rKuBdaRe2erwxhbcilSwKja3GGBI6
ZB/ME811J3PJlJ01yrpuX5oGtwWcrsBxuzx6VNB24qjriT3mmR6jLiBQC8YIAG443dSDg8YH+NT6ap/sJ5LSOSaZM5BHbZ+oAVSRjt+fPWk3oaK
t7/KbMfAqUNWJot872couplFxA2JYJtIQHoSMdOvJPOM5PONGO9tpZfJ5jMvPybxu468UjdSTVwDAMFJGSM8ntWDea3HJdG2lu/sdlkh54
wWIIAOSoGtYRgFQT0Psl/Dpu7zUZmeXbCuHmaMBnm7KpZhlVwCRgAjnnkYzQ09Nfi0trdFWE+UvyAF5M4Jl6k5AXn096tLWxy1K94cyNmW
7g1XTHjiHl2Alaa7ktxuNuGyN5yobUE5UZK9ABWMH/AOEo1yKlhoizhUjX5SdCdDge/wAyB0rpNa/s/tfDYtbFZ85WEOlCZ7sTx3Ct+LVm+G9Pg
51d1UDZ3wN3C7QOVqOSfyqUupNTmnNm+8m8ULDY28VlBjgSLuZQPulvQfiensPQ6PYlbeJLXT5VVp7ayluugPzFkiK59CJGz7Y9RCV1SXVdeEs
r7YE/eHewAWNSMDK45JAPuxqfW1qH2r4hSSNu8u7H2eOTb90BKY56BvKxzySVHHSi1kKIJSqc1tNkaeHeGbaC8uHHM9vqbQrERTEaByFJHU5
Vdw7YI+uUPHmliw122u1X5b2D5yF/5Ar4Xk+6lBj/YNeoG0ikmhupg3yO5Qq5ATLHrg4l+voPqMrxnog1nQntht+1wv51uzNj5wCMfCVP+99Kx
nHmR6NBK9Dx6REdcMKqtDnIGDVyWOSitHJGyOjFXVhggQcEfmmKpTlpc84rJWh6NroasbRngYNWYYixy2B+PNUQuCCXbjtmrriyBI8mmx2Lcd
rNeXlvZWCyKup22RITjJwScnsAASfyd69m0HQ4dCQqCyQ7ygy8mD87kkk8+5PHbNc54A8MpZ2Sa1dxbr+5X92HGDDedo9Gyct6cLjg57sQl2+
c4IGcAcfSuinTsjjzu7Hnni3QHfU5tZhtop4o0V57dQBJOy5z3OFRceglYKxhcnVvCjECSWCv5Y2zngMSMY6kxsB9a9J19o4dGvH5N5JDEOpj5
L7DuKjj72BwOvtXl+jeKmSWZ5N0tXW5uS/I2/BTPHGQd5HfoBjA4HRG55tbkg9Xa5L4c1HzrK7sJVtyyCQCTuww2tj0A46dzmsuyvLzSdUlic4T
PlzbeAy9Qw/PP4kdzVuxx4NO11j7dHW2aUrSewBljY4AIBOdVb4J+5V7xn5cscN3BERKn7uVm7gn5fyJx/wKq6nKk3TvfWP5FbxJ4fgltotSWYC4
hABZDlU8fLfnjJ544JpNEOvt7rTxLJKZ4n2ssz5HqG4IY9ccjkitPQ7A6p4ce3lm2PtaFmPJAi4I/Aj8qW9DCWWtUb3bVYWR/JIQNJDE4H5N39CaXk
a5FvRnbR6E1jpfhqW/mXcSzy7SnJC/KFB99vGf7xqp4Rslr++e7mBmjRGHmFCN0pOCQRxwN2R23Cm3TWPhVUhtLZWlulEHOOQGPuZyge/A
9j71Ut9V1XU1MUU9yXjYSBLQMpxj/Y+YjjoXNGrCthBxhLpON7UPD66vfQqskVmiEDbyxfJOTk4xgDHfSan4b+xi3hs72aGKvWi8pwoAfvEH
AbnJP3uPTXmW+F7ybUNSW3gik3g7psZOcemTnnvWjdeE9R0+2N5F9kVoWEimB23ZH/AAED9aXzGp3bkqbLdx4ZtdNKPqV4JoyOhliQEcZbB
+Y8kd2LDBzVfW9S0a10lhaKrOsZYpaphTjnJl4ycdsMorzw7rI+sl5dKQ5YfPcy5OCTwAMlQD2IA5qrNpy6Q9pJlJdZftMYj3xApvIUUEHOfmXrjjGfe
j1HBBy5uWEbLuz0/R5NTT9JP9sFGMAJTJArn2qH5A+YbiVXj78nNW5Z7aUy2KTO1zEBuh3Deqt0JX06/ka4KLxxq+lbLbWYLDVY45AHNRmEmU
qRjKMSGORnJK/SsK813RNB1W71C70uQyySZikEYSVQo2jksCpC45B67undWbOx1YRV77Gn4lk03UtVaSzTEi7lNBnG5z1xnnHr1556DGD/Zqs
MEqRmrJudLivJl4LxYQXqWQRfQ8E5w3XnoBwc4q1dXNRcl0Mqss6+YCo4BJx+ByDx2II46VzVqP2ommdXibclJteRkyaVGOgq/onhoavqkVq65
hH7ybjl2DqPx4H457U9xzzj866D+29P8Calli5j8/VbzDJahtbR0DDHHyqOSSR1AjcVhSg5SO+tUUI3Os1bWrHw7Yxy3RLZn8ltaY3ytx8qj8sseA
OTiukm8XeKv13SPdSo9N0I50je1X97IX+QNJLOADENgbeAQC1zllr+q3us/2rqPkz3AGehdSUht0UZ47HJzyAtNFb1z4hsdRkHewyW7lIb+NMfU
YOevavR5WjXxiqr2IY9P3RWsY81404x0x0/WuGu9Ntrf7RfJxQTWfTnuV5FDglSCBg5JODjgHJHqcU2x1qxMO5tUhkYlKvcl0WfqWHJ/zioY3H
ic3YeG3topY4UeZQXZG5dBzjgMSePzqdTVyhNaakF/puhaxErWrJuAJhBBDUhtPQe2B7Yqk+kCygiW/1xpLeTG1HJhzg8DcXJx7DHT2qpqnjhV
NPula3KTGPJlJZnJKPKjB+hNKNha/urKK5vNRdZCCBJd0xUHN7xbjdKv5NhdU9TzX8De0uHTol55obtkikCgk3IZSRnB3Nk+vGce1ZuqaQL3V4xZ
XZQtg8fMpPhZhz6VWPhWW3TlbbhuJshA3qVz+PPrWbp/9p6FePdsrweSWUGNuwyemcfjStrowlU9xKpCyl+laCsvl3OoyJvRnd4pMMANp+Z
2PHU9/rmti08U6ZayylskkAxshTuOmCcAjK9DRRTtcc37CKcD1rxTKuoLPZWYRgkFNKS27HqBjHbuaXUPEupX0RjS7SLeuPKijQ56dNwJ/Wiiq5
VY5niKkm9S1deMb+50wwRQQuwE2yM4LHI7r0AORnnNYkdhRPIjtY+dMdoI2ZCRsAfwB69h3oopNjBfU6k6IRKUIdPDOQWRjt59EsHOzmY6h
Ng9Ru2gjdCdFwvt6aP8AwgTW7T3F+ZQVVkESbAoyc9S2eSD+feioTZ6LpwlidNGxbaNoEmkCa4gjhdCQzyXDqFIPfLYqG1i8PXkn2GRPy7huP
s7KGWTSvX1xjHU9PYIFMymowUeVLUoazDH4e1JWmQXUOPNgiRGN4AJAOei5HJweOxqwuvWi6eZL37RJeXSRK8jKMKrE/KBuiMen48kkOU
VMIK1ycTiqZkvYvafqOhagHS5e2kCYK/aosKvXoXGPSq2paTf9LJbxxqpQbJLZ/lx1yoGV/SiirtZig1VprmsMzUfB92IfcE4Qxs+EjkyRBPuzBOf
pUNnpXiDtlRPIY72GHfnFtNncfXahyfoopczJqYaCd43QsureJbXjELW4kZ24I+yHf9BgY6D0zVe6l8Qqil5WqBVlB54ZAB+Y6UUU7mHvOLbkys
uuaw2yJt08StuZGiA/UAHT3zXRWHiuNUcXNIPCSQPKYmfzjH60UVXKmiY16KJXP/2Q==",

"stateName": "BIHAR",

"districtName": "ROHTAS",

"subdistrictName": "ROHTAS",

"villageName": null,

"townName": "Dehri",

"wardName": null,

```
"authMethods": [
  "AADHAAR_BIO",
  "PASSWORD",
  "MOBILE_OTP",
  "DEMOGRAPHICS",
  "AADHAAR_OTP"
],
"tags": {},
"kycVerified": true,
"verificationStatus": "VERIFIED",
"verificationType": "AADHAAR",
"emailVerified": false
}
```

9.0 Generate QR Code

Generate QR API returns the QR code upon successful validation of the JWT access token.

V3 URL: {{base_url}}/v3/profile/account/qrCode


V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Request body: NA

V3 Response:



10.0 Generate ABHA Card

Get ABHA card API returns ABHA Card upon successful validation of JWT access token.

V3 URL: { env_url }}/abha/api/v3/profile/account/abha-card

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{ accesstoken }}	Yes	Token generated from session API

V3 Response:

Response
Code: 202 Accepted
ABHA Card

11.0 Benefit API's

These APIs are used by government integrators with some special benefits.

11.1 Create ABHA using Aadhaar

Step 1: Generate Aadhaar OTP

This API accepts encrypted Aadhaar Number and then Generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url }}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify login, following are the values that can be used. AADHAAR("aadhaar")

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{Aadhaar_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "c6a49f66-c740-4a7d-a93d-8c0431bbb8f3",
  "message": "OTP is sent to Aadhaar registered mobile number ending with*****8510"
}
```

Step 2: Enrol ABHA

API Accepts Transaction ID (previous step response) and encrypted OTP along with a primary mobile number for ABHA.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{ accesstoken }}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number


```

sVyOrK0jOyCtrFnFlpGqykLJbGNfdv8BV2HTms1+cc+wxXZz61bvDhVUfQVzd5drl5PGKTqyloipXesmUnJAJrHvLglmy3yipr7UVQFVPTqa56SaS
9kKx/6sfeb1rqpu7as4qk76lzL+7N1d7MnYhwtbOjmvIk2twWxg81zt4PKvJFAPXOau2N88AGyTB64PIP+Fdi2OZnmpmXRWMO2cA8EHBfdVY
XXmgKXznoT3rZrRtdiuQIZBtfgCuevvXV2N0I4RlrFlBwVPaghnV7SaaUNRQ3IKqc5B6GpjKKBCbfeIIAHUVTYLj/Gud1+OVbCR4JTFIrgkjrJOMVv
Kjyq7ZlGpzOx1EssScNMinrywrn9U1axjRx9pVmxjCfNn24rky8zr88rtnk5bOajKVxSjBHZCi+pi6rY/2jfNO7sFPRQOagSztQFjXGepPU1uNEMV
Vliy+cVl7Vvc19mkQ/YUuYdrghisO6s7jTZCVy0ec/SusgG1adLak8ZUgHlq1XFmns1JHP2GusgCs3T1rdh8QRhfmBFYd3oA3lo/lqsmi3o4SQitX
7OWrl/eQ0R1D+IliPIDH6Csq815mJVW2+w5NVI/D91IQJZjitiwOG3tiHYb2Hdqm9KGwfvJ7mba6fdakd0oMUHv1atN7VIIhHEoAA7VqsQq7Rx
UDp8uSKzdRyZfs1FHM3WlJdSZJKvjgKlgOGwLxoy3u5iFYo6nn2GK1kizKeK1NLszNqMAA6OGJ9hzXRTqPmUUyTgrNmRJ4A1aKR5rKeF405TdIX
+nAl/WtTTZdRtQ1rqNnJE6rhmHK4PQ5HAPhrXoNoAlzjoW6USRI4w4DrnOGGfpxQhFnnKs1uZmmXHm20LM3zMnzfXpWwEOBVJrOOP7
mYyTngZp4nYDiXcCeMp0A6isnh5dC/apljyvfVVK/sxcRupHEgx9DV/zBg+tRu24YrrtdWZzJtO5wE0DxyGNxtZTgiozFXV6rp4ul8yMfv1HTpuFc40
bK5VgQR1B7V4WJoSpS8j2cPWjUj5IfyN1RSWvPSr4GKdgdxxHdo6rlzhDtl4p6x5q0yDBIFRhCv0p3KirEf2cnpzSpDt6rViOpFViehpzG0ivsPYUv
ltjpVwRtjPNlykUrklQQ4OT1pHizxVrYT2oEfrTuxWKUdrhuldFodkyiSdlxnCof5/wBKi0/TzcuGlxCd8zevsK6aFRIQo2qo4GK9XA4eTfJbHnYyvFL
2cSSKHEyX0xQ0P8AOPfMwMCKL8816x5hH5XlqLyNp4Goc1Y8zjrTS/zGkBGi85/H+tMMOCPrRRtQDWh3kcyOaf5/4VUutLjuCfNX5hwGxR
RUyipe7JaDjld0ZU2jSxcqA6+o6/IVb7Hx0oorw8bQhTl7p6+FrSqL3hGs2B4F9jIIBHFFFeedxILTGNTWY7P2oooESi09qYbRQeRRRQtWbBbGWb
5YKj/wBojVet9CjjO6dzK390cD/AOvRRXuYLC0nDnauzcyXiailyp2RqJabQQAo4CipxFt4oor0/I8+4eXkU0x4NFFACGPJNiy6KKQH/Z",
  "mobile": "*****6654",
  "email": null,
  "phrAddress": [
    "91216855772770@sbx"
  ],
  "address": "DILDAR PURA, Achalpur, Achalpur, Amravati, Maharashtra",
  "districtCode": "468",
  "stateCode": "27",
  "pinCode": "444806",
  "abhaType": "STANDARD",
  "stateName": "MAHARASHTRA",
  "districtName": "AMRAVATI",
  "ABHANumber": "91-2168-5577-XXXX",
  "abhaStatus": "ACTIVE"
},
"isNew": false
}

```

11.2 Create ABHA via Biometric

This API creates an ABHA account using biometric.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	bio	Yes	Defines the authentication method used for enrolment, following are the values that can be used. BIO("bio"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
fingerPrintAuthPid	Encrypted fingerPrintAuthPid value	Yes	
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating ABHA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["bio"], "bio": { "timeStamp": "{{current_timestamp}}", "txnId": "{{txnId}}", "fingerPrintAuthPid": "<PID>", "mobile": "*****6565" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response

[illegible]

ggg+opjl6nPbQ/c2kqMCF4NRR23mEh+w6HiuiE7o55RsZT8Na02nXq5YhGIB56e9ev2c7TQI6sGVhnlPWvCHIwKTMZzg9q9G+
H2siRGsZ5h/0zDH9K1MmjuxupCGq0qrnGfpTti0hFEg+INO7NXioqMquaYi0AaUBqnGKd8tSUV8MBVK8nKIQDJHU1oyuioScd
K5jWrxY4iucd2OaBnmnjvUzd6iIATsiGAPc8n+lcUzXzxWlrN19p1GaXJwzHGfSs+FN79M+1MaHQwvflB5NdHp2kXUiGInQPV
qtaNpQVVIHJ6LiurtYUyB0A7Vw18RbSJ3UaF9WZNro0ikbgD7Ba1otDXALLtJ6cVvWdunByTW7a2UWzpz71wutKR1qnGJxa6
SUUhVHPFFK2lIVyByOua7WS2QH7oqlNbnqHPfqKzu2WrHA3Gnrhgy8NziuZu7X7JPgg4zkH29K9I1K3RQdq9OlcvqlOjYGwPmX
kV1Yes07M569JSV0cTdkLIXTofoQxod61rqUTk8E4OPEqN4SJDWdCgm2z4lX68V6sXoeZJH0Lp0zXVpHITyRzVzDd6wfB05m0eN
3HOcdetdKSKZBWIYcU0g1bIWmECgRIN1O5qTipCy4pDKF5lQcD4mumWGSIPbH6V3GpSqlzXm/iW4HlzAnhhigZ5tMSZDWI
otr50wJHAROk5auq0G28qEE8Z5NZ1ZWibUo3kdBZxkKBite2hJl61RtZlww3Eda6Oze2YYDoSPevJqX7HpwsW7SFtuBkccH3rY
hDBR8x9zUdn5BxlhzV9GiBGCv19axVy2yCSM4z1rNuEZmAx3zXQukapu44FUYlmw2MDpzTEmcnfwsfvVhXJMwQRXA6hFGTj
jJrm79UVSCRntTg3cbtY858QacFJmQY9RXOxDj1FeianCs0Doe4rz54tlyydwCv6+GneNjzMRGzue0eC592jwKCAwzkfh/wDqr
sFyR9a8q8l3dzp08CPiSui9wPX9f0r1eOVTGCVINDByJQG2j6U05qxIQKaStAHCNTZA2KnDCmOwx0pDMDUy3lsK848QAtG31r
OrVGXq8415wFbPTNA0cOkBe7jjx3zXSJ9oO2G2AX+9l3b6VS0uIT37vgYUYH41umAxqTnA9a5601ex00otq42PTcqN16/mEc
nHH5Zqcae6jlvWJ9ozn9DVC0NxxqGoG3tioAOC79B/jUMWrxlVPPFLKRIInxyp5lIZtwGGOQRxnPNkAe4zUJvqW5QXQ3bdry1kA
S5J9QeP0rp9Fv7hpVSR2IGAMmse6027s4bWW7RMTpuG3PynuCO1O0ido78xnop4rmrJ21Om15Ha6vcSw2gKH5IAa4u71D
Uif3crhh0G/gH1rofEV432aPbwQgBrmYIri7nS3tk3yv3JwB9TWVFN6lVNit5WtXBy95nPCuf8Khm03UNnzXsZPpk1RvtcurK56t
3+ziS3l8vy28ws3UEjtG74PlxnnBJf3MKQSxtCJ0Doc5Vgf5V3OFsxyqULgLuVJDbXSlZBwH7NXN6hb+Xqy8HD84rrdovlQJUBz
OrF1+LyZYLjGdhwr61VfRmJqp2O78JaUlKw8n+eZgNol4UY4FduiEqOMd65PwlqCX2nxzqR82cj+6R1BrsInXaK6zjY0hu4prZxx
U+4U0stAgGcUjA471ICKdkYoGYepRMUbivN/EcZWNjjpmvVr4L5ZzXm/iZFKSYpDRzugQ/K7Ecs1dMbMXEOCOKwNEKvSV98
V2enIGTaQOa8/EtqVz0MMro5v+y3guN8BMR/2aultwJx00UMky9JGHXd7c4rqEtYs5YfISPHGuRGjM3UDFYKuzpdFGNMLyW
3M10xK9FV2J3H2zTNMhaK4QnLMe/rV69jkX97cDGPur2F5aPAbmcSkcdqmc7xY4x95FjV4pHslZwKwoEulvngdlIXk7Tgkeua7
TU7UtabcZGOKwbO2MrthjEsZ4NZ0alol1lanP39ut/ffa7qzS5bjcx4zj1Axn8aralHc6psjmAEaYC7RjH0Fdo0AX5ZkwfXFRNZ25P
A/HfDdXDMVRZtjYpDbhTkGdqax/Etvu0+QgcoQa7aYJDGVFcxlV7eRD0bicoTc3M60bQsWvhmHaxu4yBtWUEHvkj/wCsP
1rOdFIFcp4L0mPTlp5AdzzFQWPoBx/M12GRivVPKZGQaac1ISKYWFaIcKaftOKUSCneYAOopFGZqAPInmvNvErN5cgGc16Vq
Mg8tua848RH5lMn+VlZzGmOY7gAZ5xXb6ex4rhBcKbtGTC5VcgdioAP54z+Ndbp1z8glNceljdXO7Cys7M7Kzj3qCR2rWtrRGX
JUvH2d0PKXp0rTgVwBgMBXlNanpPYxPFbhZyRoR0PNJL4duli3lZAZe1M8RLHfFdZIGU/Ky9RXMQ6bCXRubO5kE/Vtx4b/CuiKj
KFnoYu8XdHpmoxzC1UZHHNC7YXUX9qblLHfx8oyPxrnr1+1byPy7q48mM8Hykn8e1a2gWgsHVmlaViu0buwqXCMU9SuZye
x2zW8d1AHcJNZl1bKikbOakjvfK4z+FRX8d8rqee1YmiObv1YOAOR3rmtUOSE6jOT9BXRajcDjx1rN021h1HumjuH2RGN/mHUE
ISv5nA/GvQwkNbnFi5K1kdfoqEQIPatvYcd6ztMARB6VqhxivSPKZCUNNKGpy4phcUCHBSKUqcdabIKXzARQUZ98hMZr7x8G
SsgNei3b5Q5rjNdiVwcd6Q0eYOxiuQ3YGuk0242kDOR2rn9S2tp2WpdMvdy7M/NH/ACqJxujWErO56BBcsIshqkS8YY5NZGn
3qTRbc84qWffj5GwfvMdo0rHoxqe7cvXN7FgmVwtFjqrFIdyOwlwWAH9a5u6t4BKXleVgcdXPH5VahsYpEBS4kVccDl/qKv2
UUtTsoUIUOgutXs3UKisx69AuP50211O1bhZMP6GsU6WqrvlumlXwdw/pVNba1klZVWRzn729h/WhUotF1aSgjrGvWJOGPN
H2livPpWVBGYNqgnb2yc4qa5uFjThuKy5NdDjc7LurXs5lBbYal0MBpzyeTjFYOO6gsUTNuGTwM+tXdF1J4RGZ4jltInP6V6VGH
Kja0+ZnqFnGvjGfSre04rO02+iuYVZJFY7eQDyPqK0RlPw5zjSpppU1lZBTIKBCBTS7COLIJR7UvmigLkMykqa5jVoDtY4xUyS
ZGM1jajh1K0hknviKERSF652zlaO6Dc4wc+4rpPGMYiZIV+prnbCPzLhh/smgTHR2dx8yyRt1610MEpkTncGskthLg58sng+ldFp
uqISaZYBrmqQuro6KcrOzN2WxN2uAMN61V/snVYOlrzfPTDY/nWlaXQDbhXS2WrQrGN6gkdsVvOrKOjOyCtrFnFlpGqyKlJb
GNfdv8BV2HTms1+cc+wxXZz61bvDhVufQVzd5drI5PGKTqyloipXesmUnJAjrHvLglmy3yipr7UVQFVPTqa56SaS9Kkx/6sfeb1rq
pU7as4qk76lzl+7N1d7MnYhwtbOjmVlk2twWxg81zt4PKvJFAPXOau2N88AGyTB64PIP+Fdi2OZnpnmXRWMO2cA8EHBfDv
YXXmgKXznoT3rztRtdiuQlZBtfGCuevvXV2N0l4RlrFlBwVPaghnV7SaaUNRQ3IKqc5B6GpjKKBcbfellaHUUVTYLj/Gud1+OVbCR
4JTfIrgkjrJOMVvKjyq7ZlGpzOx1EssScNMinrywrn9U1axjRx9pVmxjCfNn24rky8zr88rtnk5bOajKVxSrjBHZCi+pi6rY/2jfnO7sFP
RQOagSztjQfXGepPU1uNEMVVIy+cVl7Vvc19mkQ/YuuYdrgHisO6s7jTZCVy0ec/SusgG1adLak8ZUGhql1XFmns1JHP2Gusg
Cs3T1rdh8QRhfmBFYd3oA3lo/lqsmi3o4SQitX7OWrl/eQ0R1D+liIPIDH6CsQ815mJVW2+w5NVI/D91lQJzjitiw0G3tiHYb2Hdq
m9KGwfvJ7mba6fdakd0oMUHv1atN7VIIHHeoAA7VqsQq7RxDp8uSKzdRyZfs1FHM3WlJdSZJKvjKlg0GwLxoy3u5iFY06nn2
GK1kizKeK1NlszNqMAA6OGJ9hzXRTqPmUUYTgrNmRJ4A1aKR5rKeF405TdIX+nAl/WtTTZdRtQ1rqNnJE6rhmHK4PQ5HAPHr
XoNoAlzjoW6USRI4w4DrnOGGfpxQOhFnnKs1uZmmXhm20LM3zMnzfXpWwEOBVJrOOP7mYyTngZp4nYDiXcCeMp0A6isn
h5dC/apljyvfVVK/sxcRupHEgx9DV/zBg+tRu24YrrtdWZzJtO5wE0DxyGNxtZTgizFXV6rp4ul8yMfv1HTpuFc40bK5VgQR1B7V4
WJoSpS8j2cPWjUj5lfyN1RSWvPSr4GKdgdXhHdo6rlzhDtl4p6x5q0yDBIFRhCv0p3KirEf2cnpzSpDt6rViOpFViehpczG0ivsPYUvl
tjpVwRtjPNlykUrklQQ4OT1pHizxVrYT2oEfrTuxWKUdrhulFodkyiSdlxnCof5/wBKio/TzcuGlXCD8zevsK6aFRIQo2qo4GK9XA4
eTftJbHnYyvFL2cSSKHEYx0xQ0P8AOpfMwMCKl8816x5hH5XlqLyNp4Goc1Y8zjrTS/zGkBGi85/H+tmMOCPrrRTQDWh3kcY
Oaf5/4VUutLjuCfNX5hwGXrRRUYipe7JaDjXd0ZU2jSxcqA6+o6/lVb7Hx0oorw8bQhTI7p6+FrSqL3hGs2B4FJ9jilBHFFFeedxIL
TGntWY7P2oooESI09qYbRQeRRRQtwBbGwb5Yk/wBojgVet9CjjO6dzK390cD/AovRRXuYLCOnDnauzyCxiailyp2RqJakbQQA
o4CipxFt4oor0/I8+4eXkU0x4NFFACGPJNlY6KKQH/Z",

"mobile": "*****6534",

"email": null,

"phrAddress": [

"91216855772770@sbx"

],

"address": "DILDARPURA, Achalpur, Achalpur, Amravati, Maharashtra",

"districtCode": "468",

```

    "stateCode": "27",
    "pinCode": "444806",
    "abhaType": "STANDARD",
    "stateName": "MAHARASHTRA",
    "districtName": "AMRAVATI",
    "ABHANumber": "91-2168-5577-XXXX",
    "abhaStatus": "ACTIVE"
  },
  "isNew": false
}

```

11.3 Link OR Delink ABHA With Benefit Name

11.3.1 Link ABHA With Benefit Name

Step 1: This API is used to Link ABHA account with benefit name.

V3 URL: {{base_url}}/v3/profile/benefit/linkAndDelink

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Example Value	Mandatory	Description
Scope	link	Yes	Based on preference link option
loginHint	abha-number / xmlUid	Yes	Based on preference link by abha number or xml uid
loginId	RSA Encrypted abha number / xml uid	Yes	Based on preference link by abha number or xml uid values

a) Link by ABHA number.

V3 Request Body:

Request Body (Link)
<pre>{ "scope": ["link"], "loginHint": "abha-number", "loginId": "DhcsvJORTk4LITxYHyGehwc9bssmiLDUxwAF6quQHTZ0suDJZWfSaEzbdNCOA8wr4NM3woa995KLzCj3p2u1uXnJkZWGldYOfW3UnOcfWdZ FMNbtXjfe2ChcZFTZjYPHJVW2H/14BUxl4UvU74FM4LD1rmjotqF5PgryyNnNRFaQMZ7iq6l8PZk7oXa92Qpk1kJTRHUt84uv1lsslqsUr3Hngl pLbOHuuPMixG/balCpe0MAXuVyDXIratJATAWAuOI0ucNGaAJcUhjcwXuuDeERDG4rhCYAxTm9rkf6TJzQuF8uw0Nr9A95Brcus141Dy/ORcmF GzLzHCkby0zKnEXn6QQSszZ70coLXoTOjpV3CtJ2wt22oZd62zvwrk8TFRnA8Z8ww4uLCo7tg9ASiOxYgLDE/b1Ry1h/gZHVj7mD2V4c1gMtBZcU hoWYzSEp2DvH45bGWmjsb0EHkUQ/r61+E7143VDU018QdlETb80gfk8Rsffb+7JmLEQ4yXcJNe4ODo30jtCANji51iP2FQycJlbzMoV5gw8iNS KrTNHi2qjZ64w/sim093WiBrFvoYjmB0hY8PI5hYh0EWuFDJ0So86emqqdvkCyXeHAeQaSDIQAI4AE5+QX4OTBsdzv1+ja9b4uGG5Em/+98i0V /EaIBXPwrNcxKZclL1S8OZM=" }</pre>

V3 Response:

Response (Link)
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5150-4867-XXXX", "status": "Benefit record has been linked successfully" }</pre>

b) Link by XmlUid

V3 Request Body:

Request Body
<pre>{ "scope": ["link"], "loginHint": "xmluid", "loginId": "{XmIUid_encryption}" }</pre>

V3 Response Body:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully" }</pre>

c) Link By X-Token

V3 Request Body:

Request Body

```
{
  "scope": [
    "link"
  ]
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully" }</pre>

11.3.2 De-link ABHA With Benefit Name

Step 1: This API is used to De-link ABHA account with benefit name.

V3 URL: {{base_url}}/v3/profile/benefit/linkAndDelink

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Example Value	Mandatory	Description
Scope	de-link	Yes	Based on preference delink
loginHint	abha-number / xmlUid	Yes	Based on preference delink by abha number or xml uid
loginId	RSA Encrypted abha number / xml uid	Yes	Based on preference delink by abha number or xml uid values

V3 Request Body:

Request Body
<pre>{ "scope": ["de-link"], "loginHint": "abha-number", "loginId": "DhcsvjORTk4LITxYHyGehwc9bssmiLDUxwAF6quQHtZ0suDJZWfSaEzbdNCOA8wr4NM3woa995KLzCj3p2u1uXnJkZWGldYOfW3UnOcfWdZ FMNbtXjfe2ChcZFTZjYPHJVW2H/14BUxl4UvU74FM4LD1rmjotqF5PgryyNnNRFaQMZ7iq6I8PZk7oXa92Qpk1kJTRHU84uv1lsslqsUr3Hngl pLbOHuuPMixG/balCpe0MAXuVyDXIraTjATAWAuOI0ucNGaAJcUhjcwXuuDeERDG4rhCYAxTm9rkf6TJzQuF8uw0Nr9A95Brcus141Dy/ORcmF GzLzHCkby0zKnEXn6QQSszZ70coLXoTOjpV3CtJ2wt22oZd62zvwrk8TFRnA8Z8ww4uLCo7tg9ASiOxYgLDE/b1Ry1h/gZHVJ7mD2V4c1gMtBZcU hoWYzSEp2DvH45bGWmjsb0EHkUQ/r61+E7143VDU018QdlETb80gfK8Rsffb+7JmLEQ4yXcJNe4ODo30jtCANji5iP2FQycJlbzMoV5gw8iNS KrTNHi2qjZ64w/sim093WiBrFvoYjmB0hY8PI5hYh0EWuFDJ0So86emqqdvcCyXeHAeQaSDIQAI4AE5+QX4OTBsdzv1+ja9b4uGG5Em/+98i0V /EalBXPwrNcxKZclL1S8OZM=" }</pre>

V3 Response:

Response (De-Link)
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5150-4867-XXXX", "status": "Benefit record has been De-linked successfully". }</pre>

b) De-link by XmlUid

V3 Request Body:

Request Body
<pre>{ "scope": ["de-link"], "loginHint": "xmluid", "loginId": "{{XmlUid_encryption}}" }</pre>

V3 Response Body:

Response
Code: 200 OK
<pre>{ "benefitName": "healthid api", "healthId": "91-2168-5577-XXXX", "status": "Benefit record has been de-linked successfully" }</pre>

c) De-link by X-Token

Request Body

```
{
  "scope": [
    "de-link"
  ]
}
```

Response:

Response
Code: 200 OK
<pre>{ "benefitName": "healthid api", "healthId": "91-2168-5577-XXXX", "status": "Benefit record has been de-linked successfully" }</pre>

11.4 Update ABHA Profile Details

This API used to update user profile details using Benefit API.

11.4.1 Update Mobile

V3 URL: {{env_url }}/abha/api/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber	Abha Number	Yes	User ABHA number is Mandatory if we not passing X-token in headers
Mobile	7011872400	No	User mobile number
accountStatus	ACTIVE	No	Benefit programmers can update deactivated account to active account by using this key value
profilePhoto	Base 64 profile photo	No	User profile photo

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "91-4656-1028-XXXX", "mobile": "*****2406", "accountStatus": "ACTIVE", "profilePhoto": "<<Base 64 user profile photo>>" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully", "ABHANumber": "91-5713-4487-XXXX", "preferredAbhaAddress": "91571344873849@abdm", "mobile": "*****2841", "firstName": "Ranjith", "middleName": "", "lastName": "R", "name": "Ranjith R", "yearOfBirth": "1998", "dayOfBirth": "31", "monthOfBirth": "05", "gender": "M", "email": "ranjith.10696235@ltimindtree.com", "profilePhoto": "profile photo", "status": "ACTIVE", "stateCode": "32", "districtCode": "563", "subDistrictCode": null, "villageCode": null, "townCode": null, "wardCode": null, "pincode": "679302", "address": "Pathiripala", "kycPhoto": "AA==", "stateName": "KERALA", "districtName": "PALAKKAD", "subdistrictName": "PALAKKAD", "villageName": null, "townName": null, "wardName": null, "authMethods": ["EMAIL_OTP", "MOBILE_OTP"], "tags": {}, "kycVerified": true, "verificationStatus": "VERIFIED", "verificationType": "DRIVING_LICENCE", "emailVerified": "ranjith.10696235@ltimindtree.com" }</pre>

11.4.2 Update Profile

V3 URL: {{base_url}}/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber	Abha Number	Yes	User ABHA number is Mandatory if we not passing X-token in headers
Mobile	7011872400	No	User mobile number
accountStatus	ACTIVE	No	Benefit programmers can update deactivated account to active account by using this key value
profilePhoto	Base 64 profile photo	No	User profile photo

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "{{abhaNumber/x-token}}", "accountStatus": "ACTIVE" }</pre>

V3 Response:

Response
Code: 200 OK

```

{
  "benefitName": "COVIN",
  "healthId": "91-5713-4487-XXXX",
  "status": "Benefit record has been linked successfully",
  "ABHANumber": "91-5713-4487-XXXX",
  "preferredAbhaAddress": "91571344873849@abdm",
  "mobile": "*****2841",
  "firstName": "Ranjith",
  "middleName": "",
  "lastName": "R",
  "name": "Ranjith R",
  "yearOfBirth": "1998",
  "dayOfBirth": "31",
  "monthOfBirth": "05",
  "gender": "M",
  "email": "ranjith.10696235@ltimindtree.com",
  "profilePhoto": "profile photo",
  "status": "ACTIVE",
  "stateCode": "32",
  "districtCode": "563",
  "subDistrictCode": null,
  "villageCode": null,
  "townCode": null,
  "wardCode": null,
  "pincode": "679302",
  "address": "Pathiripala",
  "kycPhoto": "AA==",
  "stateName": "KERALA",
  "districtName": "PALAKKAD",
  "subdistrictName": "PALAKKAD",
  "villageName": null,
  "townName": null,
  "wardName": null,
  "authMethods": [
    "EMAIL_OTP",
    "MOBILE_OTP"
  ],
  "tags": {},
  "kycVerified": true,
  "verificationStatus": "VERIFIED",
  "verificationType": "DRIVING_LICENCE",
  "emailVerified": "ranjith.10696235@ltimindtree.com"
}

```

11.4.3 Update Profile

V3 URL: {{api_gateway}}/abha/api/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endto-end request transaction

TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber	Abha Number	Yes	User ABHA number is Mandatory if we not passing X-token in headers
Mobile	7011872400	No	User mobile number
accountStatus	ACTIVE	No	Benefit programmers can update deactivated account to active account by using this key value
profilePhoto	Base 64 profile photo	No	User profile photo

V3 Request Body:

Request Body
<pre>{ "abhaNumber": "91-6160-6504-XXXX", "mobile": "*****3662", "accountStatus": "ACTIVE", "profilePhoto": "<<Base 64 user profile photo>>" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "benefitName": "COVIN", "healthId": "91-5713-4487-XXXX", "status": "Benefit record has been linked successfully", "ABHANumber": "91-5713-4487-XXXX", "preferredAbhaAddress": "91571344873849@abdm", "mobile": "*****2841", "firstName": "Ranjith", "middleName": "", "lastName": "R", "name": "Ranjith R", "yearOfBirth": "1998", "dayOfBirth": "31", "monthOfBirth": "05", "gender": "M", "email": "ranjith.10696235@ltimindtree.com", "profilePhoto": "profile photo", "status": "ACTIVE", }</pre>

```

"stateCode": "32",
"districtCode": "563",
"subDistrictCode": null,
"villageCode": null,
"townCode": null,
"wardCode": null,
"pincode": "679302",
"address": "Pathiripala",
"kycPhoto": "AA==",
"stateName": "KERALA",
"districtName": "PALAKKAD",
"subdistrictName": "PALAKKAD",
"villageName": null,
"townName": null,
"wardName": null,
"authMethods": [
  "EMAIL_OTP",
  "MOBILE_OTP"
],
"tags": {},
"kycVerified": true,
"verificationStatus": "VERIFIED",
"verificationType": "DRIVING_LICENCE",
"emailVerified": "ranjith.10696235@ltimindtree.com"
}

```

11.5 Search Benefit Details

This API used to search benefit details linked to ABHA Number.

11.5.1 Search by Aadhaar

V3 URL: {{base_url}}/v3/profile/benefit/search

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search	Yes	Search scope
loginHint	abha-number/xmlUid	Yes	Based on preference of search we can use abha number or xml uid to search details

loginId	Encrypted abha number or xmluid	No	Encrypted abha number or xmluid to search
---------	---------------------------------	----	---

V3 Request Body:

Request Body
<pre>{ "scope": ["search"], "loginHint": "xmlUid", "loginId": "{{xmlUid_encryption}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>[{ "stateCode": 20, "benefitName": "COVIN", "benefitId": "2229031721737473", "abhaNumber": "91-5150-4867-XXXX", "status": 0 }]</pre>

11.5.2 Search by Health Id Number

V3 URL: {{base_url}}/v3/profile/benefit/search

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search	Yes	Search scope
loginHint	Abha-number/xmlUid	Yes	Based on preference of search we can use abha number or xml uid to search details

loginId	Encrypted abha number or xmluid	No	Encrypted abha number or xmluid to search
---------	---------------------------------	----	---

V3 Request Body:

Request Body
<pre>{ "scope": ["search"], "loginHint": "abha-number", "loginId": "{{AbhaNumber_encryption}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>[{ "stateCode": 20, "benefitName": "COVIN", "benefitId": "2229031721737473", "abhaNumber": "91-5150-4867-XXXX", "status": 0 }]</pre>

11.5.3 Search

V3 URL: {{base_url}}/profile/benefit/abha/{{healthIdNumber}}

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response
Code: 200 OK

```

{
  "abhaNumber": "91-7722-7553-XXXX",
  "programme": [
    {
      "benefitName": "Poshan Abhiyaan"
    },
    {
      "benefitName": "Test Benefit Program"
    },
    {
      "benefitName": "Pradhan Mantri National Dialysis Programme"
    }
  ]
}

```

11.6 Find ABHA

11.6.1 Search ABHA using Mobile

V3 URL: {{base_url}}/v3/profile/account/abha/search

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	search	Yes	Search scope
Mobile	Mobile number	Yes	User mobile number

V3 Request Body:

Request Body
<pre> { "scope": ["search-abha"], "mobile": "{{Mobile_Encryption}}" } </pre>

V3 Response:

```
[
  {
    "txnId": "d0660ae0-1798-4e42-8e07-33eea4a3824d",
    "ABHA": [
      {
        "index": 1,
        "ABHANumber": "91-5259-8743-XXXX",
        "name": "Narayanan Madaswamy",
        "gender": "M"
      }
    ]
  }
]
```

11.6.2 Generate OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	mobile	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),

loginId	Encrypted Mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hlu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "search-abha", "mobile-verify"], "loginHint": "index", "loginId": "{{Index_Encryption}}", "otpSystem": "abdm", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "775b6a11-ea05-49e2-8661-f9aa855cad34", "message": "OTP sent to mobile number ending with *****6265" }</pre>

11.6.2 Verify OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

[illegible]

kWHB5UEgHsTjmodMRtPvTc3O2WGMk43Fd/UDryOuemeO1aEMUqrtK8VDqMH7pWlwo61opW2KcL7mPJ59/qJLLMQtkZ
JO0dhmuq0yNo9u6RSe4FZmnWT3GBEmc9cCuq03SS4AJ2jual6mkIkU8UkiZifBqhb289tJKhWOQSQUIKXsfoRW5NaPbk7QS
BTiiWSIEj8aluw3G5hWHh6OynF0dk5wcRyDK56cj6VJHbNBM0hP3jnYOFH0HatXyG3bQ3FSjTlxktk05SuSoWKQbcOBisnUrN
p9TiEY5KBmPpzXRG2VB0pptwXMmOdm36c1EXZkyjfQ9L0SS3m0e0Nsu2ERhVXGMY4x+laYFc94Mt3h0MF+kkhZee2AP5g
10YFI5pKzsJilxSjrS4oJPO72HfEa4rUoCkrV6C6bgRiua1mxJBYCm0WmcefSkPFTTRIG0ahrMsbV61ddi+wqjUKTYwKuG5Udz
UK+Y3HSi4tVulGhY4DDt2ptvJkYzUdx+Wdydx9K0aNkyGz2WNo0Uk0ccIE4Ynhhmt7R9ak+zhIDxSlcMmfUcjNcm0Us8gcrkf
yrXtS8UW1InLEY+WnYnmfQ0hqmoX3rCYW7Wp5GAd1WoJ1lDEdCK5qoltcNEDJEB7ZGRTo0mibpxQ0NSfU00iB5IpZFKimRT
cDdwfens4bipehaaZASSuDTJLnyk8v+8P5U6RhuwKjdCyZP3c4qTNvXQ9VsLYWljBbjB8tAplGMnuatAVHbv5tvfJ/eQH9KnAp
HlxoFPAoAp1AjhhUFzbrNGQRU4p1UxnD6rphRiwFc/LGUY8V6fc2aTocjmuN1rThbsSBUNFjnOkUD07inEYpKluzLRYtpsNhqS
SRAXeToOnrVUPtfl61lrKzbmPFbmlwgupJ/kiT2+Y4rVgt7hVds6K3bFZq53AgjFWVklJEmMegp3Ktsa4juzGP3qBR371E813E
+18SGkt/tGcG4GPRhV7awPzEH3FDC6YyGeZ12zRhX9Qc1Nu/OmuV2e4qJXPTNTJCTsWO4NddoHh21u9Phu52KdidgOAQDj
B/KuShja4mjhgXgdq/U8V6taW62tpDbqSVjQlCe+B1rN6GU5W2LCrgADoKeBSAU6pMgoopaAOEFOpgNI80cYyzAfU1QEw
Pfc14kTMRNXrrX753BG8MR2FcXqutG+yqrhaTY0jDbrTcVIRSBagOK8i4OaargHB6VZZPIOapkZYg9a3pu6GWkcFavWSq+SB2r
JUITg8VetpIVD8+CRxVjUjatXjce1TMwRetYsMxQevvU4uSx6En9KdhXL7SHFlrZOarhmOMkY96fHl2wPu+tSwua+jP8A8TizY9
BOn/oQr1leleRWEgt762kP3Y5FY/QGvU7LUbe7jV43Bz+tZMiaLwp1NHNOqSApaBS0AeLXXic8iEGsa41O5uSd8hA9BVOIFDZ
oogSSeeaMU9I2dsKpJ9q0bfS3fBfnPYf1NEYt7DuZqRs5woJptVhLF8bnIUUAZPeugj0xIUxcOT0VR1q39iAvo9q5ZeeOa2VDuLm
Ol1Z3spbS3jjKm5fmdhztz0HpURI39ua6TxPp5ks7S8CnNvJhvQK2Bn8wo/GsQJhs461Tjy7Fx1KhR14bketPjChuhBhtV3yQw6
U5LbPbn2pXHykUeMcAn8KsBJGwcY+tWILcDopq9FCvcUXHyLOG0eVstzV8QrEOmTVkAKnygCoipY+tJsrls2PBJrY8IzSvz2D
uWh2B4Iz9w55A9ulZkZi6V1ngvSXVJtQkBAIAWMEdVHf8f6VVKN3YzqGvaajPbny5T5gBwcjkH+tbdvxc3C5Rvw71h3K5bKB
QXO4+4HA/PFPVQp3BijCqIQXqOhFLWVb6kyELOMjswrTjJSRQyMCK55QcdxHxzDbyztjjZj7CtW30Rzhp2x/siukgtRGgVFCr
6AYqwl+duK6Y4dbsrmMq2soocCOIfVhn9K0UUhWGPzH7dM1eJsgE34xVCctPcbBnaOK2UFFCfYwMlMzD6D0FTbR9oYcZ+m
auwx+XBhfSmW1oDlmPzE55quUCCeyiuYZLeQZiXacjpn+tcLdWM1hdPbzKdy/dbGA47Ef59q9MEYxgkZHpvLUdHh1a3Cuds
i/6uTHKn/D2qZ07rQqMrM4CNTirMSgEZFxrVQL/TnPmRGSltJGMjHuO1QRXJJNaM3TTJoIT0qwCo6CokWp1UAZPAHepLG
8scVKkdW7TTbu75t7d2Xj5iML+Z4rqNN8KRR7ZL9lIbr5Q+4Pr6/y9q0JTIImU0jG0Xw82pss8oltOvvJ9Pb3rsZQkaC3QAKo+Y9
Ao9P8/4VO8gQblgMDq/YVxXlyDOsCEhfvMe5NdKlKCOeUm2RTsrXgOMDHAq0FyMjtVSdN06SDpV6LbjqR+NO2pJvDTuJHH
65pY5TC4ZC0Z79wamITB6k1CyAjgdaUop7iOckIjcnH0zVuxtDlFMZeD0yKjtoHvLjp8inGfWtSWYQRiNQOPQVcV1ArahOIISi4
BPA4qjZQ7sHGSe9Q3swe4WMEIm7Zrd0y08tQZOCR3oerGMktX5YwcD0NUzG4k8uNyMntWreSlgPTGOoNyn2I3kKWq5bP
LdhQ0gLCggtAqLI5W6kmr8BWQD5dpA/OotP0whvMmyzHqTWtKkccOxdqg9eOaaQEliBPkNJ6HFRyaZYXR/fwQOW6EoCarx
XLPcyKhyi/ImrCXT7yBjavXC9TQ0mAv8AYemKeLG3+mwVbgs7G0UCO2t4sn+BAM0sTulvNkjTn7oxUlxdZrYysAvoAOp7Clyrs
F2TLtYjYrE/TaphZS2GfJHVU7fU1UnnlitB5jEyp1GensKZHuhtS5PzNzzTsIY87XF5sRiscfAUUVuEJvVY4xjHHFpsctI7Z5zUt0mAj
8Ek+tIZJ5KlAcA4FMQnGcYI96sRnlccH6VExEc5XC880WAVtXpA69yKhaNgcNBFWIBK5zg+1RMhJIOOe9OwJNSOKxtVCr85FZt
9epBCZnGccAdySiinLRAGh6XJK7XlyMSSHIBHQdq3ry5js4c030oooStG4GEBcapKBhkh6AdzW5YaVHBqG2nPVRRSir6sZpO6
xx9s9qybi4YozPxRRVMRTtBiNifvMeprVsLU8MwBFFFSgNN/LVdzkALWFdXJu9UhQAmNDuwaKKHsBamUyzpvDECn3JlVjzO
AOM0UUVQEWnjZiOCasXgymMA0UUVlx1p80W7JqO8T2tchJB5zRTAKifi4PWo5AwOQwx6ZooOef/2Q=="

}
]
}

11.7 Child ABHA

11.7.1 Create ABHA

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

X-token	Bearer X-token	Yes	X-token of Parent user, user can get X-token after login to the system
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators which has role as Hid_Child
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	authMethods	Yes	child
dayOfBirth	21	Yes	Child's Day of Birth
gender	M/F/O	Yes	Child's Gender
name	Ms. Moses Miller	Yes	Child's Name
monthOfBirth	12	Yes	Child's Month of birth
parentConsent	true	Yes	Parent consent of Child
consent	code (abha-enrollment) version (1.4)	Yes	
yearOfBirth	2019	Yes	Child's Year of birth

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["child"], "child": { "dayOfBirth": "2", "monthOfBirth": "11", "yearOfBirth": "2019", "gender": "M", "name": "Mohan Mahadev", "parentConsent": "true" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK

```

{
  "message": "Account created successfully",
  "tokens": {
    "token":
      "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklp0cnVlClJzdWliOiI5MS01NDAXLTlyNzYtNzE0MyIsImNsaWVudElkjoiiYWJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJhY2NvdW50VHlwZSI6ImNoaWxkliibW9iaWxlljoiOTk2MDcwMTY3MCIslmFiaGF0dW11ZXliOiI5MS01NDAXLTlyNzYtNzE0MyIsbnByZWZlcnJlZEFiaGFzBGZGRyZXRzNzljoiOTE1NDAXMjI3NjcxNDNac2J4liwidHlwjoiVHJhbnNhy3Rpb24iLCJleHAiOiE3MTgxODkyODEslmhdCl6MTcxODE4NzQ4MSwidHhuSWQyOiIjIMTNkNWYwNC11NDAA5LTQyZTYtOWY0NC00YWM3MTIxMTdiNkzifQ.sHNuXjFqLlPhyVHg_Y6m5XOEQMAzhAbd6SoqLY7PQuZACr54B3zm8ofXegmfio_wdtKYbR8ySbc4qkuJaWgeq10kwt6GNuvZuOeJAqhml4fsp3tpcYnhPqlyTVpQsy512y4_DisYDJeCJaC5g7bhd4VKGP_EvtxlX3pSU_9CqGwy4vPJVdcF4EmHenMhvCdVfHj5lwJPusbsktlgXKk8bwzdeDWgOo8jXoR9AKEUONTcXUms8VslXS37twviB6V1LdJMANIEq7vaB0LBJ_zSgSCSFSMTNp9OVTkQ8dljqfgrBUVZArY5QJBy9oAf10Fr9zcnLclOk9JZNklItNtF7P36CHjfrQDFRevRwXwW3T3UChGFSqS3mpvQbnyecBc8AxKZz65ewGV7jbt2gDKXAhlnQL6v3b2inyWVQXq4H6jeNecGuCCwplUjrE90jd5ZF6lW6dk_VgGgPBFmxZSeUcJmKD3sgPG1bPvjgk2QjB-wqRcwK7ubqHpCreilC93YjsCbPe1ljYFSCa73_lwipRMQnPJhx5H6ZBGtOBnv_PyiE-pE90wDUSWgnaPc9cYg4ch4TCqlq1eucfsWetlQxExYPWKB4_P9i4UDQOZ56hJodLWzsrOwCVqsiqnqljaERBje45AQP2cyCbhaQ01u_oWgcr7W4MDS_jFEV1xAdZiY",
    "expiresIn": 1800,
    "refreshToken":
      "eyJhbGciOiJIUzUxMiJ9.eyJzdWliOiI5MS01NDAXLTlyNzYtNzE0MyIsImNsaWVudElkjoiiYWJoYS1wcm9maWxllWFwcC1hcGkiLCJzeXN0ZW0iOiJBQkhBLU4iLCJ0eXAI0iJZWZyZXNoliwiZXhwIjoxNzE5NDgzNDgxlClpYXQiOiE3MTgxODc0ODF9.aUWk66JgkM9FcNfi9MPQSRp6uDnd1URFV9V9wP19LApWPf-pwPPNywV0jryubdWbgOtx2C4AONQxM16QdnQB1oeTa78KMSHB2wunMeSy0WzgCnAYJo4la-OuWeZrJyp44fjDF_TZJH7053f_o6609j9ghnT8t0KAD8Ldt54Avnjf0XOyvtYloqrN-16DhtuS_BwrfUSQM-EfoudSaAQqIK-EAPbULk44pFG7ZH-aOdqeNW7JAh9LW8XX4bWYLDfWxC0ZlxSdvub-GloilEak-DpKuRC9CvibD3v5ji4tiPjsq7_AwGxITSoK9iESnjwdU_rQ6T_XbljdDaB5oHODgVML2y267_a4lB4N7p6BAivYhX_Q1DODw4m-89LWCuYtPNu1XdxRDT2Vre4qk05WYXrlULvnqB6Dnqda6q7evV-U7Uv7M2xApZeehYk6YiTJwAfjn4eTd5FOjGwleohY3Gah11gc1fQhXlar-qjtvtp1utTwI9HK0ucZEgNZev6ejL2vbYvP6O58Yf6tmQZ-VQVfiP0cgYvrRVmdn5_6Vs9Mv2Nkt-r1xXE_hmPTUBYb3n2C06hvwU3bJxGuYgPfiad3tYmLgJQJfX-n59DI9bzwfy2cR0PBQZeHG1QyInCVQlRdSimX8lvXEOJL8_D--7xliVJikgR7Gz6pKGqFSI",
    "refreshExpiresIn": 1296000
  }
},
{
  "ABHAPProfile": {
    "firstName": "Nanduri",
    "middleName": "",
    "lastName": "Mohite",
    "dob": "22-3-2022",
    "gender": "F",
    "photo": "",
    "mobile": "*****1670",
    "email": null,
    "phrAddress": null,
    "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra",
    "districtCode": "494",
    "stateCode": "27",
    "pinCode": "415001",
    "abhaType": "CHILD",
    "stateName": "MAHARASHTRA",
    "districtName": "SATARA",
    "ABHANumber": "91-5401-2276-XXXX",
    "abhaStatus": "ACTIVE"
  }
},
{
  "isNew": true
}

```

11.7.2 Get Child ABHA

V3 URL: {{base url}}/v3/enrollment/profile/children

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of Parent user, user can get X-token after login to the system
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators which has role as Hid_Child
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters: NA

V3 Request Body: NA

V3 Response:

Response
Code: 200 OK
<pre>{ "parentAbhaNumber": "91-2385-7728-XXXX", "mobileNumber": "*****1670", "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra", "childrenCount": 1, "children": [{ "dateOfBirth": "22-3-2022", "name": "Nanduri Mohite", "gender": "F", "phrAddress": "91540122767143@sbx", "ABHANumber": "91-5401-2276-XXXX" }] }</pre>

11.7.3 Update Child ABHA

V3 URL: {{base_url}}/api/abha/v3/profile/account

V3 Request: PATCH

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators which has role as Hid_Child
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaNumber		Yes	
name	Ms. Moses Miller	Yes	Child's Name
dob	Birthdate	Yes	Child DOB in dd-mm-yyyy format
gender	M/F/O	Yes	Child Gender

V3 Request Body:

Request Body
<pre>{ "abhaNumber":"91-5523-6453-XXXX", "name":"Harshal Ram Mahajan ", "dob":"23-02-2019", "gender":"M" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "ABHANumber": "91-5401-2276-XXXX", "preferredAbhaAddress": "91540122767143@sbx", "mobile": "*****1670", "firstName": "Praju", "middleName": "Sanjay", "lastName": "kale", "name": "Praju Sanjay kale", "yearOfBirth": "2022", "dayOfBirth": "16", "monthOfBirth": "05", "gender": "F", "status": "ACTIVE", "stateCode": "27", "districtCode": "494", "pincode": "415001", "address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra", "stateName": "MAHARASHTRA", "districtName": "SATARA", "subdistrictName": "SATARA", "authMethods": ["MOBILE_OTP"], "tags": {}, "kycVerified": false, "verificationStatus": "VERIFIED", "verificationType": "CHILD_ABHA", "createdDate": "12-06-2024" }</pre>

12.0 ABHA Address Verification

12.1 ABHA Address Verification via Mobile OTP

Step 1: Search Auth Methods

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/search/login/abha/search>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/api/login/abha/search>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaAddress	string	Yes	

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Response Body
<pre>{ "healthIdNumber": "91-6167-8028-XXXX", "abhaAddress": "singh128@sbx", "authMethods": ["MOBILE_OTP", "AADHAAR_OTP"], "blockedAuthMethods": [], "status": "ACTIVE", "message": null, "fullName": "Deepak Kumar Singh", "mobile": "*****9340" }</pre>

Step 2: Request ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-address-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "mobile-verify"], "loginHint": "abha-address", "loginId": "VTwOF8Fz8KKr0/EsUlgVoF9bSyI2INUer7a3nqEMqWFSimSK67oJ6jRZxo4bR5fbqLUyHAphK9/seSkOWUPj7f2yij2fmkOJX3PjMb8dooMfvP N4pBuA627fs8IVaNB1u8fthvjBmdltWocdi2ULXCf7MMBzQzC0FDCO2gk8XF9tohvK1q944svJe/qe4O6tLS494e5Jgm+u+DJ1BN2hhownZbAav LX8gmNR3AcENH1/hvLR6iomM8dDHa8MtwHMvLiHBWGDWCW7pfL9xKANpDMArcXG/IU4BkUEstOGCHNaMj974XVOhsZOfrVMdwMVvCIJ gk7WKsAoJDzqNq4L1rQfVyKc8sQBULKQcTuPKCjqUGUzOSHZAaAefJ4PcOa3Nn1AvjNXAjlMqP36iHarJRywccWVNY50p8YSBDhq7iwwZjPJQ ua7d9eSM+26TxBnz0rdmEh2mpEKxKUi5RryJFZDovqrZn6JJXg+KUzyrfhtWD6VGiC9vC/jCZFPbZi83eoBQH71RCO+iVbfj8jgWRPfljCkZAar1 N2KdaidlUdEaEG6e7DPIWCGGrucYpTcvTbL12seqm1WswLoplZJm1UBytvCdlk50Ft6MMBOJdY+8kyIF9xZ6b4tudey/UtOFvpiL08yOa+7N5bj HgkHJK3QJ08YXiFwjBh8OmXQ=", "otpSystem": "abdm" }</pre>

V3 Response:

Response Body
<pre>{ "txnId": "cd135cce-a178-4a7e-86d8-00dc53ae0192", "message": "OTP is sent to Mobile number ending with *****9127" }</pre>

Step 3: Verify ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify>

V3 Sandbox URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-address-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "mobile-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>

V3 Response:

Response Body
<pre>{ "message": "OTP verified successfully", "authResult": "success", "users": [{ "abhaAddress": "singh128@sbx", "fullName": "Deepak Kumar Singh",</pre>

[illegible]

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
abhaAddress	string	Yes	

V3 Request Body:

Request Body
<pre>{ "abhaAddress": "singh128@sbx", }</pre>

V3 Response:

Request Body
<pre>{ "healthIdNumber": "91-6167-8028-XXXX", "abhaAddress": "singh128@sbx", "authMethods": ["MOBILE_OTP", "AADHAAR_OTP"], "blockedAuthMethods": [], "status": "ACTIVE", "message": null, "fullName": "Deepak Kumar Singh", "mobile": "*****9340" }</pre>

Step 2: Request ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/request/otp>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/request/otp>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	Abha-address-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	Abha-address	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA Address	Yes	Actual value of login type. This needs to be RSA encrypted using public key
otpSystem	aadhaar	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-address-login", "aadhaar-verify"], "loginHint": "abha-address", "loginId": "VTwOF8Fz8KKr0/EsUlgVoF9bSyl2INUer7a3nqEMqWFSimSK67oJ6jRZxo4bR5fbqLUyHAphK9/seSkOWUPj7f2yij2fmkOJX3PjMb8dooMfvPN4pBuA627fs8IVaNB1u8fthvjBmdltWocdi2ULXCf7MMBzQzC0FDCO2gk8XF9tohvK1q944svJe/qe4O6tLS494e5Jgm+u+DJ1BN2hhowNzBAavLX8gmNR3AcENH1/hvLR6iomM8dHa8MtwHmVLiHBWGDWCW7pfl9xKANpDMArcXG/IU4BkUEstOGCHNaMj974XVOhsZOfnVMdwMVvCIJgk7WKsAoJDzqNq4L1rQfVYKc8sQBULKQcTuPKCjqUGUzOSHZAaAefJ4PcOa3Nn1AvjNXajlMqP36iHarJRywccWVvNy50p8YSBDhq7iwwZjPJQua7d9eSM+26TxBnz0rdmEh2mpEKxKUi5RryJFZDovqrZn6lJXg+KUzyrfhtWD6VGiC9vC/jCZFPbZi83eoBQH71RCO+ivbfj8jgWRPfljCkxZAar1N2KdaidlUdEaEG6e7DPIWCGGrucYpTcvTbL12seqm1WswLopIzJm1UBytvCdIk50Ft6MMBOJdY+8kylF9xZ6b4tudey/UtOFvpiL08y0a+7N5bjHgkHJK3QJ08YXiFwjBH8OmXQ=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response Body
<pre>{ "txnId": "1234567890:20211216223812", "message": "OTP is sent to Aadhaar registered mobile ending xxx001" }</pre>

Step 3: Verify ABHA address OTP

V3 Sandbox URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/abha/verify>

V3 Sandbox URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/abha/verify>

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API (Use ABHA Public Key)

V3 Body Parameters:

Property Name	Value	Mandatory	Description
Scope	abha-address-login, aadhaar-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-address-login",
    "aadhaar-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

Response Body

```
{
  "message": "OTP verified successfully",
  "authResult": "success",
  "users": [
    {
      "abhaAddress": "singh128@sbx",
      "fullName": "Deepak Kumar Singh",
      "profilePhoto":
```

[illegible]

```

ZmodqtIMF1XgNj/AGH83417VA2VXJ7dK8w+Jdr9l8QWV8sQVbAoL7JlDMh7+++CoyeoAAhak1cqErMyreXB4OM/rwPHMWXk4xXORS7nGCM
4qxNqItVy5+g9a5GjrUtNSXUri4gmBhk2hxj7u7n3FQ2OrzJlVl+96Doaz7rUJLTMoNqjuTSWrHbt+1JOPynl/HpVKOMoOfY6afUBiTaYikZHUmuT/
Pj9asW7M0Yckbj14rITDI320lvXbxVyK5u7aMFZUk4/vA59qTg+gufudVCcnJq0tU7r7c5rEOi/N2WDoVdTYK0p5dpwOvVSsa3E3fyPE9ziOMa/x
Hn271t+ENPD3IsRDiK2VJZGfMPLXZHP17egNcrr7iUool3M3TiGeK9UOPTf7MtDhIf3r4LKoGwOnP41rGOiM5VLXNcjpe1NY4XmpguV2kD61E4K
oQRrW5ytlkgAgZ4CifemBMFNLvGMCgRiZwuQc1Tvuin8K8jvSpCtyKLiUSAFt77mmWlP6Amp2B124qoGLXU6nK8UhmmpbvKZrk/ig2nJ4aRrq
ULDCUGQ1QY3OejAcfdaIjPHReckA9FaSybHrXiHjXJNZ8Q3Mm8G3jYwwBWBXYplBBxz5ub8cdqa1EQW10HCkNjjmn3g85kOc+3pXOW920LYJ
4rQXUQQMde1ZTg76G0Zpqzlj2gwd5j49KmgW2jBLK/malDxkoLEVox20cu3pnPFZOvWjNypdBkD2T8qHPf5TyfxrRhOy0mIlyQevNPgtYhw
CM9+KsIpLjbBBi6AGGpcncp7FIOiis2LKucjAbuKS6uV2gg//AF6x5tQ5ASruSe2azrm/lv5FtbX7x647D1NUoNmbkkih2oiSbYQOQPXrufAHjm5uLy
LSdWuTL5p2288jZfd2Qnvnstznjnlx5Q/mSEynO1fX0qGaGTaCqoVwScsm27n1J5wHTNi6hpgQdy5zXJeaEfV9v6P5Vw+69tQEIIJy452vz9MH3
GeMiuqYEPGBfagjagktsQxOeMeL13wD09sVH0c4l/wpCc9QfowEccrE80l253NMQGXPyjgfzpk1BzxB7ieOFWlU9UEnt3pGpoBuBUuyyZrXHX
3jfrTdrf9GD3Uh7AFFHPOSrN16AiuR1hLRqeqxGKeVY45MNFFCCqt165Jj+hOPAmotuiexj/XjStklDK1xOh2mKEZweRgnomoMEYlzkleLXJOxSxy3c
1beTsDiqk53jHtVWslu5U2GQkjA2j+IIVYDcpNWbbaMyxSAE5yMj1H+TV1LVZ4duMHsaiTSVFXZSttSePAOeO9atvrQX+IcCse5s3hIDDr3FQeU3
YZZU2Jlu7R0sejlvY5k4FD+liwb58DHOOawo9PnllAQ1rWXhxpCplyc4GB0pWgh3ktxtbZWLgrCCF/idjwBXTCT2t9lOhzf/JBjzD95mx/IVPZ2EdvEi
RRKIAYb1b3qhrNwJpvlB+WPgD371IkD9F5XCNTWc7HbbVLRYb8ZLIR09R78VqBcSMozgHjNaUGY9Rjbbnc2vj68VlzkrcuD7V0RdzCazse8N63
NmrwvLsLnHghXimlT8yn6jHpnQCD2r3ZtTS9VEdxYXkdxGMhij2ZnGcMOqn2PNfNCMVInA1ndukkoTsk5Zl6nBU+oPUVdrnZ9Kbxb54NJv
PXNreLad4/1uwi8ozx35AAD7UjocQDM8ncCg/wB4ntXV2nxPsHAW6sbillsAxssigepJ2n8gaVmB5/feL9Tu2YR0tveEQEQEHOM8fMecj1Gkw5rm5
eUyzSPJIQMu7FmOPUnk1DuzTGFHFutB3JS/NBO0e9Qockk9B+poL9WJ4HTimAvmKyMSeSagZThmeU/M5IHanEkYypG4ZBPcVfRskEgZQrbg
2WfPABwB+uaOLfkcncr3rM0qQQ3wZLLKCeB35B/pWyYfkdKp8lxxWVXY1pkprwPGQetURAlYv2DFX1414FxZbuArntsbWG2hjiOWUn8K1oNrg
Qc5A+HZWVHTNALznGfrQxrQ2p9UBjKwKRn+Nuv4ViTnN8aeXJ47VE57VKQ2yvcHnXvHVAZgeu0E/OrGviBeOAOawZkZY4JmL7XCGrzjPzKD9eD
XPYuz125H5OT3HNDVNDtnqPIUIH8VPBsb2qslSKPzwa1MjUVxjOc5pokJbGagtyxVIBXOOmRTg2000xEdUFGO9RAI2wO9MeTn3q5MbFyepggs
E4GBTHI24oP6008jHegCsMiVl/KpzlGjVQoG3PIHXPr/ntUCq5U1rBwaRCdg5wO9SMTntZBBNHKyggGyQe4rpopl7q3inJBww2sDk4l+vttP41ys
xwvHTNXLSeitowiphlBKgnBQkgFhg99o4Pp0qakboqEkngbwG047UrICM0yQX+n2cE91AksE2dr55Xj15Axx2z1wa2JbOIQQ3NsxktZlyjHgD6H
GcH/wCv6VyyjY6ktL9DE8o5OMmnrfEStFlkzyPwqQxlBwkI4+Uy3Vh8oGSaa0YjjLx3jVx5wse6RzgDms+7mV32siYxxubdz1BG3ofzq4RuRN8p
l3tw7QtH0jJD4+mqD+tYyncpQa1NwMmWj3felwfw//AF1lxjAjrQsSjnbuyZTipkOSFGASccnH61U54HJpawlYrHy+MMfSmluxMVmwnBHDE
jkeopzgo2e1VYsRsrDlT1q3MflVvamiSgi7m3IHZKl5hg6dF+VajZ+1OWEgOTRSL0p4TwDQA15AHLdKmg1Hs2SFCfbl0qQYC81GqknMUnt+E+FIhiK
V525x0q9pXlmKXC4Lo67Yz/EdNl/DA/OqB7lHzH5h6dx2lxeBQ2N4OPr2/M4H40WbHxOaGipFrGm3ehzkeZGDLbSkdBNr06ZwT3O49qgOV90V
54cvmaB5Cflc53RSjsMftPUA4I53Vnafqb2GpwXcsYZ4MansVxt/Dj+ddD4x09Fjg1qykX5Cu6RD1H8DZ9umfcdhWE1Z3R14aaknSns/wZw0+q
arpt7JbXD5ellGR1Hb9T/Wl/45sq9/wCeVv8A98t/jWz4pgTWNHtvEvui7wBDD7R0boG/kOvQr71xgBLBR1JlqGLmtbGMnOD5Wzo7e9uLyF7m8
dYrcsFAve/tnk097q3WcvHC3ltVSRsr+f4jvU9va+XyWtShsDzlOT+FcKw/MnnP/wBfNK6nAFydol2kx8xfH/QVSilsQ5XMM7umvLxpJ696jfbu
+Xv2qNlQeXAwgbvjoK4u3Ksdvriks4u7adq8noTipRYR5Qz1zTFI4xtW7o81tCjRypaPfPke54G7bGepUdm9CORmk9NQctcyQ+OR91utWV+aLbn
PoarzmJqVQ5XgKSRswsWueD+VohK4G3OcdDTRLEWwKYoutSnbYm8H1qMPwenPSmBop4ZpCcnFMRYeg4pw+CAZ13BUdqggYc1O696ZsB
HNKwCCXKBH7cqaYrNHICdHlOqfQ0pQldppagnornr0Y9qBnZHy57ZlVLmZY9zAnOD0A/DARUSyvdC8NfYozYg0E2FWQkgRgHrZg84GO2R3rmN
H1GS2WOJidGggieMhTnHPbv+Ndx4dLW2q3Fm7bhMvyPggsV5BH1BJ/AUN5AnYp+E1KyahoN+QkdyrBljYvYCELZ2jnP+zXHR2UsGp3Fu+OTW
/mAkHIDLn+orrtZLaR4rivsEkZLkVcZ70PqRn/vqovENT9n8SSXaEK00Ak25BzyVwMdiB+PNZxbvqdNeMbRIH2orjzJxaRRkbGLAHP3nZcgdM
81x9yJXEMfRV23q3ck/wCH5VYmv5Le3bacOU8tCO3zbs/nWBABuyep5rVHMSxlETCgAmo5EdznA4qfHGQaQQtgbjgUxFMo47VMjgp85Ax2p
HnJUDCdDz3oiJaVwnzp0AOSmibkYkpH0FOiHl7F3c9T2SL81wegB5p6jdlGHR5Bg+QcbyBRUjXg50ooAKQ3oKeMgdCPRRATdyDz+IlycdDRRAQj
LnlGpSQzgkELUULg2m/6RN5B88jcuH86RimNy7YFLmR18rVw2EjwO4kZ9MAjvj9BRRQXqG/wCMBGLB13R4r+3Y0seIAR/EjAc4/75P0BrjzLnc
W6MX3OQsaqO20AL+eTRRWS+I6m70LPozGu23yHByFGKIMsaRKS2GHPRRW3Q5KRNeYnXGu3PfrTUUYNukYk9hmiikDJ8YHT8qnHywg9Cc
OUU2lrRgktipliGKVQeAfzooOQH/Z",
    "abhaNumber": "91-6167-8028-XXXX",

    "status": "ACTIVE",
    "kycStatus": "VERIFIED",
  },
  },
  "tokens": {
    "token":
      "eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJzaW5naDEyOEZyYngiLCJlbGllbnRlZCjEiRURU1RfQUJlQSIslInJlcXVlc3RlcklkIjojQUJlQSI1XRUilCjzeXN0Z
      WoiOiBjBkblUEiLCltb2JpbGUuOiI1MzQwMjM5MTI3IiwidHlwIjojVHJhbnNhY3Rpb24iLCJleHAiOiE3MjMjAwNjczNzMsImhYwX0aElkTnVtYm
      VyljojOTETnEjE2Ny04MDI4LTA0ODIiLCJpYXQiOiE3MjMjAwNjU1NzMsImh0bGkiLCJzMiOiJzaW5naDEyOEZyYngiLCJhYmhhQWRkcmVzcyI6InN
      pbmdoMTI4QHNieCIsInR4bklkIjojZTFkYmI3ZATZyZiNiO0NDUwLTkyZmEtOGNlMmVjZGY2OWI0In0.JDCwqgAhqG78NbaTdBt9J4M-x-
      iis7H9_rSlvhK4UNoFAptOcVnCN9EQ01041sMNUFXvKdwKMG45xz15P9s93Gp8clh-
      Od0tHek5KdlyYkcaXyefVOFH5fofLV3RhotwYD1rKtRFNPIKtktOff2opfXO5BO736ZK3825LCD6IInq81m9z4CzzTvbybAoOejLE4AyakJO
      z-4ObRkeKVOOg9qblmTb7HrjK3il-bxr46moyazB6YfMwL4FezYRg13Q5_CmZHyYSAknkp7sH-12jd9Pke6TmdW53Lvpz8fRETKYVpXlU3q-
      s_8eN2SDmaSOWK34KSeZal_6IDAj3MxYPK6AQD9fEUQoL8n7F2WlIlMAkN5Pyq2pLbLiKuArfn9gFeywz4vS7ZgO6v70rC9Nv5qYlWklWtyfZz
      fxa-g4ub9PC0i6QqLubHgtIQGiSEGGBrvayEfykAdaA0TE2CQ6MiJmFK5XM1CdolZa8m8iBq56i70CrzfkP4-
      QRBwDgP0j8N9uXnNl10BilT9FqFVfcqkTYDQjZ5wwU2qedFeVlzf08BTix7ceOuyWs8zFeMnOIC_FYL5bcfzB5wlyBv1mqdGjD5aFiQaAC5i-
      cck9AV-4ni0--2Eq3EdghY_EkdZvBkwsKB084IjZ6ptp5lrlaEhkXaKuFs",
    "expiresIn": 1800,
    "refreshToken":
      "eyJhbGciOiJIUz
```

```

    "refreshExpiresIn": 1296000
  }
}

```

12.3 Profile

12.3.1 Get ABHA address ABHA Profile

V3 SBX URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/profile/abha-profile>

V3 Prod URL: <https://phr.abdm.gov.in/api/phr/web/v3/login/profile/abha-profile>

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{ \$isoTimestamp }}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{ accesstoken }}	Yes	Token generated from session API

V3 Response:

[illegible]

bwVZC4kDbAUTjBVAxVR+AHHTivnRDyPrXvXgPUBJ4cthhQVBU7R07dcDn/HrRLYEj0QClrPt7zgAjir6sGUMOhRMpjqKotFMRY1JmINJukjSeK8+8dW0xvQ/IGZJoXKsSdsRRdw4z6CQnoMITztXoJqJ41fG5Q2PUUJ2GeD63ok+j57JW3ploef1PDqeh9vpWOF3Y4616d8QrO4ktluGdmjWGTGxRwPv/ADflTzXnGQrrxWqegi7bWwAHFaMMY3gYzUFvzGDVuLoa5pu51wSRsQWKPGDkEn0p/wBg3DIAFVbeV05GavJMXtjrUOxpqVWVs1U9a q3FsuUvBmL5JyTVN3yc/hQrFMrtaoewqhe2i+UTjmtPLZqvfe+STjItlMukrHOKuH+Lei+A9WvYZlrdg8to52jaB8h5PJPaub4LEgV6J8MwWS7JH yAgA+p/ziuh7Hltz02KYjGa07W6HTPuRWMKmiYqcisyzPYMMjjoaWqNrlLiMa1cVwRQKxzGKQ0tlellgYTTGpSaaaBmLqtq96JIZl8xd8jtivGrmz MOsSWZ5McijT9DivenrynXvBrD43dwykSKrR/D8mMH8s/jVLQDHLuY7Y+WBkjrjtT4tYhQ4MZ+tMudkbM2wEk96rSJCuxZYsNmDKT90H+dQ kn0NrthRW2sWzpkJg+9X4rmFxuUVx62VxGsciqQsq7l3dxV+wZgpBz+dRKKWxrCTe5vTXkS5z1rMudWtlucCW9BVO7LGQKMK9PrVV7JkiW7 uVagMoj3c475OQCcDbZgH2zRGce45za2LD6ujn5lyPerMEqXcZrKkKjp61UhDJaGf7OFiD7N2QRn6j/Cr9qyMQ2MGraS0sRfT63OfliTybqRCPu n9K9a8A2ZtPDaOVwZ3MucdcgAfoBXm91Zrc64kBYIJ2RS5ONoPGa9sgjSKFI41CooAVQMAD0rS+hjb3iyvSrFuoZsGqy1atvv0LyZHAqwjMKHj qcdKQGfmmMaXNRsaDMaaQmgmmE0DGuea4Hxnpyx6rbX6Y/eqVcd9wHB/LA/D3rvHPFcZ42Vi+ntg7R5oJ7Z+XH8jQOO5yZt1kzkVE0LABH 2ui9A/IFWkbjHap0t1c7mxisOZpnYopLJ2YRkZ3e5HA+IOsxtU5GTUkyLJNtX7i8n3q5bQB/IXHvSJIIRjqZs6hpN3QilUcPI2NwRjg1oz2nB6ZqukYg kCSDIPQinGQ5RK0cXyHCQEHRQKQspGFHYirQt4jyMGIZQvSk5NsORJFX7GtzqcCE4aQxxgg8jLY/rXranvXnOhRLN4mtQUDiljnsQQcfzAr0Zelb x2Oae5Kqh5a8lqppV21U8n1qjMvR1Pnioo1wKlPFIDnN1NY0maYxoMwLe9NjZTSaM0DGua5rxlHnRPOxzFkpJ9icf1FdG5rH8RwG58P3qDOR GXAAyTt+bH6UwWh5ysnOasfagExmsmOU5IJptO8sFc9azcNTqjU900pZRsJSQBhVWDUJYZMFw3P0qhFHKRIkyS9DV6C2JXitt/wBT/wDXo5 UhqUnqjWfWGaTBlx9KfEl37ySQkjBprW5flrZR9TVea1k5/cqo/3qkLbc9ZThvVP3GyKsCfcc1g2drKkuXlx7Vos+CAPxpOKvoCm7anW+C1WXU L2YnlERR+Of8DXbqa5bWVA0ejvMfuzSklp7gFL/ADBrp1rZKxzt3ZYTlHwIEOGFzi1oxnhTQI0I1yKl8vNRQtXvPtKUCOMZTSUhamlqRAFqTdTsaT NAXSc1ExpNRsaLaEX+JNHbSdTYoh+zSndE3p6r+H8sVmo+cbulen63BDc6PdJOFKiNnBb+EgHBryN5Gic9xRa5cZWNRCVbK4zvtZUXCuPw VbXstj5rTijl24zWbVmdMJrQelzZmHOAOPtHZmyWOacskZBxxj1qtCXKIOMZpWuym7LUMBXOfSrGnWT6lfx2sRwznLNjlVe5P+etYyU3kchOS f0rqfC11Bpt8r3MgRZBsMh6Anpn2YkltuYuXNseiWkEdtbRQRDbHEgRRnPAFWQagQ1MtaGJOvUVoQnKLWctX7blaAZpQ9KtrXVOLpVsdKAZ w+aTNR76aXpEEhNMLUwuPWo2k9KAJt1RO/oawdr8V2FjvRGnXKpwQnCG4B5b8e2a4vU/FmpXxZFm8mPP3lfl9ep69Dzzj2qlFsLm74z1ZTb vZxuDsIL47nPT8P0I9q46RQxNVJnLRbc8BcAdgParcTbIU0prl2NaaurIvOmRsqcU5Z51PBBq6ybhUGzB6VHMVynBdVluG46ZpRBJlf3jkiRMJGO RZU3HYUcxXJfdkMKx9BRqM+2wdQcEkdPrU3QV6m6hJuXA09C1Y2uWJ6P4V8TWqHrUajP5b7jCskmcHAzy3QcEck12ME0c8SSXOrxuAyspyG B7g968bkH2fwtZQbgfMnMpHdeCuP0B/Gm6dqN5pkwaC4kjO4MQrYDH3HqJ/jmt1BtHPUKlI9wQ5rStB8teXaf47uonUXlthNHkZeM7GA+nIJ /KuyOnxno10ih7n7M5BZluBsCAerfd/WpcWtxJpnYxjGKmBqpBMkkauiqysMqwOQRVgNUjPOzKPWmSXCojO7BVUZZJwAK52619VZkt13cf6x uB+A71hXV5LCOGUJXkP8KnhR9AOKai2RdHT3XiSCPIt0a4Izlgdq/mev4ce9c3f6xd3qFZJ8Dn93EMA8D+vrmqbydmOOO1QSGMqxVjuA4Faxgi HlO54Lbc8darsOtSkfNnPloC7uRWtiblq0tor3Sm2hVmi++T1YHOP8+1UIGMbeW3UU+FngPmlCequufvKeoq5qKwXNwbisSofDenpk1hUidFK S+ElyDTigNVUcxttfg1dQZUVyvQ6lqlqAU/jGBtPxSFSKVy7EchwtZkuXmGktXmHbXUdkqtPl88/41tSjdnPWlpYtXM2+1ihz93B+nFPKBox/eHT3 qOK2Jj3LE4q/FcuOTgjpXXDY5az99+o22GV/usOoq1uH3hgN7CoGQodysAR1qwoWSHPGe+KtoyLtpfT2zv9nnmhaQgyNC5jaTHQFhgkV1un+ O9QgXfYl7oYb742NuzxyowAOn3SenPXPfoulvcggU7GAWyQe/NZSgmWpsylJmA+YksR+VRmZmC+1NdhuznORSLiGB9qBikZAlUuTzVdpAH JA+90p5PmHB6DgVDluCcfw1QhCn+fWnrHz900IDJjHU+IWkUop5+oqgKhj8t29M4qPzJLQsVOYnwSpHB9qslSxYehzikaMSRnPDQkUrAnAYYb pW2uAyjl3enp+FWIUMZ2SAgjsR0rNWMo4VCc5yprTtbq3eMx3SOJ1ztIYKjcfXe/d+vT+dc1Si3sdsK0bXe5YEdRyKAKkVtpAycFQwDDBGermR2 qld3YVto59cVzKD5uU6HOPLzFa4UZ6jJPFW9OhKec82ABG5yPXBUD82FVVhLzJlIU5xyeatHaiiJDugcu/95vb2Hb6k967lw5VY4+dSfM9kWIAA OnbinfdLc88YNMjOXZngVOuXlzkc10JaHNJ3d2J5YwSwJwMU2EgSYBqWRShA/hPSoyV2zLnHJ5oJLEkmZty8j2oMrY+VfzpCgUg8dcelI27GDgc mlYaZjsSfKXH0oGAmR1qrJKfMj92qyrZlyOBUDSiREI70ONrsH5z6UhcFmck1HvDMPmqhEkR2j5cZ6Vbgc7SzjJNUQcOMfQ1Ks3zkdhQBLkFzt7 0RlVyrZpmCGGMDNMDtsvHORTuIf5aNUcHPHTQ0SMw8wZ7cLnLISYc4G4c59aFZJwoJwCRn88UwlvMaJ/IOfKcflulynXBH4546HPrggljiifly +QMY6kn19B/9b8Hx27+WZYk8rczAHeASowM569dwPNWGEShUDixLA/L9DjJR0MbM3qVHJlGR59n7yaRs5+TcQAD2x0A9qnQoTkcZ+IMYb pOTSFToJwPStFoYN3J4vmOPagu0b4HTSabbybo8EYJ4BpZcblA7jvT6CJxJTLHOOfpURlDXKgg9c0xBhQQRjHsKRIlgMRxihgXiQRnPuKhaXBIfa B5HtQx65/11BOAyyce+tdBLbnjx61ccFVhRRWUWaMaz7QR3PFRjqpOcCiimCH7vnxzjt43IJPtmiilLluSPpTJGwQc80UuXeiKtHkGmwNzM o6qWBx680UuWJUeOWxtwwOVWQBCf9o/1NV1AyPKR1+bkk5oopAT7toDHj6U1pS2F60UUVQie3O3A4xS3EuAMUUUxApIjHJ5703zDG2e+ MUUUGLayYBSDk45zUZlwNxxjmiihAf/Z",

"firstName": "Hemant",

"middleName": "Prakash",

"lastName": "Bodhai",

"dayOfBirth": "24",

"monthOfBirth": "11",

"yearOfBirth": "1998",

"dateOfBirth": "24-11-1998",

"gender": "M",

"email": "hemant.bodhai@XXXX.com",

"mobile": "*****9995",

"abhaNumber": "91-3837-7464-XXXX",

"address": "house no-620, main road, Nashik, Nashik, Maharashtra",

"stateName": "MAHARASHTRA",

"pinCode": "422003",

"stateCode": "27",

"districtCode": "487",

"authMethods": [

"AADHAAR_OTP",

"MOBILE_OTP"

],

"status": "ACTIVE",

"subDistrictCode": "",

```
"subDistrictName": "",
"emailVerified": "false",
"mobileVerified": "true",
"kycStatus": "VERIFIED"
}
```

12.3.2 Get ABHA address ABHA card

V3 SBX URL: <https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/abha/phr-card>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/profile/abha/phr-card>

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response Body
ABHA Card

12.3.3 Get QR Code

V3 SBX URL:

<https://abhasbx.abdm.gov.in/abha/api/v3/phr/web/login/profile/abha/qr-code>

V3 Prod URL:

<https://phr.abdm.gov.in/api/phr/web/v3/login/profile/abha/qr-code>

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{IsoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response Body
QR Code