

API Test Report: Supplies Endpoint Suite

Project: Supply Management API Date: June 3, 2026 Environment: Staging / Postman

Total Tests: 10	Passed: 9	Failed: 1	Pass Rate: 90%
-----------------	-----------	-----------	----------------

Test Results

Endpoint	Method	Test Scenario	Expected Result	Actual Result	Pass/Fail	Notes
GET /supplies	GET	Fetch all supply records with valid auth token	200 OK — JSON array of all supply objects with id, name, quantity, expiry fields	200 OK — Returned array of 12 supply objects; all fields present and correctly typed	✓ Pass	
GET /supplies	GET	Request without auth token	401 Unauthorized with error message	401 Unauthorized — {"error": "Missing or invalid token"}	✓ Pass	
POST /supplies	POST	Create new supply item with valid payload	201 Created — response body contains new item with auto-generated id	201 Created — New item returned with id: 47; persisted in subsequent GET	✓ Pass	
POST /supplies	POST	Submit payload with missing required field (name)	400 Bad Request with validation error detail	400 Bad Request — {"error": "name is required"}	✓ Pass	
PUT /supplies/{id}	PUT	Update quantity of existing supply item	200 OK — Updated object returned with new quantity value	200 OK — Quantity updated from 5 to 20; confirmed via follow-up GET	✓ Pass	
PUT /supplies/{id}	PUT	Update non-existent supply id	404 Not Found with descriptive error	500 Internal Server Error — No error message returned	✗ Fail	Bug: server throws unhandled exception instead of 404. Raised as defect #12.
DELETE /supplies/{id}	DELETE	Delete existing supply item by valid id	200 OK or 204 No Content — item removed from records	204 No Content — Item no longer present in GET /supplies response	✓ Pass	
DELETE /supplies/{id}	DELETE	Delete already-deleted (or non-existent) item	404 Not Found	404 Not Found — {"error": "Supply not found"}	✓ Pass	
Expiry Scanner	—	Scan supplies and flag items expiring within 7 days	Returns list of items with expiry ≤ today + 7 days; status field set to 'expiring_soon'	Returned 3 flagged items correctly; status field present on each	✓ Pass	

Endpoint	Method	Test Scenario	Expected Result	Actual Result	Pass/Fail	Notes
Expiry Scanner	—	Scan when no items are near expiry	Returns empty array or success message with zero flagged items	Returned {"flagged": []} — correct empty-state behaviour	✓ Pass	

Defects & Observations

ID	Endpoint	Description	Severity
#12	PUT /supplies/{id}	Non-existent ID returns 500 Internal Server Error instead of 404 Not Found. Unhandled exception with no error body.	Medium