FIG. 1

Article	RF antennas	Radar	Surface EMG	Ultrasonic	Inertial / vibration	Ear-canal	Optical non-imaging	Oral contact
Eyewear	**S**	—	**D**	**D**	**D**	—	**D**	—
Earbud or hearing aid	**S**	—	**D**	**D**	**S**	**S**	**D**	—
Band behind the ear	—	—	**D**	—	**D**	—	—	—
Necklace, collar, choker, neckband	**S**	—	**S**	—	**S**	—	**D**	—
Headband, cap, sleep mask	**S**	—	**S**	—	—	—	—	—
Mouthguard, night guard, retainer	—	—	—	—	**D**	—	—	**S**
Bedside sensor (not worn)	**S**	**S**	—	—	—	—	—	—

S = pairing described in Part C

D = pairing disclosed in this application

— = pairing not illustrated (not an exclusion)

FIG. 2


200
Receive trigger from a person
202
Identify the triggering person
204
Recognize instruction, spoken or silently articulated
206
208
Recognition confidence low?
Yes
210
Ask privately; relay only a confirmed instruction
Confirmed
Declined or no answer
No
212
Select amplitude, voice, and phrasing of restatement
214
Render restatement through loudspeaker, preceded by tone
Relay nothing; keep listening; escalate if policy so provides
220
216
Persons separated or relay closed?
No
raise volume if not followed
Yes
Close relay
218

FIG. 3


300
Participant changes selection (slider position or checkboxes)
302
Compare policies: permissions removed, added, unchanged
304
Revoke removed permissions at once; discard data
306
Preview added permissions; nothing activated
308
310
Each affected participant authorized?
No
312
Added permissions stay inactive
Yes
Propagate versioned policy, with any authorized additions
314
Await acknowledgments within a bounded timeout
316
Mark non-acknowledging devices unconfirmed; expiring local authorizations; fallback within authorizations in force
318
Display each device's confirmed configuration beside requested
320