## **EXPERIMENT: 3**

Name: Sarvagya Singh SAPID: 60009200030

## **AMPS:**

/home/sarvy

Sarvy% wget https://devnull.crankuptheamps.com/releases/amps/5.3.3.30/AMPS-5.3.3.0-Release-Linux.tar.gz

## minimal.xml Sarvy% tar -zxf AMPS-5.3.3.30-Release-Linux.tar.gz Sarvy%

```
Sarvy% co ~
Sarvy% ./AMPS-5.3.3.30-Release-Linux/bin/ampServer --sample-config > minimal.xml
AMPS 5.3.3.30.759505.88ad88b - Copyright (c) 2006-2021 60East Technologies Inc.
(Built: 2021-10-04T23:30:48Z)
For all support questions: support@crankuptheamps.com
```

```
Sarvy% ./AMPS-5.3.3.30-Release-Linux/bin/ampServer minimal.xml

AMPS 5.3.3.30.759505.88ad88b - Copyright (c) 2006-2021 60East Technologies Inc.
(Built: 2021-10-04T23:30:48Z)


For all support questions: support@crankuptheamps.com

Warning: /proc/sys/fs/file-max is set less than the recommended value of 2097152


Warning: ulimit -n is set less than the recommended value of 32768


Warning: /sys/kernel/mm/transparent_hugepage/enabled is not set to the recommended value of [never] or the acceptable value of [madvise]


libnuma: Warning: /sys not mounted or invalid. Assuming one node: No such file or directory
2023-04-11T19:28:47.0745650+05:30 [1] info: 00-0015 AMPS initialization completed (1 seconds).
```




If, at any point, you want to show the current directory in a File Explorer window, you can type
 explorer.exe. into the bash shell, and Windows will open that path in File Explorer. (This is also a convenient way to get the file path for things like uploading files from or saving files to the Linux environment.)









## **REFERENCES:**

https://www.crankuptheamps.com/blog/posts/2021/10/11/amps-on-windows/#https://www.crankuptheamps.com/evaluate/