

WORKING IN CASELIGHT

User Guide

A screen-by-screen walkthrough for staff — individuals, households, programs, assessments, case notes, and the calendar.

Lighthouse Nonprofit Technologies · CaseLight · AGPL-3.0 — screens show synthetic demo data only



CaseLight — User Guide

CaseLight is a case-management system for refugee resettlement and other frontline nonprofits. It tracks the people you serve, the households they belong to, the programs they move through, and the assessments and notes that record how the work is going — with security controls usually reserved for far more expensive software.

This guide walks through the app the way staff actually use it, role by role and screen by screen.


All screenshots in this guide show synthetic demo data — fictional names, addresses, and records generated for demonstration. No real client information appears anywhere.

Printable editions: polished PDFs live in [docs/pdf/](#) — [User Guide](#), [Administrator Guide](#), and a [Brochure](#).

Contents

1. [Signing in](#)
 2. [Roles at a glance](#)
 3. [The dashboard](#)
 4. [Individuals & households](#)
 5. [The individual record](#)
 6. [Programs & enrollments](#)
 7. [Case notes](#)
 8. [Assessments & domains](#)
 9. [The calendar](#)
 10. [Custom forms — the form builder](#)
 11. [Security & administration](#)
 12. [Data protection & privacy](#)
 13. [Administration reference — the Manage menu](#)
-

1. Signing in

The image shows a login form for CaseLight. At the top is the CaseLight logo, which consists of the word "CaseLight" in a dark blue font with a small torch icon above the "i", and three wavy orange lines below it. Below the logo are two input fields: "Email" and "Password". The "Email" field is a white box with a blue border. The "Password" field is a white box with a grey border. Below the password field is a checkbox labeled "Remember Me". Below the checkbox is a dark blue button with the text "Log in" in white. At the bottom of the form, there is a link that says "Forgot your password?" and a "Back" link below it. The entire form is centered on a light grey background.

Each staff member has their own account — one person per login, so the audit history is meaningful. Sign in with your email and password. CaseLight supports two additional protections you can enable:

- **Multi-factor authentication (MFA)** — a time-based one-time code from an authenticator app, with one-time recovery codes.
- **Passkeys** — phishing-resistant WebAuthn sign-in (Face ID / Touch ID / a security key), via the **"Sign in with a passkey"** button.

Administrators can require MFA for privileged roles. Repeated failed sign-ins lock an account temporarily; it unlocks automatically after a set interval.

2. Roles at a glance

CaseLight shows the **same records** to everyone who's authorized, but presents them in the way each role works — and limits what lower-privilege roles can see.

Role	Sees	Individuals view
Administrator	Everything; manages users, forms, programs, and security	Dense table
Strategic overviewer	Read-only overview across the organization (standard-sensitivity data)	Dense table
Manager	The caseloads of the case workers they manage	Cards
Case worker	Only the clients assigned to them	Cards
Specialized managers (EC / FC / KC / Able)	Program-specific management	Cards

Sensitive fields are additionally gated by **field-level sensitivity** (see [§12](#)) — a role that can open a record still won't see fields marked above its clearance.

3. The dashboard

CaseLight
Ava Adminson
admin

Resettlement Dashboard
Households and individuals across active resettlement programs.

Headline counts:

- 10 HOUSEHOLDS
- 26 INDIVIDUALS
- 62 ACTIVE PROGRAM ENROLLMENTS
- 7 PROGRAMS OFFERED

Active enrollments by program

Program	Count
Adult Education / ESL	1
Benefits	9
Childcare	1
Employment	15
Housing	10
Immigration / Legal	15
K-12 Education	11

Households

Household	Members
Al-Rashid Family (DEMO)	5 members
Castillo Household (DEMO)	1 member
Diallo Family (DEMO)	3 members
Haddad Household (DEMO)	2 members
Hassan Family (DEMO)	3 members
Mwangi Household (DEMO)	2 members
Nguyen Household (DEMO)	3 members
Okonkwo Family (DEMO)	5 members
Pham Household (DEMO)	1 member
Tran Household (DEMO)	1 member

Recent program activity

INDIVIDUAL	PROGRAM	UPDATE	LOGGED
Aissatou Diallo	K-12 Education	School Check-in	Jun 22, 2026
Ibrahim Diallo	K-12 Education	School Check-in	Jun 22, 2026
Mamadou Diallo	Immigration / Legal	Application Milestone	Jun 22, 2026
Mamadou Diallo	Employment	Employment Progress	Jun 22, 2026

The dashboard is the landing page after sign-in. It summarizes the organization at a glance:

- **Headline counts** — households, individuals, active program enrollments, and programs offered.
- **Active enrollments by program** — how many people are currently in Housing, Employment, Immigration/Legal, Education, Benefits, and so on.
- **Households** — every household with its member count, each a link into the record.

- **Recent program activity** — the latest dated updates across the caseload.

4. Individuals & households

Every person in CaseLight is an **individual**, and every individual belongs to a **household**. Households are listed under **Households**; individuals under **Individuals**.

The screenshot displays the CaseLight interface for the 'Households' section. The left sidebar identifies the user as 'Ava Adminson' (admin) and provides a navigation menu. The main area shows a list of 10 households, each with a name, a unique household ID, a list of individuals, and a state indicator.

NAME	HOUSEHOLD ID	INDIVIDUALS	STATE
Al-Rashid Family (DEMO)	SLO-DEMO-6	Khalid Al-Rashid Fatima Al-Rashid Omar Al-Rashid Yara Al-Rashid +1	—
Castillo Household (DEMO)	SLO-DEMO-9	Rosa Castillo	—
Diallo Family (DEMO)	SLO-DEMO-10	Mamadou Diallo Ibrahim Diallo Aissatou Diallo	—
Haddad Household (DEMO)	SLO-DEMO-4	Sami Haddad Layal Haddad	—
Hassan Family (DEMO)	SLO-DEMO-1	Yusuf Hassan Amina Hassan Layla Hassan	—
Mwangi Household (DEMO)	SLO-DEMO-8	Joseph Mwangi Grace Mwangi	—
Nguyen Household (DEMO)	SLO-DEMO-7	Linh Nguyen Duc Nguyen Kim Nguyen	—
Okonkwo Family (DEMO)	SLO-DEMO-3	Emeka Okonkwo Ngozi Okonkwo Chidi Okonkwo Amara Okonkwo +1	—
Pham Household (DEMO)	SLO-DEMO-5	Bao Pham	—
Tran Household (DEMO)	SLO-DEMO-2	Minh Tran	—

Depending on your role, the **Individuals** list appears one of two ways:

Administrators & strategic overviews get a dense, sortable table — name, case manager, gender/age, status, and program-stream tags — with export and advanced search:

CaseLight

Ava Adminson
admin

Dashboards

Individuals 26

Households 10

Partners 0

Users 6

Manage

Changelogs

Access Review

Security Enforcement

Individuals

Given name (exact match)

Add New Individual

26 Results

NAME	CASE MANAGER	GENDER / AGE	PROGRAMS
Chidi Okonkwo	Wes Worker, Dev Admin	Male · 14 yrs 4 mos	K-12 Education
Yara Al-Rashid	Dev Admin	Female · 12 yrs 7 mos	K-12 Education
Rosa Castillo	Dev Admin	Female · 68 yrs 8 mos	Housing Benefits Employment Immigration / Legal
Ibrahim Diallo	Dev Admin	Male · 16 yrs 5 mos	K-12 Education
Ngozi Okonkwo	Wes Worker, Dev Admin	Female · 40 yrs 8 mos	Employment Immigration / Legal
Emeka Okonkwo	Wes Worker, Dev Admin	Male · 44 yrs 0 mos	Housing Benefits Employment Immigration / Legal
Kim Nguyen	Dev Admin	Female · 11 yrs 2 mos	K-12 Education
Fatima Al-Rashid	Dev Admin	Female · 40 yrs 1 mo	Employment Immigration / Legal
Layal Haddad	Wes Worker, Dev Admin	Female · 33 yrs 10 mos	Employment Immigration / Legal
Linh Nguyen	Dev Admin	Female · 38 yrs 4 mos	Housing Benefits Employment Immigration / Legal
Joseph Mwangi	Dev Admin	Male · 35 yrs 6 mos	Housing Benefits Employment Immigration / Legal
Aissatou Diallo	Dev Admin	Female · 11 yrs 8 mos	K-12 Education
Amina Hassan	Wes Worker, Dev Admin	Female · 35 yrs 10 mos	Employment Adult Education / ESL Immigration / Legal
Sami Haddad	Wes Worker, Dev Admin	Male · 36 yrs 2 mos	Housing Benefits Employment Immigration / Legal
Khalid Al-Rashid	Dev Admin	Male · 46 yrs 5 mos	Housing Benefits Employment Immigration / Legal
Grace Mwangi	Dev Admin	Female · 31 yrs 9 mos	Employment Immigration / Legal

Managers & case workers get a card per person, scoped to the caseload they carry:

CaseLight

Wes Worker
case worker

Dashboards

Individuals 12

Manage

Individuals

Given name (exact match)

12 Results Sort by...

BP Bao Pham 2011 · Male · #cases-12 Housing Benefits Employment Immigration / Legal	LH Layla Hassan 2002 · Female · #cases-3 K-12 Education Childcare	LH Layal Haddad 2010 · Female · #cases-11 Employment Immigration / Legal
AO Amara Okonkwo 2007 · Female · #cases-8 K-12 Education	SH Sami Haddad 2009 · Male · #cases-10 Housing Benefits Employment Immigration / Legal	OO Obi Okonkwo 2008 · Male · #cases-9 K-12 Education
CO Chidi Okonkwo 2006 · Male · #cases-7 K-12 Education	YH Yusuf Hassan 2000 · Male · #cases-1 Housing Employment Immigration / Legal Benefits	EO Emeka Okonkwo 2004 · Male · #cases-5 Housing Benefits Employment Immigration / Legal
MT Minh Tran 2003 · Male · #cases-4 Housing Employment Immigration / Legal	AH Amina Hassan 2001 · Female · #cases-2 Employment Adult Education / ESL Immigration / Legal	NO Ngozi Okonkwo 2005 · Female · #cases-6 Employment Immigration / Legal

From either view the header offers a **quick name search** (exact match), an **Add New Individual** button, and a "..." menu with Reports, Advanced Search, View All Active Tasks, and the exports. Active search filters show as dismissible **chips** under the header — click a chip's × to clear that filter. Click anywhere on a card (or a name in the list) to open the record; each card's program chips jump straight to that program.

5. The individual record

CaseLight

Ava Adminson
admin

Dashboards

Individuals26

Households10

Partners0

Users6

Manage

Changelogs

Access Review

Security Enforcement

Chidi OkonkwoActive

#cases: 7 · Male · Date of Birth March 08, 2012 (14 years 4 months) · Code 2006

OverviewPrograms1Forms3Case Notes0Assessments1Tasks5

Programs

Active
K-12 Education · 08 January, 2025
Manage programs

Forms

Adult: Education · 1 entries · 12 July, 2026
Member: Mental Health (EMERGENCIES ONLY) · 1 entries · 30 June, 2026
Member: Wellness & Goals · 1 entries · 22 June, 2026

Recent program activity

K-12 Education · School Check-in · 22 June, 2026

About Individual

HOUSEHOLDS

ADDRESS47 Higuera St, San Luis Obispo, CA 93401

COUNTRY OF ORIGIN

SCHOOL NAME

SCHOOL GRADE0

RELEVANT REFERRAL INFORMATION

CASE MANAGERWes WorkerDev Admin

AGENCIES INVOLVED

Accept/RejectAccepted

An individual's page brings the whole picture together under a persistent header — the person's name, status, date of birth, code, and household — with an **Edit** menu (edit, progress notes, case history, delete) and tabs that follow you across every sub-page:

- Overview** — summary cards for **Programs** (active and exited enrollments), **Forms** (filled forms with entry counts; **Add Form** lives on this card), and **recent program activity**, plus the About table and the resettlement case.
- Programs** — enrolled programs (with exit/tracking actions) above the programs available to enroll.
- Forms** — a dropdown tab listing each filled form. Forms marked **emergency-only** show as locked cards on the Overview: staff who qualify can request 1-hour emergency access with a logged reason (the header shows a countdown chip while access is active).
- Case Notes / Assessments / Tasks** — each one click away, with counts on the tabs.

6. Programs & enrollments

Programs are enrollable services — each with its own custom form and recurring, date-stamped check-ins ("trackings"). Administrators define the programs the organization actually runs.

CaseLight — User Guide

Page 8 of 21

CaseLight

Ava Adminson
admin

Dashboards

Individuals 26

Households 10

Partners 0

Users 6

Manage

Agencies

Departments

Domains

Domain Groups

Donors

Referral Sources

Quantitative Types

Progress Note

Form Builder

Programs

What's New

Changelogs

Access Review

Programs

Add New Program

Our Programs

Program Library (other organizations)

NAME	DOMAINS	STATUS	ENROLLED	MAXIMUM PROGRAM ENROLLMENT	ACTION
Adult Education / ESL		Completed	1		
Benefits		Completed	9		
Childcare		Completed	1		
Employment		Completed	15		
Housing		Completed	10		
Immigration / Legal		Completed	15		
K-12 Education		Completed	11		

Enroll an individual in one or more programs, then log dated trackings against each enrollment as the work progresses. The history of the case is captured as it happens.

CaseLight

Ava Adminson
admin

Dashboards

Individuals26

Households10

Partners0

Users6

Manage

Changelogs

Access Review

Security Enforcement

Chidi OkonkwoActive

#cases-7 · Male · Date of Birth March 08, 2012 (14 years 4 months) · Code 2006

Overview

Programs1

Forms3

Case Notes0

Assessments1

Tasks5


Chidi Okonkwo - Enrolled Programs

STATUS	PROGRAM NAME	DOMAIN	NUMBER OF PLACE AVAILABLE	REPORT	ACTIONS
Active	K-12 Education			View	ExitTrackings

Chidi Okonkwo - Programs List

STATUS	PROGRAM NAME	DOMAIN	NUMBER OF PLACE AVAILABLE	REPORT	ACTIONS
	Adult Education / ESL				Enroll
	Benefits				Enroll
	Childcare				Enroll
	Employment				Enroll
	Housing				Enroll
	Immigration / Legal				Enroll

7. Case notes



Case notes are the running narrative of the work with a person — dated entries attached to the individual, visible to the staff authorized to see that record.

8. Assessments & domains

CaseLight includes a structured **assessment** engine: periodic, scored needs assessments across **life domains** (for example Health, Mental Health, Immigration Status, Personal Safety, Education). Administrators configure the domains and their scoring under **Manage** → **Domains**.

CaseLight

Ava Adminson
admin

Dashboards

Individuals26

Households10

Partners0

Users6

Manage

Agencies

Departments

Domains

Domain Groups

Donors

Referral Sources

Quantitative Types

Progress Note

Form Builder

Programs

What's New

Changelogs

Access Review

12 Domains

Add New Domain

Domains : 1A (Housing Stability)

Score 1

Score 2

Score 3

Score 4

Changelog

Goal: The household has safe, stable, affordable housing.

Sample questions:

- What is the household's current housing situation?
- Is the rent affordable relative to income?
- Is the housing safe and adequate for the family size?
- Is the lease or tenancy secure?

Score interpretations (1 = in crisis → 4 = self-sufficient):

1: In crisis — homeless or in emergency / temporary shelter.

2: At risk — housed but unstable: at risk of eviction, overcrowded, or unaffordable.

3: Stable — safe, adequate housing with a secure lease; rent is manageable.

4: Self-sufficient — housing is stable, affordable, and maintained without ongoing assistance.

Domains : 1B (Food Security)

Score 1

Score 2

Score 3

Score 4

Changelog

Goal: The household has reliable access to enough nutritious food.

Sample questions:


- Does the household have enough food throughout the month?
- Are they enrolled in CalFresh / food assistance if eligible?
- Can they shop for and prepare culturally appropriate food?

Each domain can be marked with a **sensitivity level**, so the most protected domains (for example Mental Health or Immigration Status) are only visible to appropriately cleared roles.

CaseLight — User Guide

Page 12 of 21

9. The calendar



Appointments, recertification dates, and program milestones appear on a shared calendar with month / week / day views. Each user sees the events for the caseloads they're allowed to see. Clicking a day lets you schedule a task against a program, person, and domain.

10. Custom forms — the form builder (administrators)

CaseLight is configurable **without code**. Rather than editing the data model, administrators add **custom forms** (attachable to individuals, households, users, or partners) using a drag-and-drop builder under **Manage → Form Builder**.

Choose the record **type**, an optional **frequency**, and — importantly — the form's **sensitivity**:

- **Standard** — any authorized reader of the record.
- **Restricted** — caseload- or role-scoped readers only.
- **Emergency only** — hidden unless a **break-glass** grant is active (see below).

Then drag fields (text, number, date, select, checkbox/radio groups, file upload, text area) into the form. When the organization needs to capture something new, an administrator designs it here — no developer and no database migration required.

11. Security & administration (administrators)

CaseLight surfaces its security posture to the administrators who own it, rather than hiding it in a vendor's data center.

Access Review

CaseLight

Ava Adminson
admin

Dashboards

Individuals26

Households10

Partners0

Users6

Manage

Changelogs

Access Review

Security Enforcement

Access Review

Periodic recertification (AC-2(7)). PER TENANT - run once per subdomain to cover all staff.

Export CSV

NAME	EMAIL	ROLE	LAST SIGN IN	COUNT	MFA	PASSKEYS	LOCKED	DISABLED	CREATED
Ava Adminson	demo.admin@caselight.test	admin	2026-07-21 06:21	195	off	0			2026-07-08
Dev Admin	dev@local.test	admin	2026-07-13 04:24	109	on	1			2026-06-21
Devon Director	demo.director@caselight.test	strategic overviewer	2026-07-21 06:21	6	off	0			2026-07-08
Maria Manders	demo.manager@caselight.test	manager	2026-07-09 00:00	1	off	0			2026-07-08
QA Totp	qa.totp@caselight.test	admin	2026-07-12 16:41	4	on	0			2026-07-12
Wes Worker	demo.worker@caselight.test	case worker	2026-07-21 06:21	12	off	0			2026-07-08

Disabled Staff Still Holding Caseloads

These accounts cannot sign in (disabled) but still have clients assigned. Reassign their caseloads so work is not routed to a dead account.

None — no disabled account holds a caseload.

Least-Privilege Shadow Divergences

AC-6 shadow window (enforcement OFF). How often the narrowed rules WOULD have denied access, per staff member, over the last 14 days. Review before enabling enforcement.

No shadow divergences recorded yet.

Authorization-Cutover Shadow (AC-3)

Global authorization cutover shadow window (enforcement OFF). Actions that WOULD fail the mandatory authorization check, by controller/action/role, over the last 14 days. Review before flipping enforce_authorization.

No authorization-cutover divergences recorded yet.

Access Review (under the main menu) is a periodic account-recertification report: every account with its role, last sign-in, MFA and passkey status, and whether it's locked or disabled. It also flags **disabled staff who still hold caseloads** and summarizes the least-privilege and authorization "shadow" windows. Export it to CSV for your records.

Security Enforcement



Security Enforcement

Runtime control of this organization's Phase-5 security enforcement flags.

Scope: this organization only (cases)

These switches ENABLE or DISABLE live security enforcement for THIS organization. Review the shadow findings below BEFORE enabling. Turning on authorization enforcement makes every action require explicit authorization.

Global authorization enforcement (AC-3)

shadow / off system default

Requires every controller action to explicitly authorize. When enabling, review the authorization-cutover shadow below — any action listed WOULD return 403.

Use system default

Authorization-cutover shadow — would-403, last 14 days (review before enabling)

No shadow divergences recorded yet.

Least-privilege narrowing (AC-6)

shadow / off system default

Scopes progress-note and version reads to need-to-know. When enabling, review the least-privilege shadow below — any row listed WOULD be denied.

Use system default

Least-privilege shadow — would-deny, last 14 days (review before enabling)

No shadow divergences recorded yet.

Tenant-boundary tripwire (SC-7)

ENFORCING persisted override

Refuses any request whose data schema does not match the host tenant. Under normal operation zero mismatches are expected.

Enforcing

0 tenant-mismatch event(s) in the last 14 days (0 expected).

Require two-factor authentication (all users) (IA-2(1))

system default

When On, every signed-in user without 2FA is redirected to enroll before continuing. The default nudges only privileged (admin/manager) accounts. This is an enrollment prompt, never a lockout — the enrollment page and this settings page stay reachable.

Use system default

Idle session timeout (AC-12)

Minutes of inactivity before a session is invalidated and re-authentication is required. Blank uses the system default (30 minutes). Allowed range 1-1440.

Idle timeout (minutes)

System default (30)

Leave blank to use the system default (30).

Account lockout threshold (AC-7)

Consecutive failed sign-ins before an account is locked, and how long until it auto-unlocks. Blank uses the system defaults (10 attempts / 60 minutes).

For safety, the attempt threshold cannot be set below 3 — a lower value could lock out administrators after a couple of typos.

Max failed attempts (minimum 3)

Lockout max attempts

Auto-unlock after (minutes)

Lockout unlock in minutes

Password expiry / rotation (IA-5)

Maximum password age in days. When set, a user whose password is older is prompted to change it at next login (never locked out; the change-password page requires the current password and enforces complexity + no-reuse). Blank means passwords never expire (recommended per NIST 800-63B unless a policy requires rotation).

Max password age (days)

No expiry (default)

Leave blank for no expiry (the default).

Inactive-account auto-disable (AC-2(3))

Days of inactivity (no sign-in) before a staff account is automatically disabled by the daily maintenance run. A disabled account cannot sign in but keeps its records and can be re-enabled from its user page. The last enabled administrator is never auto-disabled. Blank means the daily run only reports would-be candidates and disables nobody.

Disable after inactive (days, minimum 30)

Off — report only (default)

Leave blank to keep auto-disable off (the daily run stays report-only).

Save enforcement settings

Open the full Access Review report

Last changed by dev@local.test at 2026-07-01 18:24

The **Security Enforcement** panel lets an administrator turn live security controls on or off **for their organization**, each mapped to a NIST 800-53 control:

- **Global authorization enforcement** (AC-3) — require every action to authorize explicitly.
- **Least-privilege narrowing** (AC-6) — scope reads to need-to-know.
- **Tenant-boundary tripwire** (SC-7) — refuse any cross-tenant request.
- **Require MFA** (IA-2), **idle session timeout** (AC-12), **account lockout threshold** (AC-7), **password expiry** (IA-5), and **inactive-account auto-disable** (AC-2(3)).

Each control shows a **shadow window** first — what the stricter rule *would* have denied — so you can review the impact before enabling it.

Break-glass emergency access

When a genuine life-safety need requires seeing an **emergency-only** field, an eligible worker can **self-elevate for one hour** — with a **mandatory reason** and the audit record written *first*. Access is scoped to the specific record, expires automatically, and is fully logged.

12. Data protection & privacy

CaseLight is hardened at the application layer toward **NIST 800-53 Moderate** and **SOC 2** (Security, Confidentiality, Privacy), and aligns with the **HIPAA Security Rule**. Highlights:

- **Field-level sensitivity** — Standard / Restricted / Emergency-only on forms and assessment domains; records mask what a role isn't cleared to see.

- **Encryption at rest** — sensitive PII is encrypted in the database across multiple tiers.
- **Append-only audit trail** — record reads and changes are logged to a separate, tenant-isolated store, with change history and retention.
- **Tenant isolation** — each organization is its own subdomain and database schema.
- **Data lifecycle** — retention/deletion routines, guarded and audited deletion, and a **subject-access export** for producing everything held about an individual.

The full compliance package lives in [docs/compliance/](#) — the System Security Plan, SOC 2 control matrix, policies, and a reproducible evidence bundle. Data-handling posture and the production gate for **real** client data are in [../SECURITY.md](#) .


Pilot data is synthetic only. Moving to real client records is a deliberate, separate decision that requires meeting the production gate documented in [SECURITY.md](#) .

13. Administration reference — the Manage menu

Administrators configure CaseLight from the **Manage** menu (plus **Users** and **Partners**). The form builder ([§10](#)), program streams ([§6](#)), and assessment domains ([§8](#)) are covered above; the remaining items are reference lists that populate dropdowns and organize your work. The [Administrator Guide PDF](#) is the full walkthrough.

Users

One account per staff member, each with a role. Add users, and export the roster to XLS.




The screenshot displays the CaseLight application interface. On the left is a dark sidebar with the CaseLight logo and a user profile for 'Ava Adminson' (admin). The sidebar menu includes: Dashboards, Individuals (26), Households (10), Partners (0), **Users (6)**, Manage, Changelogs, and Access Review. The main content area is titled 'Users' and features an 'Add New User' button. Below the title, it shows '6 Results' and a table of users.

ID	NAME	DATE OF BIRTH	MOBILE	EMAIL
1	Dev Admin			dev@local.test
10	Ava Adminson			demo.admin@caselight.test
11	Devon Director			demo.director@caselight.test
12	Maria Manders			demo.manager@caselight.test
13	Wes Worker			demo.worker@caselight.test
14	QA Totp			qa.totp@caselight.test

Reference lists

Manage item	What it's for
Agencies	Partner and referring organizations
Departments	Internal structure for staff
Domain Groups	Grouping for assessment domains
Donors	Funding sources, for reporting
Referral Sources	How clients reach you
Quantitative Types	Countable service categories
Types of Note	Categories for progress notes



Partners

External partner organizations you coordinate with get their own records and custom forms, tracked separately from the individuals you serve.

CaseLight

Ava Adminson
admin

Dashboards

Individuals26

Households10

Partners0

Users6

Manage

Changelogs

Access Review

Partners

Add New Partner

0 Results

ID	NAME	CONTACT NAME	EMAIL	CONTACT MOBILE
No results found				