

Thesis Title

Thesis subtitle

Inaugural-Dissertation

to obtain the academic degree

Doctor rerum naturalium (Dr. rer. nat.)

submitted to the Department of xxxBCPxxx
of XXX University

by

San Zhang

from Beijing, China

2020

Contents

Acknowledgements	i
List of Abbreviations	iii
Abstract	v
1 Title of Chapter One	1
1.1 1.1 Title	2
1.1.1 1.1.1 title	4
1.1.2 1.1.2 title	4
1.2 1.2 Title	10
2 Title of Chapter Two	11
2.1 2.1 title	11
2.1.1 2.1.1 title	14
3 Title of Chapter Three	17
3.1 3.1 title	17
3.1.1 3.1.1 title	17
4 Title of Chapter Four	19
4.1 4.1 title	19
4.1.1 4.1.1 title	21
5 Summary	23
Appendix	25
A Appendix Subsection	25

Bibliography	26
List of Figures	27
List of Tables	29
Curriculum vitae	33

Acknowledgements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum

pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

List of Abbreviations

Commonly used characters

§	\S
‡	\ddag
©	\copyright
™	\texttrademark
•	\textbullet

Commonly used characters

†	\dag
¶	\P
®	\textregistered
£	\pounds
\	\textbackslash

Abstract

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. [1]

The command `\pagenumbering{roman}` will set the page numbering to lowercase Roman numerals. Following command is used to set the layout of the page number.

`\pagenumbering{num_style}`

Below, a list of styles available for page numbering:

- arabic: arabic numerals
- roman: lowercase roman numerals
- Roman: uppercase roman numerals
- alph: lowercase letters
- Alph: uppercase letters

In books, is customary to use Roman numerals for the pages before the first chapter/section, and Arabic numbers for the rest of the document. The commands that control the page numbering are: **`\frontmatter`**, the pages after this command and before the command **`\mainmatter`**, will be numbered with lowercase Roman numerals. **`\mainmatter`**, this will restart the page counter and change the style to Arabic numbers.

The information displayed in the footer and the header of a document depends on the page style currently active, these page styles are more notorious in the **book** document class:

The selectors that can be passed, inside brackets, to the commands `\fancyhead` and `\fancyfoot` are:

- E: for even page
 - O: for odd page
 - L: for left side
 - C: for centered
 - R: for right side
-

Starting New Lines and New Pages:

This will be on one line, between lines the space is 10pt here.

this will be on the next line.

To force a new page, the simplest command is `\newpage`, which starts a new page immediately. There is also the command `\clearpage`, which acts like `\newpage` except that it also forces any leftover figures or tables to print before starting the new page. With the `twoside documentclass` option, the command `\cleardoublepage` produces a blank page, if necessary, to ensure that the new page starts on a new sheet of paper.

The commands `\hspace` and `\vspace` leave horizontal and vertical space in your text. Both commands take a mandatory parameter—the amount of blank space you want to leave. For example, `\vspace{3in}` will leave 3 inches of blank space in your text. If vertical space is requested in the middle of a paragraph, the space will appear after the current line has ended.

This text starts at the left margin

This text starts a new line after a one-inch space

To draw a line (horizontal or vertical) on the page, use the `\rule` command:

`\rule[lift]{width}{height}`

width is the horizontal dimension, *height* is the vertical dimension, and the optional parameter *lift* is the amount raised above the baseline. For example, the line below was drawn with the command `\rule{\textwidth}{1pt}`.

The command `\footnote{footnote text}` should be placed exactly where you want the footnote number to appear, with no extra space between the `\footnote` command and the text before it. For example:

This is text with a note.¹

¹This is the note text. Here it is at the bottom of the page.

1. Title of Chapter One

L^AT_EX input files have names end with the extension .tex. Normal L^AT_EX document can be divided into two parts: the preamble and the document text. The part of your .tex file before the `\begin{document}` command is called the preamble. In the preamble, you define the type of document you are writing and the language, load extra packages you will need, and set several parameters.

```
\documentclass[options]{class}
```

Preamble

```
\begin{document}
```

Document text

```
\end{document}
```

Commands produce text or space. For example, `\hspace{2in}` and `\vspace{2in}` are commands that create 2 inches of horizontal and vertical space, respectively, and `\textit{}` will create *some italic words* puts the contents of its argument in italic type. Many commands take arguments, either mandatory or optional; some commands, like `\today` don't.

Mandatory arguments supply information required for a command to execute. For example, `\hspace{2in}` needs the information provided by the argument to generate the horizontal space. Mandatory arguments are enclosed in braces: `{ }`.

Optional arguments are allowed on some commands and are enclosed in square brackets: `[]`. For example, the size of type to be used for your main text is an optional argument in the `{\documentclass}` command. To use the article class in 11-point type, you would type `\documentclass[11pt]{article}`. Without this optional argument, you would get the default 10-point type.

Declarations produce neither text nor space, but either affect the way L^AT_EX prints the following text or provide information for later use. Font size changes are an example

of declarations. `\large{ }` will cause any text that follows to appear in a larger type size. Declarations are often used within a group to limit their scope. For example: **Only the text inside these braces will be large.**

Environments are blocks of text that receive special processing. An environment is defined by a matching `\begin{environment name} ... \end{environment name}`. An environment is also a group, in the same way that a pair of braces delimits a group. For example, a quotation might be formatted as follows:

This text is set off from surrounding text and indented from both margins. The font size of this quotation will be smaller because of the "small" command inside the quote environment.

Note that a blank line before an environment ends the previous paragraph. A blank line following an environment indicates that the next line starts a new paragraph. Environments can be nested, i.e., the first started is the last ended.

* Some commands can have a * appended to the name, which indicates a variation on a command or environment. For example, `\linebreak` indicates a line break. `\linebreak*` indicates a line break with the restriction that \LaTeX is not allowed to begin a new page at that point. Space printed by `\vspace` and `\hspace` commands is normally dropped if it appears at the beginning or end of a line or page. If you want the space printed no matter where it falls, you would use `\hspace*` or `\vspace*`. Normally, section headings are automatically numbered, but `\section*{My Heading}` will produce an unnumbered section heading.

These four classes are single-spaced by default, and have 10, 11, and 12-point type sizes available as options. 10 points is the default size.

The slides class uses sans-serif type fonts much larger than the usual ones and expects the document to be divided up into 1-page sections.

1.1 1.1 Title

A document class may be modified by options, which are placed in square brackets after the `\documentclass` command. Multiple options are separated by commas: `\documentclass[option,option,option]{class}`.

The standard class options include:

10pt, 11pt, 12pt Selects the point size of main font for the document. If no option is specified, 10pt is assumed. This document uses 12-point type.

twocolumn Produces two-column pages.

titlepage Causes the `\maketitle` command to generate the title page on a separate page for the article class. This option is not necessary for the book and report classes, as they print separate title pages by default.

leqno Puts equation numbers on left side. (They are on the right by default.)

fleqn Left-aligns equations. (They are centered by default.)

twoside Formats for printing on both sides of paper. (Whether the document is actually printed two-sided depends on the printer.) Twoside is the default for the **book** class, but not for any of the other classes.

openright If the twoside option is in effect, chapters will begin on right hand pages.

This is the default for the **book** class. It does not apply to the article class, which does not contain chapters. (The opposite of **openright** is **openany**.)

The auxiliary files have the same “root” name as the LATEX input file, but different extensions. For example, all documents need an AUX file. If the input file is named `myfile.tex`, the AUX file will be named `myfile.aux`. Other auxiliary files (see the list below) are needed only if you are producing a table of contents, etc. Auxiliary files are created automatically as they are needed.

- `filename.aux` : always needed
- `filename.toc` : for table of contents
- `filename.lot` : for list of tables
- `filename.lof` : for list of figures

If you have only one line to center, it’s easiest to use the plain TEX command `\centerline`; for example, `\centerline This line will be centered.`

If you have several lines to be centered horizontally, the center environment is convenient. The example below produces three lines, each horizontally centered.

This is line one.

This is line two.

This is line three.

1.1.1 1.1.1 title

The quote environment begins a new line and indents text from both sides. It is delimited with `\begin{quote}` and `\end{quote}`. Any special effects (such as changes to the type size or style) started within the quote environment are terminated by `\end{quote}`. New paragraphs are block style: that is, no indent and a blank line as separation. This section is inside a quote environment. There is also a very similar environment called quotation. The only difference is that paragraphs in the quotation environment are indented with no blank line between.

1.1.2 1.1.2 title

This example shows how to cite within the figure caption, see in Figure 1.1.

1.1.1.1 title won't show in the contents

What if I also referenced the same reference here [2], why?

The basic document type for \LaTeX is shown in Table 1.1.

Table 1.1: Document Classes for \LaTeX

Document type	Description
article	For simple and short documents (journal articles, short reports). A good all-purpose class, the most commonly used.
report	For longer documents and dissertations
book	Useful to write books
letter	For letters
slides	For slides, rarely used
beamer	Slides in the Beamer class format

These classes provide preset formats with default margins paragraph formatting, and special commands suitable for producing specific sections. For example, the article, report, and book classes include a variety of commands to format section headings (`\part`, `\chapter`, `\section`, `\subsection`, `\subsubsection`, etc.), as well as commands to produce a title page and a table of contents. There are minor differences between these three classes. The book class, for example, uses a smaller printed page size—about 5×7.5 inches—and is formatted



Figure 1.1: figure caption with citation. [2]



Figure 1.2: figure caption with

for two-sided printing by default. The article class is intended for shorter works and does not have chapters (so articles can be easily included in reports or books). The **letter** class provides special commands to produce the salutation, address, and closing.

Sometimes you may want to change the style or size of text that is not a section heading. These commands can be combined, provided the font thus requested actually exists. For example, the command `\textbf{\textit{This is bold italic}}` produces: ***This is bold italic.***

<code>\textit{ }</code>	<i>italic</i>	Italic shape, used mostly for emphasis
<code>\textsl{ }</code>	<i>slanted</i>	Slanted shape, a bit different from italic
<code>\textsc{ }</code>	SMALL CAPS	Small caps shape, use sparingly
<code>\textup{ }</code>	upright	Upright shape, usually the default
<code>\textbf{ }</code>	boldface	Boldface series, often used for headings
<code>\textmd{ }</code>	medium	Medium series, usually the default
<code>\textrm{ }</code>	roman	Roman family, usually the default
<code>\textsf{ }</code>	sans serif	Sans Serif family, used for posters, etc.
<code>\texttt{ }</code>	typewriter	Typewriter family, fixed-pitch characters
<code>\emph{ }</code>	<i>emphasized</i>	Use for emphasis, usually changes to italic
<code>\underline{ }</code>	<u>underline</u>	Use for <u>underline</u>

Use `\usepackage{ulem}`, then `\uline{emphasized}`, or `\emph{}` for long sentence in order to change lines automatically.}

†† Here \! means negative distance. ††

The default document size is 10 points. Therefore `\normalsize` means 10 points for a document in which no size option has been included. This document is printed in 12 points, so in this case, `\normalsize` is 12 points. (Note that when `\normalsize` is 12 points, there is no difference between huge and Huge. They are both the largest size—25 points.)

tiny

scriptsize

footnotesize

small

normalsize

large

Large

LARGE

huge

Huge

title won't show in the contents Examples for chemical formula:

3 H₂O

$\frac{1}{2}$ H₂O

Guides and tutorials



title won't show in the contents

After this point, everything is displayed in landscape format.

Year	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
GPD in billions	235	225 bn	223 bn	323	423	523	624	725	826	924	1022

After this point, everything is displayed in portrait format.

1.2 1.2 Title

Since documents of any length are usually divided into sections, the classes `article`, `report`, and `book` have a set of commands which take the name of the section as an argument. The author uses these commands in the proper order, providing the section name, and LATEX takes care of formatting the headings (boldface, larger typesize, etc.) and numbering them appropriately. The sectioning commands are:

`\part \section \paragraph \chapter \subsection \subparagraph \subsubsection`

Note that the `\chapter` command is not available in `article` class. The `\part` heading is rarely used. In most document classes, headings made with the lowest level headings, `\paragraph` and `\subparagraph` are not numbered by default. You can make less formal headings by using the sectioning commands with a star (*) appended to the command names listed above. In this case, the section headings will not show up in the table of contents and will not be numbered.

2. Title of Chapter Two

For recommended online tools please refer to Table 2.1.

Table 2.1: Useful online tools

Online tools	Website address
Math formula editing	https://www.codecogs.com/latex/eqneditor.php
Table generator	https://www.tablesgenerator.com/
WYSIWYG/text editor for editing Tikz code	http://www.tikzedit.org/
Paper size, orientation and margins	https://www.overleaf.com/learn/latex/ Page_size_and_margins

2.1 2.1 title

For recommended commonly used packages refer to Table 2.2.

Defaults for all aspects of the document layout are set by the document classes. However, if you want to change the defaults, there are commands that enable you to do so. Commands controlling features that apply to the whole document should be placed in the preamble.

The default **Line spacing** is single spacing. If you want larger interline spacing for your document, you can use the `\linespread` command in the preamble. The following command produces a document with double spacing: `\linespread{1.6}` For “line and a half” spacing, use the value 1.3. The default spread is 1. An alternative and more flexible way to control the linespacing is to use the package **setspace**. With this package, footnotes, figures, and tables remain single-spaced. The package also defines a new environment called `singlespace`, which you can use to include single-spaced sections within your document. To use the `setspace`

Table 2.2: Useful packages

Package names	Descriptions
amsmath	for math formula input
booktabs	for three-line table
caption	for formatting captions
chemformula	for chemical formula
ctex	for Chinese language support
fontspec	for English font
geometry	for page settings
graphics	for inserting figures
hyperref	for hyperlinks
xcolor	for colors

package to produce a double-spaced document, include after the `\documentclass` command: `\usepackage{setspace}` and, in addition, put the command `\doublespacing` somewhere in the preamble.

You could use `\onehalfspacing` instead of `\doublespacing`, or you could use the command `\setstretchn` (specifying your own value for *n*—usually between 1 and 2) to set the spacing to whatever you want.

To start a new **paragraph**, either leave a blank line or use the control sequence `\par`. By default, paragraphs are indented by 1.5em, which means 1.5 times the point size of the current font. (1 em is about the width of an “M”.) No extra blank space is inserted between paragraphs. The commands `\parindent` and `\parskip` control paragraph indentation and paragraph separation. To get block paragraphs, for example, include in the preamble the commands:

```
\parindent=0in
```

```
\parskip=8pt % this is variable, choose the number you want
```

Text justification in \LaTeX justifies your text horizontally so that both left and right margins are smooth. If you prefer "ragged right" text, you can use the declaration:

```
\raggedright
```

Note that this has the side-effect of wiping out the paragraph indentation. (It assumes you

want everything flush left.) If you want indented paragraphs, you must specifically request it (i.e., `\parindent=1.5em`) after the `\raggedright` declaration. Vertical justification is controlled by using either `\flushbottom` or `\raggedbottom`. `\flushbottom` makes all text pages the same height, adding extra vertical space if necessary. `\raggedbottom` allows the height to vary a bit from page to page. `\flushbottom` is the default for the book class and for the twoside option in the article and report classes; otherwise `\raggedbottom` is the default.

Changing default **margins**, which depend on the class and the font size, is not as easy as you might think. The best way to control margins is to use the **geometry** package.

Headers, Footers, and Page Numbering: The output page consists of the *head*, the *body* and the *foot*. Header and footer material, such as page numbers and/or section titles, appear in the head or the foot. All the classes (except **letter**) print at least the page number by default.

If you don't like the default action of the document class, you can determine what goes into the head and foot by using the **pagestyle** command. This command is often placed just after a `\chapter` or a similar command. There are four standard page styles: `\pagestyleplain`: The page number is in the foot and the head is empty. This is the default page style for the article and report document classes. `\pagestyleempty`: The head and foot are both empty. `\pagestyle{headings}`: The page number and current section heading (the level of the heading is determined by the document class) is put in the head; the foot is empty. This is the default for the book class. `\pagestyle{myheadings}`: Similar to the headings page style, except you specify the information (other than the page number) that goes in the head by using the **markboth** and **markright** commands. `markboth` is used for two-sided documents, and `markright` is used for one-sided:

```
\markboth{lefthead}{righthead}
```

```
\markright{righthead}
```

`\thispagestyle{style}`: Changes the page style for the current page only. For example, to have nothing in the head and foot for the current page without affecting the style for the rest of the pages, use `\thispagestyle{empty}`. You can also specify **arabic** (the default) or roman page numbering either in the preamble or in the text. It is common to put `\pagenumbering{roman}` before the text begins and `\pagenumbering{arabic}` after the first `\chapter` command. These commands also set the page number to 1. You can change the page number counter yourself with a command such as `\setcounter{page}{2}`.

If the above `pagestyle` commands don't do what you want, there is a package called **fancyhdr** that allows you to customize your headers and footers in an easy way. With this package you can define three-part headers and footers (left, right, and center), multiline headers and footers, separate headers and footers for even and odd pages, and more. To use it, include the following commands in the preamble: `\usepackage{fancyhdr}`, `\pagestyle{fancy}`, for simple use, you need only to include the following 6 commands in your preamble, supplying your text inside the in each case: `\lhead{}`, `\chead{}`, `\rhead{}`, `\lfoot{}`, `\cfoot{}`, `\rfoot{}`. To suppress the horizontal line drawn by default under the header, use `\renewcommand{\headrulewidth}{0pt}`. For more information, see `fancyhdr.pdf` in your directory `...\doc\latex\fancyhdr`.

2.1.1 2.1.1 title

There are a number of horizontal spacing macros for \LaTeX , see in Table 2.3:

Table 2.3: Horizontal spacing macros for \LaTeX

Code	Represent example
<code>a\,b</code>	$a\,b$
<code>\$a\,b\$</code>	$a\,b$
<code>a\thinspace b</code>	$a\,b$
<code>\$a\thinspace b\$</code>	$a\,b$
<code>\$a\!b\$</code>	$a\!b$
<code>\$a\mkern-\thinmuskip b\$</code>	$a\!b$
<code>\$a\>b\$</code>	$a\,b$
<code>\$a\mkern\medmuskip b\$</code>	$a\,b$
<code>\$a\;b\$</code>	$a\,b$
<code>\$a\mkern\thickmuskip b\$</code>	$a\,b$
<code>\$a\:b\$</code>	$a\,b$
<code>\$a\mkern\medmuskip b\$</code>	$a\,b$
<code>a\enspace b</code>	$a\,b$
<code>\$a\enspace b\$</code>	$a\,b$
<code>a\quad b</code>	$a\,b$

Continued on next page

Table 2.3 – Continued from previous page

Code	Represent example	
<code>\$a\quad b\$</code>	a	b
<code>a\qquad b</code>	a	b
<code>\$a\qquad b\$</code>	a	b
<code>a\hskip 1em b</code>	a	b
<code>\$a\hskip 1em b\$</code>	a	b
<code>a\kern 1pc b</code>	a	b
<code>\$a\kern 1pc b\$</code>	a	b
<code>a\hspace{35pt}b</code>	a	b
<code>\$a\hspace{35pt}b\$</code>	a	b
<code>axyzb</code>	$axyzb$	
<code>a\hphantom{xyz}b</code>	a	b
<code>\$axyzb\$</code>	$axyzb$	
<code>\$a\hphantom{xyz}b\$</code>	a	b
<code>a{ }b</code>	a	b
<code>\$a{ }b\$</code>	ab	
<code>a\space b</code>	a	b
<code>\$a\space b\$</code>	ab	
<code>a\ b</code>	a	b
<code>\$a\ b\$</code>	a	b
<code>a~b</code>	a	b
<code>\$a~b\$</code>	a	b
<code>a\hfill b</code>	a	b
<code>\$a\hfill b\$</code>	a	b

3. Title of Chapter Three

For vertical spacing, use `\smallskip`, `\medskip`, `\bigskip`, `\vspace{}` or `\vskip`. But note that the first three commands can only be used after a paragraph break (which is made by one completely blank line or by the command `\par`). These commands output flexible or rubber space, approximately 3pt, 6pt, and 12pt high respectively, but these commands will automatically compress or expand a bit, depending on the demands of the rest of the page.

Paragraph break can use `\par` inside commands or environments. Use `\` the current line will be as it is and start a new line, use `\linebreak` to introduce a line break will make the current line aligns to the full textwidth and then start a new line.

3.1 3.1 title

Use `%` to add your comments. Different text editor have different hotkeys for commenting.

- Texstudio: CTRL + T
- VS Code: CTRL + /
- Sublime Text: CTRL + /

3.1.1 3.1.1 title

To avoid having the space after the command disappear, do the following:

October 22, 2020is a good day. produces: April 16, 2007is a good day.

October 22, 2020 is a good day. produces: April 16, 2007 is a good day.

To prevent two words from being split at a line break, tie them together with the tilde character: for example Mr. Smith will never appear with “Mr.” at the end of one line and “Smith” at the start of the next.

4. Title of Chapter Four

Special Characters:

Certain characters have special meaning to \LaTeX . An example is the `%` sign, which indicates that the remainder of the line is a comment and should not be processed. Below is the complete list of special characters. To have these characters print in your output, you must type them in your input file as shown in Table 4.1 below.

Table 4.1: Special characters in \LaTeX

Character	Type in file	Special \LaTeX meaning
#	<code>\#</code>	Parameter in a macro; also used in tables
\$	<code>\\$</code>	Used to begin and end math mode
%	<code>\%</code>	Used for comments in the source file
&	<code>\&</code>	Tab mark, used in alignments
_	<code>_</code>	Used in math mode for subscripts
^	<code>\^</code>	Used in math mode for supperscripts
~	<code>\~</code>	Parameter in a macro; also used in tables
\	<code>\backslash</code>	Used to begin a control sequence
<	<code>\$<\$</code> (or <code>\textless</code>)	Otherwise, produces ! (rotate clockwise 180°)
>	<code>\$>\$</code> (or <code>\textgreater</code>)	Otherwise, produces ? (rotate clockwise 180°)

4.1 4.1 title

what you want to know is shown in Figure 4.1.



Figure 4.1: Figure caption here

4.1.1 4.1.1 title

\LaTeX commands are case-sensitive. Most are all lowercase. \LaTeX uses grouping to limit the effect of certain commands. Braces { ... } are used to begin and end groups. For example, the `\large` command is usually used inside a group: `{\large this is bigger than normal.}` will produce **this is bigger than normal**.

\LaTeX recognizes the following units:

cm	centimeter	pt	printer's point, ≈ 72 per inch
mm	millimeter	em	font-dependent width of "m"
in	inch	ex	font-dependent height of "x"

5. Summary

Look up at the stars and not down at your feet. Try to make sense of what you see and wonder about what makes the universe exist. Be curious.

–Stephen Hawking

Appendix

A Appendix Subsection

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

- 1 Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi
- 2 auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies
- 3 et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet
- 4 magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis.
- 5 Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis
- 6 natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.
- 7 Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque

8 cursus luctus mauris.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Another appendix Subsection

Bibliography

- [1] B. S. Weir, S. J. Turner, W. B. Silvester, D.-C. Park, and J. M. Young. Unexpectedly diverse *Mesorhizobium* strains and *Rhizobium leguminosarum* nodulate native legume genera of new zealand, while introduced legume weeds are nodulated by *Bradyrhizobium* species. *Applied and Environmental Microbiology*, 70(10):5980–5987, 2004.
- [2] IBGE. *Normas de apresentar*. Centro de Documenta, Rio de Janeiro, 3 edition, 1993.

List of Figures

1.1	figure caption with citation.	5
1.2	figure caption with citation.	6
4.1	Figure caption here	20

List of Tables

1.1 Document Classes for \LaTeX	4
2.1 Useful online tools	11
2.2 Useful packages	12
2.3 Horizontal spacing macros for \LaTeX	14
4.1 Special characters in \LaTeX	19

Curriculum vitae

Personal data

Name:	San Zhang
Date of birth:	09.09.1999
Place of birth:	Beijing, China

Education

09/2018-06/2022	Bachelor, xxx University
09/2022-06/2025	Master, xxx University
09/2025-08/2029	Ph.D., xxx University