ABOUT OUR GROUP

Integrated Manufacturer & R&D Pioneer

Since 2008, Xiamen VAH and Wuhan Fuan have operated as sister enterprises, integrating professional R&D and production of electric power fittings. High adaptability and easy installation have been evaluated by most professional clients from all of the world.

Global Trust

Our products are evaluated by the most professional clients worldwide for their high reliability, high adaptability, and ease of installation.

- **ISO 9001/2005** Quality System Certified.

- **Practical Quality Development:** Continuous improvement of the quality assurance system.

- **Brother Enterprises:** Xiamen VAH + Wuhan Fuan VVMA + Wuhan Fuan Zhongnan.

25+
In-house Patents

15+
Years Experience

R&D STRENGTH

Academic Driven Innovation

Professor-Level Leadership
- Led by Professor-level Senior Engineers, ensuring our products stay at the forefront of power technology.

Academic Partnerships
- Long-term collaboration with Huazhong University of Science and Technology (HUST) and Harbin Institute of Technology (HIT).

Live Grid Testing
- Comprehensive live testing with State Grid China (Hubei & Hunan Province divisions).

CORE PATENTED TECHNOLOGY

The Radial Mismatch Solution



90% of standard bolted clamp failures are attributed to unmanaged conductor creep and maintenance neglect.

Stability is **40%** higher than similar products on the market.



Product series: 303 series, 505 series, 707 series

FLAGSHIP PRODUCT I

Self-locking Wedge Clamp

A maintenance-free solution using an elastic "C-component" design to solve the perennial problem of conductor creep.

- **Original Patent** Well-sold globally with single product sales over 5M units.

- **Thermal Material Formula** Coefficients tailored to match cable thermal expansion/contraction.

- **Knock-type Installation** Requires only a hammer strike. No cartridges, gunpowder, or specialized complex tools needed.

- **Unlimited Recycling** Simple disassembly and fully recyclable.

- **Optimized Inventory** Just 25 models cover almost all wire specifications (Vs. 230+ for competitors).

FLAGSHIP PRODUCT II

Axial Piercing Connector (IPC)

Provides electrical connection for aluminum and copper stranded conductors without stripping insulation.

- **Specialized Axial Gear** Adaptable to various types of conductive wire.

- **Integrated Limit Protection** Stopper prevents damaging smaller bifurcated lines.

- **Tin-plated Copper Alloy** High-performance contact piercing insulation sheath.

- **Torque-control Nut** Ensures precise pressure for optimized contact and sealing.

- **Extreme Environment** Operates reliably from -40°C to +55°C.







Fire Rating: Meets DL/T1190-2012 Standards.
Safety: Energized operation (no load) allowed.

MANUFACTURING EXCELLENCE

Standardized Quality Control

- **IQC (Incoming Inspection):** Standard/Customer requirement verification.
- **IPQC (Process Control):** Key quality control points during assembly.
- **FQC (Finished Product):** 100% testing of critical parameters.
- **OQC (Packaging):** Final audit before warehouse entry.

Key Landmark Projects

World's 1st 220kV OPPC (2010)

Successful deployment in North China Power Grid, integrating fiber optics and monitoring.

Three Gorges Dam Project

Supplying heavy-duty industrial connectors for global-scale hydro-infrastructure.

TECHNICAL DATA

Connector Selection Guide

型号	Main Conductor Range (Imperial)	Tap Conductor Range (Imperial)	Main Conductor Range (Metric)	Tap Conductor Range (Metric)	No. of Bolts	Applications
JCX-1150	4 - 4/0 mm²	15 - 10 mm²	4 - 120 mm²	1.5 - 10 mm²	1	1kV
JCX-1250	6 - 4/0 mm²	10 - 2 mm²	10 - 95 mm²	4 - 25 mm²	1	1kV
JCX-1350	11- 1/0 mm²	11 - 1/0 mm²	16 - 95 mm²	4 - 50 mm²	1	1kV
JCX-1450	9 - 1/0 mm²	9 - 1/0 mm²	50 - 150 mm²	6 - 50 mm²	1	1kV
JCX-1550	4 - 4/0 mm²	4 - 4/0 mm²	16 - 120 mm²	16 - 120 mm²	1	1kV

Application Scenarios:
Aerial lines connections, T-connections for buildings, Street lights, and Substation outgoing lines.

Materials:
Tin-plated copper alloy contacts, UV resistant reinforced plastic housing, Galvanized steel bolts.

Certifications:
ISO 9001/2005, ANSI C119.4-2018 Standards compliance.

Partner With Innovation

We are willing to contribute to the development of the electric power industry together with Clients worldwide.