

gdTAI v2 and v3 in GSE305372

Corrected inference on every cell in all four deposited author-finalized CD4/CD8 T-cell objects

690,715

transcriptome-eligible deposited T cells

2,474

V2 high-F1 calls

1,942

V2 high-purity calls

2,043

V3 Round 14 calls

3,482

CD3+TRDC+ expression proxy

14,387

CD3+(TRDC or TRDV)+ proxy

533,411

paired TRA/TRB evidence

0

CITE-based exclusions

Corrected inclusion rule. Every cell in the authors' processed lung CD4, lung CD8, lymph-node CD4, and lymph-node CD8 Seurat objects was analyzed. `cite.cell.type.tag` is retained only as audit metadata and never used to select cells.

Inference, not ground-truth evaluation. The processed objects contain TRA/TRB metadata but no matched TRG/TRD clonotype calls. Consequently, model-positive paired-TRA/TRB cells are conflict-screening candidates rather than proven false positives, and expression-proxy capture is not biological recall.

Denominator audit

The deposited lung CD4 object has 370,422 cells, whereas the manuscript reports 370,233. The difference is exactly 189 cells in cluster IDs 6-8, which are not present in the authors' finalized phenotype map; no model called any of those 189 cells. They remain included here under the all-deposited-cells rule. Both lymph-node objects are partial deposits relative to the manuscript cohort.

object_id	deposited_cells_analyzed	mapped_author_cluster_cells	manuscript_reported_cells	deposited_minus_manuscript	deposited_coverage_fraction	scope_note
lung_CD4	370422	370233	370233	189	1.0005	189 deposited cells are in unmapped author cluster IDs 6-8
lung_CD8	227800	227800	227800	0	1.0000	deposited object matches the manuscript count
lymph_node_CD4	74421	74421	198890	-124469	0.3742	GEO object is a partial lymph-node deposit
lymph_node_CD8	18072	18072	129737	-111665	0.1393	GEO object is a partial lymph-node deposit

The separate DICE-TCR blood CD4 CSV contains 1,143,667 TCR/metadata rows and 35 columns, but no raw transcriptome matrix or whole-library count denominator. It is therefore not eligible for gdTAI expression inference and is not part of the 690,715-cell denominator.

Models and normalization


Both releases were applied to the same raw RNA counts. Each model gene was transformed as $\text{log1p}(\text{raw_count} * 10,000 / \text{whole-transcriptome_raw-count_total})$. V2 high-F1 uses its fixed threshold 0.906359. V2 high-purity uses the released annotation-specific policy: 0.97 for CD4, 0.93 for CD8, and no calls from author-defined Treg clusters. V3 is the checksum-pinned promoted Round 14 model at 0.936.


V2 SHA256: c7f6e7d1d1c0c8de9e7abbaa7c5b70c1070b43c964ccdb94e414bc5278e13c3e

V3 SHA256: 16dedc0081da9b8487887341232bcf8c9c9403dd3bbd72e04cab43d4cd7b2e09

Overall and object-level calls

model	n_cells	n_predicted	predicted_fraction	predicted_fraction_ci_low		predicted_fraction_ci_high		median_score	p95_score
v2_high_f1	690715	2474	0.0036	0.0034		0.0037		0.0002	0.0922
v2_high_purity	690715	1942	0.0028	0.0027		0.0029		0.0002	0.0922
v3_round14	690715	2043	0.0030	0.0028		0.0031		0.0002	0.0921
object_id	source_compartment	author_lineage	model	n_cells	n_predicted	predicted_fraction	predicted_fraction_ci_low	predicted_fraction_ci_high	
lung_CD4	lung	CD4	v2_high_f1	370422	378	0.0010	0.0009		0.0011
lung_CD4	lung	CD4	v2_high_purity	370422	136	0.0004	0.0003		0.0004
lung_CD4	lung	CD4	v3_round14	370422	269	0.0007	0.0006		0.0008
lung_CD8	lung	CD8	v2_high_f1	227800	1934	0.0085	0.0081		0.0089
lung_CD8	lung	CD8	v2_high_purity	227800	1695	0.0074	0.0071		0.0078
lung_CD8	lung	CD8	v3_round14	227800	1640	0.0072	0.0069		0.0076
lymph_node_CD4	lymph_node	CD4	v2_high_f1	74421	51	0.0007	0.0005		0.0009
lymph_node_CD4	lymph_node	CD4	v2_high_purity	74421	14	0.0002	0.0001		0.0003
lymph_node_CD4	lymph_node	CD4	v3_round14	74421	40	0.0005	0.0004		0.0007
lymph_node_CD8	lymph_node	CD8	v2_high_f1	18072	111	0.0061	0.0051		0.0074
lymph_node_CD8	lymph_node	CD8	v2_high_purity	18072	97	0.0054	0.0044		0.0065
lymph_node_CD8	lymph_node	CD8	v3_round14	18072	94	0.0052	0.0043		0.0064





Author phenotype clusters

Cluster resolutions and labels follow the authors' public figure script: `RNA_snn_res.0.2` for lung and `RNA_snn_res.0.3` for lymph node. These labels are also the source for the V2 high-purity Treg exclusion.


object_id	author_cluster_id	author_cluster	model	n_cells	n_predicted	predicted_fraction
lung_CD4	0	TRM	v2_high_f1	200726	163	0.0008
lung_CD4	0	TRM	v2_high_purity	200726	64	0.0003
lung_CD4	0	TRM	v3_round14	200726	123	0.0006
lung_CD4	1	TCM	v2_high_f1	113903	77	0.0007
lung_CD4	1	TCM	v2_high_purity	113903	28	0.0002
lung_CD4	1	TCM	v3_round14	113903	52	0.0005
lung_CD4	2	CD4-CTL	v2_high_f1	22048	101	0.0046
lung_CD4	2	CD4-CTL	v2_high_purity	22048	41	0.0019
lung_CD4	2	CD4-CTL	v3_round14	22048	71	0.0032
lung_CD4	3	TREG	v2_high_f1	21818	26	0.0012
lung_CD4	3	TREG	v2_high_purity	21818	0	0.0000
lung_CD4	3	TREG	v3_round14	21818	15	0.0007
lung_CD4	4	TFH	v2_high_f1	7165	5	0.0007
lung_CD4	4	TFH	v2_high_purity	7165	1	0.0001
lung_CD4	4	TFH	v3_round14	7165	4	0.0006
lung_CD4	5	Prolif	v2_high_f1	4573	6	0.0013
lung_CD4	5	Prolif	v2_high_purity	4573	2	0.0004
lung_CD4	5	Prolif	v3_round14	4573	4	0.0009
lung_CD4	6	unassigned	v2_high_f1	185	0	0.0000
lung_CD4	6	unassigned	v2_high_purity	185	0	0.0000
lung_CD4	6	unassigned	v3_round14	185	0	0.0000
lung_CD4	7	unassigned	v2_high_f1	2	0	0.0000
lung_CD4	7	unassigned	v2_high_purity	2	0	0.0000
lung_CD4	7	unassigned	v3_round14	2	0	0.0000
lung_CD4	8	unassigned	v2_high_f1	2	0	0.0000
lung_CD4	8	unassigned	v2_high_purity	2	0	0.0000
lung_CD4	8	unassigned	v3_round14	2	0	0.0000
lung_CD8	0	TRM	v2_high_f1	77490	206	0.0027
lung_CD8	0	TRM	v2_high_purity	77490	176	0.0023
lung_CD8	0	TRM	v3_round14	77490	170	0.0022
lung_CD8	1	TEM	v2_high_f1	71943	972	0.0135
lung_CD8	1	TEM	v2_high_purity	71943	854	0.0119
lung_CD8	1	TEM	v3_round14	71943	825	0.0115
lung_CD8	2	GZMKhi	v2_high_f1	43197	350	0.0081
lung_CD8	2	GZMKhi	v2_high_purity	43197	305	0.0071
lung_CD8	2	GZMKhi	v3_round14	43197	300	0.0069
lung_CD8	3	TCM	v2_high_f1	19484	27	0.0014
lung_CD8	3	TCM	v2_high_purity	19484	22	0.0011
lung_CD8	3	TCM	v3_round14	19484	21	0.0011


object_id	author_cluster_id	author_cluster	model	n_cells	n_predicted	predicted_fraction
lung_CD8	4	NKG2Cpos	v2_high_f1	8803	330	0.0375
lung_CD8	4	NKG2Cpos	v2_high_purity	8803	298	0.0339
lung_CD8	4	NKG2Cpos	v3_round14	8803	285	0.0324
lung_CD8	5	MAIT	v2_high_f1	4585	35	0.0076
lung_CD8	5	MAIT	v2_high_purity	4585	29	0.0063
lung_CD8	5	MAIT	v3_round14	4585	28	0.0061
lung_CD8	6	Prolif	v2_high_f1	2298	14	0.0061
lung_CD8	6	Prolif	v2_high_purity	2298	11	0.0048
lung_CD8	6	Prolif	v3_round14	2298	11	0.0048
lymph_node_CD4	0	TN	v2_high_f1	17362	11	0.0006
lymph_node_CD4	0	TN	v2_high_purity	17362	5	0.0003
lymph_node_CD4	0	TN	v3_round14	17362	9	0.0005
lymph_node_CD4	1	TI	v2_high_f1	14172	7	0.0005
lymph_node_CD4	1	TI	v2_high_purity	14172	4	0.0003
lymph_node_CD4	1	TI	v3_round14	14172	5	0.0004
lymph_node_CD4	2	TCM	v2_high_f1	12270	3	0.0002
lymph_node_CD4	2	TCM	v2_high_purity	12270	0	0.0000
lymph_node_CD4	2	TCM	v3_round14	12270	2	0.0002
lymph_node_CD4	3	TREG	v2_high_f1	11846	15	0.0013
lymph_node_CD4	3	TREG	v2_high_purity	11846	0	0.0000
lymph_node_CD4	3	TREG	v3_round14	11846	11	0.0009
lymph_node_CD4	4	TREG	v2_high_f1	11551	7	0.0006
lymph_node_CD4	4	TREG	v2_high_purity	11551	0	0.0000
lymph_node_CD4	4	TREG	v3_round14	11551	7	0.0006
lymph_node_CD4	5	IFNR	v2_high_f1	3059	4	0.0013
lymph_node_CD4	5	IFNR	v2_high_purity	3059	2	0.0007
lymph_node_CD4	5	IFNR	v3_round14	3059	2	0.0007
lymph_node_CD4	6	TFH	v2_high_f1	2942	4	0.0014
lymph_node_CD4	6	TFH	v2_high_purity	2942	3	0.0010
lymph_node_CD4	6	TFH	v3_round14	2942	4	0.0014
lymph_node_CD4	7	TRM	v2_high_f1	908	0	0.0000
lymph_node_CD4	7	TRM	v2_high_purity	908	0	0.0000
lymph_node_CD4	7	TRM	v3_round14	908	0	0.0000
lymph_node_CD4	8	TFH	v2_high_f1	311	0	0.0000
lymph_node_CD4	8	TFH	v2_high_purity	311	0	0.0000
lymph_node_CD4	8	TFH	v3_round14	311	0	0.0000
lymph_node_CD8	0	GZMKhi	v2_high_f1	6259	41	0.0066
lymph_node_CD8	0	GZMKhi	v2_high_purity	6259	36	0.0058
lymph_node_CD8	0	GZMKhi	v3_round14	6259	35	0.0056

object_id	author_cluster_id	author_cluster	model	n_cells	n_predicted	predicted_fraction
lymph_node_CD8	1	TI	v2_high_f1	3920	26	0.0066
lymph_node_CD8	1	TI	v2_high_purity	3920	23	0.0059
lymph_node_CD8	1	TI	v3_round14	3920	23	0.0059
lymph_node_CD8	2	TCM	v2_high_f1	3749	12	0.0032
lymph_node_CD8	2	TCM	v2_high_purity	3749	9	0.0024
lymph_node_CD8	2	TCM	v3_round14	3749	9	0.0024
lymph_node_CD8	3	TN	v2_high_f1	1291	2	0.0015
lymph_node_CD8	3	TN	v2_high_purity	1291	1	0.0008
lymph_node_CD8	3	TN	v3_round14	1291	1	0.0008
lymph_node_CD8	4	IFNR	v2_high_f1	1119	3	0.0027
lymph_node_CD8	4	IFNR	v2_high_purity	1119	1	0.0009
lymph_node_CD8	4	IFNR	v3_round14	1119	1	0.0009
lymph_node_CD8	5	TRM	v2_high_f1	1007	1	0.0010
lymph_node_CD8	5	TRM	v2_high_purity	1007	1	0.0010
lymph_node_CD8	5	TRM	v3_round14	1007	1	0.0010
lymph_node_CD8	6	TACT	v2_high_f1	374	0	0.0000
lymph_node_CD8	6	TACT	v2_high_purity	374	0	0.0000
lymph_node_CD8	6	TACT	v3_round14	374	0	0.0000
lymph_node_CD8	7	MAIT	v2_high_f1	282	26	0.0922
lymph_node_CD8	7	MAIT	v2_high_purity	282	26	0.0922
lymph_node_CD8	7	MAIT	v3_round14	282	24	0.0851
lymph_node_CD8	8	TEM	v2_high_f1	71	0	0.0000
lymph_node_CD8	8	TEM	v2_high_purity	71	0	0.0000
lymph_node_CD8	8	TEM	v3_round14	71	0	0.0000

Model agreement

model_a	model_b	a_positive	b_positive	both_positive	a_only	b_only	jaccard
v2_high_f1	v2_high_purity	2474	1942	1942	532	0	0.7850
v2_high_f1	v3_round14	2474	2043	2043	431	0	0.8258
v2_high_purity	v3_round14	1942	2043	1884	58	159	0.8967
prediction_pattern				n_cells	fraction_of_all_cells		
none				688241	0.9964		
v2_high_f1+v2_high_purity+v3_round14				1884	0.0027		
v2_high_f1				373	0.0005		
v2_high_f1+v3_round14				159	0.0002		
v2_high_f1+v2_high_purity				58	0.0001		






TCR-expression audit

CD3+ means at least one raw UMI in CD3D , CD3E , or CD3G . Gene-expression categories are dropout-sensitive proxies and are not used as ground truth.

expression_proxy	model	n_reference_cells	n_model_positive	model_capture_fraction
CD3+TRDC+	v2_high_f1	3482	594	0.1706
CD3+TRDC+	v2_high_purity	3482	517	0.1485
CD3+TRDC+	v3_round14	3482	533	0.1531
CD3+(TRDC_or_TRDV)+	v2_high_f1	14387	2212	0.1537
CD3+(TRDC_or_TRDV)+	v2_high_purity	14387	1799	0.1250
CD3+(TRDC_or_TRDV)+	v3_round14	14387	1867	0.1298
TRDC+TRDV+	v2_high_f1	1333	556	0.4171

expression_proxy	model	n_reference_cells	n_model_positive	model_capture_fraction
TRDC+TRDV+	v2_high_purity	1333	491	0.3683
TRDC+TRDV+	v3_round14	1333	501	0.3758
TRDC+TRDV-	v2_high_f1	2174	39	0.0179
TRDC+TRDV-	v2_high_purity	2174	27	0.0124
TRDC+TRDV-	v3_round14	2174	33	0.0152
TRDC-TRDV+	v2_high_f1	11027	1632	0.1480
TRDC-TRDV+	v2_high_purity	11027	1292	0.1172
TRDC-TRDV+	v3_round14	11027	1347	0.1222



object_id	tcr_gene_quadrant	model	n_cells	n_predicted	predicted_fraction
lung_CD4	TRDC+TRDV+	v2_high_f1	186	51	0.2742
lung_CD4	TRDC+TRDV+	v2_high_purity	186	24	0.1290
lung_CD4	TRDC+TRDV+	v3_round14	186	43	0.2312
lung_CD4	TRDC+TRDV-	v2_high_f1	1000	15	0.0150
lung_CD4	TRDC+TRDV-	v2_high_purity	1000	7	0.0070
lung_CD4	TRDC+TRDV-	v3_round14	1000	12	0.0120

object_id	tcr_gene_quadrant	model	n_cells	n_predicted	predicted_fraction
lung_CD4	TRDC-TRDV+	v2_high_f1	3675	225	0.0612
lung_CD4	TRDC-TRDV+	v2_high_purity	3675	80	0.0218
lung_CD4	TRDC-TRDV+	v3_round14	3675	156	0.0424
lung_CD4	TRDC-TRDV-	v2_high_f1	365561	87	0.0002
lung_CD4	TRDC-TRDV-	v2_high_purity	365561	25	0.0001
lung_CD4	TRDC-TRDV-	v3_round14	365561	58	0.0002
lung_CD8	TRDC+TRDV+	v2_high_f1	1017	465	0.4572
lung_CD8	TRDC+TRDV+	v2_high_purity	1017	434	0.4267
lung_CD8	TRDC+TRDV+	v3_round14	1017	422	0.4149
lung_CD8	TRDC+TRDV-	v2_high_f1	560	17	0.0304
lung_CD8	TRDC+TRDV-	v2_high_purity	560	16	0.0286
lung_CD8	TRDC+TRDV-	v3_round14	560	14	0.0250
lung_CD8	TRDC-TRDV+	v2_high_f1	5836	1300	0.2228
lung_CD8	TRDC-TRDV+	v2_high_purity	5836	1142	0.1957
lung_CD8	TRDC-TRDV+	v3_round14	5836	1107	0.1897
lung_CD8	TRDC-TRDV-	v2_high_f1	220387	152	0.0007
lung_CD8	TRDC-TRDV-	v2_high_purity	220387	103	0.0005
lung_CD8	TRDC-TRDV-	v3_round14	220387	97	0.0004
lymph_node_CD4	TRDC+TRDV+	v2_high_f1	43	9	0.2093
lymph_node_CD4	TRDC+TRDV+	v2_high_purity	43	4	0.0930
lymph_node_CD4	TRDC+TRDV+	v3_round14	43	8	0.1860
lymph_node_CD4	TRDC+TRDV-	v2_high_f1	486	3	0.0062
lymph_node_CD4	TRDC+TRDV-	v2_high_purity	486	0	0.0000
lymph_node_CD4	TRDC+TRDV-	v3_round14	486	3	0.0062
lymph_node_CD4	TRDC-TRDV+	v2_high_f1	1105	35	0.0317
lymph_node_CD4	TRDC-TRDV+	v2_high_purity	1105	9	0.0081
lymph_node_CD4	TRDC-TRDV+	v3_round14	1105	25	0.0226
lymph_node_CD4	TRDC-TRDV-	v2_high_f1	72787	4	0.0001
lymph_node_CD4	TRDC-TRDV-	v2_high_purity	72787	1	0.0000
lymph_node_CD4	TRDC-TRDV-	v3_round14	72787	4	0.0001
lymph_node_CD8	TRDC+TRDV+	v2_high_f1	87	31	0.3563
lymph_node_CD8	TRDC+TRDV+	v2_high_purity	87	29	0.3333
lymph_node_CD8	TRDC+TRDV+	v3_round14	87	28	0.3218
lymph_node_CD8	TRDC+TRDV-	v2_high_f1	128	4	0.0312
lymph_node_CD8	TRDC+TRDV-	v2_high_purity	128	4	0.0312
lymph_node_CD8	TRDC+TRDV-	v3_round14	128	4	0.0312
lymph_node_CD8	TRDC-TRDV+	v2_high_f1	411	72	0.1752
lymph_node_CD8	TRDC-TRDV+	v2_high_purity	411	61	0.1484
lymph_node_CD8	TRDC-TRDV+	v3_round14	411	59	0.1436

object_id	tcr_gene_quadrant	model	n_cells	n_predicted	predicted_fraction
lymph_node_CD8	TRDC-TRDV-	v2_high_f1	17446	4	0.0002
lymph_node_CD8	TRDC-TRDV-	v2_high_purity	17446	3	0.0002
lymph_node_CD8	TRDC-TRDV-	v3_round14	17446	3	0.0002

TRA/TRB conflict screening

model	paired_TRA_TRB_cells	model_positive_paired_TRA_TRB	conflict_screening_fraction
v2_high_f1	533411	923	0.0017
v2_high_purity	533411	687	0.0013
v3_round14	533411	733	0.0014

CITE-tag audit

CITE tags are shown only to expose which cells were previously lost. They do not determine inclusion or prediction thresholds in this corrected analysis.

object_id	cite.cell.type.tag	model	n_cells	n_predicted	predicted_fraction
lung_CD4	CD4	v2_high_f1	130116	187	0.0014
lung_CD4	CD4	v2_high_purity	130116	77	0.0006
lung_CD4	CD4	v3_round14	130116	137	0.0011
lung_CD4	CD8A	v2_high_f1	6793	15	0.0022
lung_CD4	CD8A	v2_high_purity	6793	5	0.0007
lung_CD4	CD8A	v3_round14	6793	12	0.0018
lung_CD4	Doublet	v2_high_f1	16744	23	0.0014
lung_CD4	Doublet	v2_high_purity	16744	8	0.0005
lung_CD4	Doublet	v3_round14	16744	17	0.0010
lung_CD4	Negative	v2_high_f1	5346	2	0.0004
lung_CD4	Negative	v2_high_purity	5346	0	0.0000
lung_CD4	Negative	v3_round14	5346	0	0.0000
lung_CD4		v2_high_f1	211423	151	0.0007
lung_CD4		v2_high_purity	211423	46	0.0002
lung_CD4		v3_round14	211423	103	0.0005
lung_CD8	CD4	v2_high_f1	4441	153	0.0345
lung_CD8	CD4	v2_high_purity	4441	136	0.0306
lung_CD8	CD4	v3_round14	4441	129	0.0290
lung_CD8	CD8A	v2_high_f1	143184	749	0.0052
lung_CD8	CD8A	v2_high_purity	143184	632	0.0044

object_id	cite.cell.type.tag	model	n_cells	n_predicted	predicted_fraction
lung_CD8	CD8A	v3_round14	143184	608	0.0042
lung_CD8	Doublet	v2_high_f1	14873	161	0.0108
lung_CD8	Doublet	v2_high_purity	14873	142	0.0095
lung_CD8	Doublet	v3_round14	14873	136	0.0091
lung_CD8	Negative	v2_high_f1	27265	162	0.0059
lung_CD8	Negative	v2_high_purity	27265	145	0.0053
lung_CD8	Negative	v3_round14	27265	142	0.0052
lung_CD8		v2_high_f1	38037	709	0.0186
lung_CD8		v2_high_purity	38037	640	0.0168
lung_CD8		v3_round14	38037	625	0.0164
lymph_node_CD4	CD4	v2_high_f1	58468	40	0.0007
lymph_node_CD4	CD4	v2_high_purity	58468	10	0.0002
lymph_node_CD4	CD4	v3_round14	58468	32	0.0005
lymph_node_CD4	CD8A	v2_high_f1	991	2	0.0020
lymph_node_CD4	CD8A	v2_high_purity	991	1	0.0010
lymph_node_CD4	CD8A	v3_round14	991	1	0.0010
lymph_node_CD4	Doublet	v2_high_f1	4342	3	0.0007
lymph_node_CD4	Doublet	v2_high_purity	4342	1	0.0002
lymph_node_CD4	Doublet	v3_round14	4342	3	0.0007
lymph_node_CD4	Negative	v2_high_f1	3	0	0.0000
lymph_node_CD4	Negative	v2_high_purity	3	0	0.0000
lymph_node_CD4	Negative	v3_round14	3	0	0.0000
lymph_node_CD4		v2_high_f1	10617	6	0.0006
lymph_node_CD4		v2_high_purity	10617	2	0.0002
lymph_node_CD4		v3_round14	10617	4	0.0004
lymph_node_CD8	CD4	v2_high_f1	955	24	0.0251
lymph_node_CD8	CD4	v2_high_purity	955	22	0.0230
lymph_node_CD8	CD4	v3_round14	955	21	0.0220
lymph_node_CD8	CD8A	v2_high_f1	14662	55	0.0038
lymph_node_CD8	CD8A	v2_high_purity	14662	45	0.0031
lymph_node_CD8	CD8A	v3_round14	14662	43	0.0029
lymph_node_CD8	Doublet	v2_high_f1	1790	6	0.0034
lymph_node_CD8	Doublet	v2_high_purity	1790	5	0.0028
lymph_node_CD8	Doublet	v3_round14	1790	5	0.0028
lymph_node_CD8	Negative	v2_high_f1	6	0	0.0000
lymph_node_CD8	Negative	v2_high_purity	6	0	0.0000
lymph_node_CD8	Negative	v3_round14	6	0	0.0000
lymph_node_CD8		v2_high_f1	659	26	0.0395
lymph_node_CD8		v2_high_purity	659	25	0.0379

object_id	cite.cell.type.tag	model	n_cells	n_predicted	predicted_fraction
lymph_node_CD8		v3_round14	659	25	0.0379

Scope limitation

The GEO deposit contains the complete manuscript lung objects but only a subset of the manuscript lymph-node cohort. This report therefore describes all *deposited* T cells, not every lymph-node cell reported in the article.

Source: [GEO GSE305372](#). Study: [Fajardo-Rosas et al., Nature Immunology \(2026\)](#).

Workflow: `workflows/intake/export_gse305372_all_t_model_payload.R` and `workflows/gdtai/run_gdtai_gse305372_all_t.py` .