

AES41-r-AJM-20110325.pdf

Source File: AES41-r-AJM-20110325.pdf

File Size: 237075 bytes (231.52 KB)

Format: .PDF

Content Preview

AES 41

Abstract

AES41 provides for the carriage of audio meta-data by embedding it in the audio samples themselves. This tightly associates the meta-data with the audio, yet makes it fragile so that changes to the audio will invalidate the meta-data. Several meta-data sets have been defined, covering applications such as cascaded compression (bit rate reduction), and loudness control.

This Part specifies the method by which a meta-data set is embedded in the audio samples. Other parts define the content and format of the meta-data sets.

PART 1

0 Introduction

0.1 Rationale for this standard

It has become apparent that there are requirements for the transport of audio meta-data together with the related audio, in a way such that the two are not separated. Further, there are requirements where any alteration of the audio should render the related meta-data invalid. Meta-data held in

files, or transported in associated video signals, or in AES3 user bits, for example, does not meet

these requirements: The meta-data may become dissociated from the audio, or may continue to be associated with the audio even after substantial changes have been made.

Initially, this standard was developed to satisfy these requirements, of tight association and fragility,

for an application in cascaded digital compression (bit rate reduction).

Other applications have been identified that have these same two requirements,

Extracted Standard Text Sample

AES 41

Abstract

AES41 provides for the carriage of audio meta-data by embedding it in the audio samples themselves. This tightly associates the meta-data with the audio, yet makes it fragile so that

changes to the audio will invalidate the meta-data. Several meta-data sets have been defined, covering applications such as cascaded compression (bit rate reduction), and loudness control. This Part specifies the method by which a meta-data set is embedded in the audio samples. Other parts define the content and format of the meta-data sets.

PART 1

0 Introduction

0.1 Rationale for this standard

It has become apparent that there are requirements for the transport of audio meta-data together with the related audio, in a way such that the two are not separated. Further, there are requirements where any alteration of the audio should render the related meta-data invalid. Meta-data held in files, or transported in associated video signals, or in AES3 user bits, for example, does not meet these requirements: The meta-data may become dissociated from the audio, or may continue to be associated with the audio even after substantial changes have been made. Initially, this standard was developed to satisfy these requirements, of tight association and fragility,